



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

PROPERTY OF
*University of
Michigan
Libraries*
1917
REVES SCIENTIA VITAE

ARCHITECTURE *Architecture* NA 1 File 8 v. 44 no. 1

AND BUILDING

A Magazine
Devoted to Contemporary
Architectural Construction

Vol. 44

January
1912

No. 1

Fireproofing and Fire-Protection

NOV 16 1967

SHORTAGE

Published by

THE WILLIAM T. COMSTOCK COMPANY

23 Warren Street New York

~~\$2.00~~ a Year

20¢ a Copy

Copyright, 1912, by The Wm. T. Comstock Co.

Entered as second-class matter, April 4, 1911, at the Post Office at New York, N. Y.

"Globe" Ventilator and "Globe Ventilating Ridging"



The "Globe" is built on
honor and sold on merit

In Copper or Galvanized Iron

Simple
Stormproof
Symmetrical
Satisfactory

Send for
Brown Print
Catalogue or Model

MANUFACTURED BY

Globe Ventilator Company
TROY, N. Y.

SILVER LAKE A SASH CORD THE STANDARD

Our name is stamped on every foot of our cord.

Estimate the greatest possible saving in the first cost of a building by using cheap cord. If there is any saving can you afford to take it? The best cord will wear over twenty years and you are saved the annoyance and expense of replacing broken cord. For the cheapest sash cord service specify SILVER LAKE A.

The Original Solid Braided Sash Cord

THE BEST IS THE CHEAPEST

SILVER LAKE CO., Boston

Send for New Catalogue of Arch-
itecture & Building Constructive

W. T. COMSTOCK COMPANY
23 Warren St., New York

Building Construction and Superintendence

Part II. Carpenters' Work

Four Dollars a Volume

Part III. Trussed Roofs

Three Dollars a Volume

By F. E. KIDDER, C. E., Ph.D., Architect

THE WM. T. COMSTOCK CO., Publisher, 23 WARREN STREET, NEW YORK



Farnam Cheshire Lime Company

The Only Perfect
Finishing Lime
for High-Class
Work

LIME MANUFACTURERS

39 Cortlandt St., New York

All Dealers
Handle
All Plasterers
Need

Always Call for
BLUE LABEL The "Original" Farnam's "Cheshire" Lin

C. D. WINTERS, Pres.

JOHN BECKINGHAM, Mgr. and Treas., Elec. Dept.

SUNSET COMPANY

Electrical Advertisers
Electrical Contractors

We are prepared to furnish estimates. Electric Signs of all descriptions. Painted Signs, Lettering. All classes of Electrical Contracting, including Fire Alarm Systems, executed throughout the United States.

1101-1102 FIREMEN'S INSURANCE BUILDING

NEWARK, N. J.

There is a Wide Difference in Stained Glass Windows

THE TRULY PICTORIAL WINDOW—THE WINDOW OF THE BEAUTIFULLY BLENDED COLORS—THE HARMONIZING DETAILS AND GENUINE ARTISTIC PROPORTION IS THE
ZETTLER STAINED GLASS WINDOW



"THE MARTYRDOM OF ST. AGNES."
ST. AGNES' CHURCH, BROOKLYN.

The product of the

Royal Bavarian Art Institute (Prof. F. X. Zettler), Munich

No other window has received equal recognition by the great cathedrals of the world.

Architects supervising the construction of churches will find in the **Zettler Windows** work of the highest artistic merit, actually deserving of first consideration wherever quality is an object.

Send for Special
Window Catalog

If interested in Catholic church construction, by all means get as a reference work our new Catalog No. 10. The greatest work of its kind ever published. Altars, Stations, Statues, etc.

DAPRATO STATUARY COMPANY

"Pontifical Institute of Christian Art"

766-768-770 W. Adams St.
Chicago

Ateliers:
Chicago, Ill., and
Pietrasanta, Italy.

31 Barclay Street
New York



**The Chicago "Triplex"
Spring Butt** has features of
construction and design



which appeal
to the archi-
tect and
builder.

Their use in-
sures satis-
fied clients.


Chicago Spring Butt Company,

CHICAGO



NEW YORK

CATALOGUE E 26 ON REQUEST



Oil and Gasolene Storage

should be provided for by using a Bowser System. It will please your customers and comply with insurance requirements and City Ordinances. The leading architects throughout the country specify Bowsters.

Ask for Bulletin No. 2 for your files

S. F. BOWSER & CO., Inc., Ft. Wayne, Ind.

New York, Boston, Philadelphia, Dallas, Chicago, Minneapolis,
St. Louis, Toronto, Atlanta, San Francisco

THE SNEAD & CO. IRON WORKS

FOUNDED IN 1850

One of the Pioneer Iron Manufacturers of the Country

Main Office and Works, Foot of Pine Street, Jersey City

New York Office, 90 West Street

Manufacturers of the six tier metal book stack and ornamental iron work for the American Geographical Society Building and the book stack in the Hispanic Society of America, Charles P. Huntington, Architect (illustrated in this issue).

We are specialists in library stack construction, and freely offer the benefit of our experience to architects and owners. We built the Library of Congress and New York Public Library stacks. The total capacity of our stacks is greater than that of any other manufacturer.

Our architectural iron work is of the highest quality and large production facilities enable us to make deliveries.

When writing Advertisers, please mention Architecture and Building.

62 repr.
Blind
11-16-67
Shortage

Architecture and Building

Established 1882

*A continuation of the
Architect's and Builder's Magazine, 1899-1911*

Continued 1911

Architecture

Library

NA

1

A68

44

1912

PUBLISHED MONTHLY BY

THE WILLIAM T. COMSTOCK COMPANY

23 Warren Street, New York

WM. PHILLIPS COMSTOCK, President

CONTENTS FOR JANUARY

A CIVIC GROUP OF EDUCATIONAL BUILDINGS	1
The Hispanic Society of America.	
The American Geographical Society.	
The Numismatic Society.	
Church for Spanish Catholics.	
Charles P. Huntington, Architect.	
SWISS CHALET DESIGN III	11
By Wm. S. B. Dana, B. S.	
THE HOLLOW-TILE FIREPROOF HOUSE IV	17
By Frederick Squires, Architect.	
THE CHICAGO CITY HALL	23
Holabird & Roche, Architects.	
BOSTON STOCK EXCHANGE AND COMMONWEALTH TRUST CO.	28
Peabody & Stearns, Architects.	
MERCHANTS' NATIONAL BANK, NEW HAVEN, CONN.	30
Dennison & Hiron, Architects.	
NATIONAL SAVINGS BANK, NEW HAVEN, CONN.	31
Brown & Von Beren, Architects.	
FIRE-PROTECTION AND THE ARCHITECT	33
Introduction "The Architect's Opportunity"	
By Edwin O. Torbohm.	
BUILDING AT 20TH STREET AND 4TH AVENUE	35
Rouse & Goldstone, Architects.	
THE WHITE HOUSE, NEW YORK	36
Henry B. Herts, Architect.	
MERCANTILE BUILDINGS, 135-145 WEST 29TH STREET, N. Y.	37
F. C. Zobel, Architect.	
BUILDING FOR THE CONSOLIDATED GAS COMPANY OF NEW YORK	38
H. J. Hardenbergh, Architect.	
RIVERSIDE THEATRE, 96TH STREET & BROADWAY, NEW YORK ..	40
Thos. W. Lamb, Architect.	
DE KALB THEATRE, BOROUGH OF BROOKLYN, N. Y.	41
Harde & Short, Architects.	
MINER'S EMPIRE THEATRE, NEWARK, N. J.	43
McMurray & Pulls, Architects.	
RESIDENCE AT RAVENSWOOD MANOR, CHICAGO, ILL.	44
Chas. P. Rawson, Architect	

ADVERTISING REPRESENTATIVES

D. R. Gimbel
Geo. H. Stewart (Dept. of Fireproofing and Fire Protection)

EDITORIAL DEPARTMENT

Wm. P. Comstock, Managing Editor
Charles Warren Hastings, Assistant Editor

Subscription Terms \$2.00 a year in advance for United States and Possessions, Mexico and Cuba. Canada, \$2.50, and other countries, \$3.00. Postage prepaid.
Subscribers when changing their address must state both old and new address.

Remitting Money All remittance of money should be in the form of U. S. Postal Money Orders (payable to THE WM. T. COMSTOCK CO., at New York Office). When these are not available, send money by registered letter, or send drafts on New York banks, made payable to order of THE WM. T. COMSTOCK CO. Personal checks on local banks cannot be received in payment.

TRADE SUPPLIED BY THE AMERICAN NEWS COMPANY AND ITS BRANCHES

LONDON AGENTS—Wm. Dawson & Sons (Ltd.), Cannon House, Bream's Buildings, London, England.

ORNAMENTAL

HARRIS H. URIS IRON WORKS

Incorporated

515-535 WEST 26th STREET, NEW YORK

IRON **WORK**

Twenty Representative New York Buildings Executed by This Firm

Architects

1—Belvedere Building.....Rouse & Goldstone
 2—Kenilworth Apartments...Townsend, Steinfeld & Haskell
 3—American Woolen Building..R. H. Robinson & Son
 4—Elks' Lodge No. 1, N. Y. James Riely Gordon
 5—Ritz Carlton Hotel...Warren & Wetmore
 6—505 Fifth Avenue Building....Maynicke & Franke
 7—Second Precinct Police Station..Colt & Chard
 8—Van Schaick Building.....Buchman & Fox
 9—Monolith Building.....Howells & Stokes
 10—121-133 West 27th St. Building..Buchman & Fox

Architects

11—Charles Building.....C. I. Berg
 12—71st Regiment Armory...Clinton & Russell
 13—998 Fifth Avenue Apartments..McKim, Mead & White
 14—925 Park Avenue Apartments....Delano & Aldrich
 15—New York Law School....C. P. H. Gilbert
 16—Herald Square Building, 141 West 30th St. Buchman & Fox
 17—Comedy Theatre.....D. G. Malcolm
 18—New York County National Bank..R. L. Daus
 19—Maxine Elliot Theatre.....Marshall & Fox
 20—Cameron Building.....Clinton & Russell

When writing Advertisers, please mention Architecture and Building.

*New City Hall
Chicago*

*30,000 Barrels
"Chicago AA"
Used.*



Chicago Portland Cement Co.

*General Offices
108 LaSalle St.
Chicago*

*Manufacturers of
"The Best That Can
Be Made"*

*Mills
Oglesby (Near
LaSalle)
Illinois*

*More than one and a quarter million barrels of
"Chicago AA" Portland Cement produced annually*

Pullman Bldg., Madison Sq., N.Y.

E
L
E
C
T
R
I
C
A
L



E
N
G
I
N
E
E
R
S

Porsth Electric Co.
10 East 23d Street, New York

Some Recent Installations

FERGUSON LIBRARY	Stamford, Conn.
FIRST METHODIST CHURCH	Westfield, N. J.
LONG ISLAND BANK	Richmond Hill
LOFT BUILDING	114 East 16th St., N. Y.
" "	126 West 22d St., N. Y.
" "	52 East 21st St., N. Y.
" "	39 West 31st St., N. Y.
" "	West and Vestry Sts., N. Y.



Bronze Entrance to National Savings Bank, New Haven, Conn.
Brown & Von Beren, Architects

John Polachek Bronze & Iron Co.
Architectural Bronze and Iron Work
ART IN BRONZE, STATUARY WORK, TABLETS, ETC.
Office & Works, 144-68 Clay St., Borough of Brooklyn, N. Y.

YELLOW STRAND

W
I
R
E
R
O
P
E



W
I
R
E
R
O
P
E

Copyrighted 1911 by F. W. Woolworth

WOOLWORTH BUILDING, NEW YORK
55 Stories High

In which many thousand feet of YELLOW STRAND
Wire Rope is being used.

Manufactured by

Broderick & Bascom Rope Co.

809 North Main St., ST. LOUIS, MO.

76 Warren St., NEW YORK.

Factories: ST. LOUIS, SEATTLE
Send for our catalogue 3K

IT IS SO EASY!

to change the tenants' Office Directory
names on our

We are the originators and sole manufacturers of
changeable Letter Directories and Bulletin Boards



For twenty-five years
the largest and most
PROMINENT OFFICE
BUILDINGS, HOTELS,
CLUBS AND FRATER-
NAL ORGANIZATIONS
have used our boards with
satisfaction.

*System:—A grooved back-
board covered with cloth,
into which the letters are
placed and removed as re-
quired, without trouble or
loss of time.*

Our letters may be used
repeatedly for years, mini-
mizing original cost.

No further expense after
first outlay.

**TO ARCHITECTS:—Specify our boards in your plans and
save the cost of expensive marble that would occupy the
space. CATALOG SENT ON REQUEST.**

**WE ALSO RENT DIRECTORIES AND BULLETIN
BOARDS UPON ATTRACTIVE TERMS**

C. M. KINNEY CO., Successor to

U. S. CHANGEABLE SIGN CO.

3 West 29th Street, NEW YORK CITY

When writing Advertisers, please mention Architecture and Building.

Alphabetical List of Advertisers

	Page		Page		Page
A. B. See Electric Elevator Co., The	31	Felton, Sibley & Co.....	16	Otis Elevator Company.....	17
American Enameled Brick & Tile Co.	14	Flushovalve Co.	9	Peele Company	27
American Garden Beautifying Co.	21	Folsom Snow Guard Co.....	33	Pierce, Butler & Pierce Mfg. Co.	9
A. P. W. Paper Co.....	29	Frass & Miller	37	Polachek Bronze & Iron Co., John	6
		Frink, I. P.	16	Pomeroy Co., Inc. S. H.....	25
Badger & Sons Co., E. B.....	29	Gatchel & Manning.....	—	Porsth Electric Co.....	6
Barnes Co., W. F. & John....	35	Globe Ventilator Co.....	II Cover	Prentiss Clock Improvement Co.	30
Barrett Mfg. Co., The.....	19	Gorham Co., The.....	13		
Berger Mfg. Co., The.....	24	Gorton & Lidgerwood Co.....	26	Reliance Fireproof Door Co..	27
Bissing, Harry	20	Grant Pulley & Hardware Co.	36	Richter Mfg. Co.....	—
Bommer Bros.	16	Greenfield, Inc., Arthur.....	30	Ringborg, J.	28
Bowser & Co., S. F., Inc....	2	Grimmer & Son, Charles.....	11	Rockwood Sprinkler Co.....	24
Boyd Equipment Company....	31	Gustafson Co., Albin.....	11	Ronalds & Johnson Co.....	38
Broderick & Bascom Rope Co.	6				
Brooklyn Vault Light Co....	33	Harbison-Walker-Refractories Co.	IV Cover	Self-Clinching Nail Co.....	31
Browe Company, The.....	39	Higgins & Co., Chas. M.....	33	Shoemaker, Benjamin H.....	31
		Humphrey Co.	14	Silver Lake Co.....	II Cover
Carter, Black & Ayres.....	35			Simmons Co., John.....	23
Celluvarno Co., Inc., The....	29	Irving & Casson.....	39	Snead & Co. Iron Works, The.	2
Chicago Portland Cement Co..	3	Ives Co., The H. B.....	30	Speidel, J. G.....	31
Chicago Spring Butt Co.....	2			Stanley Works, The.....	27
Cohn, F. W.....	21	Jones, Thomas W.....	39	Sunset Co.	II Cover
Concrete Age, The.....	26				
Consolidated Chandeller Co...	24	Keystone Varnish Co. 7, 8, 10, 12		Tettenborn Refrigerators	39
Cork & Zicha Marble Co.....	28	Knoburn Co., The.....	23		
Clarke Co., T. A.....	37			U. S. Changeable Sign Com-pany	6
		Lane Bros. Co	40	United States Mineral Wool Co.	25
Dahlstrom Metallic Door Com-pany	15	Lauria, Pasquall	33	United States Press Clipping Bureau	—
Daprato Statuary Co.....	1	Lewen, Henry L.....	18-29	Uris Iron Works, The Harris H.	4
Darby & Sons Co., Inc., Ed-ward	23	Loomis Manning Filter Distri-buting Co.	IV Cover		
Dixon Crucible Co., Jos.....	27			Van Dorn Iron Works Co., The.	31
		Manual Arts Press, The.....	26	Voigtmann & Co.....	25
Edwards Electrical Construction Co.	—	Marble & Shattuck Chair Co..	21	Vogel Co., H. G.....	25
Electric Construction and Sup-ply Company	11	Marbleoid Co., The.....	35		
Evans, F. H.....	31	Monument Plaster Co.....	35	Walsh, Dominic A.....	39
		Morton, Thomas	25	Washburne & Co., E. G.....	33
Farnam Cheshire Lime Co., II Cover				Winslow Bros. Company, The	IV Cover
Federal Terra Cotta Co.....	40	Newman Clock Co.....	22	Wilson Mfg. Co., James G....	16
		Northwestern Terra-Cotta Co., The	36		

KEYSTONE
FLAT FINISH
KEYSTONE

Classified Advertisements

NOTE.—Every classified advertiser is entitled to insertion under one heading. Under extra headings, \$5.00 a year each

ARCHITECTURAL BRONZE.

The Gorham Co.....Fifth Ave., N. Y.
Polachek Bronze & Iron Co., John,
144-6-8 Clay St., Brooklyn, New York

AWNINGS, BLINDS, ETC.

Wilson Mfg. Co., Jas. G.
5 W. 26th St., New York City

BOILERS.

Badger & Sons Co., E. B.Boston, Mass
Gorton & Lidgerwood Co.,
96 Liberty St., New York
Pierce, Butler & Pierce Mfg. Co., Syracuse, N. Y.

BOLTS—Expansion, Machine Expansion, Sebco
Mooring, Sebco Twin, Toggle.
Evans, F. H...31-35 Hewes St., Brooklyn, N. Y.

BRICK—Enameled Front.

American Enamel Brick & Tile Co.,
1182 Broadway, N. Y.
Carter, Black & Ayers.....1182 Broadway, N. Y.
Flske & Co., Inc.....New York, Boston
Harbison-Walker Refractories Co.,
30 Church St., New York

BRIDGES.

Van Dorn Iron Works Co.....Cleveland, O.

BRONZE.

Polachek Bronze and Iron Co., John,
144-6-8 Clay St., Brooklyn, N. Y.

BUILDING CONTRACTORS.

Clarke Co., T. A...26 Court St., Brooklyn, N. Y.
Fuller Co., Geo. A., Marquette Bldg., Chicago.

BUILDING DIRECTORY.

U. S. Changeable Sign Co...3-7 W. 29th St., N. Y.

BUREAU OF NEWS.

U. S. Press Clipping Bureau,
156 La Salle St., Chicago, Ill.

BUTTS, BALL-BEARING.

Stanley Works, The.....New Britain, Conn.

CHAIR MANUFACTURERS.

Marble and Shattuck Chair Co., The,
Chicago-New York.

CHURCH SUPPLIES—Altars, Etc.

Daprato Statuary Company, 31 Barclay St., N. Y.

CLOCKS—Synchronized, Watchman's.

Newman Clock Co., The...178 Fulton St., N. Y.
Prentiss Clock Improvement Co.,
Dept. 11, 92 Chambers St., N. Y.

CONCRETE CONSTRUCTION.

Lewen, H. L.....200 Fifth Ave., N. Y.

CONCRETE SIDEWALK FORMS.

Berger Mfg. Co., The.....Canton, O.

CORDAGE.

Silver Lake Co.....Boston, Mass.

DECORATIONS & FURNISHINGS, INTERIOR.

Irving & Casson.....Boston-New York
Wanamaker, John.....New York

DOOR HANGERS.

Lane Bros. Co.....Poughkeepsie, N. Y.

DRAWER SLIDE.

Grant Pulley & Hardware Co.,
35 Warren St., N. Y.

DRAWING INKS—(Higgins).

Higgins & Co., Chas. M.,
271 9th St., Brooklyn, N. Y.

DUMB WAITERS.

Otis Elevator Co.....17 Battery Place, N. Y.
Spedel, J. G.....Reading, Pa.

ELECTRICAL CONTRACTORS.

Electric Construction and Supply Co.,
39-41 Cortlandt St., New York
Gustafson Co., Albin.....34 E. 29th St., N. Y.
Forst Electric Co.....10 E. 23d St., N. Y.
Sunset Company,
1101-1102 Firemen's Ins. Bldg., Newark, N. J.

ELEVATORS.

A. B. See Electric Elevator Co., The,
220 Broadway, New York
Otis Elevator Co.....17 Battery Place, N. Y.
Spedel, J. G.....Reading, Pa.

ENGINEERS, ELECTRICAL, CONSULTING, ETC.

Bissing, Harry.....363 W. 42d St., N. Y.
Boyd Equipment Co.....373 Fourth Ave., N. Y.
Cohn, F. W.....1122 Madison Av., N. Y.
Lewen, H. L.....200 Fifth Ave., N. Y.

ENGRAVERS AND ILLUSTRATORS.

Gatchel & Manning.....Philadelphia, Pa.

EXPANSION BOLTS.

Evans, F. H...31-35 Hewes St., Brooklyn, N. Y.
Star Expansion Bolt Co....147 Cedar St., N. Y.

EXTERIOR PLASTER.

Monumental Plaster Company...Harrison, N. J.

FENCING AND RAILINGS.

Van Dorn Iron Works Co.....Cleveland, O.

FILTERS.

Loomis-Manning Filter Distributing Co.,
828 Land Title Bldg., Philadelphia, Pa.

FIRE DOOR EQUIPMENT.

Lane Bros. Co.....Poughkeepsie, N. Y.

FIRE EQUIPMENT, GENERAL.

Simmons Co., John....102-110 Centre St., N. Y.

FIREPROOF DOORS AND SHUTTERS.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Grant Pulley & Hardware Co.,
3 West 29th St., New York
Pomeroy Co., Inc., S. H.,
427 W. 13th St., New York City
Reliance Fireproof Door Co.,
47 Milton St., Brooklyn, N. Y.

FIREPROOF HARDWARE.

H. B. Ives Company, The.....New Haven, Conn.

KEYSTONE
FLAT FINISH
KEYSTONE

Flushovalves



Plate 23

are made in several styles, a few of which are shown herewith. We also make a valve suitable for enclosure in wall, only the push button showing this is particularly suitable for cell work.

Valves made with or without integral shut off.

FLUSHOVALVES were used in more than 100 of the largest

buildings constructed in New York City alone during year 1911, including such buildings as the Vanderbilt Hotel, Elks Club, Putnam and Arena Office Buildings, Rockledge Hall, Roxborough, Borchardt and Schermerhorn Apartment Houses.

They were also used in mercantile buildings 135 to 145 West 29th Street and Riverside Theatre, shown in this issue.

Write for Catalogue

FLUSHOVALVE CO.

71 Greenwich Ave., New York City



Plate 26



Plate 27



Plate 29

FOR YOUR HEATING EQUIPMENT

Specify

Pierce Boilers & Radiators

Our Primer on heat is a new booklet we recently issued, and it gives the primary theory of heating a home. It will be found interesting by any one interested in heat. *It is free—ask for a copy.*

PIERCE, BUTLER & PIERCE MFG. CO.

333 JAMES STREET, SYRACUSE, N. Y.

Branches in Principal Cities

Classified Advertisements—Continued

FIREPROOF WINDOWS.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Knoburn Company,
359-363 14th St., Hoboken, N. J.
Pomeroy Co. (Inc.), S. H., 427 W. 13th St., N. Y.
Voigtmann & Co., 427 W. 13th St., New York.

FIXTURES, GAS AND ELECTRIC.

Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.

FLOORING—Stone, Hardwood, etc.

Marbleoid Co., The.....Marbridge Bldg., N. Y.

FLOOR AND WOODWORK POLISH.

Felton, Sibley & Co., 136 N. 4th St., Phila., Pa.

FLUSHVALVES.

Flushvalve Co.,
71 Greenwich Ave., New York City

FURNITURE, DRAPERIES, RUGS, ETC.

Fraas & Miller, 1333 Broadway, Brooklyn, N. Y.

FURNITURE, HALL AND GARDEN.

American Garden Beautifying Co.,
300 Schenck Ave., Brooklyn, N. Y.

GARAGE GASOLINE TANKS.

Bowser & Co., Inc., S. F., Ft. Wayne, Ind.

GAS AND ELECTRIC FIXTURES.

Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.

GLASS—Plate, Vault, Ornamental.

Shoemaker, Benj., H., 206 N. 4th St., Phila., Pa.

GRAPHITE PAINT.

Dixon Crucible Co., Jos., Jersey City, N. J.

HANGERS—House, Barn Door.

Lane Bros. Co., Poughkeepsie, N. Y.

HARDWARE.

Chicago Spring Butt Co., Chicago, Ill.; New York
Ives Co., The H. B., New Haven, Conn.
Stanley Works, The, Dept. B.
New Britain, Conn., and 79 Chambers St., N. Y.

HEATING APPLIANCES. (Also see Boilers.)

Boyd Equipment Co., 373 Fourth Ave., N. Y.
Gorton & Ladgerwood Co., 96 Liberty St., N. Y.
Humphrey Co., 504 Rose St., Kalamazoo, Mich.
Kelsey Heating Co.,
207-R Building, Syracuse, N. Y.
Pierce, Butler & Pierce Mfg. Co.,
Dept. 17, Syracuse, N. Y.
254 4th Ave., N. Y.

HINGES—Spring.

Bommer Bros., 257 Classon Av., Brooklyn, N. Y.
Chicago Spring Butt Co.,
Chicago, Ill.; New York.

HOLLOW TILE.

Carter, Black & Ayers, 1182 Broadway, N. Y.

HOT-WATER BOILERS—Copper.

Badger & Sons Co., E. B.,
63-75 Pitt St., Boston, Mass.

IRON WORK—Ornamental and Structural.

Payne Bros., Newark, N. J.
Polachek Bronze and Iron Co., John
144-6-8 Clay St., Brooklyn, N. Y.
Snead & Company Iron Works, The,
90 West St., New York
Uris, Harris H., 525 W. 26th St., N. Y.
Wells Architectural Iron Co.,
River Ave. & 151st St., New York
Winslow Bros. Company, The,
Harrison St., 46th and 47th Aves, Chicago, Ill.

JAIL AND PRISON WORK.

Van Dorn Iron Works Co., Cleveland, O.

JOIST HANGERS—(Steel).

Lane Bros. Co., Poughkeepsie, N. Y.
Van Dorn Iron Works Co., Cleveland, O.

KITCHEN EQUIPMENT.

Barth & Son, L., Cooper Square, New York.

LIGHTING FIXTURES—Gas and Electric.

Browe Company, The,
9-11 Franklin St., Newark, N. J.
Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.
Frink, I. P., 24th St. and 10th Ave., N. Y.

LIGHTNING RODS.

Jones, T. W., 22 Burling Slip, N. Y.
Washburne & Co., E. G., 209 Fulton St., N. Y.

LIME.

Farnum Cheshire Lime Co.,
39 Cortlandt St., N. Y.

MANTELS AND HALL FURNITURE.

Irving & Casson, Boston-New York

MARBLE WORKERS.

Cork & Zicha Marble Co.,
325-327 E. 94th St., New York

METAL CEILINGS.

Berger Mfg. Co., The, Canton, O.

METAL DOORS AND TRIM.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Knoburn Company,
359-363 14th St., Hoboken, N. J.

METAL LATHING.

Greenfield, Inc., Arthur, 204 E. 26th St., N. Y.

METAL LOCKERS.

Darby & Sons Co., Inc., Edward,
233 Arch St., Philadelphia, Pa.

METAL LUMBER.

Berger Mfg. Co., The, Canton, O.

METALLIC OFFICE FURNITURE.

Berger Mfg. Co., The, Canton, O.
Van Dorn Iron Works Co., Cleveland, O.

METAL SASH AND FRAMES.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Knoburn Company, 240 11th Ave., N. Y.
Pomeroy Co. (Inc.), S. H., 427 W. 13th St., N. Y.

METAL WINDOWS.

Pomeroy Co., (Inc.), T. H., 427 W. 13th St., N. Y.
Voigtmann & Co., 427 W. 13th St., New York.

MINERAL WOOL.

U. S. Mineral Wool Co., 140 Cedar St., N. Y.

MODELS—PLASTER, CEMENT, ETC.

Walsh, Dominic A.,
461 Cortlandt St., Belleville, N. J.

PAINTING CONTRACTORS.

Grimmer & Son, Charles, 230 E. 37th St., N. Y.

PAINTS FOR COATING AND PRESERVING IRON AND STEEL.

Dixon Crucible Co., Jos., Jersey City, N. J.

PAINTS, OILS, VARNISHES, WOOD FILLING, etc.

Dixon Crucible Co., Jos., Jersey City, N. J.
Felton, Sibley & Co.,
136 N. 4th St., Philadelphia, Pa.

PLASTER WORK—Plain, Ornamental.

Monument Plaster Co., Harrison, N. J.

KEYSTONE
—FLAT FINISH—
KEYSTONE



The accompanying cut represents the
American Bank Note Company's
New Bronx, N. Y., Factory.

Kirby, Pettit & Green, Architects.
C. O. Mallouk & C. E. Knox, Electrical Engineers.

Albin Gustafson Co.
Electrical Contractors

34 East 29th Street, New York

Telephone 6755 Madison Square.

MAKING AND READING DRAWINGS

A Complete Course in Mechanical Drawing

BY A. EDWARD RHODES

Teacher of Mechanical Drawing in the Public Schools, Wilmington, Del.

This book enables the student to make and read working drawings, shows what and how to draw, rather than rules that require a knowledge beyond that of the average beginner, and each step is clearly and fully explained.

Architectural Drawing, including plans, elevations and perspectives. Elementary Machine Design, including working drawings of wheel gearing, etc.

Paper, 75 cents; Cloth, \$1.00

The William T. Comstock Co., Publisher, 23 Warren Street, New York



SHUBERT THEATRE, BROOKLYN
Hardt & Short, Architects

CHAS. E. ROCAP
President

BOYD THISTLE
Vice President

C. CLARENCE ROCAP
Secy.-Treas.

ELECTRIC CONSTRUCTION AND SUPPLY COMPANY

General Electrical Contractors

39-41 CORTLANDT ST.

NEW YORK

*Electrical Contractors for the Dekalb Theatre
Illustrated in this Issue*

For thirty years the firm of Charles Grimmer & Son has been known to you as Painters. Recently we have acquired the business of the W. Ludwig Schultze Co., the well known Decorators. In our three new buildings we now have facilities for doing the same high class Cabinet Wood-Work and Upholstery as we have for Painting.

A line of inquiry brings a representative, or we should be glad to welcome you at our extensive factories and our beautiful, new showrooms, where we carry the largest and most select stock in New York, of Wall Papers, Mantels, Andirons, Electric Fixtures, Fabrics, Furniture, Mirrors, Antiques, Clocks, Candlesticks, Lamps and Pillows.

Charles Grimmer & Son

Telephones, 7557-7558 Madison Square.

230-234 East 37th Street, NEW YORK

Classified Advertisements—Continued

PLUMBERS.

Boyd Equipment Co...373 Fourth Ave., N. Y.
Lauria, Pasquale.....244 Mott St., N. Y.

PLUMBERS' WARES.—Bath-Tubs, Closets, Drinking Fountains, Lavatories, Laundry Tubs, Range Closets, Sinks, Urinals.

Pierce, Butler & Pierce Mfg. Co.,
Dept. 17, Syracuse, N. Y.
254 4th Ave., N. Y.

Ronalds & Johnson,
43 Boerum Place, Brooklyn, N. Y.

PORTLAND CEMENT.

Chicago Portland Cement Co.,
108 La Salle St., Chicago, Ill.

PRESS CLIPPINGS.

United States Press Clipping Bureau, The,
State & Adams Sts., Chicago, Ill.

PRONG LOCK, STUDS AND FURRING.

Berger Mfg. Co., The.....Canton, O.

PUBLISHERS.

Comstock Co., The W. T...23 Warren St., N. Y.
Concrete Age, The.....Atlanta, Georgia
Manual Arts Press, The,
600 German Fire Insur. Bldg., Peoria, Ill.

PULLEYS.

Grant Pulley & Hardware Co.,
3 W. 29th St., N. Y.

REFLECTORS.

Frink, I. P.....24th St. and 10th Ave., N. Y.

REFRIGERATORS, PORCELAIN, ETC.

Tettenborn Refrigerator Co.....Cincinnati, O.

RINGS—Bridle, Corner Brace (Bridle), Sebco Aerial.

Star Expansion Bolt Co...147-149 Cedar St., N. Y.

ROLLING DOORS AND SHUTTERS—Steel.

Grant Pulley and Hardware Co.,
3 W. 29th St., New York City.
Wilson Mfg. Co., James G.,
3 W. 29th St., New York

ROOFING AND ROOFING MATERIALS.

Barrett Mfg. Co.....New York, N. Y.

SANITARY SPECIALTIES.

A. P. W. Paper Co.....Albany, N. Y.
Celluvarno Co., Inc., The,
44 E. Kinney St., Newark, N. J.

SASH CHAINS.

Morton, Thomas.....169 Elm St., N. Y.

SASH CORDS.

Silver Lake Co.....Boston, Mass.

SASH LOCKS.

Ives Co., The H. B.....New Haven, Conn.

SASH PULLEYS—Iron, Brass, Bronze.

Grant Pulley & Hardware Co.,
3 W. 29th St., N. Y.

SELF-CLINCHING NAILS.

Self-Clinching Nail Co.....Philadelphia, Pa.

SIDEWALK LIFTS.

Speidel, J. G.....Reading, Pa.

SIDEWALK LIGHTS.

The Berger Mfg. Co.....Canton, O.

SIGNS, CHANGEABLE, ETC.

U. S. Changeable Sign Co.,
3 W. 29th St., New York

SNOW GUARD.

Folsom Snow Guard Co.,
Roslindale (Boston), Mass.

SPRING HINGES.

Bommer Bros....257 Classon Ave., Bklyn, N. Y.
Chicago Spring Butt Co.,
Chicago, Ill.; New York.

SPRINKLER SYSTEMS.

Rockwood Sprinkler Co...123 William St., N. Y.
Vogel Co., H. G.....12 Walker St., N. Y.

STATUARY—Religious.

Daprato Statuary Company,
31 Barclay St., N. Y.

STEEL BUILDINGS.

Van Dorn Iron Works Co.....Cleveland, O.

STEEL JOIST HANGERS.

Lane Bros. Co.....Poughkeepsie, N. Y.
Van Dorn Iron Works Co.....Cleveland, O.

STUCCO.

Monument Plaster Co.....Harrison, N. J.

TACKLE BLOCKS (Automatic).

Lane Bros. Co.....Poughkeepsie, N. Y.

TERRA COTTA.

Federal Terra Cotta Co...111 Broadway, N. Y.
Northwestern Terra Cotta Co.,
1000 Clybourn Ave., Chicago.

VAULT LIGHTS.

Berger Mfg. Co.....Canton, O.
Brooklyn Vault Light Co.,
282 Monitor St., Brooklyn, N. Y.

VENTILATING LOCKS.

H. B. Ives Co., The.....New Haven, Conn.

VENTILATING RIDGING.

Globe Ventilator Co.....Troy, N. Y.

VENTILATORS.

Globe Ventilator Co.....Troy, N. Y.
Washburne & Co., E. G...209 Fulton St., N. Y.

WALL FINISHES—FLAT, ETC.

Keystone Varnish Co.,
71 Otsego St., Brooklyn, N. Y.

WALL PLASTER.

Monument Plaster Co.....Harrison, N. J.

WATER FILTERS.

Loomis-Manning Filter Co.,
823 Land Title Bldg., Philadelphia, Pa.

WEATHER VANES.

Jones, Thos. W.....153 Maiden Lane, N. Y.
Washburne & Co., E. G.,
209 Fulton St., N. Y.

WINDOW STOP ADJUSTERS AND VENTILATING LOCKS.

Ives Co., The H. B.....New Haven, Conn.

WIRE ROPE.

Broderick & Bascom Rope Co.,
809 North Main St., St. Louis, Mo.

WOODWORKERS, ARCHITECTURAL.

Irving & Casson.....578 Fifth Avenue, N. Y.

WOOD-WORKING MACHINERY.

Barnes Co., W. F. & John,
566 Ruby St., Rockford, Ill.

KEYSTONE
FLAT FINISH
KEYSTONE



DETAIL OF BRONZE COUNTER SCREEN
COMMONWEALTH TRUST CO., BOSTON

Peabody & Stearns, Architects

EXECUTED BY



THE GORHAM CO. ARCHITECTURAL BRONZE
FIFTH AVENUE, NEW YORK

WORKS AT PROVIDENCE, R. I.



CROISIC BLDG., 26th St. and 5th Ave., N. Y.
Elevator Shafts, etc., lined with our
Enameled Brick.

American Enameled Brick and Tile Co.

1182 Broadway, New York

MANUFACTURERS OF

Enameled Brick

FOR ALL PURPOSES

Send us outline of your requirements.
Estimates will be promptly furnished,
which, as largest individual manufacturer,
we can guarantee will be interesting.

FACTORY: - - SOUTH RIVER, N. J.

LOCAL AGENTS—ALL PRINCIPAL CITIES

EVERY HOT WATER NEED can be best and most cheaply met by a HUMPHREY GAS WATER HEATER

Styles and Sizes for All Requirements



INSTANTANEOUS BATH

For the majority of
needs use the Hum-
phrey Instantaneous
Bath Water Heater.

It positively supplies
the cheapest hot water
in the world.

For large homes and
where hot water is
wanted at many dif-
ferent faucets, use
Humphrey Automatic
Water Heater.

GUARANTEED

Sold All Over the World



AUTOMATIC

Made by HUMPHREY COMPANY, Kalamazoo, Mich.

Branches in all large cities. Representatives everywhere

When writing Advertisers, please mention Architecture and Building.

What a Difference Between the Equitable and Singer Fires

The Equitable fire has cost seven or more lives and quite a few millions of dollars.

The Singer fire (in the offices of the United States and Mexican Trust Company, on the 26th floor, September 29th, 1910) cost the furniture in the room in which the fire originated. What would have happened had not the Singer tower been totally fireproof is obvious. The remaining sixteen stories above and others below would have been as susceptible to flames as the head of an enormous match.

The Singer fire extinguished itself—by consuming the inflammable contents confined at the point of the fire's origination. The fire did not, *could not*, spread simply because it *could not* eat its way from room to room, or floor to floor.

This is the unit form of construction made possible by the origination and developing to their highest state of efficiency of

DAHLSTROM Metallic Doors and Trim

The Singer building is equipped throughout with the Dahlstrom Products. Doors, partitions, wainscoting, picture moulding and all necessary trim is of STEEL—enameled and grained so perfectly as to deceive the best of wood experts.

Each office, or suite of offices, is virtually a building in itself. A fire may occur in dozens of them at the same time and on various floors, but the safety of the structure is not affected. The most that any of the fires can do is to consume only the contents of the units in which they first occur.

The difference between the Equitable and Singer fires is the difference in building.

Remember that as long as you erect fire-inviting buildings nothing but their ultimate destruction can be expected.

It seems that there should be ample food for thought in these two fires—for architect, owner, builder and tenant.

We are the originators of "steel interiors" and have developed them to their highest state of efficiency. Our factories are the largest of their kind in the world. The Dahlstrom Products are to be found in the more modern structures throughout the country, the battleships Florida and Utah, and so on.

In this issue of Architecture and Building, articles and illustrations cover four structures equipped with The Dahlstrom Products—Consolidated Gas Co., New American Geographical Society, American Numismatic Society and Hispanic Society Buildings

Complete literature and particulars upon request



DAHLSTROM METALLIC DOOR COMPANY

The Dahlstrom Products

Executive Offices and Factories

68 Blackstone Avenue, Jamestown, New York

Branch Offices in All Principal Cities

**Wilson's
Rolling Steel
Shutters do
Not Mar The
Architectural
Possibilities
Of The
Doorway**



We illustrate our rolling shutters in use in the entrance of 248 Fourth Ave., New York City. Rouse & Goldstone, Architects.

See illustrations on page 35

We manufacture fireproof doors and shutters for any kind or size of opening. Write for handbook.

Models on view at salesroom

Jas. G. Wilson Mfg. Co.
5 West 29th St., New York

Also manufacturers of Rolling Steel Shutters and Wood and Steel Rolling Doors and Partitions.



THE Artificial Lighting of the Cathedral Church of St. John the Divine is accomplished by means of Frink Reflectors totally screened from view.

I. P. FRINK

24th St. and 10th Ave.

New York



A record worth listening to is that of the splendid success of "F-S" Products.

"F-S" Wood Fillers and Brilliant Flowing Varnish will not only increase your trade, but hold it. It will pay you to handle them.

FELTON, SIBLEY & CO., Inc.

Mfrs. of Colors, Paints, Varnishes

136-140 N. 4th St., Philadelphia

74

BOMMER

SPRING HINGES

ARE QUALITY GOODS

But cost no more than inferior kinds



DON'T ERR IN JUDGMENT when specifying spring hinges, which of all hardware perform the hardest work. Bommer Spring Hinges never fail to give satisfaction, and have withstood the test of time. The springs never go lame. "Practically Unbreakable," says the World's Fair Award, Chicago, 1893.

GOLD MEDALS: Paris, 1900; Buffalo, 1901; St. Louis, 1904.

**All Who Figure on Hardware
Contracts Can Supply Them**

BOMMER BROS., Mfrs., Brooklyn, N. Y.

Est. 1876



LIBRARY OF THE HISPANIC SOCIETY, NEW YORK.—INTERIOR IN TERRA-COTTA.

ARCHITECTURE AND BUILDING

A Magazine Devoted to Contemporary Architectural Construction

VOLUME XLIV.

JANUARY, 1912

NUMBER 1


A CIVIC GROUP OF EDUCATIONAL BUILDINGS

Designed by CHARLES P. HUNTINGTON.

A NOTEWORTHY group of buildings is being erected in New York City at 155th Street and Broadway, near Riverside Drive, which will be more familiar to New Yorkers as the trend of life and business pushes further up town and which are now fine examples of private enterprises for the public good. This group consists at present of the Library and Museum for the Hispanic Society of America, with its beautiful terraces, approaches and grounds; the Numismatic Society building, and the new home for the American Geographical Society (whose old building was on 81st Street and was itself a beautiful example of architecture but too small for the Society's present needs). Added to these is a new church, not yet completed for the Spanish Catholics of New York, which is shortly to be consecrated by the new Cardinal.

These buildings bear a broad significance in that they are examples of a well planned and organized civic group. They represent a nucleus which any broad-minded citizen would rejoice at seeing increased. On a site that a decade ago was a residence park extending over several times the area, it is with regret that one sees them bounded by the towering walls of apartment houses, the abode for the most part of a type of unappreciative humanity. It is to be hoped

that another twenty years may see the extension of the group in the direction of Riverside Drive, so that they may have a clear frontage towards the Hudson River.



Location Plan of Buildings.

Eight years ago, when the district occupied by these buildings was called Audubon Park, a great deal of land was acquired by Mr. Archer M. Huntington for the purpose of housing his wonderfully valuable Spanish library and collections. Upon this land he erected a building which was finished in 1904 at a cost, with its approaches and terraces, of \$600,000. It was entirely fireproof, with systems of heating, lighting, ventilation and burglar-proof arrangements of the most modern types. No wood was used in any part of the building, the window frames and doors being of solid bronze, and the interior doors and trim of metal made by the Dahlstrom Metal Door Co. A large hall with a balcony, and lighted from over-



THE AMERICAN GEOGRAPHICAL SOCIETY FROM THE TERRACE.

Otis Elevator.

Book Stacks: The Snead & Co. Iron Works.

Charles P. Huntington, Architect.

head, is the main decorative feature of the interior, and the accompanying illustrations show two views of the decorative features and arrangements of this room. Constructed of terra-cotta, and with specially designed furnishings and wonderful coloring, this hall is perhaps the most unique and beautiful bit in America, and the priceless collection it contains of Hispano-Mauresque pottery, old illuminated manuscripts, archaeological collections, paintings, engravings, coins, maps, etc.—the whole collected in Spain and representing her history—make it a place of absorbing interest to the lover of archaeology, art and beauty. Such collections as that of ancient Spanish ironwork furnish opportunities to the student of architectural design to study and to derive ideas which may well be a benefit to modern work. To the art lover, the fine Velàz-


quez, the portrait of el conde de Olivarez, is irresistibly attractive.

The remainder of the building is occupied by large stack rooms, catalogue rooms, offices of the Librarian and Secretary, and the numerous arrangements, carefully studied by the founder and the architect for the working purposes of the Society and the preservation and protection of its priceless collections.

After the completion of the Hispanic Society's building, its founder, who was interested in many learned societies of New York, conceived the idea of trying to centralize them, for their common advantage as well as to create a group of architectural beauty that should adorn the city. To this end he presented land to the American Numismatic Society, who raised funds and erected an adjoining building; and later to the American Geographical Society, while his interest



THE HISPANIC SOCIETY BUILDING AND THE NUMISMATIC SOCIETY BUILDING ON THE TERRACE.
J. Clark Udal, Builder. Charles P. Huntington, Architect.
Otis Elevator. Metal Doors and Trim: Dahlstrom Metal Door Co.
Book Stacks: The Sneed & Co. Iron Works.



ELEVATION OF THE AMERICAN GEOGRAPHICAL SOCIETY ON BROADWAY.

Charles P. Huntington, Architect.

in the Spanish people led him to offer them a plot of ground for their church, of which they were in need.

The Numismatic Society's building was built in 1907, and contains complete arrangements for the needs of that Society. It also has a hall, with a balcony, for the exhibition of the collection, as well as library, offices, and necessary working rooms. Unfortunately the funds available for this building necessitated its being built of reinforced concrete with stucco finish, instead of limestone. Connecting it with the Hispanic Library is a raised terrace, covering two stories underneath, which was necessitated by the requirements of the latter Society.

The two buildings will ultimately be connected above ground, and accompanying wings to the east will follow.


As the idea of expansion grew, the architect determined upon a general plan; and the new building for the American Geographical Society is part of its development. This building, at the corner of 156th Street and Broadway, has but recently been finished, and cost \$300,000. It is 125 feet long by 65 feet wide, and is built entirely of limestone. As these buildings will form part of a general scheme, the height of the cornice and exterior style conform to the Hispanic Society's Library; but a terrace slightly below the street level gives the



THE AMERICAN GEOGRAPHICAL SOCIETY BUILDING FROM BROADWAY.

John Clark Udal, Builder.
Hardware: Norwalk Lock Co.
Metal Doors and Trim: Dahlstrom Metal Door Co.

Charles P. Huntington, Architect.



SIDE ELEVATION OF AMERICAN GEOGRAPHICAL SOCIETY.

Charles P. Huntington, Architect.



READING ROOM OF THE HISPANIC SOCIETY.
Copyright, 1911, by The Hispanic Society of America.


opportunity for a strong lower story below the colonnade, and the architect has arrived at beautiful proportions. In all probability a future edifice will be erected at the corner of 155th Street and Broadway, conforming to the architecture of the Geographical Society's building and making a superb entrance from Broadway to the raised terraces upon which the Hispanic and Numismatic Societies' buildings are now placed, and where it is hoped the future will develop a fine group around an interior court or garden.

The American Geographical Society building has an interior splendidly suited to the requirements. One part, represented in the façade as a separate motive, contains a six-storied stack room to contain 260,000 books. The interior

of this is exclusively of steel construction, done by The Snead & Co. Iron Works, and is the most modern and perfect in library construction. Large map rooms, offices, editorial, reading, lecture and exhibition rooms, complete the interior arrangements.


The Spanish Church, or more correctly speaking, Chapel, is situated on 156th Street, near Riverside Drive. This is a gem of architecture. Roman in style, built of terra-cotta and brick, and placed on a terrace at the top of a flight of steps. This Chapel will form no part of the ultimate arrangement of the group already mentioned, but its style conforms to that of the other buildings.

It is to be regretted that no illustrations can as yet be given of the interior. It is classic in treatment, and the Church




SECTION OF THE SPANISH CATHOLIC CHURCH.

Charles P. Huntington Architect.



FRONT ELEVATION



ELEVATION OF TERRACE STEPS

FRONT ELEVATION OF THE SPANISH CATHOLIC CHURCH.

Charles P. Huntington, Architect.

Glass and Decorative Company have furnished beautiful stained glass windows, while the Stations of the Cross are fine decorative paintings. A high altar, designed by the architect and costing \$20,-

000, is in process of erection. It is a beautiful Renaissance design, constructed of Sienna marble. Side altars of the same material contain paintings by noted artists.



Book Stacks in Geographical Society Building Built by The Sneed & Co. Iron Works.

The architect of the whole group of buildings is Mr. Charles P. Huntington, who has made these buildings a credit to New York City. The future will probably show, when the scheme of development is continued, the group to be one of the most interesting examples of concentrated effort towards a general scheme that exists outside of most universities. No educational society is absolutely complete in itself, and with such a grouping, the immediate data for consultation contained in the library and collection of each society is made conveniently accessible, an arrangement that works for the common benefit of the societies as well as of the student; and as time goes on, centralization in heating, lighting, and a general utilitarian co-operation will follow.

These buildings were all erected by John Clark Udal.



THE SPANISH CATHOLIC CHURCH APPROACHED FROM 156TH STREET.
John Clark Udal, Builder. Charles P. Huntington, Architect.

SWISS CHALET DESIGN


ARTICLE III.

By WM. S. B. DANA, B. S.




THE frame-work, or shell, of the chalet was the basis of the two previous articles. The essential structural motives, together with a reference to the ornamentation, with relation to the construction, and the analysis of actual examples, formed their principal subject matter.

It is doubtful if the present moment could be improved upon for the exposition of two cardinal features of chalet design which are in themselves structural, and yet are not necessary to the main construction, being really "by-products" of it—the balconies and gables.




These dominate the design to such an extent that, in the case of the former, they often encircle the building, and in the latter instance they sweep beyond the walls at the front a distance of ten feet or more, and at the sides, sometimes down to within a few feet of the ground. Decoratively, they are of the utmost importance, because of the depths of shade and shadow which they cause and also as they are generally chosen as the points for the greatest richness and intricacy of detail. In the case of balconies, this is especially true of the wooden "lace-work" of their balustrades and the graceful rib- and bracket-work of their under portions. In the case of gables, there is the picturesque curvings and mouldings of their great consoles.

and the reflected shadows of these, and the rib-work of the gable's under portion. The A-shaped gable wall and its treatment with relation to the whole design will be dealt with in a later article.



A common starting point in the study of these secondary structural elements is essential. If we suppose, then, that a floor-beam or cross-wall beam at any story is made to protrude through the outer wall a few feet, we will have the basis of balcony construction. Two of these beams, the proper distance apart, with boards or planks laid across them, are, crudely, a balcony—minus the means of protection from falling; thus, Fig. 15. A three-foot post standing on each outer corner form the points of support for



the low protecting walls along the front, and at the two end edges, as in Fig. 16. A front rail and two end rails, connect-




FIG. 18. SECTION OF BALCONY—GRINDELWALD.

ing the tops of the posts with the main wall, complete the protecting frame; upright boards, placed tightly, edge to edge, and running from floor-edge to rail, finish the enclosing wall. If for the sake of design and appearance, as well as construction, a greater number of beam-ends and a much longer row of them are desired, also a lateral beam supporting their outer ends, itself in turn supported by diagonal braces, or on the ends of consoles, the diagram in Fig. 17 will represent the result.

The methods of decorating and moulding all parts of this structure may be seen in the accompanying cuts and illustrations. In Fig. 18 a section of a balcony at Grindelwald is given. Fig. 19 is a cut of a balcony at Varembo.



FIG. 19. BALCONY AT VAREMBO.

It will be seen that all beam-ends are moulded, and their under edges chamfered. In the balustrade, the post and rail framework form a panel for the vertical strips. The characteristic ornamen-




FIG. 20. BRACKET DETAIL—CANTON-BERNE.

tation of these strips by means of perforations, large and small, arranged on vertical and horizontal axes, also their scooping at the bottom, and the capping of the posts at the top, speak for themselves. The brackets are the projecting, as distinguished from the brace form. In the section of the granary at Golderen, on page 13, which was spoken of in detail in a previous number, the section of the balcony, the balustrade and consoles, as well as the corresponding parts of the gables, are here clearly shown. Below this is the interesting chalet on the Lake of Brienz with a balcony nearly surrounding it. The above cut, Fig. 20, is a form of bracket which occurs almost universally.

An example of a balustrade at Eblingen is given in Fig. 21.

The geometry of the chalet gable may be seen in the diagram, Fig. 22. The elemental portions thereof may be seen at a glance. A B C J K L represent the soffit; J K L D E F represent the outline of the gable wall proper; the





FIG. 21. BALUSTRADE AT EBLINGEN.




SECTION AT GRANARY—GOLDEREN.

(Graffenried & Stürler.)



CANTON DE BERNE—BRIENZ.

From Varin's "L'Architecture pittoresque en Suisse."




CHALET, CANTON, GENEVA.

Ody & Co., Manufacturers, Geneva.




CHALET DU PLATEAU DU PETIT LANCY.


Ody & Co., Manufacturers, Geneva.




EXAMPLE OF GABLE, CANTON GENEVA.
Spring Frères, Geneva, Manufacturers.



GABLE CONSOLES



WINDOW SECTION AND DETAIL.



DOOR DETAIL
Graffenried et Stürler.



CHALET AT VAREMBO.


Spring Frères, Geneva, Manufacturers.

proportion of the space between the gable wall and gable soffit occupied by the consoles is easily apparent. As an example of a gable which closely corresponds to the diagram, the cut below Fig. 22, of a gable in Canton Geneva, is given. Other excellent examples may be seen in the accompanying cuts. Two classic examples of chalet consoles from Graffenreid and Stürler are given; also window, door and shutter details.

In passing it may be proper to refer to the recessed balcony, or alcove, a

modern substitute for the overhanging or projecting balcony. The example above is very characteristic, with its flat-arched head springing from corner brackets. The water tables over the other windows, supported on miniature brackets, also the row of moulded beam ends over the central double window are most characteristic of chalet design. The shutters, also, should be noted, and the wall carving above the row of beam ends.

(To be continued.)



SHUTTERS.

THE HOLLOW-TILE FIREPROOF HOUSE

Article IV.

By FREDERICK SQUIRES.

FOUNDATION WALLS.

Where so indicated on plans, the foundation walls from the top of the footings are to be constructed of nine-hole 12 inch x 12 inch x 12 inch hollow-tile blocks or of six-hole blocks laid up to give a triple air space.

EXTERIOR WALLS AND BEARING PARTITIONS.

The exterior walls and partitions are to be of the thickness shown on the plans and must be in accordance with the foregoing conditions of quality.

SUBDIVIDING PARTITIONS.

Subdividing partitions are to be of hard-burned terra-cotta or gypsum blocks. All partitions are to be started on the structural floor and wedged against the floor slab above.

JAMBS.

All double-hung windows are to have jambs made by running the "Texture-Tile" beyond the backing to receive the window-frame box. The space between the blocks and the frame box is to be well filled with mortar to prevent the passage of air or moisture through the same.

LINTELS.

The lintels over all openings are to be double lintels, with special lintel blocks reinforced with steel bars and concrete, as per detail shown on detail sheet. Care must be taken not to bulge the lintels outward when placing the concrete.

SILLS.

All sills are to be formed of "Texture-Tile," laid with a slight pitch, so as to shed water. Care must be taken to fill all joints so as to prevent moisture working through.

ARCH OPENINGS.

All arched openings shown on the plans are to be built of two-course roll-lock arches of "Texture-Tile," carefully laid on substantial centers.

FLOOR BEAM BEARINGS.

Terra-cotta slabs, 1 inch thick, are to be provided and set in the walls under all floor beams as bearing plates for same. These slabs are also to be used for working up to levels and story heights when the full or half blocks do not work out correctly. Similar blocks, 1/2-inch thick, are to be used in joint, if difficulty is experienced in obtaining a wide face joint in the "Texture-Tile."

ROOF PLATES.

Three-quarter-inch bolts, 30 inches long, provided with nuts and washers, are to be embedded at intervals of 5 feet in the wall under the roof plate and are to project 6 inches above the top of the wall. These are to provide fastening for the plate. Cement grout is to be filled around the bolts before placing the roof plates.

FLOOR AND ROOF CONSTRUCTION.

The floor and roof constructions are to be of the type known as the combination hollow-tile and concrete arch construction, consisting generally of 4-inch reinforced concrete beams, spaced 16 inches on centers, with hollow-tile blocks between, all of which are to have at least 4 inches bearing on the walls.

TILE.

The depth of the tile filler blocks is to be regulated by the span and load to be carried and is to be of the size indicated on the plans. All blocks are to be wet before concrete is placed, so as to insure a good bond with the concrete.

CENTERS.

Centers are to be of such size as to insure their non-deflection under the weight of the wet concrete, and are to be provided in such quantity as to insure speedy work. Care must be taken not to remove the centers before the concrete is hard, and under long spans a center line of supports must be maintained for at least three weeks after the concrete has been poured. In cold weather the centers must be left in place until their removal is directed by the architect.

WATERPROOFING.

All foundation walls are to be waterproofed by painting on the outside with two coats of waterproof paint or by a $\frac{1}{2}$ -inch coat of rich cement mortar.

WIRE LATH.

All joints between the stud work and masonry and all chases for heating, lighting and plumbing are to be covered with an approved brand of expanded metal-lath. All exterior corners are to be protected with an approved corner bead.

PLASTERING.


All walls, ceilings, insides of all closets, and soffits of all stairs are to be plastered with King's Windsor, Adamant, Rock-wall, or other equally good cement plaster, put on according to the manufacturer's directions, and finished with sand finish in all cases. All plastering is to be heavy enough to overcome all inequalities in the tile.


There is to be no plastering in storage space of unfinished attic, but all walls and ceilings are to be whitewashed with two coats of lime whitewash. At completion, and after all mechanics have left, except painters, the plasterers are to cut out all pits, stains and cracks, refinish surface, and leave the job clear and perfect.


All plastering is to be true and straight and from ceiling to floor in every case.

FLOORING.

After the top of the rough floor has been leveled up with cement by the ma-







son, a composition or tile floor is to be laid as indicated. The tile is to be 6-inch x 6-inch red Welsh quarry, Rookwood, Moravian, or other suitable tile, and all set in cement.

The composition floors are to be Asbestolith, Kompolite, Marbleoid, Taylorite, or equal, laid according to the manufacturer's directions and provided with a base of the same material.

—
The following materials and work are influenced by this construction, and we offer herewith various suggestions which may prove of assistance in writing the full specifications for them.

The carpenter should provide for his nailing by plugging the walls or directing the mason to lay porous blocks at proper points whereto trim, base, shelves, wainscots or any woodwork may be secured. He must be careful not to pierce his outside walls with plug fastenings for wooden decorative features, as these are sure to cause a leak.

If he sets up the forms for floors, they should be crowned and very securely braced to prevent the dead load of the floor construction and the weight of the workmen walking about on the floor before it has set from deflecting the finished beams.

He should be specially careful not to pull the girder forms too soon, as the shear-resisting strength of concrete develops more slowly than the compressive strength. If the refinements of window and door details shown on the detail sheet are carefully followed, the chances of leakage at these points will be minimized, and it may be remarked that these points are especially vulnerable.

It is to be remarked that wood will always shrink away from concrete, and this fact has to be taken seriously into

account. In general, too much emphasis cannot be laid on extreme care and thoroughness wherever masonry and woodwork come in contact.

The sheet-metal worker must provide carefully against leakage, as water is the greatest enemy of tile construction. Flashing is difficult on account of the large size of the tile compared to the brick which he is accustomed to flash. The cap-flashing should be built into the tile-work as it goes up, and every architect knows what a difficult thing it is to get this done, because the sheet-metal man is seldom on the job at that stage of the operation. Heating, lighting and plumbing involve the same difficulties, those of cutting the walls and crossing the pipes on the floors. Nothing is so heartbreaking as to see a carefully erected tile wall cut all to pieces by these three trades. Such cutting may seriously weaken the structure, and one is tempted to lay down the general rule, however radical, that all vertical heating and plumbing pipes must be exposed. If the walls must be cut, it is the business of the architect to consult with the subcontractors and work out the places where the cutting will do the least structural damage. The horizontal pipes are apt to be crossed on top of the floor slab and greatly increase the amount of cinder fill necessary to cover them. Heating pipes that run covered in concrete should have sleeves to allow for expansion and contraction. If the electrician, plumber and heater provide the architect with rough piping plans, nearly all difficulties may be avoided in the office and a great deal of trouble averted. It may be remarked here that the heating contractor may figure less heat loss through hollow-tile walls than in any other known construction.

(To be continued.)



THE CHICAGO CITY HALL AND THE COOK COUNTY COURT HOUSE.

Holabird & Roche, Architects

Terra-Cotta: Northwestern Terra-Cotta Co.
20,000 Barrels Chicago "AA" Portland Cement Used.
Evans "Crescent" Expansion Bolts Used.

THE CHICAGO CITY HALL


HOLABIRD & ROCHE, Architects.

SOME years ago we presented illustrations accompanied by plans of the Cook County Court House, which occupied one-half of the site devoted to the City Hall and the Court House. Less than a year ago, the Chicago City Hall was completed, filling in the other half of this plot. This fine building, which in its erection was characterized by honest methods, reflects credit in its completion on the city government for a great undertaking well fulfilled. The combined buildings cost about \$10,000,000, and consist of twelve stories, 205 feet being the total height. The Court House contains 56 court rooms in the upper stories, and is one of the largest buildings devoted to the purpose in the world. The City Hall, comprising the other half of the structure, is one of the largest municipal buildings.

The City Hall, which is the principal subject of this article, is a model example of such a structure designed to meet the needs of a great city. The lower story contains the great entrance corridors and various offices as shown by the plan. The second story has the Council Chamber as its principal room. This Council Chamber is designed in Italian Renaissance style, and is finished through-


out in dark English oak. Its walls are panelled and its ceiling beamed in this wood. Broad paintings form a frieze about the room. The dimensions of the room are 97 feet in length by 61 feet in width, with a ceiling height of 28 feet. The present seating capacity provides for 70 aldermen, but there is sufficient additional space in the room for extra desks if the body should be increased in number.

In construction the building, like many other Chicago structures, rests on caissons which are carried down to solid rock, varying distances of from 75 to 114 feet. The frame is of steel and the fireproofing of tile. The exterior is of granite. Some 30,000 barrels of Chicago Portland cement were used in the construction, and characteristic of the quality of the work done throughout the building are the recommendations given this material. Prof. A. N. Talbot of the University of Illinois, says "I have found every indication that the cement used in the concrete work was of excellent quality." It seems that this general opinion could be applied to the whole construction. It would be well if the same could be said of every enterprise carried out under municipal control.



PLANS OF THE FIRST AND SECOND STORIES, CHICAGO CITY HALL.


Holabird & Root



PLAN OF THE EIGHTH STORY CHICAGO CITY HALL AND COOK COUNTY COURT HOUSE.
Holabird & Roche, Architects.



THE GREAT HALL, THE UNIVERSITY OF CHICAGO.



ELEVATOR FOYER, CHICAGO CITY HALL.
Ornamental Iron and Bronze: The Winslow Bros. Co.
Holabird & Roche, Architects.




COMMONWEALTH TRUST COMPANY BANKING ROOM IN THE BOSTON STOCK EXCHANGE BUILDING.

Bronze Counter Screen: The Gorham Company.

Peabody & Stearns, Architects.



BOSTON STOCK EXCHANGE BUILDING.
Evans "Crescent" Expansion Bolts Used. Peabody & Stearns, Architects.
Otis Elevators.






NATIONAL SAVINGS BANK, NEW HAVEN, CONN.
Brown & Von Beren, Architects.



MERCHANTS NATIONAL BANK, NEW HAVEN, CONN.
Dennison & Hiron, Architects.



FIRE PROTECTION AND THE ARCHITECT

Comments on Some Current Literature With Introduction by Edwin O. Torbohm.

THE ARCHITECT'S OPPORTUNITY

JUST at this time, when the City of New York is organizing its Bureau of Fire Prevention, how are the architects prepared to meet the criticisms to which the properties of their clients are likely to be subjected? How far will they be able to anticipate the requirements of this bureau in their new creations?

Knowledge of the law has not seemed necessary to raise the suspicion in the minds of many that some of the provisions of the Hoey Fire Prevention Bill are unconstitutional. Fire Commissioner Johnson himself has referred to this measure, which invests him with so much authority, as "absolutely revolutionary and drastic." Added to this is the fear that in their eagerness to appease a section of the community still swayed by the hysteria so prevalent immediately after the Asch Building holocaust—that these men, untrained in practical fire prevention, may ruthlessly order undesirable or unnecessary changes or additions to premises reasonably safe. How else will the architect be in a position to advise his client logically and definitely except he acquire—and quickly—a knowledge of the principles underlying real fire-prevention?

For these principles the bureau inspector and his superiors will perforce resort to the regulations of the fire underwriter to whom this is no new subject. The intelligent application of underwriters' rules requires a degree of training acquired only through an intimate and extended experience. The reasons back of the rules, however, are simple and readily comprehended. The acquisition of a knowledge of these prin-

ciples is equally the privilege of the architect as of the bureau inspector, and places at the disposal of the former a media by which may be measured the reasonableness or unreasonableness of the rulings of the latter.

Under a reasonable interpretation there will be no conflict, but the thought of the possible chaos into which we may be plunged by unreasonable demands—unless prepared to demonstrate their unreasonableness—is disquieting.

It is not to be presumed that the architect, whatever his ability, may hope to acquire in a brief period the full understanding of that science which it has taken the insurance engineer a lifetime to develop. It is not necessary that he should. The details may well be left to those who are making their refinement a specialty. The fundamental principles, however, can and must be studied and absorbed if the architect aspires to co-operate with the various agencies now actively engaged in fire-prevention, or hopes to combat successfully the erroneous rulings which may be applied to the properties erected under his supervision.

EDWIN O. TORBOHM.

In sequence to Mr. Torbohm's thoughts, we present some brief reviews of current literature which will prove instructive reading to both designer and builder. We quote from "An Appeal to Architects and Builders," a paper published by the Home Insurance Company:

"Well constructed buildings are good risks to us, and we hope to be able to demonstrate to you—and through you

to your clients—that a good building is best for you to plan and build, and for them to own. Many considerations are weighed by a man who sets out to find a house: if a dwelling for himself, comfort and beauty; if a store, convenience and suitableness; if a factory, strength and adaptability. But, whatever other conditions are considered, there is one that, first and last, influences and generally dominates and controls, and that is the cost. That must always be counted. Is it always counted wisely? What is the true economy in house-building? Admitting that a good building, even at a lower insurance rate, is better for us, can we establish that it is better for the owner? If this can be done, will it not be your pleasure and to your advantage to advocate a wise initial outlay of somewhat larger sums for building, to make good brick, stone or concrete walls; metal, tile or slate roofs; substantial chimneys from the ground—condemning and opposing the use of poor materials as not only inferior but actually in the end more expensive from every point of view?"

In proof of this argument the Home Insurance Company presents comparative estimates of cost for the construction of a given building by several methods. It then shows the depreciation in wooden construction and the cost for repairs, giving the periods of years which it would take for the excess original cost of a brick structure to be equalled by the repairs on a wooden one. Similar tables show the different rates of insurance on building and contents, the amounts of the premiums and the comparison between the initial saving and incidental expenses later which produce a higher continuous cost. The paper presents the argument in concise and interesting form that is very instructive.


"Individual Fire Fighting" is the title of a pamphlet issued by the Rochester Chamber of Commerce. This gives particular attention to the two great preventive inventions—automatic sprinklers for the extinguishment of interior fires, and fireproof windows glazed with wire-glass for protection against external hazard. We quote the ten advantages of automatic sprinklers as Rochester Chamber of Commerce lines them.

- "1. It is on duty all the time.
- "2. It puts all of its water on the place to do the most good. Compare this with the fire hose of the city departments which apply only about half the water on the base of the fire owing to the angle at which it must be directed.
- "3. The sprinkler system operates where it is needed. It does not flood the entire building.
- "4. It works just as effectively in a room full of smoke as anywhere else and stays the job when the heat would drive the men away.
- "5. It is effective at the top of a five-story building where a fire hose will not reach. The city fire departments are severely handicapped above 90 feet from the ground.
- "6. It is the one great protection against conflagrations. It holds a fire back long enough for the fire department to get under control. In many cases it has saved the building so protected.
- "7. The sprinkler system fireproofs the stock contained in a fireproof building.
- "8. Sprinklers can be used in churches, theatres and schools in the danger of fire only and will not disfigure the building.
- "9. A sprinkler system will pay for itself in from five to seven years through the reduction of insurance premiums. Many companies will install a sprinkler system without charge, except for the difference between the former premium and the new one for the first year. At the end of that time, the system is yours, your property and your insurance is reduced.
- "10. During the first quarter of 1901, 1,086 fires in sprinkled risks, 646 were entirely or entirely extinguished by automatic sprinklers, 403 were held in check by the same means, and in but 37 cases was action found unsatisfactory."

The section on fire retardant sets forth the reasons why wire-glass in window frames is most economical in the long run. The recommendations under "Conclusion" are almost equally interest-



BUILDING AT THE SOUTH EAST CORNER OF 20TH STREET AND 4TH AVENUE, NEW YORK.
Rouse & Goldstone, Architects.
"Peelle" Counterbalanced Fire Doors.




BUILDING AT THE SOUTH EAST CORNER OF 20TH STREET AND 4TH AVENUE, NEW YORK.
H. H. Oddie, Builder.
Steel Rolling Shutters: James G. Wilson Mfg. Co.



THE WHITE HOUSE, 31ST STREET AND 4TH AVENUE.
 Architectural Terra-Cotta: Federal Terra-Cotta Co. Henry B. Herts, Archt
 Otis Elevators.
 Court Brick: Harbison-Walker Refractories Co.
 Rockwood Sprinkler System.
 Fireproof Doors: Reliance Fireproof Door Co.




F. C. Zobel, Architect.
"Flushvalves" Used.
Plumbing Contractor: Pasquale Lauria.



MERCANTILE BUILDINGS, 136-145 W. 29TH STREET, NEW YORK.
Front Brick: Harbison-Walker Refractories Co.
Fireproof Windows: S. H. Pomeroy Co., Inc.








BUILDING FOR THE CONSOLIDATED GAS COMPANY OF NEW YORK, 20TH STREET
AND 4TH AVENUE.


Builders: Geo. A. Fuller Co.
Metal Lath: Arthur Greenfield, Inc.
Heating & Ventilating: Boyd Equipment Co.
Front Brick: Harbison-Walker Refractories Co.
Metal Doors and Trim: Dahlstrom Metal Door Co.
Otis Elevators.

H. J. Hardenbergh, Architect of Façade.





RIVERSIDE THEATRE.
Orchestra and Balcony Plans.
Thomas W. Lamb, Architect.



ELEVATION OF THE DE KALB THEATRE, BOROUGH OF BROOKLYN, N. Y.

Harde & Short, Architects.

Bullders: T. A. Clark Co.




THE DE KALB THEATRE, BOROUGH OF BROOKLYN, N. Y.

Builders: T. A. Clark Co. Photographs by courtesy of the Brooklyn
 Harde & Short, Architects
 Evans "Crescent" Expansion Bolts Used.
 Draperies, Furniture and Carpets: Fraas & Miller.
 Electrical Equipment: Electrical Construction & Supply Co.



McMurray & Pulls, Architects

MINER'S EMPIRE THEATRE, NEWARK, N. J.





Lighting Fixtures: The Browe Co.
Ornamental Plaster: Dominic A. Walsh.
Rockwood Sprinkler System.



A STUCCO HOUSE

THE accompanying drawings show the exterior, ground and second story plans of the stucco house. Charles P. Rawson, architect, at Lakeside Manor, Chicago. The exterior is stuccoed in a deep yellow, and trimmings are white, with window and downspouts painted blind gray. An attractive feature of this home is the large living porch, which is screened and which is entered only from the house. The entrance door is on the side and protected by a small porch. The house is provided with hot-water heat, electric light, hot and cold water.



Time is Money—Dilatory Methods Today are Intolerable. Cutting Down the Time and Cost of Freight Handling is the Thing that Counts

In planning new building and modernizing old, quick and economical method for freight and merchandise handling is of most vital importance. Today everything must be kept moving. Nowhere does this apply with greater emphasis than to the handling of merchandise and freight in Factory, Warehouse, Shop, Salesroom, Docks, Shipping Platform, Railway Terminal, etc. Every back-track, every stop, every transfer of load, every delay invites congestion—is a waste of time and money and should never obtain in the systematic conduct of any business. Buildings should be planned to meet this requirement.

Manufacturing and Business Buildings Equipped with the

Otis Inclined Elevator

Save 60% to 80% of the Time and Cost of Merchandise Handling



Otis Inclined Elevator

Capacity is enormously increased and freight handled far quicker and at a far less cost than it can be moved by any other method,—because **ONE Otis Inclined Elevator will Move More Freight in a Given Time than Six or Eight Vertical Elevators of the Usual Type, or Move More Freight in the Same Time than Fifty to One Hundred Men and Trucks Alone Can Handle.**

Running continuously in one direction, up or down, no time is wasted in stops to load or unload. No power is wasted in intermittent starting; no operator is required; there are no back-tracks; no stops for discharging and rehandling of freight—the movement is continuous from the initiation of the load until its final delivery at its destination.

Nor does it matter what the loads may weigh or how fast they come, the Otis Inclined Elevator will handle them. It cannot be overloaded. Its capacity is limitless. Ordinary installations will handle from 600 to 1960 loads per hour—by loads is meant loaded trucks or “wheelers,” with or without man,—and it will keep up this capacity year after year. An electric motor is all that is needed for operation and the power cost seldom runs to more than 50 cents per day.



Otis Inclined Dock Elevator

Without obligation our Engineering Department will supply full information, show the way to best meet specific requirements and submit estimate of installation cost. Correspondence invited. Write to us.

Otis Elevator Company, 17 Battery Place, New York

Offices in all principal cities in the world

When writing Advertisers, please mention Architecture and Building.

BOOK REVIEWS

PLUMBING AND HOUSEHOLD SANITATION. By J. Pickering Putnam. Doubleday, Page & Co., Garden City, Publishers. Price, \$3.75 net; postage, 35 cents.

This elaborate volume, which is dedicated to the Boston Society of Architects, is compiled from a course of lectures delivered before the plumbing school of the North End Union, Boston. The author presents the subject in 44 chapters and has collected an enormous mass of material relative to sanitation and plumbing matters.

The work possesses historical significance in that the author has made a deep research into the early development of sanitation. In this connection the illustrations are profuse and interesting. The humanitarian side of the question is dealt with, and the necessity of educating the populace at large to a knowledge of the requirements of proper sanitary equipment is dwelt upon. Disease and its production by inefficient sewage disposal is considered in several chapters. In the larger portion of the work which deals with the appliances themselves, the illustrations are very numerous and the appliances used by nearly every nationality in every period of civilization have been illustrated. As an historical treatise on the subject of plumbing, this book will find a place on the shelves of many architects and all contractors who possess more than a purely mercenary interest in their trade. One great advantage is the appeal that the book will make to the popular reader. It is entertaining, and is presented in a semi-technical style that does not tire. This is, perhaps, the result of the author's altruistic attitude. The healthy home to house a healthy body is held up as an ideal from first to last.

THE WIDTH AND ARRANGEMENT OF STREETS. A Study in Town Planning. By Charles Mulford Robinson. New York: The Engineering News Publishing Company. Price, \$2. net.

This latest work of Mr. Robinson's is an interesting contribution to the literature on the subject of town planning. He states in his preface he had three sources of inspiration for the work: first, a study of some thirty towns and cities in the United States as to their special needs regarding the city plan; the second source was Harvard University, to the Department of Landscape Architecture of which the book is dedicated. The third source was a recent European trip and the international town planning conference in London.

The book should be full of valuable suggestions to architects who are entering competitions for municipal or public buildings, designing monuments which shall be of civic importance, or laying out residential parks and other civic improvements.

The chapters of the book cover the divisions of a street system; the standardizing of streets; width and housing; values; main traffic streets; the cost of street construction and the proper plan of streets to be in accordance with the requirements and not to exceed these requirements in cost. The platting of streets, and public reservations on other streets are also treated. The book contains many extremely instructive photographic illustrations.

NOTES ON HEATING AND VENTILATION. By John R. Allen, Professor of Mechanical Engineering, University of Michigan. Third Edition. Dorr Engineering Company, Chicago, Publishers. Price, \$2.50.

Heating and Ventilation appears in its third edition which has been rewritten with the addition of considerable new material. The book has been put in more desirable form for use as a college text-book, and now an engineering treatise on heating and ventilation that should be of considerable value to heating contractors and engineers.

PRACTICAL SILO CONSTRUCTION. A. A. Houghton. New York: The McGraw-Hill Company. Price, 50 cents.

The methods of building a silo in concrete, both monolithic and cement block, are clearly explained by the author. He fully discusses the silo built with cement on wire lath, reinforced rods. Diagrams fully explain the methods of construction employed.

METAL WORK AND ETCHING. By D. Adams. Popular Mechanics Company, Chicago. Price, 25 cents.

This is another instructive little book prepared at a popular price, which will undoubtedly fascinate the novice in metal working. It is extensively illustrated with photographs from actual work and diagrammatic drawings.

(Continued on page 28.)

HENRY L. LEWEN, Engineer
HIGHEST GOLD MEDAL
for System of Construction
 Fully Protected by U. S. Patents and Southern American
 Specialists in REINFORCED Concrete
200 FIFTH AVENUE, NEW YORK

When writing Advertisers, please mention Architecture and Building.

Barrett Specification Roofs



Butler Bros. Bldg., Minneapolis, Minn.
Harry W. Jones, Architect.
Roof laid by Crittenden
Roofing Company

The Cheapest Permanent Roof

A NYBODY who knows roofing values would take it for granted that this building must be roofed along the lines of the Barrett Specification.

First, because the roof is flat and has an enormous area, and second, because it is on an important building, housing valuable merchandise.

The bigness of the area makes it certain that relative costs of construction and maintenance for the roof were carefully considered by competent architects.

The *cheapest permanent roof* was what they were after, and the cheapest permanent roof is one made of pitch, felt and slag or gravel, laid as directed in the Barrett Specification.

A Barrett Specification Roof will last twenty to thirty years. It never needs painting or similar maintenance expenses. The first cost is low, and the unit cost is usually less than one-quarter cent per foot per year. No other type of roofing approaches this in economy.

Small and unimportant buildings often have more wasteful types of roof covering, but when the size compels study of the expenses involved, Barrett Specification Roofs are invariably used.

The Barrett Specification is simply the best method of using Specification Felt and Specification Pitch so as to make the most economical and durable roof. Copy of it free on request. Address our nearest office.

BARRETT MANUFACTURING COMPANY

New York Chicago Philadelphia Boston St. Louis Cleveland Pittsburgh
Cincinnati Kansas City Minneapolis New Orleans Seattle London, Eng.

Canadian Offices: Montreal, Toronto, Winnipeg, Vancouver, St. John, N. B., Halifax, N. S.



Art and Architecture

ARCHITECTURAL LEAGUE EXHIBITION

The 27th annual exhibition of the Architectural League of New York will open on January 28th in the galleries of the American Fine Arts Society at 215 West 57th Street, and continue until February 17th. Three illustrated lectures have been announced on "Practical Model Towns" by Grosvenor Atterbury; "Mural Painting" by Edwin H. Blashfield, and "Review of Recent Sculpture" by Augustus Lureman.

Some exhibits of special interest in the Vanderbilt Gallery are: Rollin Saltus' Gardens for Mr. Sloane at Mt. Kisco; Charles A. Platt's several large photos of country houses and gardens; Palmer and Hornbostel, competition drawing for North Western University; Hunt & Hunt, Belmont Chapel; Wilder & White, accepted design for Temple of Justice, Olympia, Washington; Green & Wicks, Toledo Museum, Toledo, Ohio; McKim, Mead & White, competition for Minneapolis Museum of Fine Arts; Donn Barber's Y. W. C. A.; Elliott Lynch, Buffalo Cathedral; Janssen & Abbott, House in Pittsburgh; Cram, Goodhue & Ferguson, Chapel of the Intercession; Clipston Sturgis, church; Kenneth M. Murchison's palace for the President of Cuba; Smith & Ross, sketch for studio; Walker & Gillette, Broadway Gardens; Grosvenor Atterbury, Phipps Clinic at John Hopkins' Hospital; Atterbury & Tompkins, house at Forest Hills; Albro & Lindeberg, Fox Hollow Farm. Middle gallery, south wall—Guy Lowell, Historical Society Building, and forty-five drawings from the Leon DeCloux collection loaned by the Cooper Institute.

In this collection breathes the atmosphere of paint and powder and frills and frippery of the period of Marie Antoinette. Yet, with it all, they show a mastery of design, and skill in rendering, and a sense of grace that charms us to-day, and is capable of being utilized in most modern up-to-date designs.

Mr. James Rely Gordon, Architect, announces the removal of his offices to 507 Fifth avenue, adjoining 42d street, New York City.

HARRY BISSING

Consulting Engineer

Specialist in Lighting, Heating,
Ventilating and Stage Equip-
ment for Theatres and Halls

363 W. 42d STREET

NEW YORK

When writing Advertisers, please mention Architecture and Building.

THE "LINCOLN MEMORIAL"

The Pennsylvania State Association of American Institute of Architects is actively pushing the cause of an appropriate Lincoln Memorial, and has issued the following letter as an appeal to all Pennsylvania legislators:

Dear Sir—At a recent meeting of Pennsylvania State Association of Architects the "Lincoln Memorial" was a subject of serious consideration, and Secretary was instructed to express to its concern regarding the proposed substitution of a Roadway for the original monument. The Pennsylvania State Association affirms the opposition of all subsidiary bodies, as it considers the Highway proposition thoroughly inappropriate as a memorial, and one that by its commercial and intangible nature would inadequately symbolize our Country's devotion to the noble man we aim to honor. A dignified and monumental memorial already been approved unanimously on a site definitely determined upon by experts of the highest ability and by men of competent judgment all over the country. We believe that a memorial to Lincoln should be in the nature of an offering or sacrifice rather than a playground or speedway, and has an entirely different object in view.

Hoping that the original proposition for a memorial so capable of the highest expression and inspiration, as well as the importance of its unequaled location, also appeal to your good judgment, we meet with your endorsement, I beg to remain, very respectfully yours,

WM. L. BAILLIE
Secretary

Forest Products, Nos. 1, 5 and 7, pamphlets issued by the Department of Commerce and Labor, Bureau of Census, deal "Wood Pulp Consumption," "Veneer" "Wood Distillation."

The Builders' Exchange Bulletin, published by the Builders' Exchange of Baltimore, Md., is an interesting publication wholly devoted to matters of local interest. Exchange membership is an active one and shows a well-organized condition of building trades of Baltimore.

HENRY L. LEW

CONSULTING ENGINEER in Reinforced Concrete

Highest GOLD MEDAL for SYSTEM of Concrete
200 Fifth Avenue, New York

The October and November issues of the Journal of the Association of Engineering Societies, which is published in Boston, contain several articles of particular interest. One on the "Water Resources of the State of New York" in the October issue, is instructive and valuable, as it offers an opportunity to manufacturers who are looking for factory sites where water is required. In the November issue there are two articles, "The Improvement of New Orleans Harbor" and "The Panama Canal." This last article deals with the significance of the canal in transportation problems, as well as describing the scope of the engineering work involved.

The Journal of the Western Society of Engineers contains in its October issue an article on "The Economic Construction of Storage Bins and Tressels in Cement Plants" by H. S. Marston. There are other articles of engineering interest. In the November issue an article on the Chicago River tunnels is of particular interest.

In the September issue of the American Society of Engineering Contractors, a paper on "A Simple Form for Cost Analysis" is of value. It gives a standard blank form for this purpose. The paper was a subject for considerable discussion before the Society.

Forest Service Circular No. 187, U. S. Department of Agriculture, treats of the manufacture and utilization of hickory, representing the conditions in 1911. Forest Bulletin No. 103, deals with the distinguishing characteristics of North American gum woods.

CIVIL SERVICE EXAMINATIONS.

Competitive examinations under the rules of the United States Civil Service Commission will soon be held throughout the United States. Full particulars may be procured by addressing the Commission at Washington, D. C., or the Secretary of the Bureau of Examiners at the postoffice in Boston, Mass.; Philadelphia, Pa.; Atlanta, Ga.; Cincinnati, O.; Chicago, Ill.; St. Paul, Minn.; Seattle, Wash.; San Francisco, Cal.; Customhouse, New York, N. Y.; New Orleans, La. Old Customhouse, St. Louis, Mo.

FOR SALE

Long established architect business in thriving town of 16,000. Location, office equipment, plans, etc. Modest price. ROBERT CHAPIN PARKER, Westfield, Massachusetts.

HAVE YOU SEEN THE LATEST GARDEN NOVELTIES?

THEY include musical Garden ornaments, concealed lawn chimes, combined rose bush fountains with chimes (with or without electric illumination). Smaller models for table decoration. These novelties are placed on the market this season for the first time. These chimes can be concealed by flowers or vines, and the least breath of air will produce the sweetest tones, coming apparently from a distance. We also have a full line of all kinds of garden furniture, vases, settees, fountains and all other garden beautifiers. Write for Catalogue.

AMERICAN GARDEN BEAUTIFYING CO.
430 Fourth Ave., NEW YORK
A. S. JAKOBSON, Inventor
32d Degree Mason
BRANCH
800 Schenck Ave., Brooklyn, N. Y.



Patented, March, 1910
A rosebush fountain
with or without illumination.

Telephone, Lenox 3123

F. W. COHN, E. E.

Electrical Contractor

1122 MADISON AVENUE

NEW YORK

The Marble & Shattuck Chair Company

CLEVELAND, OHIO

Makers of Fine Chairs



NEW YORK OFFICE

815 Marbridge Bldg., 47 West 34th St.

CHICAGO OFFICE

204 South Wabash Avenue

When writing Advertisers, please mention Architecture and Building.

Fireproofing and Fire-Protection

MR. G. H. STEWART

FROZEN SPRINKLER SYSTEMS.

The New York Fire Insurance Exchange has issued the following warning:

"To Owners, Superintendents and Tenants of Buildings Equipped with Automatic Sprinklers: Attention is called to the necessity for extra care of automatic sprinkler system during the approaching period of cold weather. The liability of water freezing in the pipes, valves, hydrants, tanks and other portions of the system requires special precautions, and a general examination of the entire system should be made, especially to ascertain what portions are exposed to low temperatures. This applies to the piping in any unheated part of the premises, but particularly doorways, driveways and other entrances, courts and areaways, halls, stairways elevators, dumbwaiters and other vertical openings, underground vaults, show windows, shipping rooms, attics, roof struc-

tures, skylights, etc. When it is not practicable to properly heat such places insulate the pipes, we urge the adoption of an approved dry pipe valve to control the sprinklers in these sections, thus furnishing constant protection. If it is necessary to draw water from the exposed piping in some minor section, a valve should be provided to control these sections and these valves must be properly tagged exhibiting in plain letters the direction 'Shut—Open in case of fire.'

"Where approval has been granted to convert a wet pipe system, or part of into a dry pipe system during the winter months, it is required that such system be placed under air pressure. The water should be drawn off, the piping thoroughly drained, the dry pipe valve thoroughly cleaned and put in proper working order and where necessary, protected from freezing. On the completion of the change this office should be notified. Attention should also be given to maintaining outside steamer connection of the equipment in proper order with caps on: free from rust, ready for use by the department in case of need. If you have any difficulty in maintaining the system in full working order, please inform us

(Continued on page 24.)



1872

1912

Watchman's Clocks

Some makers devote their principal attention to other products; Watchman's Clocks forming a side issue—a velvet business. Some make lathes and machine tools, others tower clocks, others electric machinery. *We make one product—Watchman's Clocks*—and have done so for forty years: "One iron in the fire," as it were. All our thought, time and investment are devoted to this one product, and with the result that the

NEWMAN

Watchman's Clock

"A POSITIVE CHECK ON HUMAN FALLIBILITY"

is the most widely used in this or any other country.

NEWMAN CLOCK COMPANY

New York Specialists Chicago
178 Fulton St. Time Recording Devices 1526 Wabash Ave.

The Fire Risk is Less

in the plant equipped with the fire-proof, germ-proof, vermin-proof, thief-proof and time-proof


PEN-DAR Steel Lockers

They are built throughout of expanded metal and sheet steel, and present a smooth, attractive surface.

Our line includes units, rows, tiers and groups, in a sufficiently wide variety of types to meet the requirements of any installation.

The first step toward larger earnings is to provide comfortable working conditions for your men.

Write for our catalog.



Design 230

Edward Darby & Sons Co., Inc.
228 Arch Street Philadelphia, Pa.

**KNOBURN
COMPANY**
359-63-14TH St.
Hoboken N.J.



CASINO APARTMENTS, BROOKLYN

Send for designs, suggestions for specifications and other particulars.

JOHN SIMMONS CO.

102-110 Centre Street

New York

No other hose cabinet and equipment is found so frequently in leading hotels, apartment houses, office buildings, etc., as

Simmons 20th Century Fire Hose Cabinet

That means, in other words, that no other similar equipment has been so extensively investigated and so universally approved by the Architects and Underwriters.

It is not only ornamental in appearance, but above all dependable in emergencies. We furnish it in plain or ornamental effects to fit any scheme of decoration.



When writing Advertisers, please mention Architecture and Building.

ROCKWOOD SPRINKLER CO.

Manufacturers, Engineers, Contractors
FOR

COMPLETE AUTOMATIC SPRINKLER EQUIPMENTS

Approved by All Insurance Interests

NEW YORK OFFICE
UNDERWRITERS' BUILDING

123 WILLIAM STREET
NEW YORK

Telephone, 980 John

once, and we may be able to recommend some remedy for the trouble."

During the recent cold weather, several cases have come to our notice of fire sprinkler systems, and this warning should be of particular interest to building owners. It serves a further purpose, however, which architects in particular should heed. When a sprinkler system is put in the original construction of the building, the architect should familiarize himself with the conditions of sprinkler installation and see to it that the system is so installed that there is no likelihood of the system being rendered inoperative through changing conditions.

THE EQUITABLE FIRE.

The burning of the New York Equitable Life Assurance Building, which occurred January 9th, has destroyed a landmark that has been one of the first points of interest in New York since the erection of the building in 1868. In construction the building was obsolete, and to use a common phrase, was a "candidate for the scrap heap." The attitude of the officers of Equitable bears this out, for no insurance was carried on the building, and its statement of valuation of the company's lot alone was appraised and the building itself was not figured. In construction the building contained some steel work, a portion was fireproofed with tile, but the flanges of the floor beams were exposed. The large amount of woodwork entered into its construction offered the fuel for a quick and vigorous fire that occurred. Destruction was inevitable, but points a particular lesson, as methods of fire prevention and fireproofing have advanced greatly since the erection of this building, that it could not have been rated in any sense as a modern fireproof building.

The large amount of valuable property which were stored in the building, offices and vaults, together with the tremendous amounts of securities rated as high as two billion dollars add a special feature to the fire. However, the work of recovery of property progressed, losses are found to be less than first estimated. The vaults, which are of much less modern construction, withstood the effects of the high temperatures, and

(Continued on page 26.)



Build with Berger's *Metal Lumber*



It replaces wood stick for stick in the superstructures of residences and medium-sized buildings—is used successfully in conjunction with structural steel in larger buildings.

Metal Joists can be used with any exterior wall construction and provide a shock-proof and non-combustible superstructure that is practically indestructible.

Write for "METAL LUMBER"
It gives details. Free on request.

New York
Boston
Philadelphia
Atlanta

THE
Berger Mfg. Co.
CANTON, OHIO

Chicago
St. Louis
Minneapolis
San Francisco

We also manufacture Metal
Ceilings, Sidelwalk Forms,
Sidelwalk Lights, Multiplex,
Rib-Truss and Ferro-Lithio
Plates, Metal Lath, etc.

Consolidated Chandeliers

MANUFACTURERS OF

Gas and Electric Fixtures

132-136 W. 14th St.

NEW YORK

When writing Advertisers, please mention Architecture and Building.

STOP THAT FEARFUL FIRE LOSS

Think of it!! \$20,000,000 worth of merchandise and other valuable property burned up in New York State alone in 30 days, together with terrible loss of life

THE ESTY SPRINKLER

Would Have Prevented All of It

It reduces insurance rates in handsome proportions

Its use means safety and protection against fire

For particulars address

H. G. VOGEL COMPANY,

Chicago, Ill., Western Union Bldg.
Boston, Mass., 31 Milk St.

Cincinnati, O., Union Trust Bldg.
Buffalo, N. Y., Ellicott Sq. Bldg.
Philadelphia, Pa., 3d and Chestnut Sts.

Executive Offices
12-14 Walker St., New York City
Lancaster, N. H., 59 Mill St.
Montreal, Can., 629 St. Paul St.



MICA SEATED VALVE



COPPER CABLE CHAIN

Thomas Morton,

169 Elm Street,

New York.

Copper Cable
Steel
Champion Metal
Steel Champion


SASH CHAINS.



CHAMPION METAL CHAIN

CHAINS For Suspending Heavy Doors, Gates, etc.
ALL OF SUPERIOR QUALITY.

MINERAL WOOL
FIRE
SOUND
VERMIN
PROOF



CHEAP AND
EASILY APPLIED

United States Mineral Wool Co.

140 CEDAR STREET, NEW YORK

SAMPLES FREE



S. H. POMEROY CO., Inc.

Successor to Voigtmann & Co., of New York

Manufacturers of Fire Windows

427 West 13th Street, New York

Practical demonstration at Washington Square Fire, March 25th, showing the integrity against fire and how utilized by Fire Dept. in fighting fires across alleys.

By virtue of closing automatically the protection is constant and not subject to neglect as is common with Fire Shutters.

WASH METHOD OF HANDLING WATER-COLOR. By Frank Forest Frederick, Director of School of Industrial Art, Trenton, N. J.

"THIS LITTLE book affords a stimulus to the use of water-color as practiced by the earlier painters, whose beautiful work is unexcelled."—Inland Printer.

Price, postpaid, 50 cents

SIMPLIFIED MECHANICAL PERSPECTIVE. By Frank Forest Frederick.

A BOOK of simple practical problems, with sufficient explanations to make it a good text book. It aims to develop "the perspective sense" as well as to teach the drawing of lines.

Price, postpaid, 75 cents

HANDWORK IN WOOD. By William Noyes, Assistant Professor Department of Industrial Art, Teachers' College, Columbia University.

A COMPREHENSIVE and scholarly treatise on wood and woodworking, from the survey of the forest to the finished article. Ten chapters, references at the end of every chapter. Bibliography. 304 illustrations.

Price, postpaid, \$2.00

Send for the "Approved List of Books on the Manual Arts"

THE MANUAL ARTS PRESS
600 German Fire Insur. Bldg., Peoria, Ill.

contents are all preserved. The loss of in connection with the fire is the most regrettable circumstance.

A fire occurred in the Chicago Board Trade Building on January 10th which at first reported to have entirely destroyed the building. Later reports, however, state that the blaze was promptly brought under control, and the damage was slight.

Below our illustrations of the Bon Teller building in the December issue was mentioned that the sprinkler equipment was installed by the Rockwood Sprinkler Company. The source of our information was inaccurate, however, as the equipment in the building was installed by the General Fire Extinguisher Company.

The Quarterly of the National Fire Protection Association for January 1912 contains a "Syllabus of public instruction in Fire-Prevention." This syllabus is of particular advantage to teachers, and should be in the hands of every teacher in the United States. Many other subjects of interest are comprised in the contents of the quarterly.

The collapse of the brick walls surrounding a newly installed sprinkler tank at a factory of the R. J. Ederer Thread Company at Frankfort, Pa., requires special investigation. This 15,000-gallon tank was placed upon the old building, apparently without an adequate investigation of the bearing capacity of the walls. So far as we have learned, no architect was consulted in regard to the construction, and the blame for the accident seems to fall largely upon the inspectors of the Building Department. This is merely another case that points out the necessity of proper supervisory guidance in construction work. An

(Continued on page 28.)

JUST PUBLISHED
Practical
Cement Work

By W. B. HENRY

PRICE, 50 CENTS

A book that will be of assistance to you every day in the week, no matter what line of cement-concrete construction you are engaged in.

Neatly Bound in Cloth

112 Pages—4½ x 6½

CONTENTS:

Portland Cement, The Unit of Purchase, Storing Cement, Sand, Aggregates, Mortar, Formulas, Mixing Aggregates, Concrete, Reinforced Concrete, Form Building, Waterproofing, Coloring, Cost Data, Testing Cement, Foundations and Walls, Cement Houses and How they are Built, Cement Plaster and Stucco Houses, Water and Steam Curing, Condition of Seasoning Blocks, Sand Lime Brick, Sidewalks, Floors for Cellars, Basements and Stables.


Address

THE CONCRETE AGE

ATLANTA

GEORGIA

GORTON WROUGHT STEEL BOILERS cut down repair and cost



They are built of wrought iron and secure the same durability and economy in fuel consumption as a regular power boiler. They are self-feeding and require coaling only twice in the coldest weather. They are the best grade in every sense of the word—none better—they have

Send for catalog and information for yourself their value

Gorton & Lidger

96 Liberty Street, N.Y.
BOSTON, 182 High Street
CHICAGO, Fisher

When writing Advertisers, please mention Architecture and Building.

RELIANCE FIREPROOF DOOR COMPANY

MANUFACTURERS OF

Kalamein Doors, Windows and Partitions
Standard Fire Doors and Shutters Approved by the National Board of Fire Underwriters

WEST AND MILTON STREETS

BROOKLYN, N. Y.

We installed the Fireproof Doors and Windows in the Whitehouse Building
 Thirty-first Street and Fourth Avenue, illustrated in this issue

Properly Hung Doors



which will open softly and smoothly, without friction, can be obtained by specifying

STANLEY'S
Ball Bearing Hinges

For attractive circular, giving full information, write Dept. "B"

THE STANLEY WORKS
 NEW BRITAIN CONN.



"Peelle" Underwriters' Counterbalanced Fire Doors

Installed in the building at the southeast corner of Twentieth Street and 4th Avenue.

These doors bear label of Underwriters' Laboratories. They save space and are a sure protection against fire and accident.

See pages 710-715 Sweet's Index

Estimates, drawings and particulars of construction gladly furnished

The PEELLE CO.

123 Liberty Street NEW YORK CITY

What Makes a Paint Efficient?

Combinations of oil and pigment that tend to their own destruction do not lead to prolonged efficiency.

In Dixon's Silica-Graphite Paint an inert pigment leads to longest life of the oil vehicle. That's why Dixon's supplies long lived efficiency.

Joseph Dixon Crucible Co., Jersey City, N. J.

AGENT WANTED

For the sale of

Ringborg Green Marble

We wish to appoint a General Agent for the United States. Good connections with architects, contractors and builders all over the country absolutely necessary. Energy and commercial routine indispensable. Proper parties apply, giving references and full details, to

J. RINGBORG, Norrköping, Sweden

test should have been employed, and the architect should have been thoroughly familiar with the requirements for and the equipment of a sprinkler system.

According to the Journal of Commerce and Commercial Bulletin, the loss by fire in the United States and Canada during the year 1911 amounted to \$234,377,250. This loss is but \$100,000 less than that of the previous year. The schedule given in the Journal of Commerce of January 2, 1912, shows that the fire loss of the last 35 years amounts to over five billions of dollars in the United States and Canada. The average is about \$148,000,000 a year. Let us hope that 1912 will show a better record, and that the organized campaign against fire waste which is being carried on by different organizations and publications may be productive of greater results during 1912.

The New York building code which has been a subject for active discussion by New York architects and builders for the last year, was defeated at the last session of the board of aldermen. It is the hope of the majority that this ordinance has appeared for the last time and with the new board of aldermen, which is now in office with a Republican and Fusion majority, a complete and practical building code, scientifically compiled, may reasonably be hoped for. If such a code is not passed in this session, it will not be because of insufficient effort on the part of honestly interested persons.

HANDBOOK FOR ARCHITECTS AND BUILDERS. Emery Stanford Hall, editor. Published under the auspices of the Chicago Architects' Business Association. Vol. 19. Price, \$2.20, express paid.

The 1911 edition of the Handbook Architects and Builders is of increasing interest. The building ordinance is that passed by the City Council of Chicago on December 5, 1910, effective on January 1, 1911, and besides this ordinance there are many special suggestions for wiring; fitting; hollow-tile fireproofing; measurements for excavations in concrete work; specifications for structural steel in buildings; strength of materials; heating; ventilating; preservation of wood by painting; measurement of plaster; specifications for cement; glass and glazing; and many tables of strengths of materials show the ultimate working strengths of different materials. A short architectural chapter deals with the orders and their application and contains detail drawings giving the proportions. The book is thoroughly indexed and contains a list of classified advertisers and material men.

THE CONTRACTORS' AND BUILDERS' HANDBOOK. By William Arthur. New York. The David Williams Company. Price, \$2.

This may be considered in many respects a business guide for the building contractor. The volume is divided into three books, one dealing with the contractor as a business man, the second with the contractor as a constructor, and the third with the contractor as a taxpayer. The first book deals with the contractor's business relations with the various parties he is likely to meet in his operations, and goes on to give advice as to methods of conducting business, office and building force, insurance, bonds, etc. The second portion is, in a sense, an essay on good construction, the subject of design left out, however. This Mr. Arthur leaves to the architect. The third book is devoted to general subjects which are of special interest to building fraternity. The author expresses personal opinions to some extent throughout the text of the book, and gives data collected from various sources.

INTERIOR MARBLE

Material and work the standard for 14 years. Our reputation the best positive evidence as to our superiority.

CORK & ZICHA MARBLE CO., - - 325-327 East 94th St., NEW YORK

When writing Advertisers, please mention Architecture and Building.

Try This Cabinet
In Your Own Home
And You'll Surely
Specify It for
Others.



When you see how much improved your own bath-room looks, and how much more economical this cabinet is with the toilet paper supply, you'll take pains in all future plans to specify the

"ONLIWON" Toilet Paper Cabinet "IT STOPS WASTE"

Besides *automatically* delivering two sheets at a time, it is a handsome addition to any lavatory, for it is nickel-plated, has rounded corners and is artistically designed to conform to any scheme. As the "Onliwon" is being advertised to business men everywhere, to specify it on your next plans will be received as an added proof of extreme interest on your part. Write today for information.

A. P. W. PAPER CO., Sole Mfrs.
103 East Colonie Street, Albany, N. Y., U. S. A.

Badger Quality



Copper Hot Water BOILERS

are all that can be desired in a Range Boiler.

**LONG LIFE
CLEAN WATER
Beautiful Appearance**

Every boiler is tinned on the inside and guaranteed against leakage or collapse.

Write for Catalog

E. B. Badger & Sons Co.
BOSTON, U. S. A.

DETAILS OF BUILDING CONSTRUCTION

BY
CLARENCE A. MARTIN, Archt.

A collection of thirty-three plates, 10 x 12½ inches, giving over 300 separate details, covering all the ordinary methods of building, and in many cases showing alternative methods. The plates are models of detailed drawing, and the text is in the forms of notes lettered on the drawings. *Buckram. Price, \$2.00.*

WM. T. COMSTOCK CO.
Publisher
23 WARREN ST., NEW YORK CITY

TRADE "Celluvarno" MARK



PATENTED—PLATE 104 A

"Celluvarno" the ORIGINAL, absolutely sanitary white finish. Must be seen to be appreciated. Beware of imitations. Our Catalog upon request.

THE CELLUVARNO COMPANY
Incorporated
44 East Kinney Street, Newark, N. J.

FRESH AIR and PROTECTION

against intrusion can be had with the
IVES WINDOW VENTILATING LOCK



AS
APPLIED
TO
WINDOW



ASK
YOUR
HARDWARE
DEALER
FOR THEM

The H. B. IVES CO., Sole Manufacturers
NEW HAVEN, CONN.
88 Page Catalog Builders' Hardware Specialties Free


Weather Vanes

Lightning Rods
Church Crosses
Flag Poles

and

Fittings

Etc.



Send for Catalogue

THOS. W. JONES

153 Maiden Lane
New York

Telephone Connection

ARTHUR GREENFIELD, Incorporated

REINFORCED CONCRETE FLOORS
IRON FURRING and METAL LATHING
Telephone Connection

204 EAST 26th ST. NEW YORK

PRENTISS
ELECTRIC PROGRAM **CLOCKS** CALENDAR SELF-WINDING
Dept. 11, 92 Chambers St., N. Y.

Industrial Progress

CELLUVARNO.

No description, however comprehensive could convey to the reader's mind the supreme beauty and elegance of "Celluvarno" the original germproof white finish for toilet and bath room fixtures. It must be seen to be appreciated.

Thirteen years of continuous success and the many flattering imitations of "Celluvarno" on the market today are abundant proof of its superiority.

To insure satisfaction, insist upon "Celluvarno" made only by the undersigned. Estimates cheerfully furnished and correspondence invited.

Our catalog sent upon request. The Celluvarno Company, Incorporated, 44 East Kennedy street, Newark, N. J.

"The Cheapest Hot Water in the World" is the title of a brochure issued by the Humphrey Company of Kalamazoo, Mich. telling the story of their various types of hot water heaters. The illustrations show the hot water heater in place either in the bathroom or kitchen. It doesn't mar the ornamental appearance of the bathroom nor does it obstruct the kitchen. Further illustrations show the method of construction of the various types. The automatic water heater is a machine of large capacity, designed for heavy service. One of these pamphlets will be sent on request by the Humphrey Company.


An announcement has been made by the authorities of the Panama-Pacific International Exposition, which will be held in San Francisco in 1915, that McKim, Mead and White, Henry Bacon and Thomas Hastings of New York and L. C. Mullgerdt and George W. Kelham of San Francisco will assist the members of the Architectural Commission, consisting of Messrs. Willis Polk, William A. Faville and Clarence R. Ward in planning the great International Exposition.

(Continued on page 32.)



When writing Advertisers, please mention Architecture and Building.

Architects and Builders should investigate **EVANS "CRESCENT" EXPANSION BOLTS**



WITH DOUBLE END GRIP EXPANSION

Constructed on NEW lines. Grip at BOTH ENDS, and on ALL sides. Cannot work loose.

Send for Catalogue and samples screwed into blocks of wood or stone.

Agencies in all large cities **F. H. EVANS** (Patentee and Sole Manufacturer) 31-33-35 Hewes St., Brooklyn, N. Y.

No. 1. Steel Joist Hanger for Wood Header



Van Dorn's Steel Joist Hanger

IS THE BEST OBTAINABLE

Send for Catalogue and refer to this Magazine

THE VAN DORN IRON WORKS CO.

CLEVELAND, OHIO

Steel Buildings, Wrought Iron Fencing, Iron Bridges, Jail and Prison Work, Metallic Office Furniture, etc.



No. 4. Steel Joist Hanger for Brick Walls

BOYD EQUIPMENT COMPANY

CONTRACTING ENGINEERS

HEATING

PLUMBING

ELECTRIC

COMPLETE POWER PLANTS

373 Fourth Avenue, NEW YORK

The A. B. See Electric Elevator Co.

Main Office: 220 Broadway, New York

PHILADELPHIA
Land Title Building
Broad and Chestnut Sts.

BOSTON
India Building
84 State St.

BALTIMORE
Stock Exchange Building
210 East German St.

WASHINGTON
Barrister Building
635 F St., N. W.

HARTFORD
Connecticut Mutual Life Building
36 Pearl St.




FARRAND'S SELF-CLINCHING NAILS

These Nails fasten direct to Hollow Tile and save the time, expense and anxiety of preparing Fireproof Walls to receive Nailing Grounds. They do away with the necessity of burying combustible wooden nailing blocks in the heart of the wall and afford full freedom for changing plans or correcting errors in the location of interior woodwork. Also used for attaching fixtures to all types of finished hollow walls.

SELF-CLINCHING NAIL COMPANY, 44 N. Fourth St., Philadelphia, Pa.

Patented July 12, 1910.



FREIGHT ELEVATORS

For Hand, Belt and Electric Power

Our belt power machines have Hindley Type of Worm Gearing and Ball Thrust Bearings, which reduces the friction to a minimum and increases the easy running qualities.

DUMB WAITERS

CELLAR HOISTS, Etc.

Catalog and prices upon request

J. G. SPEIDEL, Reading, Pa.

Plate Glass

Window Glass

Skylight and Floor Glass. Rolled Cathedral, beautiful tints. Embossed, Enameled and Colored Glass. A full stock of Plain Window Glass. Every Variety for Architects' and Builders' Use.

BENJAMIN H. SHOEMAKER, 205, 207, 209, 211 North Fourth St., Philadelphia, Pa.

When writing Advertisers, please mention Architecture and Building.

A Primer of Architectural Drawing

For Young Students

By Wm. S. B. Dana, B. S.

(Mass. Inst. of Technology)

Being a progressive series of DRAWING BOARD PROBLEMS, the embodiment of the author's teaching in the Mechanics' Institute of New York City.

Intensely practical in that theory is obliterated by the author's system of CONSTRUCTION ON PAPER. This book makes a strong appeal, because it is interesting and the shortest course to a practical knowledge of the elements of architectural structural drawing yet evolved.

There are twenty-five problems, each illustrated by a plate and with 161 explanatory detail figures.

The Problems cover the following subjects:

Floors and Walls of Brick, Stone and Wood.
Framing of Floors, Walls and Roofs.
Development of Roof Forms.
Section of a Frame House.
Bricklaying and Bonding.
Brick Walls: Doors: Windows and their Casings.
Stairs, Wood and Iron.
Construction of Fireplace or Chimney.

154 pages, cloth, pocket size. Price \$1.25

PUBLISHER

The Wm. T. Comstock Co.
23 Warren St., New York

The report relating to the registration of births, marriages and deaths for the Province of Ontario for the year 1909 is interesting and instructive. The method of compilation, which is entirely tabular, is commendable and offers a good model for reports of similar character.

In "Sanitary Pottery" the house organ of the Trenton Potteries Company, there appears as a centerpiece an appeal and an offer of assistance to the local plumber to better his standard of advertising. We admire the activity of the Trenton Potteries Company, and believe that their efforts are worthy of emulation by other manufacturing concerns who sell to the trades.

ORNAMENTAL PLASTERING.

Two of the most popular and yet plastic forms of interior decoration are plaster and Kean cement and through the use of these materials many beautiful effects have been obtained, but great as is the credit due the plasterer, still much greater credit is due the sculptor who prepares the preliminary models and ornamental forms.

Among the names of sculptors whose medium is the preparation of molds for architectural plastering, the name of Dominick A. Walsh of Belleville, N. J., occupies a high place.

The ornate plaster effects to be found in many of our most important structures throughout the length and breadth of the country owe their existence to the preliminary models prepared by this artist.

Among some of the important residences and public buildings for which Mr. Walsh prepared the plaster models might be mentioned the following:

Residence of L. Z. Leiter, Washington, D. C.; Raleigh Hotel, Washington, D. C.; Postoffice, Washington, D. C.; Equitable Building, Baltimore, Md.; San Francisco Postoffice and Custom House; St. Cecilia's Church, Englewood, N. J.; St. Joseph's, Plainfield, N. J.; Our Lady of the Valley, Orange, N. J.; the exterior models for the Sacred Heart Cathedral, Newark, N. J., and Miner's Theatre, Newark. Mr. Walsh is now engaged in the preparation of the models for the interior of the new Essex County Bank Building, which institution will rank among some of the finest examples of architecture to be found in this country.

Persons interested in obtaining attractive designs and models for high grade plaster work will do well to consult Mr. Walsh at his office, 358 Cortland street, Belleville, N. J.

Heraldry Illustrated

By WM. H. ABBOTT

Being a short account of the

Origin and History of Heraldry
and an explanation of its nature, with practical
directions for drawing and

Painting Coats of Arms

to which is added a Glossary of the terms used in the Science of Heraldry. There is also a chapter on the drawing and painting of Coats of Arms, which will prove of great assistance to those unaccustomed to the work. The glossary contains about fifteen hundred definitions of heraldic terms, many in French and Latin.

To Architects, Designers and others who desire to acquire a knowledge of this interesting art, it will prove of invaluable service.


700 Explanatory Engravings, 127 pages, bound in red cloth; price, \$2.00.

THE WM. T. COMSTOCK CO.

PUBLISHER

23 Warren Street

NEW YORK



FOLSOM'S
MODEL 1910.

THE SNOW GUARD ALLOWING
NO STRAIN ON THE SLATE
WHY NOT SEE IT?
A postal card will bring sample

FOLSOM SNOW GUARD CO. Winthrop Bldg.
Boston, Mass.



PATENT LIGHT WORK OF EVERY DESCRIPTION
Office: 262 Monitor St., Brooklyn, N. Y.

When writing Advertisers, please mention Architecture and Building.

HIGGINS'

DRAWING INKS
ETERNAL WRITING INK
ENGROSSING INK
TAURINE MUCILAGE
PHOTO MOUNTER PASTE
DRAWING BOARD PASTE
LIQUID PASTE
OFFICE PASTE
VEGETABLE GLUE, Etc.

Are the Finest and Best Inks and Adhesives

Emancipate yourself from the use of corrosive and ill-smelling inks and adhesives and adopt the Higgins' Inks and Adhesives. They will be a revelation to you, they are so sweet, clean and well put up.

At Dealers Generally

CHAS. M. HIGGINS & CO., Mfrs.
Branches: Chicago, London
271 Ninth Street Brooklyn, N. Y.



SELF-LUBRICATING Rotary Screw VENTILATORS

Which Produces a
VACUUM BY ROTATION

The only positive cure for Smoky Chimneys, Poor Draught and Ventilation. Adopted and used successfully on Private Residences, Greenhouses, Hotels, Breweries, Public Buildings, etc., etc.

E. G. WASHBURN & CO.
MANUFACTURERS

209 FULTON ST., NEW YORK

Telephone, 812 Cortland

Send for Illustrated Circular

Work Shops



Of wood and metal workers, without steam power, equipped with

BARNES' FOOT POWER MACHINERY

allow lower bids on jobs and give greater profit on the work. Machines sent on trial if desired.

Catalogue free

W. F. & John Barnes Co.

566 Ruby Street, Rockford, Ill.

Telephone 4926 Spring

Pasquale Lauria

Plumbing Contractor

244 MOTT STREET

Near Prince Street

NEW YORK

Maginnis' Practical Books

HOW TO FRAME A HOUSE

or **HOUSE AND ROOF FRAMING**

By OWEN B. MAGINNIS

PART I.—Balloon Framing.

PART II.—Roof Framing

PART III.—How to frame the timbers of a brick house.

One Octavo Vol., Cloth

80 Illustrations

PRICE \$1.00

ROOF FRAMING MADE EASY

A practical and easily comprehended system of laying out and framing roofs, adapted to modern building construction. The methods are made clear and intelligible by 76 engravings with extensive explanatory text.

SECOND EDITION, REVISED AND ENLARGED

One Octavo Vol., Cloth

PRICE \$1.00

How to Measure Up Woodwork for Buildings

Describing the simplest and most accurate methods to be followed when figuring up woodwork for either brick or frame houses.

By OWEN B. MAGINNIS, Architect

Fully Illustrated, Cloth

PRICE \$0.50

PRACTICAL CENTRING

TREATING OF

The Practice of Centring Arches in Building Construction

The work embraces each subject in detail and in language that practical men can understand, and is especially commended to students attending trade, technical and architectural schools.

By OWEN B. MAGINNIS

Sixty-five Illustrations

Bound in Cloth

PRICE \$1.50

BRICKLAYING

By OWEN B. MAGINNIS

The entire work represents the best up-to-date practice, and is illustrated by over 150 engravings. It covers the important operations and methods necessary in altering brick buildings, and the proper temporary and permanent preservation and protection of old or adjoining buildings.

Cloth

PRICE \$1.50

THE WILLIAM T. COMSTOCK CO., 23 WARREN STREET
NEW YORK

When writing Advertisers, please mention Architecture and Building.



Hollow Tile for this Stucco House
furnished by us

HOLLOW TILE

for Stucco and Brick Veneer Houses

Vitrified and Hard Burned Blocks

FRONT ENAMELED BRICKS HARVARD VELOUR

Carter, Black & Ayers

1182 Broadway, New York

Telephone, 7613-7614 Madison Square



Residence W. C. Sanderson, South Orange, N. J.

Monument Plaster Co.

Manufacturers of

**WALL PLASTER and
ORIENTAL STUCCO**

Brick Mortars and any Color Sand Finish for
Interior Work

WRITE FOR BOOKLET

Office and Factory, HARRISON, N. J.



The Marbleloid Company

BROADWAY and 34th ST.
NEW YORK CITY

Manufacture and Install

**MARBLELOID - SANITAS
FIRE-PROOF FLOORING**

An Ideal Flooring for
Modern Fire-Proof Construction

Artistic, Absolutely Sanitary, Elastic,
Noiseless, Fire-Proof and Water-Proof

Approved by the New York City Building
Department as Fire-Proof Material.

Applied directly to wood or concrete.

Write for full information, references, etc.

Roman Cities in Italy and Dalmatia

By A. L. FROTHINGHAM, Ph. D.

Professor of Ancient History and Archaeology at Princeton University.


A picture of Ancient Italy and pre-Augustan Rome drawn from her rivals has not yet been made. This book is a first sketch for such a picture in popular form, and the work gives a most interesting account of these ancient cities. It is illustrated by many full page plates showing the various buildings and their decorative features, also interiors and details. Architects and students will find it a most interesting volume to add to their libraries. Sixty-one page plates, Cloth, price net, \$1.75; postpaid, \$1.90.

For sale by

THE WILLIAM T. COMSTOCK COMPANY, Publisher, 23 Warren Street, N. Y.

When writing Advertisers, please mention Architecture and Building.

“FLEXIFOLD” ROLLING PARTITIONS



For
Churches
Schools
Parish Houses
Lodge Buildings

Grant Pulley and Hardware Co.

3 West 29th St., New York City

Descriptive Circular and Estimates Upon Application

THE NORTHWESTERN TERRA-COTTA COMPANY

M A N U F A C T U R E R S O F

ARCHITECTURAL TERRA-COTTA

**GLAZED AND ENAMELED
WORK IN ALL VARIETIES**

ESTIMATES GIVEN ON APPLICATION

**MAIN OFFICE AND WORKS: 1000 CLYBOURN AVENUE
BRANCH OFFICE: 1415 RAILWAY EXCHANGE**

CHICAGO
ILLINOIS



DEKALB THEATRE

BOROUGH OF
BROOKLYN, N. Y.

Builders
T. A. Clarke Company

Architects
Harde & Short

T. A. Clarke Company

26 Court Street
Brooklyn, N. Y.

Steel and Reinforced Concrete in Buildings

By
Edward
Godfrey
M. Am. Soc.
C. E.
Author
"Structural
Engineering
Book."

156 pages,
flexible
leather,
\$2.00

THE aim of the book is to lay down the principles of correct and consistent design as applied to buildings and give simple rules and tables to be used in designing. Architects will find the book of much assistance where designing is done on a small scale that does not justify the employment of an engineer.

Numerous tables for beams, columns, girders, etc., are given, also many diagrams.

The Wm. T. Comstock Company
23 Warren Street New York

Fraas & Miller

"THE FURNITURE CENTER"

Broadway Linden and
Quincy Sts. **Brooklyn, N. Y.**

Carpeting

Furniture

Our Contract Department

Solicits permission to Estimate

*We refer to the DeKalb Theatre
illustrated in this issue*

Draperies

Bedding



Bath Room, Apartment House, S. E. Corner 102d Street and Riverside Drive, New York
Equipped throughout with RONALDS & JOHNSON CO.'S FIXTURES

RONALDS & JOHNSON CO.

MANUFACTURERS OF

HIGHEST GRADE PLUMBING FIXTURES

54 CLIFF ST.

NEW YORK

THREE SHOWROOMS IN GREATER NEW YORK

New York, -	-	-	-	-	-	-	52-54 Cliff Street
Brooklyn, -	-	-	-	-	-	-	43-63 Boerum Place
Long Island City, -	-	-	-	-	-	-	378-384 Jackson Avenue

FACTORIES, BROOKLYN, N. Y.

FOUNDRIES, HAINESPORT, N. J.

When writing Advertisers, please mention Architecture and Building.



THE BROWE COMPANY

9-11 Franklin St., Newark, N. J.

MANUFACTURERS OF

Gas and Electric Fixtures



Detail of Centre Panel in Staircase,
Symphony Auditorium, Newark, N. J.

Executed by

DOMINIC A. WALSH

Architectural Sculptor
Ornamental Plaster
Cement and Imitation Caen Stone

461 CORTLAND ST., BELLEVILLE, N. J.

'PHONE CONNECTION



Carved Wood Organ Case
Cathedral St. John the Divine
New York

Executed by

Irving & Casson

Church Furniture

Interior Finish

Decorations

and

Upholstery

150 Boylston St.
Boston

576 Fifth Ave.
New York



THE WHITE HOUSE

31st Street and Fourth Avenue, New York City

Mr. Henry B. Herts, Architect

The fronts of this building are erected entirely in cream colored

Matt Glaze Architectural Terra Cotta

Manufactured by

Federal Terra Cotta Co.

Office

111 Broadway, New York

Plant at


Woodbridge, N. J.



STYLE D

Lane Steel Joist Hangers

for Wood, Brick and Concrete Construction



STYLE A

"D" Hangers are made to hook over wood beams, steel I beams and concrete blocks. For wood they have spike holes in the hooks as well as in the arms. Spiking the hooks adds greatly to the stability. When used on I beams the hooks should be clinched under the flange after the hangers are in place. In double hangers our method of construction permits double thickness of metal in the horizontal arms which are riveted directly together and extend squarely across the full width of beam.

20,000 Hangers in stock ready for immediate shipment



STYLE A

Lane Bros. Co., Railroad Avenue
Poughkeepsie, N. Y.



Double Hanger

When writing Advertisers, please mention Architecture and Building.

Building Construction and Superintendence

By FRANK E. KIDDER, C. E., Ph. D., Architect

Part I.—MASON'S WORK, Ninth Edition.

New and enlarged, thoroughly revised and rewritten by THOMAS NOLAN, M. S. A. M., Prof. Arch., University Pennsylvania. New chapters on FIREPROOFING, CONCRETE, both reinforced and plain. Foundations showing most approved work in recent structures, etc. 965 pp., 628 illustrations, cloth. Price, **\$6.00**

Part II.—CARPENTER'S WORK, Eighth Edition.

Treating on Wood Framing—sheathing, windows, outside door frames, interior woodwork, rough work, finish, floors, heavy framing, builders' hardware, and the large variety of detail that the subject covers. 544 pp., 525 illustrations, cloth. Price, **\$4.00**

Part III.—TRUSSED ROOFS and ROOF TRUSSES— Second Edition.

This part describes nearly every type of roof construction commonly met with in buildings, pointing out the advantages of different types of wooden and steel trusses for different spans and building requirements. Special attention is given to description of wooden trusses and steel trusses, in order to make the work of practical value to the architect, draughtsman and builder. 294 pp., 306 illustrations, cloth. Price, **\$3.00**

**THE
WILLIAM T. COMSTOCK COMPANY**

23 Warren Street

New York

Harbison-Walker Refractories Company

PITTSBURGH, PA.

MANUFACTURERS OF

FRONT BUILDING BRICK

SHADES

Light, Grey, Buffs and
Mottled



STYLES

Norman, Roman, Standard
and Ornamental

DELIVERIES GUARANTEED WHEN WANTED. GET SAMPLES AND PRICES

New York Office, 1133 Broadway

Telephone { 5227 } Madison
 { 5228 }

THE Winslow Bros. Company

Harrison Street, 46th and 47th Avenues
CHICAGO

ORNAMENTAL IRON and BRONZE

Fireproof Stairways, Memorial
Tablets, Elevator Enclosures,
Counterscreens, Ball Bearing
Hangers.

*Contractors in this branch for
the City Hall, Chicago, Holabird
& Roche, Architects.*

BRANCH OFFICES

608 Ferguson Bldg., PITTSBURGH, PA.
103 Park Ave., NEW YORK CITY
Central Building, LOS ANGELES, CAL.

Selling agencies in the principal cities of the
UNITED STATES

ELKS

SOUVENIR NUMBER

New York Lodge No. 1

Send twenty cents for a copy NOW

ARCHITECTURE AND BUILDING

23 Warren Street, New York

LOOMIS FILTERS

ESTABLISHED 1880

Improved System

Simple and Effective

LOOMIS-MANNING FILTER DISTRIBUTING CO.

Main Office: 828 Land Title Building, PHILADELPHIA
Boston New York Baltimore Washington

Complete Architectural Catalogue

Sent on Request

THE WILLIAM T. COMSTOCK CO.

Publishers

23 Warren Street

New York

ARCHITECTURE

Architecture

NA

1

A 68

v. 44

no. 2

AND

BUILDING

A Magazine
Devoted to Contemporary
Architectural Construction

Vol. 44 February No. 2
1912

APARTMENT HOUSES

Fireproofing and Fire-Protection

NOV 16 1967

SHORTAGE

Published by

THE WILLIAM T. COMSTOCK COMPANY

23 Warren Street New York

\$2.00 a Year

20¢ a Copy

Copyright, 1912, by The Wm. T. Comstock Co.

"Globe" Ventilator and "Globe Ventilating Ridging"



The "Globe" is built on honor and sold on merit

In Copper or Galvanized Iron

Simple
Stormproof
Symmetrical
Satisfactory

Send for
Brown Print
Catalogue or Model

MANUFACTURED BY

Globe Ventilator Company
TROY, N. Y.

SILVER LAKE A SASH CORD THE STANDARD

Our name is stamped on every foot of our cord.

Estimate the greatest possible saving in the first cost of a building by using cheap cord. If there is any saving can you afford to take it? The best cord will wear over twenty years and you are saved the annoyance and expense of replacing broken cord. For the cheapest sash cord service specify SILVER LAKE A.

The Original Solid Braided Sash Cord

THE BEST IS THE CHEAPEST

SILVER LAKE CO., Boston

KEYSTONE
FLAT FINISH

Building Construction and Superintendence

Part II. Carpenters' Work

Four Dollars a Volume

Part III. Trussed Roofs

Three Dollars a Volume

By F. E. KIDDER, C. E., Ph.D., Architect

THE WM. T. COMSTOCK CO., Publisher, 23 WARREN STREET, NEW YORK



Farnam Cheshire Lime Company

The Only Perfect
Finishing Lime
for High-Class
Work

LIME MANUFACTURERS

39 Cortlandt St., New York

All Dealers
Handle It
All Plasterers
Need It

Always Call for the
BLUE LABEL

The "Original" Farnam's "Cheshire" Lime

C. D. WINTERS, President and General Manager

SUNSET COMPANY

ELECTRICAL ADVERTISERS **ENGINEERS**
ELECTRICAL CONTRACTORS

We are prepared to furnish Electric Signs, Fire Alarm Systems. Church Wiring a Specialty.


PAINTED DISPLAYS **COMMERCIAL SIGNS**

We operate throughout the entire United States.

1101-1102 FIREMEN'S

INSURANCE BUILDING

NEWARK, N. J.



TRADE-MARK

Tapestry Brick

REGISTERED U. S. PATENT OFFICE

**The Most Artistic and Permanent
Building Material in the World.**

It is economical and suitable
for any building worth building.

The "Tapestry" Brick for a
\$7000 detached house costs only
about \$400.

It assures a beautiful exterior
without one cent of future outlay
for maintenance.

It is really cheaper than wood.

The satisfaction it gives can
not be measured.

There is only one "Tapestry" Brick. Our
Trade-Mark is stamped on each brick.

Write and tell us what you are planning to build; send architects' elevations and our Designing and Color Department will suggest pattern work and color scheme. Send for our books, beautifully illustrated in colors.

FISKE & COMPANY, Inc., Arena Bldg., New York
Promoters and Designers of Artistic Brickwork. HENRY I. F. LUDEMAN
Sole Manufacturers of "Tapestry" Brick. ARCHITECT



THE Artificial Lighting of the Cathedral Church of St. John the Divine is accomplished by means of Frink Reflectors totally screened from view.

I. P. FRINK

24th St. and 10th Ave.

New York



Oil and Gasolene Storage

should be provided for by using a Bowser System. It will please your customers and comply with insurance requirements and City Ordinances. The leading architects throughout the country specify Bowsters.

Ask for Bulletin No. 2 for your files

S. F. BOWSER & CO., Inc., Ft. Wayne, Ind.

New York, Boston, Philadelphia, Dallas, Chicago, Minneapolis, St. Louis, Toronto, Atlanta, San Francisco



VOSKA, FOELSCH & SIDLO

Incorporated

MARBLE WORK

OF EVERY DESCRIPTION

Main Office and Factory

MILLS STREET

ASTORIA, N. Y.

Borchard Apartments
Broadway and 98th St., New York
Showing Interior Marble Hallway
Rouse & Goldstone, Architects

We do Contracting
Marble Work in all
parts of United States

High Class Interior Architectural Woodwork

KERTSCHER & CO.

13 LAWRENCE STREET, NEW YORK CITY

DESIGNS AND ESTIMATES FURNISHED

When

Writing Advertisements

please mention Architecture and Building.

Architecture and Building

Established 1882

*A continuation of the
Architect's and Builder's Magazine, 1899-1911*

Continued 1911

PUBLISHED MONTHLY BY

THE WILLIAM T. COMSTOCK COMPANY

23 Warren Street, New York

WM. PHILLIPS COMSTOCK, President

CONTENTS FOR FEBRUARY

The Passing of the Interior Tenement Stair.....	45
By Charles Warren Hastings.	
The Hollow-Tile Fireproof House, Article V.....	52
By Frederick Squires.	
Swiss Chalet Design, Article IV.....	57
By Wm. S. B. Dana., B.S.	
Fire Protection of the Dwelling House	63
The Apartment House.....	65
Apartment, 321-323 W. 112th St., Lawlor & Haase, Architects.	No. 166 West 72d Street, The Adamston, The Evanston, Geo. & Edw. Blum, Architects.
The Runola, Mulliken & Moeller Architects.	The Wendolyn, The Borchardt, The Riviera, The Glen Cairn, Rouse & Goldstone, Architects.
Nos. 823-829 Park Ave., Pickering & Walker, Architects.	The Dorset, The Schermerhorn, The Grinnell, The Strand View, The Stratford, Schwartz & Gross, Architects.
The Casino Apartments, Wm. A. Boring, Architect.	
No. 600 West End Avenue, Schwartz & Gross, Architects.	
The Allendale, Rouse & Goldstone, Architects.	
No. 830 Park Avenue, No. 12 E. 87th Street,	
Sheds Over Side Walk During Construction Work.....	80

ADVERTISING REPRESENTATIVES

D. R. Gimbel
Geo. H. Stewart (Dept. of Fireproofing and Fire Protection)

EDITORIAL DEPARTMENT

Wm. P. Comstock, Managing Editor
Charles Warren Hastings, Assistant Editor

Subscription Terms \$2.00 a year in advance for United States and Possessions, Mexico and Cuba. Canada, \$2.50, and other countries, \$3.00. Postage prepaid.
Subscribers when changing their address must state both old and new address.

Remitting Money All remittance of money should be in the form of U. S. Postal Money Orders (payable to THE WM. T. COMSTOCK CO., at New York Office). When these are not available, send money by registered letter, or send drafts on New York banks, made payable to order of THE WM. T. COMSTOCK CO. Personal checks on local banks cannot be received in payment.

TRADE SUPPLIED BY THE AMERICAN NEWS COMPANY AND ITS BRANCHES

LONDON AGENTS—Wm. Dawson & Sons (Ltd.), Cannon House, Bream's Buildings, London, England.



HALLWAY, ALLENDALE APARTMENTS, 99th Street and West End Ave., New York
Rouse & Goldstone, Architects

DECORATIONS AND FURNITURE

BY

H. F. HUBER & CO., 13 East 40th St., New York City

FACTORY, 18th to 19th STS. AND AVE. C, N. Y. CITY

To Architects and Owners—We make a specialty of Apartment House Decorations and Furniture



Detail of Centre Panel in Staircase,
Symphony Auditorium, Newark, N. J.

Executed by

DOMINIC A. WALSH

**Architectural Sculptor
Ornamental Plaster**

Cement and Imitation Caen Stone

461 CORTLAND ST., BELLEVILLE, N. J.
PHONE CONNECTION

Steel and Reinforced Concrete in Buildings

By
**Edward
Godfrey**
M. Am. Soc.
C. E.
Author
"Structural
Engineering
Book."

156 pages,
flexible
leather,
\$2.00

THE aim of the book is to lay down the principles of correct and consistent design as applied to buildings and give simple rules and tables to be used in designing. Architects will find the book of much assistance where designing is done on a small scale that does not justify the employment of an engineer.

Numerous tables for beams, columns, girders, etc., are given, also many diagrams.

The Wm. T. Comstock Company
23 Warren Street
New York

When writing advertisers, please mention Architecture and Building.



Apartments, 12 East 87th Street, New York

THE LIGHTING FIXTURES

Were Designed, Manufactured and Installed by

Black & Boyd Manufacturing Co. 23 EAST 22d STREET
NEW YORK

ORNAMENTAL CONCRETE WITHOUT MOLDS

By A. A. HOUGHTON

Author of "Clay Models and Plaster Molds for Ornamental Concrete," "Concrete from Sand Molds," "Practical Use of Concrete," etc.

This is the only work issued which explains a simple, practical method whereby the concrete worker is enabled, by employing wood and metal templates of different designs, to mold or model in concrete any Cornice, Archivolt, Column, Pedestal, Base, Cap, Urn or Pier in a monolithic form—right upon the job. These may be modeled in units or blocks and then built up to suit the specifications demanded.

Full directions are given for making the templates, at a very slight cost of time and labor. In fact everything that a concrete worker needs to know to perfect the many styles of ornamental concrete work without the purchase of expensive molds is fully explained and illustrated.

12mo. Cloth. 128 pages. With Original Illustrations. Price \$2.00.

Concrete From Sand Molds

By A. A. HOUGHTON.

The process of molding concrete with sand molds is of the utmost practical value, possessing the manifold advantages of a low cost of molds, the ease and rapidity of operation, perfect details to all ornamental designs, density and increased strength of the concrete, perfect curing of the work without attention and the easy removal of the molds regardless of any undercutting the design may have. This process, which has always been held a trade secret, will successfully mold every class of ornamental concrete work.

192 pages. Fully illustrated. Price, \$2.50.

THE WILLIAM T. COMSTOCK COMPANY, Publisher, 23 Warren Street. N. Y.

When writing Advertisers, please mention Architecture and Building.

24th St. and 7th Ave. Bldg., N. Y.

E
L
E
C
T
R
I
C
A
LE
N
G
I
N
E
E
R
S**Porsth Electric Co.**

10 East 23d Street, New York

Some Recent Installations

FERGUSON LIBRARY	Stamford, Conn.
FIRST METHODIST CHURCH	Westfield, N. J.
LONG ISLAND BANK	Richmond Hill
LOFT BUILDING	114 East 16th St., N. Y.
" "	126 West 22d St., N. Y.
" "	52 East 21st St., N. Y.
" "	39 West 31st St., N. Y.
" "	West and Vestry Sts., N. Y.



Bronze Entrance to National Savings Bank, New Haven, Conn.
Brown & Von Beren, Architects

John Polachek Bronze & Iron Co.**Architectural Bronze and Iron Work**

ART IN BRONZE, STATUARY WORK, TABLETS, ETC.
Office & Works, 144-6-8 Clay St., Borough of Brooklyn, N. Y.

YELLOW STRANDW
I
R
E

R
O
P
EW
I
R
E

R
O
P
E

Copyrighted 1911 by F. W. Woolworth

WOOLWORTH BUILDING, NEW YORK

55 Stories High

In which many thousand feet of YELLOW STRAND

Wire Rope is being used.

Manufactured by

Broderick & Bascom Rope Co.

809 North Main St., ST. LOUIS, MO.

76 Warren St., NEW YORK.

Factories: ST. LOUIS

SEATTLE

Send for our catalogue 3c

TELEPHONE, 5546 MORNINGSIDE

CONROY BROS.

INC.

**Contracting
Plasterers****217 WEST 125th STREET****Hamilton Bank Building****NEW YORK**

When writing Advertisers, please mention Architecture and Building.

Alphabetical List of Advertisers

	Page		Page		Page
American Enameled Brick & Tile Co., The.....	14	Gatchel & Manning.....	20	Otis Elevator Company.....	17
American Garden Beautifying Co., The	21	General Fire Extinguisher Co.	23	Pierce, Butler & Pierce Mfg. Co.	9
A. P. W. Paper Co.....	31	Globe Ventilator Co.....II Cover		Polachek Bronze & Iron Co., John	6
Architectural Metal Works....	21	Gorham Co., The.....	—	Pomeroy Co., Inc., S. H.....	27
Arnstein, M.....	30	Gorton & Lidgerwood Co.....	28	Porsth Electric Co.....	6
		Grant Pulley & Hardware Co.	38	Prentiss Clock Improvement Co.	32
Badger & Sons Co.. E. B.....	31	Greenfield, Inc., Arthur.....	32		
Barnes Co., W. F. & John....	35	Grimmer & Son, Charles.....	11		
Barrett Mfg. Co., The.....	19	Gustafson Co., Albin.....	11		
Berger Mfg. Co., The.....	24				
Bissling, Harry	20	Harbison-Walker-Refractories Co.	IV Cover	Rockwood Sprinkler Co.....	24
Black & Boyd Mfg. Co.....	5	Higgins & Co., Chas. M.....	35	Ronalds & Johnson Co.....	40
Bommer Bros.	16	Howell, Field & Goddard, Inc.	29		
Bowser & Co., S. F., Inc....	2	Huber Co., H. F.....	4	See Electric Elevator Co., The A. B.	33
Boyd Equipment Company....	33			Self-Clinching Nail Co.....	33
Broderick & Bascom Rope Co.	6	Indiana Flooring Company... 11		Shoemaker, Benjamin H.....	33
Brooklyn Vault Light Co.....	35	Ives Co., The H. B.....	32	Silver Lake Co.....II Cover	
				Simmons Co., John.....	26
Carter, Black & Ayers.....	37	Jones, Thomas W.....	32	Smith, Inc., W. E.....	41
Chicago Spring Butt Co.....	—			Spedel, J. G.....	33
Concrete Age, The.....	28	Keefe & Murphy	11	Stanley Works, The	29
Conroy Brothers, Inc.....	6	Kertscher & Co.....	2	Star Expansion Bolt Co.....	16
Consolidated Chandelier Co....	24	Knoburn Co., The.....	25	Starrett Company, Theodore..	15
Cork & Zicha Marble Co.....	30			Sunset Co.	II Cover
Dahlstrom Metallic Door Company	—	Lane Bros. Co.....	—	Tettenborn Refrigerators.....	32
Darby & Sons Co., Inc.. Edward	25	Laura & Co., John.....	13		
Dixon Crucible Co., Jos.....	29	Loomis Manning Filter Distributing Co.	IV Cover	U. S. Changeable Sign Company	—
				United States Mineral Wool Co.	27
Edwards Electrical Construction Co.	—	Manual Arts Press, The.....	28	United States Press Clipping Bureau	35
Evans, F. H.....	33	Marble & Shattuck Chair Co..	21		
		Marbleoid Co., The.....	13	Van Dorn Iron Works Co., The.	33
Farnam Cheshire Lime Co.. II Cover		Metropolitan Electric Mfg. Co..	37	Voigtmann & Co.....	27
Federal Terra Cotta Co.....	42	Monument Plaster Co.....	37	Vogel Co., H. G.....	27
Felton, Sibley & Co.....	16	Morton, Thomas	27	Voska, Foelsch & Sidlo, Inc..	2
Fiske & Co., Inc.....	1				
Flusho Valve Co.	9	Newman Clock Co.....	22	Walsh, Dominic A.....	4
Folsom Snow Guard Co.....	35	Northwestern Terra-Cotta Co., The	38	Washburne & Co., E. G.....	35
Frink, I. P.....	2			Wilson Mfg. Co., James G....	16

KEVSTONIA
FLAT FINISH

Classified Advertisements

NOTE.—Every classified advertiser is entitled to insertion under one heading. Under extra headings, \$5.00 a year each

ARCHITECTURAL BRONZE.

The Gorham Co.Fifth Ave., N. Y.
Polachek Bronze & Iron Co., John.
144-6-8 Clay St., Brooklyn, New York

ARCHITECTURAL WOODWORK.

Kertscher & Co.13 Lawrence St., N. Y. City
Smith, Inc., W. E.1 Madison Ave., N. Y.

AWNINGS, BLINDS, ETC.

Wilson Mfg. Co., Jas. G.
5 W. 20th St., New York City

BOILERS.

Badger & Sons Co., E. B.Boston, Mass
Gorton & Lidgerwood Co.,
96 Liberty St., New York
Pierce, Butler & Pierce Mfg. Co., Syracuse, N. Y.

BOLTS—Expansion, Machine Expansion, Sebco

Mooring, Sebco Twin, Toggle.
Evans, F. H.31-35 Hewes St., Brooklyn, N. Y.
Star Expansion Bolt Co., 147-149 Cedar St., N. Y.

BRICK—Enameled Front.

American Enamel Brick & Tile Co.,
1182 Broadway, N. Y.
Carter, Black & Ayers.1182 Broadway, N. Y.
Fiske & Co., Inc.New York, Boston
Harbison-Walker Refractories Co.,
30 Church St., New York

BRIDGES.

Van Dorn Iron Works Co.Cleveland, O.

BRONZE.

Polachek Bronze and Iron Co., John,
144-6-8 Clay St., Brooklyn, N. Y.

BUILDING CONTRACTORS.

Fuller Co., Geo. A., Marquette Bldg., Chicago.
Starrett Co., Theodore.103 Park Ave., N. Y.

BUILDING DIRECTORY.

U. S. Changeable Sign Co., 3-7 W. 29th St., N. Y.

BUREAU OF NEWS.

U. S. Press Clipping Bureau,
156 La Salle St., Chicago, Ill.

BUTTS, BALL-BEARING.

Stanley Works, The.New Britain, Conn.

CHAIR MANUFACTURERS.

Marble and Shattuck Chair Co., The,
Chicago-New York.

CLOCKS—Synchronized, Watchman's.

Newman Clock Co., The.178 Fulton St., N. Y.
Prentiss Clock Improvement Co.,
Dept. 11, 92 Chambers St., N. Y.

CONCRETE SIDEWALK FORMS.

Berger Mfg. Co., The.Canton, O.

CORDAGE.

Silver Lake Co.Boston, Mass.

DECORATORS.

Huber Co., H. F.13 E. 40th St., N. Y.

DOOR HANGERS.

Lane Bros. Co.Poughkeepsie, N. Y.

DRAWER SLIDE.

Grant Pulley & Hardware Co.,
35 Warren St., N. Y.

DRAWING INKS—(Higgins).

Higgins & Co., Chas. M.,
271 9th St., Brooklyn, N. Y.

DUMB WAITERS.

Otis Elevator Co.17 Battery Place, N. Y.
Spedel, J. G.Reading, Pa.

ELECTRICAL CONTRACTORS.

Boyd Equipment Co.373 4th Ave., N. Y.
Gustafson Co., Albin.34 E. 29th St., N. Y.
Porath Electric Co.10 E. 23d St., N. Y.
Sunset Company,
1101-1102 Firemen's Ins. Bldg., Newark, N. J.

ELEVATORS.

A. B. See Electric Elevator Co., The,
220 Broadway, New York
Otis Elevator Co.17 Battery Place, N. Y.
Spedel, J. G.Reading, Pa.

ENGINEERS, ELECTRICAL, CONSULTING, ETC.

Bissling, Harry.363 W. 42d St., N. Y.

ENGRAVERS AND ILLUSTRATORS.

Gatchel & Manning.Philadelphia, Pa.

EXPANSION BOLTS.

Evans, F. H.31-35 Hewes St., Brooklyn, N. Y.
Star Expansion Bolt Co.147 Cedar St., N. Y.

EXTERIOR PLASTER.

Monumental Plaster Company.Harrison, N. J.

FENCING AND RAILINGS.

Van Dorn Iron Works Co.Cleveland, O.

FILTERS.

Loomis-Manning Filter Distributing Co.,
828 Land Title Bldg., Philadelphia, Pa.

FIRE DOOR EQUIPMENT.

Lane Bros. Co.Poughkeepsie, N. Y.

FIRE EQUIPMENT, GENERAL.

Simmons Co., John.102-110 Centre St., N. Y.

FIREPROOF DOORS AND SHUTTERS.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Grant Pulley & Hardware Co.,
3 West 20th St., New York
Howell, Field & Goddard, Inc.,
404-406 E. 93d St., N. Y.
Pomeroy Co., Inc., S. H.,
427 W. 13th St., New York City

FIREPROOF HARDWARE.

H. B. Ives Company, The.New Haven, Conn.

KEYSTONE
FLAT FINISH
KEYSTONE

FLUSHOVALVES



PLATE 24

have been used in a very large percentage of the medium and high grade buildings constructed during the past two years.

In 1911 they were used in more than one hundred of the largest buildings constructed in New York City alone.

Of twenty-two New York City apartment houses shown in this issue, twelve have Flushovalves installed.

All valves made in our own factory and each one tested before shipment.

Goods right; prices right; satisfied customers our motto.

Save your clients trouble and expense by specifying FLUSHOVALVES.

Send for Catalogue

FLUSHOVALVE COMPANY

61-71 Greenwich Avenue

New York City



PLATE 29

FOR YOUR HEATING EQUIPMENT

Specify

Pierce Boilers & Radiators

Our Primer on heat is a new booklet we recently issued, and it gives the primary theory of heating a home. It will be found interesting by any one interested in heat. *It is free—ask for a copy.*

PIERCE, BUTLER & PIERCE MFG. CO.

333 JAMES STREET, SYRACUSE, N. Y.

Branches in Principal Cities

When writing Advertisers, please mention Architecture and Building.

Classified Advertisements—Continued

FIREPROOF WINDOWS.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Knoburn Company,
359-363 14th St., Hoboken, N. J.
Pomeroy Co. (Inc.), S. H., 427 W. 18th St., N. Y.
Voigtmann & Co., 427 W. 18th St., New York.

FIXTURES, GAS AND ELECTRIC.

Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.

FLOORING—Stone, Hardwood, etc.

Indiana Flooring Co., 7 E. 42d St., N. Y.
Marbleoid Co., The, Marbridge Bldg., N. Y.

FLOOR AND WOODWORK POLISH.

Felton, Sibley & Co., 136 N. 4th St., Phila., Pa.

FLUSHVALVES.

Flushovalve Co.,
71 Greenwich Ave., New York City

FURNITURE, DRAPERIES, RUGS, ETC.

H. F. Huber Co., 13 E. 40th St., N. Y.

FURNITURE, HALL AND GARDEN.

American Garden Beautifying Co., The
300 Schenck Ave., Brooklyn, N. Y.

GARAGE GASOLINE TANKS.

Bowser & Co., Inc., S. F., Ft. Wayne, Ind.

GAS AND ELECTRIC FIXTURES.

Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.

GLASS—Plate, Vault, Ornamental.

Arnstein, M., 792 Amsterdam Ave., N. Y.
Shoemaker, Benj., H., 205 N. 4th St., Phila., Pa.

GRAPHITE PAINT.

Dixon Crucible Co., Jos., Jersey City, N. J.

HANGERS—House, Barn, Door.

Lane Bros. Co., Poughkeepsie, N. Y.

HARDWARE.

Chicago Spring Butt Co., Chicago, Ill.; New York
Ives Co., The H. B., New Haven, Conn.
Stanley Works, The, Dept. B.
New Britain, Conn., and 79 Chambers St., N. Y.

HEATING APPLIANCES. (Also see Boilers.)

Boyd Equipment Co., 373 Fourth Ave., N. Y.
Gorton & Ledgerwood Co., 96 Liberty St., N. Y.
Humphrey Co., 604 Rose St., Kalamazoo, Mich.
Kelsey Heating Co.,
207-R Building, Syracuse, N. Y.
Pierce, Butler & Pierce Mfg. Co.,
Dept. 17, Syracuse, N. Y.
254 4th Ave., N. Y.

HINGES—Spring, Ballbearing, Etc.

Bommer Bros., 287 Clason Av., Brooklyn, N. Y.
Chicago Spring Butt Co.,
Chicago, Ill.; New York.
Stanley Works, The, New Britain, Conn.

HOLLOW TILE.

Carter, Black & Ayers, 1182 Broadway, N. Y.

HOT-WATER BOILERS—Copper.

Badger & Sons Co., E. B.,
63-75 Pitt St., Boston, Mass.

IRON WORK—Ornamental and Structural.

Polachek Bronze and Iron Co., John
144-6-8 Clay St., Brooklyn, N. Y.
Winslow Bros. Company, The,
Harrison St., 46th and 47th Aves, Chicago, Ill.

JAIL AND PRISON WORK.

Van Dorn Iron Works Co., Cleveland, O.

JOIST HANGERS—(Steel).

Lane Bros. Co., Poughkeepsie, N. Y.
Van Dorn Iron Works Co., Cleveland, O.

KITCHEN EQUIPMENT.

Barth & Son, L., Cooper Square, New York.

LIGHTING FIXTURES—Gas and Electric.

Black & Boyd Mfg. Co., 23 E. 22d St., N. Y.
Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.
Frink, I. P., 24th St. and 10th Ave., N. Y.

LIGHTNING RODS.

Jones, T. W., 22 Burling Slip, N. Y.
Washburne & Co., E. G., 209 Fulton St., N. Y.

LIME.

Farnum Cheshire Lime Co.,
39 Cortlandt St., N. Y.

LUMBER—WHOLESALE.

Indiana Flooring Company, 7 E. 42d St., N. Y.

MARBLE WORKERS.

Cork & Zicha Marble Co.,
325-327 E. 94th St., New York
Voska, Foelsch & Sidlo, Mills St., Astoria, N. Y.

METAL CEILINGS.

Berger Mfg. Co., The, Canton, O.

METAL DOORS AND TRIM.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Knoburn Company,
359-363 14th St., Hoboken, N. J.

METAL LATHING.

Greenfield, Inc., Arthur, 204 E. 26th St., N. Y.

METAL LOCKERS.

Darby & Sons Co., Inc., Edward,
228 Arch St., Philadelphia, Pa.

METAL LUMBER.

Berger Mfg. Co., The, Canton, O.

METALLIC OFFICE FURNITURE.

Berger Mfg. Co., The, Canton, O.
Van Dorn Iron Works Co., Cleveland, O.

METAL SASH AND FRAMES.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Knoburn Company, 240 11th Ave., N. Y.
Pomeroy Co. (Inc.), S. H., 427 W. 18th St., N. Y.

METAL WINDOWS.

Pomeroy Co., (Inc.), T. H., 427 W. 18th St., N. Y.
Voigtmann & Co., 427 W. 18th St., New York.

MINERAL WOOL.

U. S. Mineral Wool Co., 140 Cedar St., N. Y.

MODELS—PLASTER, CEMENT, ETC.

Walsh, Dominic A.,
461 Cortland St., Belleville, N. J.

PAINTING CONTRACTORS.

Grimmer & Son, Charles, 230 E. 37th St., N. Y.

PAINTS FOR COATING AND PRESERVING IRON AND STEEL.

Dixon Crucible Co., Jos., Jersey City, N. J.

PAINTS, OILS, VARNISHES, WOOD FILLING, etc.

Dixon Crucible Co., Jos., Jersey City, N. J.
Felton, Sibley & Co.,
136 N. 4th St., Philadelphia, Pa.

PLASTER WORK—Plain, Ornamental.

Conroy Bros., 217 W. 125th St., New York.
Monument Plaster Co., Harrison, N. J.

KEYSTONE
FLAT FINISH
KEYSTONE

For thirty years the firm of Charles Grimmer & Son has been known to you as Painters. Recently we have acquired the business of the W. Ludwig Schultze Co., the well known Decorators. In our three new buildings we now have facilities for doing the same high class Cabinet Wood-Work and Upholstery as we have for Painting.

A line of inquiry brings a representative, or we should be glad to welcome you at our extensive factories and our beautiful, new showrooms, where we carry the largest and most select stock in New York, of Wall Papers, Mantels, Andirons, Electric Fixtures, Fabrics, Furniture, Mirrors, Antiques, Clocks, Candlesticks, Lamps and Pillows.

Charles Grimmer & Son

Telephones, 7557-7558 Madison Square.

230-234 East 37th Street, NEW YORK

PHONE: 6882 BRYANT

INDIANA FLOORING COMPANY

WHOLESALE LUMBER

7 East 42d Street

New York City

We furnished the floors for the following Apartment Houses shown in this issue:
Casino, Brooklyn, 150 West 79th Street, 157th Street and Audubon Avenue.
Bachelor Apartments, 55th Street, bet. 8th and 9th Aves., 155-7 East 81st St.

M E. KEEFE

CHARLES MURPHY

KEEFE & MURPHY

Plumbing and Heating Contractors

15 OLD BROADWAY

Near Manhattan Street

NEW YORK



The accompanying cut represents the
American Bank Note Company's
New Bronx, N. Y., Factory.

Kirby, Pettit & Green, Architects.
C. O. Malloux & C. E. Knox, Electrical Engineers.

Albin Gustafson Co.

Electrical Contractors

34 East 29th Street, New York

Telephone 6744 Madison Square.

Classified Advertisements—Continued

PLUMBERS.

Boyd Equipment Co...373 Fourth Ave., N. Y.
Keefe & Murphy15 Old Broadway, N. Y.

PLUMBERS' WARES.—Bath-Tubs, Closets, Drinking Fountains, Lavatories, Laundry Tubs, Range Closets, Sinks, Urinals.

Flusho Valve Co.71 Greenwich Ave., N. Y.
Pierce, Butler & Pierce Mfg. Co.,
Dept. 17, Syracuse, N. Y.
254 4th Ave., N. Y.

Ronalds & Johnson,
43 Boerum Place, Brooklyn, N. Y.

PORTLAND CEMENT.

PRESS CLIPPINGS.

United States Press Clipping Bureau, The,
State & Adams Sts., Chicago, Ill.

PRONG LOCK, STUDS AND FURRING.

Berger Mfg. Co., The.....Canton, O.

PUBLISHERS.

Comstock Co., The W. T. 23 Warren St., N. Y.
Concrete Age, The.....Atlanta, Georgia
Manual Arts Press, The,
600 German Fire Insur. Bldg., Peoria, Ill.

PULLEYS.

Grant Pulley & Hardware Co.,
8 W. 29th St., N. Y.

REFLECTORS.

Frink, I. P.24th St. and 10th Ave., N. Y.

REFRIGERATORS, PORCELAIN, ETC.

Tettenborn Refrigerator Co.Cincinnati, O.

RINGS—Bridle, Corner Brace (Bridle), Sebco Aerial, Star Expansion Bolt Co., 147-149 Cedar St., N. Y.

ROLLING DOORS AND SHUTTERS—Steel.

Grant Pulley and Hardware Co.,
3 W. 20th St., New York City.
Wilson Mfg. Co., James G.,
3 W. 29th St., New York

ROOFING AND ROOFING MATERIALS.

Barrett Mfg. Co.New York, N. Y.
Laura & Co., John.....160 5th Ave., New York.

SANITARY SPECIALTIES.

A. F. W. Paper Co.Albany, N. Y.

SASH CHAINS.

Morton, Thomas.....169 Elm St., N. Y.

SASH CORDS.

Silver Lake Co.Boston, Mass.

SASH LOCKS.

Ives Co., The H. B.New Haven, Conn.

SASH PULLEYS—Iron, Brass, Bronze.

Grant Pulley & Hardware Co.,
3 W. 29th St., N. Y.

SELF-CLINCHING NAILS.

Self-Clinching Nail Co.Philadelphia, Pa.

SIDEWALK LIFTS.

Spedel, J. G.Reading, Pa.

SIDEWALK LIGHTS.

The Berger Mfg. Co.Canton, O.

SIGNS, CHANGEABLE, ETC.

U. S. Changeable Sign Co.,
3 W. 29th St., New York

SKYLIGHTS.

Architectural Metal Works,
1192-1194 2d Ave., New York.

SNOW GUARD

Folsom Snow Guard Co.,
Roslindale (Boston), Mass.

SPRING HINGES.

Bommer Bros.257 Classon Ave., Bklyn, N. Y.
Chicago Spring Butt Co.,
Chicago, Ill.; New York.

SPRINKLER SYSTEMS.

General Fire Extinguisher Co.,
Providence, R. I.
Rockwood Sprinkler Co.123 William St., N. Y.
Vogel Co., H. G.12 Walker St., N. Y.

STEEL BUILDINGS.

Van Dorn Iron Works Co.Cleveland, O.

STEEL JOIST HANGERS.

Lane Bros. Co.Poughkeepsie, N. Y.
Van Dorn Iron Works Co.Cleveland, O.

STUCCO.

Monument Plaster Co.Harrison, N. J.

TACKLE BLOCKS (Automatic).

Lane Bros. Co.Poughkeepsie, N. Y.

TERRA COTTA.

Federal Terra Cotta Co.111 Broadway, N. Y.
Northwestern Terra Cotta Co.,
1000 Clybourn Ave., Chicago.

VALVES.

Flusho Valve Co.71 Greenwich Ave., N. Y.

VAULT LIGHTS.

Berger Mfg. Co.Canton, O.
Brooklyn Vault Light Co.,
262 Monitor St., Brooklyn, N. Y.

VENTILATING LOCKS.

H. B. Ives Co., The.....New Haven, Conn.

VENTILATING RIDGING.

Globe Ventilator Co.Troy, N. Y.

VENTILATORS.

Globe Ventilator Co.Troy, N. Y.
Washburne & Co., E. G.209 Fulton St., N. Y.

WALL FINISHES—FLAT, ETC.

Keystone Varnish Co.,
71 Otsego St., Brooklyn, N. Y.

WALL PLASTER.

Monument Plaster Co.Harrison, N. J.

WATER FILTERS.

Loomis-Manning Filter Co.,
828 Land Title Bldg., Philadelphia, Pa.

WEATHER VANES.

Jones, Thos. W.153 Maiden Lane, N. Y.
Washburne & Co., E. G.,
209 Fulton St., N. Y.

WINDOW STOP ADJUSTERS AND VENTILATING LOCKS.

Ives Co., The H. B.New Haven, Conn.

WIRE ROPE.

Broderick & Bascom Rope Co.,
809 North Main St., St. Louis, Mo.

WOOD-WORKING MACHINERY.

Barnes Co., W. F. & John,
504 Ruby St., Rockford, Ill.

KEYSTONE
FLAT FINISH
KEYSTONE



John Laura & Company

**Plastic Slate
Tile and
Brick Roofing
Damp and
Waterproofing**

**160 FIFTH AVE.
NEW YORK, N.Y.**

This photograph shows the roof of the VANDERBILT MODEL TENEMENTS, 77th and 78th Streets, East of Avenue A, N. Y., FINISHED TILE ROOFING and TILE BASE FLASHING laid in JOHN LAURA'S PLASTIC SLATE COMPOSITION, which allows EXPANSION AND CONTRACTION without damage to the roof.

Architect, HENRY ATTERBURY SMITH, N. Y.

Marbleloid Floors From Top to Bottom



VANDERBILT TENEMENTS, N. Y.

HENRY ATTERBURY SMITH } Associate
WILLIAM F. MILLER } Architects

THE FOUR BUILDINGS OF THE
VANDERBILT TENEMENTS
ILLUSTRATED IN THIS ISSUE
ARE EQUIPPED WITH

MARBLELOID FLOORS

HENRY ATTERBURY SMITH
WILLIAM F. MILLER
ARCHITECTS
1181 BROADWAY
NEW YORK

February 23rd, 1912--

The Marbleloid Company,
Marbridge Building,
Broadway and 34th St.,
New York City--
Gentlemen:

In response to your inquiry of even date, I beg to state that the Composition Flooring and Base installed by yourselves throughout the Vanderbilt tenements, 77th and 78th Streets, East of Avenue A, city, is very satisfactory as has also been the method in which you have handled the completion of this large contract, there having been something like, as I remember it, 300,000 square feet of material used.

We look forward to a continuation of our business relations whenever we find a further use for your material.

Very truly yours,
Wm. F. Miller,

WMF/S-



THE FALL RIVER IRON WORKS,
FALL RIVER, MASS.

The American Enameled Brick and Tile Company's

American Size, First Quality, White and Red Brown Enamelled Brick were used for the entire interior lining of the Power House of this operation. **WHY?** They are **impervious to Grease and Oils, Easily Cleaned, Sanitary and Light Reflecting.** Address all inquiries to our

HEAD OFFICE

1182 Broadway, New York City

Modern School Buildings

A Collection of 150 Pages of Illustrations of Recently Constructed School Houses, from the Small School to the Normal and Technical Schools, Ranging in Price from \$20,000.00 to \$500,000.00

Supplemented with a Series of Articles by

PROF. A. D. F. HAMLIN, Columbia University
WM. J. ITTNER, Architect, Board of Education, St. Louis
C. B. J. SNYDER, Architect, Board of Education, N. Y.
FRANK G. McCANN, Heating and Ventilating Engineer

and many other prominent authorities

The useful, practical information will be of great value to Architects, School Boards, Superintendents and others interested in the subject of school designing. Size of page and plates, 9 x 12.

Cloth, Price, \$7.50

THE WM. T. COMSTOCK COMPANY, Publisher
23 WARREN STREET, NEW YORK

When writing Advertisers, please mention Architecture and Building.



APARTMENT HOUSE, 517-527 WEST 112TH STREET, NEW YORK
Theodore Starrett Company, Builders Lawlor & Haase, Architects

THEODORE STARRETT COMPANY
BUILDERS
103 Park Avenue **NEW YORK**

When writing Advertisers, please mention Architecture and Building.

**Wilson's
Rolling Steel
Shutters do
Not Mar The
Architectural
Possibilities
Of The
Doorway**



We illustrate our rolling shutters in use in the entrance of 248 Fourth Ave., New York City. Rouse & Goldstone, Architects.

See illustrations on page 35

We manufacture fireproof doors and shutters for any kind or size of opening. Write for handbook.

Models on view at salesroom

Jas. G. Wilson Mfg. Co.
5 West 29th St., New York

Also manufacturers of Rolling Steel Shutters and Wood and Steel Rolling Doors and Partitions.



See For Yourself

the wonderful holding powers of the Sebco Expansion Bolts, for fastening fixtures in brick, cement, stone and other heavy masonry.

Sebco Expansion Bolts

are unequalled for all work where steel girders, cross beams and other fixtures are to be fastened in concrete columns, walls, etc.

Drill a hole into the wall or floor and insert the shield. As the bolt is tightened, the shield expands at the inner end, making it impossible to pull out. Our illustrated catalogue No. 41 describes many uses for the Sebco Products. We will gladly send it, together with FREE working samples.

Star Expansion Bolt Co.
147-149 Cedar Street New York City



"F-S" is the Standard Bearer in the crusade for better results. Quality and satisfaction are its two strongest allies.

"F-S" "Superfine" Oil Colors are in a class by themselves. For beauty, wearing qualities and economy, they are unequalled. Half a century of paint experience is back of them.

FELTON, SIBLEY & CO., Inc.
Mfrs. of Colors, Paints, Varnishes
136-140 N. 4th St., Philadelphia

75

BOMMER SPRING HINGES

ARE QUALITY GOODS

But cost no more than inferior kinds



DON'T ERR IN JUDGMENT when specifying spring hinges, which of all hardware perform the hardest work. Bommer Spring Hinges never fail to give satisfaction, and have withstood the test of time. The springs never go lame. "Practically Unbreakable," says the World's Fair Award, Chicago, 1893.

GOLD MEDALS: Paris, 1900; Buffalo, 1901; St. Louis, 1904.

**All Who Figure on Hardware
Contracts Can Supply Them**

BOMMER BROS., Mfrs., Brooklyn, N. Y.

Est. 1876

When writing Advertisers, please mention Architecture and Building.

ARCHITECTURE AND BUILDING

A Magazine Devoted to Contemporary Architectural Construction

VOLUME XLIV.

FEBRUARY, 1912

NUMBER 2

THE PASSING OF THE INTERIOR TENEMENT STAIR


By CHARLES WARREN HASTINGS.

STAIRWAY planning is one of the most important items in any building, and an intelligent treatment may add greatly to the utility of the building. Since the earliest history of tenement houses, the dark, narrow and closed stairways usual to such buildings have been one of the tenement's most objectionable features, but for years the world has gone on building tenements in much the same way, often attempting improvements in other directions, but seldom in the stairways. The first recorded attempt to build stairways which should be free from objectionable characteristics was made in 1878—the Monroe Tenements on Monroe Street, Manhattan, and tenements erected by Alfred J. White on Columbus Street, Brooklyn. Neither of these attempts proved successful, and several important objections are apparent from the plans. The common hallways were dirt and filth collectors, unlighted and unventilated, and in case of fire in the front apartments it was impossible for the other tenants to get past the burning rooms to the common hallway.

The Vanderbilt Tenements are the result of Mrs. W. K. Vanderbilt's study of tuberculosis among the very poor. Sunlight and fresh air—the two most important requisites in the cure of this disease, are usually lacking in the average tenement, and when Mrs. Vanderbilt decided

to build a group of tenements in which these two elements should be present, the open-air type seemed to offer a satisfactory solution to the problem. The site selected for the tenements—78th Street east of Avenue A—has several important advantages. It is on high ground, and in the neighborhood of a University settlement where much sociological work is being done. The city of New York has built a public school and a public bath in this section, and the John Jay Park is under way.

The Vanderbilt Tenements possess all




THE SITE OF THE OPEN-STAIR TENEMENTS.




THE MONROE, BUILT IN 1878.

the advantages usual in model tenements, such as garbage closets, ample light-courts, etc.; but the radical improvement in their construction is embodied in the open stairways, of which there are four in each building, a flight starting from each corner of the main court of each building and ascending to the roof. These stairways, being open to the air on all four sides, give off no noisome odors because of the currents of fresh, outside air constantly passing through them; filth and litter are too readily seen to accumulate; fire escapes are rendered unnecessary, for there can be no better fire escape than the open stairway itself. In the event of fire, each occupant can go out upon the balcony in front of his own door, which, being a fireproof, self-closing door, automatically closes, thus preventing any possibility of flames shooting up the stairway. The danger of suffoca-



PLAN OF THE MONROE.




PLANS OF THE OPEN-STAIR TENEMENTS.

Henry Atterbury Smith, Architect.
Wm. P. Miller, Associate.

tion by smoke is entirely obviated, because no matter how dense the volume of smoke may be, the animated current of air will carry it aloft and dissipate it, removing even the danger of stupor. The stairways, being open on all sides and in clear view of the watchmen or police, cannot be used for the immoral purposes for which the enclosed stairs of tenements are so often employed. The use of the open stairways gives an increased area of 12 square feet which may be added to the room space in each apartment. The stairs are protected from the

weather by wired glass at the top, insuring safe and comfortable access to and from the street in inclement weather. There are no elevators, and in order that the climbing of the stairs may not be unduly tiresome, benches are provided as resting places on each landing.

The roofs of the Vanderbilt Tenements, which command an excellent view of the East River and Long Island and afford on clear days at all seasons, an ideal resting place in the open air for tubercular patients, have been made as attractive and comfortable as possible,



AN ENTRANCE FROM THE STREET.
Carpentry: W. E. Smith, Inc.
Fireproof Doors and Windows: Knoburn Co.



THE OPEN-STAIR IN THE COURT.
Henry Atterbury Smith, Architect.
Wm. P. Miller, Associate.



THE OPEN-STAIR TENEMENTS, FACING THE SITE OF JOHN JAY PARK.

Henry Atterbury Smith, Architect.
Wm. P. Miller, Associate.

Builders: Jacobs and Young.
Flat Tile Roof: John Laura & Co.
Stanley Butts Used.
Marbleoid Flooring.
Painting: Charles Grimmer & Son.
Carpentry: W. E. Smith, Inc.
Front Brick: Harbison-Walker Refractories Co.
Copper Cornices and Skylights: Architectural Metal Works.



DETAILS OF THE ROOF, SHOWING THE SHELTERS OVER THE STAIRWAYS AND THE PAVEMENT OF TILE ADAPTING THE ROOF FOR A RECREATION GROUND.

Flat Tile Roof: John Laura & Co.

Henry Atterbury Smith, Architect.

Carpentry: W. E. Smith, Inc.

Wm. P. Miller, Associate.

Copper Cornices and Skylights: Architectural Metal Works.



THE ADMINISTRATION ROOM IN THE OPEN-STAIR TENEMENTS. MARBLELOID FLOORING LAID WITH A SANITARY BASE.

and are provided with shelters with glass protection to the north. The window balconies serve a similar purpose—they are not fire escapes, but are for the purpose of out-door living. The windows are triple hung and open down to the floor.

The buildings are six stories high, entirely fireproof in construction, and contain suites of two, three, four and five rooms, each suite having its separate complete bath of three fixtures—basin, tub and toilet. These toilets are vented upon the stair wells of the open stairs, and also into narrow vent shafts about 2 by 4 feet in cross sectional area.

In the basement are public laundries and steam-driers, although wash tubs are

also provided in each suite. There are also locker rooms for baby carriages and bicycles, accessible to the street by means of an inclined runway. The boiler plant, which is centrally located under the court, is of such a capacity that in addition to the heating, electric light may be supplied to the tenants at no extra cost. Hot water is provided, and the kitchens are equipped with gas ranges. The rooms are of monolithic fireproof construction, the floor surface being turned up several inches into the walls, with a sanitary face, thus eliminating all cracks and corners at the junction of floor and

wall. This flooring is a composition known as Marbleloid and about 300,000 sq. ft. have been laid in the four buildings.

The cost of these buildings was \$1,250,000, and while philanthropic in their original conception, they have proved to be so entirely practical in their operation, that a company has been formed to build a similar group in 178th Street as a practical investment venture. Several other like projects have also been started.

The builders of the tenements were Jacobs and Young. The carpentry work was done by W. E. Smith, Inc. John Laura & Co. laid the flat tile roof and the Architectural Metal Works did the copper cornices and skylights.



THE FIRST "TEXTURE-TILE" HOUSE

IF for no other reason, the house which these pictures show would be interesting because it is the pioneer "Texture-Tile" house. In explanation of the unusual form of the house, it may be well to say that it is built on a hill, and on the side opposite its approach, circles a panoramic view with an horizon fifteen miles distant. The house was curved in plan so that every room would command this view. The roofing of the house is an attempt to reflect the outline of the hill in the building itself. A bungalow type was the owner's preference. In so far as this article is concerned, it is the structural aspect of the building which will be considered, and its design will be studied only in its bearing on the use of "Texture-Tile."

This house, which is the country home of Mr. Horace Lyon, at Englewood, N. J., was designed originally with 8-inch terra-cotta walls above grade, which were to be stuccoed, and the cost of the entire structure figured twenty cents a cubic foot. A 10-inch wall of "Texture-Tile" facing and stock tile backing was substituted at no additional cost over the 8-

inch wall with stucco. In other words, this contractor figured a 10-inch "Texture-Tile" wall to cost the same as an 8-inch stock tile wall stuccoed.

In another building, now under way, which was originally designed in frame, an interesting comparison of costs ob-



The Pyne House, designed by McKim, Mead & White. In this, originated the idea of "Texture-Tile."



THE HOUSE FROM THIS SIDE COMMANDS A PANORAMIC VIEW WITH A 15-MILE RADIUS.

tains. The same contractor who figured the job in frame is now building it in "Texture-Tile" at an advance of only 3 per cent. over his frame proposal. So much for costs.

All the drawings were laid out to exact tile dimensions, both horizontally and vertically, so that no "Texture-Tile" were cut. The two lowest courses were laid dry all around the building before any work was begun. This kind of planning resulted in a very accurate and rapid piece of work. Three sizes of "Texture-Tile" were used—the stretcher, the half-stretcher, and the corner block. The last was an L-shaped block showing a stretcher length on one side and a half-stretcher on the other, which has since

been abandoned in favor of a simpler rectangular corner block like a brick and of such length that it reaches from the corner to the center of the first regular tile above it.

In this instance the "Texture-Tile" was made from a Jersey clay, the rough surface being obtained by mixing broken tile with the clay before it was fired. More successful is the use of shales such as those from which the western and Pennsylvania rough brick are made. The writer sees no reason why the lighter colors seen so often in the western clays may not be the most successful and find use in the most dignified buildings. School buildings, hospitals, hotels, and other small public buildings, the stuccoing of



THE WINGS ARE TURNED TO THE VIEW.

which combats a popular prejudice, could be cheaply and effectively executed in "Texture-Tile," which allows a unit of dammental fireproof qualities without being limited to stucco covering. To those architects who do not favor the use of stucco, "Texture-Tile" should remove the last objection to the use of hollow terra-cotta tile as a fireproof material for the walls of buildings.

It is also interesting to note that it is always possible to make brick at the same time and from the same clay as "Texture-Tile," which allows a unit of new size for use in the design with no unpleasant variation in color or texture.

As is to be expected in a pioneer, there are defects in this first house. The corner blocks were fired twice because the

first firing did not burn them dark enough. The second firing burned them too dark. Where there are small piers, these dark corners stripe the piers too much. There is a trifle too much variation in the colors of nearby tile which even the rough-surfaced neutral-colored joint does not entirely overcome. But all things considered, the result is highly successful. The artistic test is the answer to the question as to whether or not one would stucco the building. To this, for all who have seen it, the answer of architects and laymen alike is an emphatic "no."

The greatest charm of the wall is its lovely color. When seen at a slight angle it looks like a rare old oriental rug. It has infinite variety. The *ensemble* is

Compare the Texture of the new Block with the old.



the revival of taste toward good brick work. Long ago, brick making and brick laying were among the fine arts. It is getting to be so again. In the old and the new brick art, the beauty is dependent on the texture of color and surface, just as it is in fabrics. Color texture is the *ensemble* resulting from the combination of small units, each varying in a small degree from its neighbor. The general tone produced is a blend of each, but always with the interest of the contrasts. Surface texture is a thing of shadows. It is the play of light and shade on the roughened surface of the units and on the dividing joints between them. It is enhanced if the diverging



Even these construction Pictures give an Idea of the Interest of the Surface.

solid and dignified. It looks like a house there to stay. It is genuine. There is no possibility of mistaking its real construction.

The wall has the charm of all things put together by hand, the craftsman's look. The variation in thickness of the joint, the surface of the joint itself, the slight variation in courses, all combine in the pleasing result.

An examination of the photographs will give an idea of the texture of the surface and even its variations in color. The attention of those who have not read the previous articles is directed to



Notice the Velvet Look of the Wall.



The Shingle as a large unit.

lines make up a pattern. Good modern illustrations of this subject of texture are the Lotos Club, the Madison Square Presbyterian Church and the Brooklyn Academy of Music. It is illustrated in another medium in the big waiting room of the Pennsylvania Station. Here Travertine marble was the material used, which has a color texture of its own, and the surface is full of tiny crevices which give a decided interest to the general result. These principles have been applied to "Texture-Tile." In many cases there is a decided change in color in the unit itself. Where it is hard to get enough variation in color in brick; it is easy to get too much in tile.

The size of the "Texture-Tile" unit is the most obvious departure from usual standards. Yet is not this large scale the very thing that is striven for in the country house? The house here illustrated has its shingles laid 10 inches to the weather. It is uniformly successful practice to use extra wide clapboards. In stone work, so much of the charm lies in the big unit that it is difficult to say when the limit of size has been reached. Even in brick the constant tendency is to make them larger, not higher possibly, but certainly longer. As to the economy of the large unit, there is no chance for argument. A mason can lay a "Texture-Tile" block in the same time it would take him to lay a brick. The costs of the houses here mentioned furnish ample proof of the economy of labor in the laying of a large block.

In the following article, details of this "Texture-Tile" bungalow will be shown by photographs, and its construction will be illustrated by the working drawings from which it was built. "Texture-Tile" has great possibilities, of this the author is convinced, and that he has the courage of these convictions is shown by the Lyon house, for a house set on a hill cannot be hid.

(To be continued.)



SWISS CHALET DESIGN

ARTICLE IV.

By WM S. B. DANA, B. S.

THE anatomy of the chalet husk having been carefully studied in the previous articles, it would seem that an investigation of its facial characteristics might well claim our attention at this point.

The chalet face—or façade—is the universal façade. Its *sine qua non* is a square—a square sheet of wood or other material, in upright position, as in Fig. 23. The two encircling frames at




Fig. 23.




Fig. 24.

top and bottom are indicated, each announcing the front edge of a floor; the axis of symmetry is also given. But another element of equal importance in its effect on the design of the chalet façade is the outside "ridged floor" (roof) whose front edge, instead of being a continuous member, as in the girt frame, is raised at its middle point to form the two sloping sides of a shallow isosceles triangle, as in Fig. 24. The protective effect of these outer sloping surfaces on the exposed wall faces, alike from storm and sunlight, when they are made to extend outward in wide brims, has already been set forth; its effect on the design is that of a broad, generous hat brim, shading an attractive face.

The essential features in the design of the façade, then, are as indicated in Fig. 24. The surface between sill and roof may be increased by the addition of

one or more stories, or carried below the sill in masonry to the ground.

The texture of the wall surface is that given by tiers of horizontal beams of a deep glowing tan color, with their upper edge beveled to shed off the weather.

A point of the greatest importance in the design of the façade is, naturally, that of the openings and their disposition. As the question of chalet wall penetrations is subject to the universal law which governs in all façades, a graphical representation in the form of a diagram is given in Fig. 25, in which the evolution from a blank wall to one with many perforations is shown. The large square is divided into four smaller squares, and these again subdivided into four equal squares. In the first group, 1, 2, 3, 4, the central treatment is indicated, in which a single window or group of windows is centered on the axis of symmetry. In the second





Fig. 25.


group, 5, 6, 7, 8, the double treatment is indicated, in which the space on either side of the axis is occupied by an opening. The next division is a combination of triple, quadruple and quintuple treat-



Swan House, Lucerne.


DETAILS OF HOUSE AT GOLDEREN.

From Graffenried et Stürler.



CHALET GIRAUD AT VARESE.

Parquet & Châlet Fabrik, Interlaken.



CHALET MATTI AT INTERLAKEN.

Parquet & Châlet Fabrik, Interlaken.

ment, while the last shows the application of the foregoing to superimposed stories.

The swan houses at Lucerne are submitted as an example of the simplest case, No. 2. In the house at Golderen, examples of 3, 4 and 8 are to be seen.




Fig. 26.

Châlet Giraud, on page 59, contains window groupings belonging approximately to 5 and 7. The façade of the Châlet Matti at Interlaken, which faces up the valley of the Jungfrau, made famous in Heine's poem of the Lorelei, has in each story a different grouping, the bottom being the quadruple treatment, the first story containing two groups of double windows each, the next story having a triple treatment, with a double window in the middle and a single on either side, while the roof story has the usual double treatment of small single windows. The Châlet at Grilly shows a still greater complexity of groupings, beginning with the double treatment in the main story, with a quintuple group on the right; the next floor shows a variation of 7; above this is a triple treatment with a quadruple group in the centre and a single small opening on either side. Practically all the windows show wooden shutters composed simply of two boards cleated at top and bottom and perforated near the top by a single lozenge—or heart-shaped opening. They are colored a bright

green, though a light buff is coming greatly into favor. In the example at Golderen, vertical and horizontal shutters with exterior runways are shown. The window sash are casement, as a rule, opening in. A sparkling effect is given them by dividing the upper portion into small squares of glass by sash bars. At Golderen, again, the round pane effect is gotten by means of "bulls'-eyes." The window frame, or casing, is frequently very similar to that of the American frame house, though with the uprights passing beyond the cross-pieces.

Over and about the "frame-work" of the façade—its vertical corners, story boundaries, gable portion, and window and floor frames—is spread a mesh of ornament, composed of strips and bands and ribbons of "wooden lace"—broad bands, as in the case of the older and more classic examples, filling the entire space between the successive rows of windows; similar bands, but with the middle portion plain and with the decoration applied only to the top and bottom (corresponding to the window sill and floor) edges, as in Fig. 26; or only the





Fig. 27. Tablette de fenêtre.
Diemtigen.

upper edge may be decorated, as in the example at Diemtigen, Fig. 27. Other broad bands (horizontal) of ornament are the balcony balustrades, and, in a slighter degree and much less frequently, a narrow strip of roof. Fig. 28 shows a frieze at Iseltwald bounded top and bottom by mouldings, and with ornament



CHALET STEINMANN AT GRILLY.
Spring Frères, Mfrs., Geneva.



Fig. 28.

in the upper half. Below this is another characteristic horizontal feature, a text, in German. Other horizontal strips, or courses, of ornament are to be seen in the accompanying illustrations, especially the rows of moulded beam-ends; the many groups of narrow, horizontal "ribbons" of shade and shadow caused by the grooves or bevels of the wall-beam edges are an appreciable element in the decoration. Window boxes and shelves, window and door sills and hoods, and also, often, long groups of windows, are important horizontal features. Rows of brilliantly colored flowering plants and gaily striped awnings add a life and joyousness to many chalets, especially among the more modern. The vertical strips of ornament are necessarily less in number and of no great width. They consist of rows of superimposed beam-ends, with their joints beveled and their edges scooped; also of window muntins and shutters.

The ornamentation and decoration,

then, of the chalet façade, next to the color and texture of the wood (or masonry) itself, is found to be dependent upon horizontal and vertical surfaces projecting or receding, organized, in some cases, into a broad belt of light and shade harmony; in others, as delicate ribbons of lace-work. That is, its groundwork is the moulding, to which is applied the arrangement of "knobs" of equal size, placed in rows, with equal-sized "voids" between; the "knobs" may be anything in shape from the heart, lozenge, or star-shape, to the dentil and modillion, in a multitude of varying forms; the void, too, may be complete, or it may serve as a more or less defined link between adjacent "knobs," or projections. In the two examples of flat ornament in Fig. 28, examples of this alternation of projection and void may be seen in the undulating curve of the scroll and the alternating rosettes and coves in the upper example. The same condition is to be seen in Fig. 27 in the wavy curve at the bottom; just above this curve is a row in which the knobs are moulded dentils of equal size, separated by equal rectangular voids. In the course above this the voids are semicircular. The ornament over the windows in Fig. 26 closely resembles this latter; the strip at the top resembles that in Fig. 28. In the examples of chalets, which are given, as in the Chalet Matti and in Figure 27, the ornament can plainly be referred to these two classes. In the succeeding number it is planned to make a careful study of chalet interiors and planning.

(To be continued.)

FIRE PROTECTION OF THE DWELLING HOUSE

WHEN building a new house, the idea is becoming more and more popular to build one that is, to some extent at least, resistive to fire. Where but a few years ago a fireproof dwelling was considered a hobby and also to some extent scoffed at by the majority of home builders, it is becoming a more popular idea at present, with the increasing outcry against the great national fire loss. The suburban populations and the dwellers in our smaller communities are the national home builders. The great majority of suburban houses are of frame construction, and it is the aim of this article to point out how, by simple means and at relatively small expense, the frame building as it now stands may be made less susceptible to total destruction by fire.

We will first consider the frame house from the standpoint of external hazard. The average frame house, even when built on a liberal sized lot, stands a slim chance in a general conflagration. This has been proved in more than one great fire. Witness the Chelsea fire, and that one of more recent date in Bangor, Me., where the flames swept great districts, spreading from roof to roof, the fire brand to the shingle just as the spark to tinder.

How can our present dwellings be protected? When the shingled roof needs repair, it would be better to remove it. It may be replaced with slate, with asbestos tile, with metal shingles, or with tin. The additional expense varies in amount with the material chosen, but the safety derived from a non-combustible roof should many times repay the householder for his addition-

al outlay. The campaign against the shingled roof has already produced some results. At least one community in revising its building laws has forbidden the use of shingles on new buildings and has provided in the case of repair and alteration work, that if more than 50 per cent. of a shingled roof is disturbed, all shall be removed and replaced with a non-combustible roof.

We may make a further recommendation for protection against external hazard. If alterations or repairs to the exterior of a house are contemplated, the most pleasing effects may be obtained by over-coating frame houses with stucco. This can be done right over the present structure with wire lath fastened on furring strips to support the stucco coating. Stucco is susceptible to a variety of treatments, in both color and texture, and its original cost would be equaled in time by the expense of repeated painting of the woodwork. This stucco shell, together with a non-combustible roof, offers a splendid safeguard for the dwelling against external fire hazard.

We will now turn to the protection of the dwelling against fire within. Property owners are seldom remiss in protecting themselves against fire to the extent of an insurance policy. Incidentally, such remuneration never fully covers the loss. The time spent in rebuilding alone represents a considerable amount in money, and the building invariably costs more to replace than did the original structure. Once insured, little thought is ever given by the average man to protection against fire until the premium comes due again. Every house owner could afford to spend

a little spare time in the consideration of ways and means to protect his dwelling from destruction in the case of an internal fire. If means are at hand within the dwelling to attack the fire at its inception, this is usually the end of the blaze. If it is not controlled until the local fire department arrives, the loss is generally considerable, if not complete.

As an example of what may be done to protect the home against fire, we will describe the equipment of the residence of Mr. Frederick D. Parsons in Springfield, Mass.

(1) Grinnell automatic sprinklers in cellar, protecting all parts of the basement.

(2) Automatic fire alarm in basement and kitchen, with Watkins thermostats connected to alarm gong on second floor.

(3) Standpipe with 120 pounds pressure (Little River water) extending to top of house through rear hallway, with 50 feet of linen fire hose attached to standpipe in first, second and third stories.

(4) One Knight & Thomas 3-gallon chemical extinguisher in second story.

(5) Three filled water pails, marked "For Fire Only," on a shelf in the cellarway.

(6) Fire axe and lantern hung in a convenient place.

(7) Brick and mortar fire-stops at each floor in all main partitions.

(8) Full-size wire fire screens over all fire-places that are used.

(9) All matches kept in a covered metal box marked "Matches."

(10) Only metal barrels used for ashes.

(11) One large metal barrel with cover, marked "For Waste Paper Only."

(12) Cellar kept clean all the time.

Note I.—Given above equipment, or a major part of it (put in at a moderate expense), in every dwelling and mercantile building, and the fire waste of the country would be lessened immediately at least 50 per cent. Note II.—Notwithstanding that the foregoing protection is superior to that of most dwellings, there are still plenty of chances for loss, and fire insurance very near to the full value is carried on both the building and its contents.

This is an ideal equipment which will seldom be duplicated in a private house; but it serves as an example of what may be done if the spirit is willing. Most house owners will probably have recourse to a larger use of chemical extinguishers. One portable extinguisher on every floor in a handy place is an excellent precaution. In the cellar or

the stable, a fire bucket tank is an excellent provision and is much more apt to be ready for service than the open, standing fire pails which may be dry at the critical moment.

Structural improvements may also be made in the dwelling, often affording advantages other than those of fire protection. Deadening and insulation between the floors and within the walls may be accomplished by such substances as mineral wool and insulating quilt. Such a filling is a good fire-stop in itself, and also adds to the warmth and tightness of the dwelling. One cause of the spread of fire is the open construction where the studding joins the sill course about the foundations of the house. A look about the cellar ceiling, as this is often left of open construction, will show an opening between the first floor beams directly up within the outside walls between the sheathing and the plastering within. This forms a natural flue that in case of fire in the cellar is a quick and certain means of spreading the blaze throughout the house. A brick and mortar fire-stop, built in at this point, is most advisable and may be cheaply done without tearing away partitions, or causing additional expense more than for the material, and labor alone. If the attic is open, further remedies may be applied with little trouble there. A look about the sides will show the top of the opening which has been referred to in the cellar. This may be stuffed with mineral wool, rammed as far down as possible, and if the owner is inclined, an application of brick and mortar is a further safeguard here.

Ordinary precaution against the accumulation of litter and waste is perhaps the best safeguard of all. Cleanliness, they say, is next to Godliness; but for fire prevention it is the best insurance policy.

THE APARTMENT HOUSE



APARTMENTS 521-523 WEST 112TH STREET, NEW YORK.

Builders: Theodore Starrett Company.
Tapestry Brick: Fiske & Co., Inc.

Lawlor & Haase, Architects.




Lawlor & Haase, Architects.


APARTMENT 523 WEST 112TH STREET, NEW YORK.



Builders: Theodore Starratt Company.
 Tapestry Brick: Fiske & Co., Inc.
 Flushvalves Used.
 Panel Boards: Metropolitan Electric Mfg. Co.



THE RUNOIA, 267 WEST 89TH STREET, NEW YORK. Mulliken & Moeller, Architects.
 Front Brick: Harbison-Walker Refractories Co. Flushvalves Used.
 Lighting Fixtures; Black & Boyd Mfg. Co. Metal Covered Windows: Howell, Field & Goddard.



NUMBER 829 PARK AVENUE, NEW YORK.

Pickering & Walker, Architects.




Plan of 823 Park Avenue.

NUMBER 823-829 PARK AVENUE, NEW YORK.


Pickering & Walker, Architects.

Heating and Ventilating: Boyd Equipment Co.
 A. B. See Electric Elevators.
 Star Expansion Bolts Used.
 Metal Covered Windows: Howell, Field & Goddard.



THE CASINO APARTMENTS, MONTAGUE AND HICKS STREETS, BROOKLYN, N. Y.
 Keystone Flat Finish.
 Floors: Indiana Flooring Co.

Wm. A. Boring, Architect.



THE CASINO APARTMENTS, MONTAGUE AND HICKS STREETS, BROOKLYN, N. Y. Wm. A. Borling, Architect.
20th Century Fire Hose Cabinet: John Simmons Co.



NUMBER 600 WEST END AVENUE, NEW YORK.

Lighting Fixtures: Black & Boyd Mfg. Co.

Schwartz & Gross, Architects.



THE ALLENDALE, 99TH STREET AND WEST END AVENUE, NEW YORK.

Decorations and Furnishings: H. F. Huber & Co.
Interior Marble: Cork & Zicha Marble Co.

Rouse & Goldstone, Architects.




NUMBER 600 WEST END AVENUE, N. E. CORNER OF 89TH STREET, NEW YORK.

NUMBER 600 WEST END AVENUE, N. E. CORNER OF 89TH STREET, NEW YORK.


Front Brick: Harblson-Walker Refractories Co.
Star Expansion Bolts Used.
Otis Elevators.

Schwartz, Gross & B. N. Marcus, Architects.






NUMBER 12 EAST 87TH STREET, NEW YORK.
Otis Elevators. Geo. & Edw. Blum, Architects.





NUMBER 830 PARK AVENUE, NEW YORK.
Tapestry Brick: Fiske & Co. Geo. & Edw. Blum, Architects.
Contracting Plasterers: Conroy Bros., Inc.
Panel Boards: Metropolitan Electric Mfg. Co.



NUMBER 12 EAST 87TH STREET, NEW YORK.
Interior Trim and Cabinet Work: Kertscher & Co. Geo. & Edw. Blum, Architects.
Lighting Fixtures: Black & Boyd Mfg. Co.




NUMBER 830 PARK AVENUE, NEW YORK.
Lighting Fixtures: Black & Boyd Mfg. Co. Geo. & Edw. Blum, Architects.




NUMBER 166 WEST 72D STREET, NEW YORK.

Interior Trim and Cabinet Work: Kertscher & Co.
Electrical Contractors: Porath Electric Co.
Plumbing: Keefe & Murphy.


Geo. & Edw. Blum, Architects.
Window Glass: M. Arnstein.
Lighting Fixtures: Black & Boyd Mfg. Co.



STREET, NEW YORK.
Geo. & Edw. Blum, Architects.
Lighting Fixtures: Black & Boyd Mfg. Co.
Interior Marble: Voska, Foelsch & Sidlo, Inc.



THE EVANSTON, S. E. CORNER OF WEST END AVENUE AND
 KEYSTONE, FLAT FINISH,
 PLUMBING: KEEFE & MURPHY,
 METAL COVERED WINDOWS: HOWELL, FIELD & GODDARD.
 PUSH-OVER VALVES USED.



THE WENDOLYN, S. E. CORNER OF RIVERSIDE DRIVE AND 100TH STREET. NEW YORK.
 Interior Marble: Cork & Zicha Marble Co.
 Flushvalves Used.
 Stanley Butts Used.
 Eng: John Laura & Co.
 Rouse & Goldstone, Architects.



THE WENDOLYN.
Detail of a Window in the Marble
Walled Hallway.
Rouse & Goldstone, Architects.
Interior Marble: Cork & Zieha
Marble Co.




THE BORCHARDT—Two Views of
the Marble Hallway.
Rouse & Goldstone, Architects.
Builders: Fleischmann Bros. Co.
Interior Marble: Voska, Foelsch &
Sidle, Inc.






THE BORCHARDT, S. E. CORNER OF 98TH STREET AND BROADWAY, NEW YORK.

House & Goldstone, Architects.
Metal Covered Windows: Howell, Field & Goddard.
Otis Elevators, Inc.
Plushvalves Used.
Window Glass: M. Arnstein.



Builders: Fieschmann Bros. Co.
Front Brick: Harbison-Walker Refractories Co.
Electrical Contractors: Forth Electric Co.
Plumbing: Keefe & Murphy.




THE RIVIERA, 167TH STREET AND RIVERSIDE DRIVE, NEW YORK.

Rouse & Goldstone, Architects.
Interior Trim and Cabinet Work: Kertscher & Co.
Lighting Fixtures: Black & Boyd Mfg. Co.




**Ornamental and Plain Plastering: Conroy Bros., Inc.
Stanley Butts Used.
Otis Elevators.**




THE BORCHARDT, S. E. CORNER OF 98TH STREET AND BROADWAY, NEW YORK.

Builders: Rouse & Goldstone, Architects.
Front Covered Windows: Howell, Field & Goddard.
Metal Elevators, J. J. J. Co.
Plumbing: Keefe & Murphy.
Window Glass: M. Arnstein.



Builders: Fleischmann Bros. Co.
Front Erick: Harblson-Walker Refractories Co.
Electrical Contractors: Porath Electric Co.
Stanley Butts Used.
Plumbing: Keefe & Murphy.




THE RIVIERA, 167TH STREET AND RIVERSIDE DRIVE, NEW YORK.
Rouse & Goldstone, Architects.
Interior Trim and Cabinet Work: Kertscher & Co.
Lighting Fixtures: Black & Boyd Mfg. Co.




THE RIVIERA, 167TH STREET AND RIVERSIDE DRIVE, NEW YORK.
Ornamental and Plain Plastering: Conroy Bros., Inc.
Stanley Butts Used.
Otis Elevators.

Riverside Drive




THE BORCHARDT, S. E. CORNER OF 98TH STREET AND BROADWAY, NEW YORK.

Rouse & Goldstone, Architects.
Metal Covered Windows: Howell, Field & Goddard.
Otis Elevators.
Rushonvives Used.
Window Glass: M. Arnstein.



Builders: Fleischmann Bros. Co.
Front Brick: Harbison-Walker Refractories Co.
Electrical Contractors: Porath Electric Co.
Plumbing: Keefe & Murphy.



THE RIVIERA, 167TH STREET AND RIVERSIDE DRIVE, NEW YORK.

Rouse & Goldstone, Architects.
Interior Trim and Cabinet Work: Kertscher & Co.
Lighting Fixtures: Black & Boyd Mfg. Co.



Ornamental and Plain Plastering: Conroy Bros., Inc.
Stanley Butts Used.
Otis Elevators.

SHEDS OVER SIDEWALK DURING CONSTRUCTION WORK

WHEN building operations are being carried on in busy city streets, the protection of pedestrians is a necessity. Sidewalk sheds are usually built by the contractors for this purpose, and on account of the frequently flimsy constructions which were erected, specifications have been drawn up by the Bureau of Buildings for the Borough of Manhattan, New York, which thoroughly cover all conditions. Properly built sheds not alone furnish adequate protection to foot traffic and leave the sidewalk unobstructed, but also keep the street much more free from litter and piles of material. They are also a great assistance to the builder in carrying on construction work; material can be loaded from carts directly to the shed platform; it furnishes temporary storage space, working space and room for contractors' office shanties. We give herewith the text of the special order and the illustrations accompanying it.

"Inspectors shall be governed by the

following requirements in the construction of sheds called for by Section 80 of the Building Code, for the protection of pedestrians:


1. The shed shall extend from building line to curb.

2. The shed shall be erected as soon as practicable after the building operation is started, and must be completed before any part of the construction is carried more than thirty-five feet above the curb.

3. The material shall be good, sound timber, and all work shall be done in a substantial manner and shall be securely bolted or spiked.

4. The girders and sills shall be fastened to the posts by means of battens not less than 2" thick and with not less than two 20^d spikes in each member connected.

5. The structure shall be braced by means of knee braces, both longitudinally and across at every post; the braces shall be placed at an angle of about



45° and shall connect to the posts, beams and girders; the connection to the posts shall be at a distance of not less than three feet below the top.

The bracing shall not be less than 6" x 2", and there shall not be less than two 20^d spikes in each member connected.

6. The flooring shall be spiked to the cross beams by sufficient 20^d spikes to hold the flooring securely in place.

7. For buildings exceeding 100 feet in height and where the sidewalks are 10 feet or less in width, beams shall be not less than 10" x 3" and spaced not

exceeding 2'-0" center to center; girders not less than 8" x 8", posts not less than 8" x 8" and spaced not exceeding 8'-0" center to center; sills not less than 8" x 6", and flooring not less than 2" in thickness.

8. For buildings exceeding 100 feet in height, and where sidewalks are over 10 feet in width, beams shall not be less than 10" x 4", and spaced not exceeding 2'-0" center to center; girders not less than 8" x 8"; posts not less than 8" x 8", and spaced not exceeding 8'-0" center to center; sills not less than 8" x 6", and flooring not less than 2" in thickness.

9. For buildings exceeding 65 feet and less than 100 feet in height, and where sidewalks are 10 feet or less in width, beams shall not be less than 8" x 3", and spaced not exceeding 2'-0" center to center; girders not less than 8" x 8"; posts not less than 8" x 8", and spaced not exceeding 8'-0" center to center; sills not less than 8" x 6", and flooring not less than 2" in thickness.

10. For buildings exceeding 65 feet and less than 100 feet in height, and where the sidewalks are over 10 feet in width, beams shall be not less than 10" x 3", and spaced not exceeding 2'-0" center to center; girders not less than 8" x 8"; posts not less than 8" x 8", and spaced not exceeding 8'-0" center to center; sills not less than 8" x 6", and flooring not less than 2" in thickness.

11. These requirements are for ordinary conditions. If extraordinary loads are to be placed on the shed, heavier timbers shall be used. Deviations from the requirements may be permitted provided the same strength of construction is secured; but all such cases must be reported to the Chief Inspector or Superintendent for approval."

RUDOLPH P. MILLER.

Superintendent of Buildings.

February 5, 1910.



BATH ROOM, APARTMENT HOUSE, S. E. COR. 102D STREET AND RIVERSIDE DRIVE, NEW YORK, EQUIPPED THROUGHOUT WITH RONALDS & JOHNSON CO.'S FIXTURES.

Time is Money—Dilatory Methods Today are Intolerable. Cutting Down the Time and Cost of Freight Handling is the Thing that Counts

In planning new building and modernizing old, quick and economical method for freight and merchandise handling is of most vital importance. Today everything must be kept moving. Nowhere does this apply with greater emphasis than to the handling of merchandise and freight in Factory, Warehouse, Shop, Salesroom, Docks, Shipping Platform, Railway Terminal, etc. Every back-track, every stop, every transfer of load, every delay invites congestion—is a waste of time and money and should never obtain in the systematic conduct of any business. Buildings should be planned to meet this requirement.

Manufacturing and Business Buildings Equipped with the

Otis Inclined Elevator

Save 60% to 80% of the Time and Cost of Merchandise Handling



Otis Inclined Elevator

Capacity is enormously increased and freight handled far quicker and at a far less cost than it can be moved by any other method,—because **ONE Otis Inclined Elevator will Move More Freight in a Given Time than Six or Eight Vertical Elevators of the Usual Type, or Move More Freight in the Same Time than Fifty to One Hundred Men and Trucks Alone Can Handle.**

Running continuously in one direction, up or down, no time is wasted in stops to load or unload. No power is wasted in intermittent starting; no operator is required; there are no back-tracks; no stops for discharging and rehandling of freight—the movement is continuous from the initiation of the load until its final delivery at its destination.

Nor does it matter what the loads may weigh or how fast they come, the Otis Inclined Elevator will handle them. It cannot be overloaded. Its capacity is limitless. Ordinary installations will handle from 600 to 1960 loads per hour—by loads is meant loaded trucks or “wheelers,” with or without man,—and it will keep up this capacity year after year. An electric motor is all that is needed for operation and the power cost seldom runs to more than 50 cents per day.



Otis Inclined Dock Elevator

Without obligation our Engineering Department will supply full information, show the way to best meet specific requirements and submit estimate of installation cost. Correspondence invited. Write to us.

Otis Elevator Company, 17 Battery Place, New York

Offices in all principal cities in the world

When writing Advertisers, please mention Architecture and Building.

BOOK REVIEWS

REINFORCED CONCRETE. Mechanics and Elementary Design. By John P. Brooks, New York. The McGraw-Hill Book Company. Price, \$2 net.

The author states in his preface that this book is intended to supplement the usual college work in mechanics and masonry design; therefore, there is no duplication of these subjects. Sources of information are referred to and extensive quotations in the text are thus avoided. As examples, several designs of reinforced concrete structures are worked out in detail, with particular reference to the proper sequence of computation. The principles of economy in design and diagrams which lead to the proper selection of steel and concrete dimensions are given. The book is intended as a course of directions to enable the reader to effect methods of analysis for design of reinforced concrete structures. The chapters of the book deal with the component parts of concrete, tests, analysis of stresses, including beam theories, columns and beam supports. The last chapter deals with elementary design. Diagrams, curves and tables are used frequently for illustrative purposes.

STRUCTURAL ENGINEERING. By Joseph Husband and William Harby. London: Longmans, Green & Co. Price, \$2.60 net.

"Between the theoretical computation of the loads and stresses in a structure and the evolution of a satisfactory practical design which shall have due regard to the exigencies of practical construction, there exists a gap which may only be bridged by considerable practical experience and knowledge of shop methods."

The authors of this book treat the subject of structural engineering from both these views and include a short summary of the properties of structural materials and weights of details, making a brief compendium of the properties of materials. The elastic beam theory has been stated in the fullest and simplest manner, and a brief section is devoted to tall building construction.

The chapters of the book include materials, loads and working stresses, bending moment and shearing force, beams, columns and struts, plate girders, lattice girders, de-

flection, roofs, miscellaneous applications and tall buildings, masonry and masonry structures.

This book is one that should be of value to American readers, as its treatment of the subject is a very clear and concise one. It has been the endeavor of the authors to steer a middle course between theoretical design and practical construction which is the field that the knowledge of a practical draftsman should embrace.

CONCRETE MONUMENTS, MAUSOLEUMS AND BURIAL VAULTS. By A. A. Houghton. New York: The Norman W. Henley Publishing Co. Price, 50 cents.

This book is a practical treatise on the molding of concrete for the purposes indicated by the title. Plans and designs for mausoleums and burial vaults are given with complete details of construction. The subjects of lettering and ornament have also been treated, simple methods of producing letters being given.

MILL AND FACTORY WIRING. By R. George Devey, A.M.I.E.E. New York: The D. Van Nostrand Company. Price, \$1.00.

Electric wiring for mills and factories is discussed in this little book in a technical manner, so as to be useful for wiremen, wiring contractors and electricians who expect to install such work. The book is a working manual of pocket size for easy reference, and is intended as an assistant to the man on the job. The chapters cover methods of wiring, wire and connections for electric power and lighting, wire calculations and tables, and layout of wiring network in factories. The particular advantage of the book is the concise form in which the information is placed, which renders it quickly available without a long search through its pages.

PRACTICAL CEMENT WORK. By W. B. Henry. The Concrete Age Publishing Company, Atlanta, Ga., Publisher. Price, 50 cents.

This pamphlet is an elementary treatise on cement construction. Its first part is general, and the second part deals with construction work and the use of cement in building dwelling houses. The use of cement blocks and cement stucco is treated.

A new sketching paper designed for use in producing isometric drawings without extra figuring, has been prepared. This is put up in pads of 40 sheets, 6x9 inches, at 25 cents, and 20 sheets 9x12 inches at 50 cents. These are furnished by the Norman W. Henley Publishing Company.

KEYSTONE
FLAT FINISH
KEYSTONE

When writing Advertisers, please mention Architecture and Building.

Barrett Specification Roofs



Warner Bros. Co., Corset M'rs
Bridgeport, Conn.
Day & Zimmerman, Engineers
Philadelphia, Pa.

The Most Economical Roof

FOR half a century architects have known that slag and gravel roofs would *often* show marvelous durability.

The Barrett Specification defines the method by which these roofs may be built so that they will *always* show such durability.

It provides for the best materials manufactured, and prescribes the most approved methods of application.

A Barrett Specification Roof will cost less than any other permanent roof, will last upwards of twenty years and will need no painting or coating or care. Such roofs are fire-retardant and take the base rate of insurance.

That is why they are invariably used on large manufacturing plants where the roof areas are great and where, therefore, the unit costs are carefully studied.

Booklet giving The Barrett Specification in full mailed free on request. Address nearest office.

BARRETT MANUFACTURING COMPANY

New York Chicago Philadelphia Boston St. Louis Cleveland Pittsburgh
Cincinnati Kansas City Minneapolis New Orleans Seattle London, Eng.
Canadian Offices:—Montreal Toronto Winnipeg Vancouver St. John, N.B. Halifax, N.S.



SPECIAL NOTE

We advise incorporating in plans the full wording of The Barrett Specification, in order to avoid any misunderstanding.

If an abbreviated form is desired however the following is suggested:

ROOFING—Shall be a Barrett Specification Roof laid as directed in printed Specification, revised August 15, 1911, using the materials specified, and subject to the inspection requirement.

Art and Architecture

On March 13 at the National Arts Club, 15 Gramercy Park, there will open an exhibition of pictures of national parks, loaned by the United States Department of the Interior. The exhibition will be under the auspices of the American Scenic and Historic Preservation Society.

Johns Hopkins University is about to begin the construction of an extensive group of buildings intended to house all its activities except those of the hospital and medical school. These buildings will be erected upon a rolling and admirable site of 150 acres fronting on Charles Street, Baltimore. The grounds include the fine Colonial mansion, "Homewood," which will remain in the midst of the university buildings and will be the key-note of their style. The group will contain laboratory buildings for chemistry, physics, biology, geology and engineering, which will center about the main feature, the great academic and library building. In addition, there will be dormitories, refectories, a students' hall and gymnasium. The total cost will run into the millions of dollars. The trustees who have been studying this problem for some time, have just made an announcement of the advisory board of architects, consisting of Mr. Grosvenor Atterbury of New York, Mr. Frank Miles Day of Philadelphia, and Mr. Frederick Law Olmsted of Boston. This board has been making a re-study of the problem for some time, and it is expected that their report will be in shortly with the result that actual construction work on the buildings will be started this coming Summer.

At the regular January meeting of the San Francisco Chapter A. I. A., Mr. Faville presented a report on "Architectural League and Education." The report referred to the first traveling scholarship competition. There were 27 competitors entered for this competition. The prize consisted of \$1,000, which is to be used for the pursuit of architectural studies in accordance with an itinerary approved by the education committee.

KEYSTONE
FLAT FINISH
KEYSTONE

HARRY BISSING

Consulting Engineer

**Specialist in Lighting, Heating,
Ventilating and Stage Equip-
ment for Theatres and Halls**

363 W. 42d STREET

NEW YORK

When writing Advertisers, please mention Architecture and Building.

Attention was called to the fact that the next convention of the Architectural League of the Pacific Coast will be held in Los Angeles on February 23 and 24, and that the drawings submitted in the competition will be on exhibition there.

A most important matter came before the Chapter in the report of the Civic Improvement Committee. The majority report on a civic centre chose the old site of the City Hall and adjacent property as the best location for the centre. In a supplementary statement to this report, Mr. John Galen Howard, the Chairman, said: "We conceive of the civic centre of San Francisco as a great metropolitan grouping, upon largest lines, of not only the City Hall and the buildings immediately subsidiary to it, and now contemplated, but also of museums, theatres, opera houses, libraries, clubs and other semi-public buildings, churches, galleries, hotels, high class office and government buildings, etc., etc., united and embellished by parks, squares, avenue and boulevards in a harmonious and magnificent whole."

The December, 1911, issue of Technology Architectural Record is a commentary on the services of Professor Francis Ward Chandler, who has been head of the architectural department of the Massachusetts Institute of Technology for 23 years. Following Professor Chandler's resignation in November, he was appointed Professor of Architecture Emeritus. The issue is an appreciation of Professor Chandler as an architect, a teacher and a man. It contains a fine portrait.

At the January meeting of the Philadelphia Chapter A. I. A., Mr. C. A. Ziegler, chairman of the committee on the preservation of historical monuments, reported that the arrangements for the restoration of Old Congress Hall had been completed, and that the first contracts for work had already been signed. Mr. Frank Miles Day gave his impressions of the work accomplished during the past year by the Institute and the evening was principally given up to a full discussion of the events of the 45th annual convention in Washington.

In the Journal of the Association of Engineering Societies for December, 1911, there is an article by R. B. Ketchum on the "Economical Design of Reinforced Concrete Beams." In the course of the article, which is highly technical, tables and curves of the results obtained from tests are given.



Mention this Paper and Consult with Us about your Catalogues, Booklets and Advertisements.

I. MORITZ, Prop.

Telephone 164 Plaza

Architectural Metal Works SKYLIGHTS CORNICES AND ROOFING CORRUGATED IRON WORK

1192-1194 SECOND AVENUE

NEW YORK

A. I. A. COMMITTEE ON PUBLIC INFORMATION.

According to the resolution adopted at the last annual convention of the American Institute of Architects, it is the purpose of this organization to form committees on public information at each of its Chapters throughout the country. There are 32 Chapters at present, and of these a number have already provided such committees, notably the Boston, San Francisco and Philadelphia chapters.

Messrs. D. K. Boyds, Glenn Brown and Frank S. Baldwin have been appointed a committee of public information for the American Institute at large.

Resolution Adopted at 45th Annual Convention.

Resolved, That the Board of Directors be requested to appoint a Special Committee on Public Information, the duties of which shall include the following:

To keep a record of such published matter as may be of interest to the profession and to send to such publications likely to be interested, information concerning the work of the Institute and of the profession.

To request monthly reports on matters of interest to the profession from Committees on Public Information of the several Chapters which chapter committees shall be sub-committees for their respective territories of the Institute committee.

To inform the press of the country in regard to annual conventions of the Institute and the work which the Institute is undertaking and has actually performed. To correct through the press, popular misconceptions with regard to the practice of architecture and to rectify erroneous printed statements affecting the profession.

To keep constantly before the public the aims, aspirations and accomplishments of the profession through its organized body, the Institute.

The United States Civil Service Commission announces that an examination will be held on March 20-22, 1912, to fill a vacancy in the position of electrical and mechanical engineer in the quartermaster's department at large, New London, Conn. Full particulars may be obtained from the United States Civil Service Commission, Washington, D. C.

At the National Arts Club last month, among the interesting exhibits of paintings which were held, was a collection of the work of Otto Walter Beck. Mr. Beck is now teaching illustration and normal work in Pratt Institute, Brooklyn.

(Continued on page 30.)

When writing Advertisers, please mention Architecture and Building.

HAVE YOU SEEN THE LATEST GARDEN NOVELTIES?

THEY include musical Garden ornaments, concealed lawn chimes, combined rose bush fountains with chimes (with or without electric illumination). Smaller models for table decoration. These novelties are placed on the market this season for the first time. These chimes can be concealed by flowers or vines, and the least breath of air will produce the sweetest tones, coming apparently from a distance. We also have a full line of all kinds of garden furniture, vases, settees, fountains and all other garden beautifiers. Write for Catalogue.



AMERICAN GARDEN BEAUTIFYING CO.

436 Fourth Ave., NEW YORK

A. S. JAKOBSON, Inventor

32d Degree Mason

BRANCH

300 Schenck Ave., Brooklyn, N. Y.

Patented, March, 1910
A rosebush fountain
with or without illum-
ination.

SEND NOW

for our new Catalogue of
Architectural, Scientific
and Technical Books.

*The Only Complete Catalogue
of Architectural Books*

The Wm. T. Comstock Co.

23 WARREN ST., NEW YORK

The Marble & Shattuck Chair Company

CLEVELAND, OHIO

Makers of Fine Chairs



NEW YORK OFFICE
815 Marbridge Bldg., 47 West 34th St.

CHICAGO OFFICE
804 South Wabash Avenue

Fireproofing and Fire-Protection

MR. G. W. STEWART

"THE AMERICAN FIRE WASTE AVER-
AGES \$250,000,000 PER YEAR. THIS IS
\$30,000 PER HOUR OR \$500 PER
MINUTE."

This quotation is the leading sentence of the history of the National Fire-Protection Association which is told in a short pamphlet. It behooves every architect to make himself familiar with the purposes and progressive spirit of this association. We do not plead this from general economic reasons, but from the special economic reason that every architect must make his own living, and success in his profession nowadays is synonymous with keeping abreast of the times, and a thorough knowledge of fire-protection and preventive methods is a professional necessity. The National Fire-Protection Association, 87 Milk Street, Boston, Mass., should receive the support of every architect.

THE EDUCATIONAL FIRE.

Editorially, we are not interested in the average fire. It is usually the same old story of a non-fireproof building, improperly built, poorly equipped and most everything else wrong about it. That such a building burns down is no wonder, and it is a waste of time to talk about it specifically. When a fire occurs in a well-equipped building or a protected structure, it is another matter, for it is from these that we may expect to learn a lesson or increase our knowledge as to how our equipment may be bettered.

Recently a fire occurred in a carpet factory in one of the Bush Terminal Company's structures, Building No. 19, foot of 39th Street, South Brooklyn. It was a quick, hot fire, and did, according to the newspaper reports of February 17, nearly \$25,000 worth of damage. Yet in the upper stories of this building there were other factories within the neighborhood of 1,500 people employed, more than half of them women and girls. Is it not an interesting fact that there was no panic? That the employees looked on at the fire below them

(Continued on page 24.)

KEYSTON
FLAT FINISH
KEYSTON



Sense and NON-sense A Hypothetical Question

Which is wisest? To wear shoes made by a concern who make shoes—nothing but shoes—thousands of them—who specialize in shoes; or to wear shoes made by a concern who, in addition to making shoes, also make harness, machinery belts and other leather products?

We don't make lathes, machine tools, tower clocks or electric machinery. Other people who make Watchman's Clocks do. We make only **Watchman's Clocks**. We specialize. Our time, energy and investment have been devoted for forty years to **ONE** product—

NEWMAN
Watchman's Clocks

"A POSITIVE CHECK ON HUMAN FALLIBILITY"

NEWMAN CLOCK COMPANY

New York
178 Fulton St.

Largest Manufacturers
of Watchman's Clocks
in America

Chicago
1526 Wabash Ave.

When writing Advertisers, please mention Architecture and Building.

FIRST AID

to a building threatened by fire is usually sufficient to render unnecessary any further aid. But this "First Aid" must be **really** first. It must be independent completely of human frailties. It must provide for

1. Discovering the Fire.
2. Sending in an Alarm.
3. Attacking the Fire before it gets fairly started.
4. Pouring its water upon the Heart of the Fire.
5. Completely extinguishing the Fire, or
6. Holding it in check until the firemen arrive.



have discovered 15,000 fires, sent in the alarms, and attacked the fires before they grew too large to handle. They poured their water on the exact spot where it was needed, and completely extinguished 10,000 of the fires. The others they held in check.

Our Periodical

The Automatic Sprinkler Bulletin

is full of information on the subject of Sprinkler protection. You will receive it regularly, if you ask for it.

GENERAL FIRE EXTINGUISHER CO.

EXECUTIVE OFFICES: PROVIDENCE, R. I.

Plants, Warehouses and Offices in Principal Cities of United States and Canada

40-25

ROCKWOOD SPRINKLER CO.

Manufacturers, Engineers, Contractors
FOR

COMPLETE AUTOMATIC SPRINKLER EQUIPMENTS

Approved by All Insurance Interests

NEW YORK OFFICE
UNDERWRITERS' BUILDING

123 WILLIAM STREET
NEW YORK

Telephone, 980 John



The Simplest, Strongest System of Sidewalk Lights Ever Invented

The heavy galvanized steel forms, reinforcing rods, glass and concrete are combined in such a way as to produce a remarkably high live load capacity in proportion to dead load.

BERGER'S
Radiant **SIDEWALK
LIGHTS**

require no false work of any kind and any concrete worker can install them.

Refer to "Sweet's" or write nearest office for our *Radiant Catalogue*. It contains full details with Tables of Safe Loads, etc.

THE BERGER MFG. CO., Canton, O.

New York Philadelphia Minneapolis Boston
San Francisco St. Louis Atlanta

We also manufacture Metal Ceilings, Black and Galvanized Roofing, Eaves Trough and Conductor Pipe, Sidewalk Forms, Metal Lath, Tin Plate, etc.

KEYSTONIA FLAT FINISH

more or less as a spectacle, while the firemen fought the blaze? To find the reason for this, we must consider the construction of the Bush Terminal buildings. Concrete structures, with nothing structural to burn about them, fully equipped with automatic sprinkler systems and alarms that begin the fight on the fire long before the fire companies arrive, it is no wonder that the firemen soon got the fire under control. Another interesting point was the protection of communication throughout the building; hallways, stairways and shafts were enclosed at their openings by automatic fire doors, which, closing on fusible links, closed all openings into the burning area and with all windows protected with metal frames and wire glass, prevented the spread of smoke and fumes throughout the halls and shafts. No wonder that there were no panic conditions among employees.

All openings to the elevator hatchways (194 in number) were equipped with the Peelle underwriter counterbalance fire doors.

SPECIFICATIONS FOR STUCCO ON METAL.

The Associated Metal Lath Manufacturers have issued a typical specification for stucco on metal which has been prepared with great care and embodies the efforts of representatives from the principal manufacturers of the United States. The specification covers framing and general construction, furring, insulation, corner bead, lathing, plastering and stucco on brick. It is a useful paper for an architect, and may be obtained by addressing the Association at 812 Wick Building, Youngstown, O.

Do not be fooled by the word "fireproof." Until we write on slabs of steel, sit on chairs of asbestos, wear shoes of concrete and trousers of tin, absolute fireproofing is impossible. A powder mill might be fireproof in construction, yet people are not in the habit of making it a smoking room. When you hear "fireproof construction," remember that many things are only skin deep—the contents count.—*Grinnell Automatic Sprinkler Bulletin*.

(Continued on page 26.)

Consolidated Chandelier Co.

MANUFACTURERS OF

Gas and Electric Fixtures


132-136 W. 14th St.

NEW YORK CITY

When writing Advertisers, please mention Architecture and Building.

Send Your Order Now
for
**Garages
and
Motor Boat
Houses**

Ready for Distribution
January 2d, 1911



This Book Contains Five Divisions

- Part I. Private Country and Suburban Garages.
- Part II. Private City Garages.
- Part III. Suburban and City Public Garages.
- Part IV. Motor Boat Garages.
- Part V. Garage Equipments and Accessories.

There are 136 illustrations of Garages and Motor Boat Houses consisting of interior and exterior photographs and plans. These are from the designs of twenty-four well known Architects.

Text and illustrations compiled by
Wm. Phillips Comstock
Editor of the "Architects' and Builders' Magazine"
Bound in Cloth and Art Paper, size 7½ x 10½
PRICE, \$2.00

The Wm. T. Comstock Co.
23 Warren Street, New York

The Fire Risk is Less

in the plant equipped with the fire-proof, germ-proof, vermin-proof, thief-proof and time-proof


PEN-DAR Steel Lockers

They are built throughout of expanded metal and sheet steel, and present a smooth, attractive surface.

Our line includes units, rows, tiers and groups, in a sufficiently wide variety of types to meet the requirements of any installation.

The first step toward larger earnings is to provide comfortable working conditions for your men.

Write for our catalog.



Design 230

Edward Darby & Sons Co., Inc.
228 Arch Street Philadelphia, Pa.

Knoburn
Fireproof Doors
Fireproof Windows
KNOBURN
COMPANY
359-63-14TH St.
Hoboken N.J.


Fire Protection



The **SIMMONS** LINE of Fire Equipment Specialties embraces everything designed for the protection of life and property.

"Simmons" Siamese Connections

Made in Brass or Iron, with heavy checks, finished trimmings. Highly efficient and fully guaranteed.



By installing such dependable specialties as are herein shown you offer your clients absolute protection against appalling losses by fire and a certain decrease in the cost of insurance.

"Simmons" Swinging Hose Reel

Improved design made in iron, bronzed, japanned or electroplated. Made to harmonize with any furnishings. Last word in quality and efficiency.



Fully 75% of heavy losses by fire—daily chronicled in the newspapers—are due to negligence. Should the building be properly equipped with the "**SIMMONS**" Specialties thousands of dollars and many lives would be saved.

"Josico" Angle Hose Valves

This is practically the keystone of safety on a standpipe system, yet how little attention is paid to its installation. Eliminate the element of chance by specifying it in the future, which means that you'll have an appliance of the highest efficiency as to quality, finish, etc.

Catalogues, cuts and other data gladly sent on application.

John Simmons Co.

102-110 Centre St., New York

KEYSTONE FLAT FINISH KEYSTONE

CLAY PRODUCTS EXPOSITION.

The Clay Products Exposition, which is to be held in the Coliseum, Chicago, is to open March 7 and continue until March 12. It will decidedly pay any architect or builder, or we may even broaden the field and say, anyone who ever expects to own a home of his own or be the owner of a building of any kind, to visit this show if he can get there. The exhibition will be a comprehensive one as far as clay products go, and will deal very broadly with the fire-resisting and fire-protective developments of clay products.

Fiske and Company are among the exhibitors in this exposition, and among other things, will show a replica of one of the doorways of the new Grand Central Terminal Station, New York City, which is to be executed in tapestry brick. They will also exhibit some of their beautiful fireplaces.

FEDERAL TERRA COTTA CO. ANNUAL MEETING.

At the annual meeting of the stockholders of the Federal Terra-Cotta Company held January 29, 1912, the following were elected directors for the ensuing year:

Berwind, John E.	Grant, Madison
Bond, Alfred H.	Manics, Wm.
Dinsmore, Wm. B.	Morris, Lewis R.
Fish, Stuyvesant	Schieffelin, Schuyler
Grant, DeForest	Taylor, Dwight W.

Thorne, Edwin

and at a subsequent meeting of the directors, the following officers were elected:

DeForest Grant, President
Edwin Thorne, 1st Vice-President
Wm. Manice, 2nd Vice-President
Wm. B. Dinsmore, Treasurer
Dwight W. Taylor, Secretary and Asst. Treasurer

COMMISSION GOVERNMENT.

An illustrated quarto entitled "One Year and Eight Months Under Commission Government," has been issued by the city of Memphis. The statement is an important one to the political economist and also to that class interested in municipal improvement, which includes many architects. Under the commission government, Memphis has made rapid progress in the erection of public buildings and the betterment of civic conditions.

An article appeared in a recent issue of the "Automatic Sprinkler Bulletin" on the sprinkler equipment of the Masonic Home at Utica, N. Y. This building is equipped with 3,330 Grinnell automatic sprinklers. This equipment is interesting in an institution of this character.

(Continued on page 28.)

When writing Advertisers, please mention Architecture and Building.

STOP THAT FEARFUL FIRE LOSS

Think of it!! \$20,000,000 worth of merchandise and other valuable property burned up in New York State alone in 30 days, together with terrible loss of life

THE ESTY SPRINKLER

Would Have Prevented All of It

It reduces insurance rates in handsome proportions
Its use means safety and protection against fire

For particulars address

H. G. VOGEL COMPANY,

Chicago, Ill., Western Union Bldg.
Boston, Mass., 31 Milk St.

Cincinnati, O., Union Trust Bldg.
Buffalo, N. Y., Ellicott Sq. Bldg.
Philadelphia, Pa., 3d and Chestnut Sts.

Executive Offices
12-14 Walker St., New York City
Lancaster, N. H., 59 Mill St.
Montreal, Can., 620 St. Paul St.



MICA SEATED VALVE



COPPER CABLE CHAIN

Thomas Morton,

169 Elm Street,

New York.

Copper Cable
Steel " "
Champion Metal
Steel Champion




SASH CHAINS.



CHAMPION METAL CHAIN

CHAINS For Suspending Heavy Doors, Gates, etc.
ALL of SUPERIOR QUALITY.

MINERAL WOOL
FIRE
SOUND
VERMIN **PROOF**



CHEAP AND
EASILY APPLIED

United States Mineral Wool Co.

140 CEDAR STREET, NEW YORK

SAMPLES FREE



S. H. POMEROY CO., Inc.

Successor to Voigtmann & Co., of New York

Manufacturers of Fire Windows

427 West 13th Street, New York

Practical demonstration at Washington Square Fire, March 25th, showing the integrity against fire and how utilized by Fire Dept. in fighting fires across alleys.

By virtue of closing automatically the protection is constant and not subject to neglect as is common with Fire Shutters.

When writing Advertisers, please mention Architecture and Building.

WASH METHOD OF HANDLING WATER-COLOR. By Frank Forest Frederick, Director of School of Industrial Art, Trenton, N. J.

"THIS LITTLE book affords a stimulus to the use of water-color as practiced by the earlier painters, whose beautiful work is unexcelled."—Inland Printer.

Price, postpaid, 50 cents

SIMPLIFIED MECHANICAL PERSPECTIVE. By Frank Forest Frederick.

A BOOK of simple practical problems, with sufficient explanations to make it a good text book. It aims to develop "the perspective sense" as well as to teach the drawing of lines.

Price, postpaid, 75 cents

HANDWORK IN WOOD. By William Noyes, Assistant Professor Department of Industrial Art, Teachers' College, Columbia University.

A COMPREHENSIVE and scholarly treatise on wood and woodworking, from the survey of the forest to the finished article. Ten chapters, references at the end of every chapter. Bibliography. 304 illustrations.

Price, postpaid, \$2.00

Send for the "Approved List of Books on the Manual Arts"

THE MANUAL ARTS PRESS
600 German Fire Insur. Bldg., Peoria, Ill.

KEYSTONE FLAT FINISH KEYSTONE

The building operations in Pittsburgh for the year 1911 have just been compiled. The sum total of new construction during 1911 totaled \$7,503,505. Additions totaled \$1,886,173 and alterations \$2,288,866. Among the important structures built in Pittsburgh during 1911 were: Harris Theatre, \$125,000; First National Bank addition of 21 stories; Schenley Farms residence (17), \$130,000; Colfax School, \$200,000; City Pumping Station, \$125,000; paper warehouse, \$180,000; St. Agnes School, \$90,000; Union Steel Casting Company addition, \$700,000; Shadyside apartment house \$164,000; Allegheny General Hospital addition, \$50,000.

Keying an "ad" and paying a clerk to keep tabs on "inquiries" is good business in a ten-cent mail order proposition, but doesn't work out on anything bigger. We know a wall-board man who got 480 inquiries from a farm journal "ad," sent out a stack of catalogues and booklets, chased follow-up letters out in one-two-three order and has yet to sell a single foot of the board to any of the idle curious who answered his advertising. The same manufacturer got but two inquiries out of an "ad" in a building magazine, but sold both parties.—The Builders' Guide, Philadelphia.

ERRATUM.

Under two views of Miner's Empire Theatre, Newark, N. J., shown on page 43 of the January issue of ARCHITECTURE AND BUILDING, credit was given McMurray & Pulis, as architects. This, however, was incorrect, for McMurray & Pulis and George Keister were jointly the architects for this theatre. The editors of ARCHITECTURE AND BUILDING offer their apologies for this error and take pleasure in availing themselves of this opportunity to rectify it.

JUST PUBLISHED Practical Cement Work

By W. B. HENRY

PRICE, 50 CENTS

A book that will be of assistance to you every day in the week, no matter what line of cement-concrete construction you are engaged in.

Neatly Bound in Cloth

112 Pages—4½ x 6½

CONTENTS:

Portland Cement, The Unit of Purchase, Storing Cement, Sand, Aggregates, Mortar, Formulas, Mixing Aggregates, Concrete, Reinforced Concrete, Form Building, Waterproofing, Coloring, Cost Data, Testing Cement, Foundations and Walls, Cement Houses and How they are Built, Cement Plaster and Stucco Houses, Water and Steam Curing, Condition of Seasoning Blocks, Sand Lime Brick, Sidewalks, Floors for Cellars, Basements and Stables.

Address

THE CONCRETE AGE

ATLANTA

GEORGIA

GORTON WROUGHT STEEL BOILERS



are built on the lines of power boilers to secure durability, safety and highest economy in fuel consumption.

THEY ARE SELF-FEEDERS, and require coaling only twice a day in coldest weather.

They are high grade in every sense of the word—none better—they have no equal.

Send for catalog and investigate for yourself their superiority.

Gorton & Lidgerwood Co.


96 Liberty Street, NEW YORK

BOSTON, 182 High St.

CHICAGO, Fisher Bldg.

QUALITY	TEL., 3365 LENOX	SPECIALISTS
METAL COVERED WORK IN COPPER, BRONZE AND KALAMEIN IRON	HOWELL FIELD and GODDARD INC.	IN FIRE UNDERWRITER WORK
PROMPT SERVICE		OFFICE AND FACTORY 404-6 East 93d St. NEW YORK

STANLEY'S
Ball Bearing Hinges



Permit the doors to open smoothly and softly without creaking or binding. The hinges will never wear down or require oiling.

NON-RISEING PINS

The whole story is told in our Circular "B." Write for a copy.

THE STANLEY WORKS
NEW BRITAIN CONN.

Sanitary Engineering of Buildings

A Standard Book on Sanitation
By Wm. Paul Gerhard, C. E.
Consulting Engineer for Sanitary Work

THIS practical work takes up the subject of sanitation of buildings, devoting considerable space to the traps and systems of trapping, to the drainage and sewerage of buildings, different classes of plumbing fixtures, the sanitary work in tenement houses, improved methods of house drainage and public buildings. Also the sanitation in factories and workshops. The work is fully illustrated and will be found of value both to architects and engineers. The chapter devoted to **SIMPLIFIED PLUMBING METHODS** is considered by many one of the best in the book.

454 pages, 103 illustrations and six plates. Buckram, \$5.00.

The Wm. T. Comstock Company
Publishers
23 Warren Street, New York

Dixon's Silica-Graphite Paint

Protects the structural steel work contained in such important buildings in New York City as the McAdoo Terminal Buildings; American Woolen Company's Building; Gimbel Department Store; Savannah Bank & Trust Company's Building, Savannah, Ga.; the Royal Insurance Company's Building, San Francisco, Cal., and numerous other structures.

Write us for "Notable Building List," and other paint literature

Joseph Dixon Crucible Co., Jersey City, N. J.

Telephone { 9951 } Riverside
 { 9952 }

M. ARNSTEIN

**Polished Plate and American
Window Glass**

**Window Sash and Glass for
New Buildings**

792 AMSTERDAM AVE., NEW YORK
Between 98th and 99th Streets

**French Mirrors Stained and Leaded Glass
Figured and Rolled Glass**

(Continued from page 21.)

CONFERENCE ON PEOPLE'S BATHS.

An international conference on people's baths and school baths will be held during the last week of August, 1912, at Scheveningen (The Hague). The purpose of this meeting is to promote interest in public baths and to compare notes as to results obtained from various existing establishments in different parts of the world. Four sessions will be held and delegates from municipalities and civic improvement societies are expected from many countries.

"Street Lighting," by J. M. Bryant and H. G. Hake is issued as Bulletin No. 51 of the Engineering Experiment Station of the University of Illinois.

This bulletin is designed to supply needed information on the subject of efficient and economical street lighting by electricity. Starting with the characteristics of modern arc and series incandescent lamps, the principles of illumination are explained. These principles are then applied to the illumination of the street, curves and tables being given to show the amount of light distribution at various distances from the lamps.

Copies of Bulletin No. 51 may be obtained gratis upon application to W. F. M. Goss, Director, Urbana, Ill.

In Graphite, issue of January, 1912, there appears a fine illustration of the interior of the Long Island City power station of the Pennsylvania, New York and Long Island Railroad. This shows the equipment of turbine-driven generators and also the construction of the power house.

KEYSTONE FLAT FINISH

The Keuffel and Esser Co. have issued their usual small pocket calendar for the coming year. This is a useful device and will be sent to any architect upon request.

The Samuel H. French Company of Philadelphia have issued a 1912 pad calendar which serves as a convenient memorandum for the desk, and also keeps French's products constantly in mind.

In the December, 1911, issue of the Journal of the American Society of Engineering Contractors, there appeared an article entitled "The Cement Gun" in the course of which its application to architectural work was considered. One illustration showed the use of the cement gun in covering steel work at the new Grand Central Terminal, New York. Other illustrations showed the use of this device for stuccoing house exteriors, building fences, etc. This process gives a particularly fine stucco coating that adheres thoroughly to the support and gives the best possible bond.

In the January issue of Building Progress, the first of a series of articles by Melville McPherson, "The Spanish Renaissance in America," appeared. The illustrations are extremely attractive and well chosen. The paper is the house organ of the National Fire Proofing Company of Pittsburgh.

The second annual Architecture and Engineering Exhibition, which will be held in the 71st Regiment Armory on March 25th to 30th, will make a special feature of showing models and designs of buildings. Architectural and engineering schools are contributing material, and many architects are also loaning models and drawings for exhibition. Comprehensive exhibits of building supplies, materials and accessories will also be made and in conjunction with the exhibition a conference of architectural, building, contracting and engineering interests will be held, particular attention being devoted to the fire waste and its reduction and also to suburban home building in addition to the great architectural, engineering and building achievements of the present day.

INTERIOR MARBLE

Material and work the standard for 14 years. Our reputation the best positive evidence as to our superiority.

CORK & ZICHA MARBLE CO., - - 325-327 East 94th St., NEW YORK

When writing Advertisers, please mention Architecture and Building.

**Are You One of
the Architects
Who Are Specify-
ing This Cabinet?**

Many of the most eminent architects in this country, who are particular in every detail and hence obtain a greater composite result, are most careful to specify the



"Onliwon" Toilet Paper Cabinet
"It Stops Waste"

Unlike the old styles, which left the paper exposed and destroyed the otherwise pleasing effect of the toilet room, the "Onliwon" is unobtrusive and seems to fit right into the whole artistic scheme. Handsomely nickel plated, rounded corners, automatically delivers two sheets.

Send us a post card today for our "Literature for the Architects," and you'll certainly specify the "Onliwon" in your next plans.

A. P. W. PAPER CO., Sole Mfrs.
101 East Colonic Street, Albany, N. Y., U. S. A.

Badger Quality

**Copper Hot Water
BOILERS**

are all that can be desired in a Range Boiler.

**LONG LIFE
CLEAN WATER
Beautiful Appearance**

Every boiler is tinned on the inside and guaranteed against leakage or collapse.

Write for Catalog

E. B. Badger & Sons Co.
BOSTON, U. S. A.

**DETAILS OF
BUILDING
CONSTRUCTION**

BY

CLARENCE A. MARTIN, Archt.

A collection of thirty-three plates, 10 x 12½ inches, giving over 300 separate details, covering all the ordinary methods of building, and in many cases showing alternative methods. The plates are models of detailed drawing, and the text is in the forms of notes lettered on the drawings. *Buckram. Price, \$2.00.*

WM. T. COMSTOCK CO.

Publisher

23 WARREN ST., NEW YORK CITY

Questions and Answers on the Theory
and Practice of

Sanitary Plumbing

By R. M. Starbuck

Vol. I—Drainage and Venting

The present edition, which is the ninth, has been entirely revised and rewritten, bringing it up to date. The list of examination questions has been increased by 100.

CLOTH, PRICE \$1.00

Vol. II—Hot Water Supply and Circulation

No other work has treated the subject in such a practical and exhaustive manner. 75 full page cuts, 215 illustrations and 200 questions.

CLOTH, PRICE \$1.00

The two volumes combined will be found an excellent reference library on the subject.

THE WM. T. COMSTOCK CO.

PUBLISHERS

23 Warren Street

New York


Prevents Drafts, Dust and Window Rattling
IVES' PATENT
Window Stop Adjuster



PATENTED
 The only Stop Adjuster made from one piece of metal with solid ribs and heavy bed that will not cup, turn or bend in tightening the screw. Manufactured only by **The H. B. IVES CO., New Haven, Conn., U. S. A.**
 (Fifty-page Catalogue Mailed Free.)

HEAVY BED

Weather Vanes
Lightning Rods
Church Crosses
Flag Poles
 and
Fittings
 Etc.



Send for Catalogue

THOS. W. JONES
 153 Maiden Lane
 New York
 Telephone Connection

ARTHUR GREENFIELD, Incorporated
 REINFORCED CONCRETE FLOORS
 IRON FURRING and METAL LATHING
 Telephone Connection
 204 EAST 26th ST. NEW YORK

PRETISS
ELECTRIC CLOCKS
CALENDAR
PROGRAM
SELF-WINDING
 Dept. 11, 92 Chambers St., N. Y.

When writing Advertisers, please mention Architecture and Building.

Industrial Progress

CORBIN DOOR CHECK AND SPRING— 1911 MODEL

It is adaptable for right hand and left hand doors without change.

It is supplied with or without the hold-back attachment. The hold-back attachments can be adjusted to stop the door at any point.

The spring used is long and resilient, reducing the crystallization to a minimum and giving a quick, live action, which is highly desirable.

The spindle has a lower bearing which absolutely prevents side pressure or friction and gives rigidity to the check.

The rack and pinion in the check give control to the door at all points from the wide-open to the closed position. The movement in closing is steady, without shock or jar at any point.



The parts are few and strong, easily accessible and quickly replaced.

The liquid used is one which has been carefully compounded with a view to securing immunity from changes due to difference of temperature. It is non-freezing and not affected by extreme heat.

(Continued on page 34.)

KEYSTONE
 FLAT FINISH



Architects and Builders should investigate **EVANS "CRESCENT" EXPANSION BOLTS**



WITH DOUBLE END GRIP EXPANSION

Constructed on NEW lines. Grip at BOTH ENDS, and on ALL sides. Cannot work loose.

Send for Catalogue and samples screwed into blocks of wood or stone.

Agencies in all large cities **F. H. EVANS** (Patentee and Sole Manufacturer) 31-33-35 Hewes St., Brooklyn, N. Y.

No. 1. Steel Joist Hanger for Wood Header



Van Dorn's Steel Joist Hanger

IS THE BEST OBTAINABLE

Send for Catalogue and refer to this Magazine

THE VAN DORN IRON WORKS CO.
CLEVELAND, OHIO

Steel Buildings, Wrought Iron Fencing, Iron Bridges, Jail and Prison Work, Metallic Office Furniture, etc.



No. 4. Steel Joist Hanger for Brick Walls

BOYD EQUIPMENT COMPANY

CONTRACTING ENGINEERS

HEATING

PLUMBING

ELECTRIC

COMPLETE POWER PLANTS

373 Fourth Avenue, NEW YORK

The A. B. See Electric Elevator Co.

Main Office: 220 Broadway, New York

PHILADELPHIA
Land Title Building
Broad and Chestnut Sts.

BOSTON
India Building
84 State St.

BALTIMORE
Stock Exchange Building
210 East German St.

WASHINGTON
Barrister Building
635 F St., N. W.

HARTFORD
Connecticut Mutual Life Building
36 Pearl St.




Patented July 12, 1910.

FARRAND'S SELF-CLINCHING NAILS

These Nails fasten direct to Hollow Tile and save the time, expense and anxiety of preparing Fireproof Walls to receive Nailing Grounds. They do away with the necessity of burying combustible wooden nailing blocks in the heart of the wall and afford full freedom for changing plans or correcting errors in the location of interior woodwork. Also used for attaching fixtures to all types of finished hollow walls.

SELF-CLINCHING NAIL COMPANY, 44 N. Fourth St., Philadelphia, Pa.



FREIGHT ELEVATORS

For Hand, Belt and Electric Power

Our belt power machines have Hindley Type of Worm Gearing and Ball Thrust Bearings, which reduces the friction to a minimum and increases the easy running qualities.

DUMB WAITERS

CELLAR HOISTS, Etc.

Catalog and prices upon request

J. G. SPEIDEL, Reading, Pa.

Plate Glass

Window Glass

Skylight and Floor Glass. Rolled Cathedral, beautiful tints. Embossed, Enameled and Colored Glass. A full stock of Plain Window Glass. Every Variety for Architects' and Builders' Use.

BENJAMIN H. SHOEMAKER, 205, 207, 209, 211 North Fourth St., Philadelphia, Pa.

When writing Advertisers, please mention Architecture and Building.

A Primer of Architectural Drawing

For Young Students

By Wm. S. B. Dana, B.S.

(Mass. Inst. of Technology)

Being a progressive series of DRAWING BOARD PROBLEMS, the embodiment of the author's teaching in the Mechanics' Institute of New York City.

Intensely practical in that theory is obliterated by the author's system of CONSTRUCTION ON PAPER. This book makes a strong appeal, because it is interesting and the shortest course to a practical knowledge of the elements of architectural structural drawing yet evolved.

There are twenty-five problems, each illustrated by a plate and with 161 explanatory detail figures.

The Problems cover the following subjects:

Floors and Walls of Brick, Stone and Wood.
Framing of Floors, Walls and Roofs.
Development of Roof Forms.
Section of a Frame House.
Bricklaying and Bonding.
Brick Walls: Doors: Windows and their Casings.
Stairs, Wood and Iron.
Construction of Fireplace or Chimney.

154 pages, cloth, pocket size. Price \$1.25

PUBLISHER

The Wm. T. Comstock Co.
23 Warren St., New York

KEYSTONE FLAT FINISH

The checking pressure is confined to the cylinder. There is no pressure at the spindle so that the liquid is not forced upward and the check will not leak.

The brackets used are the same as used with other models of the Corbin check.

Six sizes are made to swing all doors from the lightest screen door to the heaviest doors made.

Volume IX, the 1911 edition of the American Art Annual, has been issued. It contains the usual volume of interesting and useful information.

The Journal of the Western Society of Engineers for December, 1911, contains a most valuable technical article on the new passenger terminal of the Chicago and Northwestern Railroad Company.

The Journal of the Franklin Institute for January, 1912, contains an article, "What Makes White Lead Chalk, and How Chalking May be Prevented," by Henry A. Gardner.

The Nutley Realty News, Vol. 1, No. 1, has appeared with the first of January. This publication is intended to promote the interests of Nutley, but incidentally shows numerous illustrations of small suburban houses.

The Canal Record of January 10, 1912, has an article on "Erecting Lock Machinery," showing diagrams of the lock-operating devices. It will be of interest to hydraulic engineers.

LIGHTING FIXTURES.

Lighting fixtures of a special design are manufactured either in accordance with the designs furnished by the architect, or from sketches worked out by the architect in collaboration with the manufacturers, where the draftsmen for the manufacturer elaborates and perfects the design drawings. The Consolidated Chandelier Company are prepared to co-operate in this way with architects in the matter of their designs, accommodating the patterns of the fixtures to meet the interior decoration of rooms, halls or larger places of assembly. Further, they carry a large quantity of stock fixtures and designs which may often be combined and adapted to suit, without the necessity of making up special fixtures. This firm has recently installed lighting fixtures in a number of apartment houses, notably the Grinnell at Riverside Drive and 157th Street, and 309 West 99th Street, both of which are illustrated in this issue. They would be pleased to submit estimates on work and to co-operate with architects. Their address is 132-136 West 14th Street. New York City.

Heraldry Illustrated

By WM. H. ABBOTT

Being a short account of the

Origin and History of Heraldry
and an explanation of its nature, with practical
directions for drawing and

Painting Coats of Arms

to which is added a Glossary of the terms used in the Science of Heraldry. There is also a chapter on the drawing and painting of Coats of Arms, which will prove of great assistance to those unaccustomed to the work. The glossary contains about fifteen hundred definitions of heraldic terms, many in French and Latin.

To Architects, Designers and others who desire to acquire a knowledge of this interesting art, it will prove of invaluable service.


700 Explanatory Engravings, 127 pages, bound in red cloth; price, \$2.00.

THE WM. T. COMSTOCK CO.

PUBLISHER

23 Warren Street

NEW YORK



FOLSOM'S
MODEL 1910.

THE SNOW GUARD ALLOWING
NO STRAIN ON THE SLATE

WHY NOT SEE IT?

A postal card will bring sample

FOLSOM SNOW GUARD CO. Winthrop Bldg.
Boston, Mass.



PATENT LIGHT WORK OF EVERY DESCRIPTION

Office 262 Monitor St., Brooklyn, N. Y.

When writing Advertisers, please mention Architecture and Building.

HIGGINS'

DRAWING INKS
ETERNAL WRITING INK
ENGROSSING INK
TAURINE MUCILAGE
PHOTO MOUNTER PASTE
DRAWING BOARD PASTE
LIQUID PASTE
OFFICE PASTE
VEGETABLE GLUE, Etc.

Are the Finest and Best Inks and Adhesives


Emancipate yourself from the use of corrosive and ill-smelling inks and adhesives and adopt the **Higgins' Inks and Adhesives**. They will be a revelation to you, they are so sweet, clean and well put up.

At Dealers Generally

CHAS. M. HIGGINS & CO., Mfrs.
Branches: Chicago, London
271 Ninth Street Brooklyn, N. Y.



WEATHER VANES



Send for
Catalogue

E. G. Washburne & Co.
209 FULTON STREET, NEW YORK

Work Shops



Of wood and metal workers,
without steam power, equipped
with

**BARNES' FOOT POWER
MACHINERY**

allow lower bids on jobs and
give greater profit on the work.
Machines sent on trial if desired.

Catalogue free

W. F. & John Barnes Co.
566 Ruby Street, Rockford, Ill.

CONSTRUCTION NEWS

Contractors, Material Men, Builders, Manufacturers, in fact Anybody interested in Construction News of all kinds, obtain from our daily reports **Quick Reliable Information**. Our special correspondents all over the country enable us to give our patrons the news in advance of their competitors and before it has become common property.

Let us know what you want and we will send you samples and quote you prices.

PRESS CLIPPINGS

Press Clippings on any subject from all the leading current newspapers, magazines, trade and technical journals of the United States and Canada. **Public Speakers, Writers, Students and Club Women**, can secure reliable data for speeches, essays, debates, etc. Special facilities for serving Trade and Class Journals, Railroads and large industrial corporations.

The United States Press Clipping Bureau
1328-1334 Republic Building
State and Adams Sts., Chicago, Ill.

Maginnis' Practical Books

HOW TO FRAME A HOUSE

or **HOUSE AND ROOF FRAMING**

By OWEN B. MAGINNIS

PART I.—Balloon Framing.

PART II.—Roof Framing

PART III.—How to frame the timbers of a brick house.

One Octavo Vol., Cloth

80 Illustrations

PRICE \$1.00

ROOF FRAMING MADE EASY

A practical and easily comprehended system of laying out and framing roofs, adapted to modern building construction. The methods are made clear and intelligible by 76 engravings with extensive explanatory text.

SECOND EDITION, REVISED AND ENLARGED

One Octavo Vol., Cloth

PRICE \$1.00

How to Measure Up Woodwork for Buildings

Describing the simplest and most accurate methods to be followed when figuring up woodwork for either brick or frame houses.

By OWEN B. MAGINNIS, Architect

Fully Illustrated, Cloth

PRICE \$0.50

PRACTICAL CENTRING

TREATING OF

The Practice of Centring Arches in Building Construction

The work embraces each subject in detail and in language that practical men can understand, and is especially commended to students attending trade, technical and architectural schools.

By OWEN B. MAGINNIS

Sixty-five Illustrations

Bound in Cloth

PRICE \$1.50

BRICKLAYING

By OWEN B. MAGINNIS

The entire work represents the best up-to-date practice, and is illustrated by over 150 engravings. It covers the important operations and methods necessary in altering brick buildings, and the proper temporary and permanent preservation and protection of old or adjoining buildings.

Cloth

PRICE \$1.50

When writing Advertisers, please mention Architecture and Building.



Hollow Tile for this Stucco House
furnished by us

HOLLOW TILE

for Stucco and Brick Veneer Houses

Vitrified and Hard Burned Blocks

FRONT ENAMELED BRICKS HARVARD VELOUR

Carter, Black & Ayers

1182 Broadway, New York

Telephone, 7613-7614 Mad'son Square



Residence W. C. Sanderson, South Orange, N. J.

Monument Plaster Co.

Manufacturers of

**WALL PLASTER and
ORIENTAL STUCCO**

Brick Mortars and any Color Sand Finish for
Interior Work

WRITE FOR BOOKLET

Office and Factory, HARRISON, N. J.

Roman Cities in Italy and Dalmatia

By A. L. FROTHINGHAM, Ph. D.

Professor of Ancient History and Archaeology at Princeton University.

A picture of Ancient Italy and pre-Augustan Rome drawn from her rivals has not yet been made. This book is a first sketch for such a picture in popular form, and the work gives a most interesting account of these ancient cities. It is illustrated by many full page plates showing the various buildings and their decorative features, also interiors and details. Architects and students will find it a most interesting volume to add to their libraries. Sixty-one page plates, Cloth, price net, \$1.75; postpaid, \$1.90.

For sale by

THE WILLIAM T. COMSTOCK COMPANY, Publisher, 23 Warren Street, N. Y.

SWITCHBOARDS *and* PANELS Marked "Metropolitan"

Are the Best that Can be Produced

Architects, Engineers and Owners specify
Metropolitan Detachable Mechanism Flush
Switches and Receptacles for their high class
buildings. The most up to date appliances.


METROPOLITAN
ELECTRIC MFG CO.

14th Street and East Avenue, L. I. City

When writing Advertisers, please mention Architecture and Building.

"FLEXIFOLD"

ROLLING PARTITIONS



For
Churches
Schools
Parish Houses
Lodge Buildings

Grant Pulley and Hardware Co.
 3 West 29th St., New York City

Descriptive Circular and Estimates Upon Application

THE NORTHWESTERN TERRA-COTTA COMPANY

M A N U F A C T U R E R S O F

ARCHITECTURAL TERRA-COTTA

**GLAZED AND ENAMELED
WORK IN ALL VARIETIES**

ESTIMATES GIVEN ON APPLICATION

MAIN OFFICE AND WORKS: 1000 CLYBOURN AVENUE
 BRANCH OFFICE: 1415 RAILWAY EXCHANGE

CHICAGO
 ILLINOIS

Send for Our New Catalogue

**It is the Only One Strictly Devoted to
Books for Architects and Builders.**

**It Contains a Complete List of Books
on the Subjects of**

**Architecture
Building Construction
Concrete, Plain and Reinforced
Structural Engineering**

**Bungalows — Country and Suburban Houses
Drawing — Architectural and Mechanical
Carpentry — Masonry Construction
Sanitation — Plumbing and Allied Topics**

**Our Clubbing Rates For Books and "Architecture
and Building" Sent on Request**

Published by

The Wm. T. Comstock Co.
23 Warren Street **New York**



Bath Room, Apartment House, S. E. Corner 102d Street and Riverside Drive, New York
Equipped throughout with RONALDS & JOHNSON CO.'S FIXTURES

RONALDS & JOHNSON CO.

MANUFACTURERS OF

HIGHEST GRADE PLUMBING FIXTURES

54 CLIFF ST. NEW YORK

THREE SHOWROOMS IN GREATER NEW YORK

New York,	-	-	-	-	-	-	-	52-54 Cliff Street
Brooklyn,	-	-	-	-	-	-	-	43-63 Boerum Place
Long Island City,	-	-	-	-	-	-	-	378-384 Jackson Avenue

FOUNDRIES, BROOKLYN, N. Y.

FOUNDRIES, HAINESPORT, N. J

When writing Advertisers, please mention Architecture and Building.



VANDERBILT MODEL APARTMENTS, N. Y.

Henry Atterbury Smith, Architect

W. E. Smith
INC.

One Madison Ave.
New York

CONTRACTORS FOR ALL

Interior Woodwork

FOR THE VANDERBILT
MODEL APARTMENTS

REFERENCES

Washington Life Ins. Co.'s Building
Broadway and Liberty St.
Metropolitan Life Main Building
Cor. 23d St. and Madison Ave.
Postal Telegraph Building
Cor. Broadway and Murray St.
Townsend Building, 25th St. and Broadway
St. James Building, 25th St. and Broadway
Gorham Building, 5th Ave. and 36th St.
National Shoe and Leather Bank
Cor. Broadway and Chambers St.

Singer Tower
Chemical National Bank in Chambers St.
American Exchange National Bank
128 Broadway
Bowery Bank, Bowery and Grand St.
Union Square Savings Bank
Martinique Hotel, 33d St. and Broadway
Imperial Hotel, Broadway and 32d St.
Roosevelt Hospital, 59th St., also Nurses' Home
Sloane Maternity Hospital
59th St. and Amsterdam Ave.

**"In the Counsel of
Many There's Wisdom"**

If you are interested in
BUNGALOW BUILDING,
prove the truth of the
old adage by purchasing
a copy of

**"Bungalows, Camps
and
Mountain Houses"**



Designs of attractive homes from Maine to California are illustrated, and the Architect will find much suggestive material, while the Layman can have recourse to the advice and counsel of any one of the Contributors whose designs are given.

Beautifully illustrated by many full page halftones, together with floor plans, also advice as to selection of site, location, sanitation, etc.

Illuminated Boards. Price, \$2.00

THE WILLIAM T. COMSTOCK CO., 23 WARREN STREET
NEW YORK

When writing Advertisers, please mention Architecture and Building.

The Architectural Terra Cotta

Incorporated in the following list of Apartment Houses,
illustrated in this issue

<i>Location</i>	<i>Architect</i>
S. W. Corner 98th Street and West End Avenue	Schwartz & Gross
150 West 79th Street - - - - -	Schwartz & Gross
600 West End Avenue - - - - -	Schwartz & Gross
12 East 87th Street - - - - -	Geo. & Edw. Blum
N. E. Corner 98th Street and Broadway - -	Geo. & Edw. Blum

was manufactured by the

Federal Terra Cotta Company

111 Broadway

New York City

Represented in all the principal cities of the United States and Canada

Values of Improved Real Estate

By REGINALD PELHAM BOLTON, M. E.
Author of "Elevator Service," "Motive Powers," etc.

A CHART

Giving at a Glance the Relation between
Invested Values of Property, Net Earning from
Rate of Rental and the Number of Floors
in the Building at Various
Rates of Interest

Prepared for Real Estate Owners, Operators, Agents, Archi-
tects, Builders, Mortgagees and Financiers.

With Simple, Concise Directions for Reference and Use

The WM. T. COMSTOCK CO., Publisher

23 Warren Street, New York

21 x 25
inches.

Printed
in two
colors.

Price
\$1.00.

Mounted
on Muslin
\$1.25

FIRE PREVENTION

Architecture and Building is about to present a series of articles dealing with the practical preventive measures of this now country wide movement to check our great national extravagance: ***The Annual Fire Waste.***

Automatic Sprinkler Equipment of Loft Buildings is the first subject to be treated. These articles will be written by Mr. E. P. Boone, Superintendent of the Automatic Sprinkler Department, New York Fire Insurance Exchange.

The architect stands between his client and the outer darkness on all points of building construction. With ever increasing frequency, these days, is he called upon to explain a sprinkler system, outline the method of its installation, and give its approximate cost.

These articles by Mr. Boone will be a practical study of sprinkler, standpipe and supply tank equipments, considered as a portion of the original building design. It is the author's intention to give that amount of technical information which is necessary to a good understanding of the practical principles of an automatic sprinkler equipment without an engineering treatment of the hydraulic problems involved. The illustrative drawings which have been prepared are taken from actual, approved installations. They show sprinkler equipments in several types of building, and illustrate how a building of any particular class may be properly equipped.

The complete series will give the full information that it is necessary for an architect to have in planning a building in which he expects to install a fire protective equipment.

***THE AMERICAN FIRE WASTE
AVERAGES \$250,000,000 PER YEAR***

Harbison-Walker Refractories Company

PITTSBURG, PA.

MANUFACTURERS OF

FRONT BUILDING BRICK

SHADES

Light, Grey, Buffs and
Mottled



STYLES

Norman, Roman, Standard
and Ornamental

DELIVERIES GUARANTEED WHEN WANTED. GET SAMPLES AND PRICES

New York Office, 1133 Broadway

Telephone { 5887 } Madison
 { 5888 }

CORROSION AND PRESERVATION OF IRON AND STEEL

by

A. S. CUSHMAN, A. M. Ph. D., and H. A.
GARDNER.

This work presents a careful analysis of the entire subject, which is so serious a problem to nearly all classes of engineers.

It takes up the relation of various pigments to corrosion and the power of pigment mixtures to act as retarders.

Construction of preservative coatings and methods of application to structural work of all sorts are also considered.

Fully illustrated, 375 pages, cloth, price net,
\$4.00.

The Wm. T. Comstock Co.
Publisher

23 Warren Street

New York

ELKS

SOUVENIR NUMBER

New York Lodge No. 1

Send twenty cents for a copy NOW

ARCHITECTURE AND BUILDING

23 Warren Street, New York

LOOMIS FILTERS

ESTABLISHED 1890

Improved System

Simple and Effective

LOOMIS-MANNING FILTER DISTRIBUTING CO.

Main Office: 828 Land Title Building, PHILADELPHIA
Boston New York Baltimore Washington

KEYSTONE
FLAT FINISH
KEYSTONE

ARCHITECTURE

Architecture

NA

A68

v. 44

no 3

AND

BUILDING

A Magazine
Devoted to Contemporary
Architectural Construction

Vol. 44 March No. 3
1912

Automatic Sprinkler Equipment of
Loft Buildings

By E. P. BOONE

Fireproofing and Fire-Protection

Published by

THE WILLIAM T. COMSTOCK COMPANY

23 Warren Street New York

\$2.00 a Year

20¢ a Copy

"Globe" Ventilator and "Globe Ventilating Ridging"



The "Globe" is built on
honor and sold on merit

In Copper or Galvanized Iron

Simple
Stormproof
Symmetrical
Satisfactory

Send for
Brown Print
Catalogue or Model

MANUFACTURED BY

Globe Ventilator Company
TROY, N. Y.

SILVER LAKE A SASH CORD THE STANDARD

Our name is stamped on every foot of our cord.

Estimate the greatest possible saving in the first cost of a building by using cheap cord. If there is any saving can you afford to take it? The best cord will wear over twenty years and you are saved the annoyance and expense of replacing broken cord. For the cheapest sash cord service specify SILVER LAKE A.

The Original Solid Braided Sash Cord

THE BEST IS THE CHEAPEST

SILVER LAKE CO., Boston

**Send for New Catalogue of Archi-
tecture & Building Construction**

W. T. COMSTOCK COMPANY

23 Warren St., New York

Building Construction and Superintendence

Part II. Carpenters' Work

Four Dollars a Volume

Part III. Trussed Roofs

Three Dollars a Volume

By F. E. KIDDER, C. E., Ph.D., Architect

THE WM. T. COMSTOCK CO., Publisher, 23 WARREN STREET, NEW YORK



Farnam Cheshire Lime Company

The Only Perfect
Finishing Lime
for High-Class
Work

LIME MANUFACTURERS

39 Cortlandt St., New York

All Dealers
Handle It
All Plasterers
Need It

Always Call for
BLUE LABEL The "Original" Farnam's "Cheshire" Lime

Roman Cities in Italy and Dalmatia

By A. L. FROTHINGHAM, Ph. D.

Professor of Ancient History and Archaeology at Princeton University.

A picture of Ancient Italy and pre-Augustan Rome drawn from her rivals has not yet been made. This book is a first sketch for such a picture in popular form, and the work gives a most interesting account of these ancient cities. It is illustrated by many full page plates showing the various buildings and their decorative features, also interiors and details. Architects and students will find it a most interesting volume to add to their libraries. Sixty-one page plates, Cloth, price net, \$1.75; postpaid, \$1.90.

For sale by

THE WILLIAM T. COMSTOCK COMPANY, Publisher, 23 Warren Street, N. Y.

Detailed Working Drawings of the Five Orders of Architecture

By JAS. T. BALL, Architect

Portfolio Edition



HIS edition consists of 17 plates and descriptive letterpress, one being a plate of scales, the first plate being a comparison of the Five Orders arranged in succession, giving a very vivid and striking example of the evolution of the orders, from the Tuscan to the Composite periods. Following this are three plates for each order, brought out in a large portfolio, 14 x 21. Price, postpaid, \$4.00. Plates, Cloth backed, \$6.50.

Send for full descriptive circular.

School Edition



HIS work consists of five large charts, size 20 x 30, mounted on muslin or heavy cardboard, one for each order.

Each order is drawn showing the column and detailed drawings of its various members, so that the draftsman or student may have before him a large detail of each order for use either in executing practical work or making a study of the orders.

The large scale on which these drawings are given will be found of material advantage in the study of the orders, and is especially valuable for architectural and technical schools, also for architects' drafting rooms where a large scale is desired.

The charts are issued in two forms:

Mounted on Heavy Cardboard.....\$7.50
Sent by express, subject to charges.

Mounted on Muslin.....\$6.50
Sent by mail, postpaid, on receipt of price.

The William T. Comstock Company

Publisher

23 Warren Street

New York

When writing Advertisers, please mention Architecture and Building.



*The Marble Mantels for the New
Apartments of the*

**CENTURY HOLDING
COMPANY**

No. 998 Fifth Avenue

*McKim, Mead & White
Architects*

were furnished by

**WILLIAM H. JACKSON
COMPANY**

2 West Forty-seventh Street
New York City

Mantels Fireplaces Tiles

**The Plumbing in the Apart-
ment House, 998 Fifth
Avenue, illustrated in this
issue, was executed by**

**J.N. KNIGHT & SON
Plumbers**

**221 West 49th Street
New York**

ESTABLISHED 1853

General Specifications for Concrete Work

As Applied to Building Construction
By WILBUR J. WATSON, C. E.

A book of great assistance to Architects and Engineers in preparing specifications for reinforced concrete buildings, and it will be found especially useful in the preparation of competitive designs.

Paper, price, \$0.50

General Specifications for Concrete Bridges

By WILBUR J. WATSON, C. E.

These specifications will meet an actual need of the profession, and most of the ideas represented were gained by actual experience of the author, to which he has added suggestions of other engineers. Those preparing such specifications will find the book most helpful.

Paper, price, \$1.00

**The Wm. T. Comstock Co., Publisher
23 WARREN ST., NEW YORK**

When writing Advertisers, please mention Architecture and Building.

Satisfaction

There is some excuse for failing to get a customer; there is none for failing to keep one. And the only sure way of keeping a customer is to satisfy him. During the last twenty-six years, the New York Architectural Terra-Cotta Company has been steadily adding to its list of customers. And during that time it has kept its customers, because of the satisfaction it has accorded through fair dealing, courteous attention and superior output.

**New York
Architectural Terra-Cotta Co.**

Two Twenty-five Fifth Avenue
New York

WHEN IN NEED OF

Good Veneered Doors

"ASK THE INDIAN."

He can show you the largest stock of Veneered Doors carried in the East for QUICK DELIVERY.

Iroquois Door Co.

18 Broadway, New York City



CHESTER DESIGN

**Norwalk Lock
Company**

**Designers and Makers
of Plain and Artistic
Builders' Hardware**

**SOUTH NORWALK
CONNECTICUT**

24th St. and 7th Ave. Bldg., N. Y.

E
L
E
C
T
R
I
C
A
LE
N
G
I
N
E
E
R
S**Porsth Electric Co.**

10 East 23d Street, New York

Some Recent Installations

FERGUSON LIBRARY	Stamford, Conn.
FIRST METHODIST CHURCH	Westfield, N. J.
LONG ISLAND BANK	Richmond Hill
LOFT BUILDING	114 East 16th St., N. Y.
"	126 West 22d St., N. Y.
"	52 East 21st St., N. Y.
"	39 West 31st St., N. Y.
"	West and Vestry Sts., N. Y.



Bronze Entrance to National Savings Bank, New Haven, Conn.
Brown & Von Beren, Architects

John Polachek Bronze & Iron Co.**Architectural Bronze and Iron Work**

ART IN BRONZE, STATUARY WORK, TABLETS, ETC.

Office & Works, 144-68 Clay St., Borough of Brooklyn, N. Y.

YELLOW STRANDW
I
R
E

R
O
P
EW
I
R
E

R
O
P
E

Copyrighted 1911 by F. W. Woolworth

WOOLWORTH BUILDING, NEW YORK
55 Stories HighIn which many thousand feet of **YELLOW STRAND**
Wire Rope is being used.

Manufactured by

Broderick & Bascom Rope Co.

809 North Main St., ST. LOUIS, MO.

76 Warren St., NEW YORK.

Factories: ST. LOUIS, SEATTLE

Send for our catalogue 3K



Apartments 998 Fifth Avenue, New York
McKim, Mead & White

Cut Stone Contractors**HENRY HANLEIN & SON**

Office, 417 East 103d Street

WORKS	{ 401-417 East 103d Street	NEW YORK
	{ 414-426 East 104th Street	
	{ 403-415 East 104th Street	
	{ 402-414 East 105th Street	

When writing Advertisers, please mention Architecture and Building.

[illegible]

KEYSTONE

Classified Advertisements

NOTE.—Every classified advertiser is entitled to insertion under one heading. Under extra headings, \$5.00 a year each

ARCHITECTURAL BRONZE.

The Gorham Co.....Fifth Ave., N. Y.
Polachek Bronze & Iron Co., John,
144-6-8 Clay St., Brooklyn, New York

ARCHITECTURAL WOODWORK.

Smith, Inc., W. E.....1 Madison Ave., N. Y.

AWNINGS, BLINDS, ETC.

Wilson Mfg. Co., Jas. G.
5 W. 29th St., New York City

BOILERS.

Badger & Sons Co., E. B.Boston, Mass
Gorton & Lidgerwood Co.,
96 Liberty St., New York

BOLTS—Expansion, Machine Expansion, Sebco

Mooring, Sebco Twin, Toggle.
Evans, F. H., 31-35 Hewes St., Brooklyn, N. Y.
Star Expansion Bolt Co., 147-149 Cedar St., N. Y.

BRICK—Enameled Front.

American Enamel Brick & Tile Co.,
1184 Broadway, N. Y.
Carter, Black & Ayers.....1182 Broadway, N. Y.
Harbison-Walker Refractories Co.,
30 Church St., New York

BRIDGES.

Van Dorn Iron Works Co.....Cleveland, O.

BRONZE.

Polachek Bronze and Iron Co., John,
144-6-8 Clay St., Brooklyn, N. Y.

BUILDING CONTRACTORS.

Fleischmann Bros. Co., 507 Fifth Ave., N. Y.
Fuller Co., Geo. A., Marquette Bldg., Chicago.
Starrett Company, Theodore, 108 Park Ave., N. Y.

BUILDING DIRECTORY.

U. S. Changeable Sign Co., 3-7 W. 29th St., N. Y.

BUREAU OF NEWS.

U. S. Press Clipping Bureau,
156 La Salle St., Chicago, Ill.

BUTTS, BALL-BEARING.

Stanley Works, The.....New Britain, Conn.

CHAIR MANUFACTURERS.

Marble and Shattuck Chair Co., The,
Chicago-New York.

CLOCKS—Synchronized, Watchman's.

Newman Clock Co., The...178 Fulton St., N. Y.
Prentiss Clock Improvement Co.,
Dept. 11, 92 Chambers St., N. Y.

CONCRETE SIDEWALK FORMS.

Berger Mfg. Co., The.....Canton, O.

CORDAGE.

Silver Lake Co.....Boston, Mass.

DOORS, VENEERED, ETC.

Iroquois Door Co.....18 Broadway, New York

DOOR HANGERS.

Lane Bros. Co.....Poughkeepsie, N. Y.

DRAWER SLIDE.

Grant Pulley & Hardware Co.,
35 Warren St., N. Y.

DRAWING INKS—(Higgins).

Higgins & Co., Chas. M.,
271 5th St., Brooklyn, N. Y.

DUMB WAITERS.

Otis Elevator Co.....17 Battery Place, N. Y.
Speidel, J. G.....Reading, Pa.

ELECTRICAL CONTRACTORS

Boyd Equipment Co.....373 4th Ave., N. Y.
Gustafson Co., Albin.....34 E. 29th St., N. Y.
Porath Electric Co.....10 E. 23d St., N. Y.
Sunset Company,
1101-1102 Firemen's Ins. Bldg., Newark, N. J.

ELEVATORS.

A. B. See Electric Elevator Co., The,
220 Broadway, New York
Otis Elevator Co.....17 Battery Place, N. Y.
Speidel, J. G.....Reading, Pa.

ENGINEERS, ELECTRICAL, CONSULTING, ETC.

Bissing, Harry.....368 W. 42d St., N. Y.

ENGRAVERS AND ILLUSTRATORS.

Gatchel & Manning.....Philadelphia, Pa.

EXPANSION BOLTS.

Evans, F. H., 31-35 Hewes St., Brooklyn, N. Y.
Star Expansion Bolt Co....147 Cedar St., N. Y.

EXTERIOR PLASTER.

Monumental Plaster Company....Harrison, N. J.

FENCING AND RAILINGS.

Van Dorn Iron Works Co.....Cleveland, O.

FILTERS.

Loomis-Manning Filter Distributing Co.,
828 Land Title Bldg., Philadelphia, Pa.

FIRE DOOR EQUIPMENT.

Lane Bros. Co.....Poughkeepsie, N. Y.

FIRE EQUIPMENT, GENERAL.

Simmons Co., John.....102-110 Centre St., N. Y.

FIREPROOF DOORS AND SHUTTERS.


Dahlstrom Metallic Door Co., Jamestown, N. Y.
Grant Pulley & Hardware Co.,
3 West 29th St., New York
Pomeroy Co., Inc., S. H.,
427 W. 13th St., New York City

FIREPROOF HARDWARE.

H. B. Ives Company, The.....New Haven, Conn.

KEYSTONE
FLAT FINISH
KEYSTONE

AN IMPORTANT NEW BOOK ON HYDRAULIC ELEVATORS



by
Wm. Baxter, Jr.

IF it has to do with hydraulic elevators, you will find the answer in this book.

Mr. Baxter covers all kinds of hydraulic lifts and elevators. He describes the various makes, the principles on which they work, their advantages and their disadvantages. Plunger elevators of all kinds are carefully considered.

He is especially strong on repairs; where and how various elevators give out, and how to repair them and render them safe.

The contents in brief follow

Principles of Different Types—Plunger Hydraulic Elevators—Horizontal Cylinder Machines—Counterbalancing—General Management of Hydraulic Elevator Systems—Low-Pressure, Vertical Type, Otis Elevator—Hand-Rope Control—Lever Control—Pilot-Valve Control—Regulating Valves—Safety Devices—Magnetic Valve Control—Double-Power Hydraulic Elevator System—Otis Running-Rope System—Principal Causes of Disordered Mechanism and How Prevented or Removed—Automatic Devices Used for Stopping Cars at Top and Bottom Landings—Effect of Stretching of the Ropes—Construction of Traveling-sheave Frames, Foundations and Supports—Why the Piston is Weighted—The Electrical Features of Vertical Cylinder Elevators—Description of the "Pulling" Type of Horizontal Elevators—Operating Principle of the Whittier Machine—The Morse-Williams "Pulling" Machine—Crane Horizontal "Pushing" Machine; How the Stop-Motion Gets out of Adjustment—Description of Auto, Stop-Valve—Overhead Sheaves and Bearings—The Morse and Williams "Pulling" Machines—Otis Vertical Machine; the Functions of the Pumps and the Accumulator—Operation of the Main and Pilot Valves of the Otis Vertical Elevator—Construction and Operation of the Accumulators and the Automatic Valves Used—Automatic Stop Valves Used with Otis High-Pressure Machines—Adjustment and Care of Automatic Stop-Valves—Stop-Valves Used with Accumulators—Plunger Elevators—Construction of Passenger Elevators of This Type; Details of the Cylinder and Valves; How Weight of Plunger is Counterbalanced—The "Standard" Plunger Elevator—Valve Construction and Operation—Operation of the Pilot and Main Valve—Details of the Highest Type of Passenger Elevator—Care and Management—Hand-Rope Control for Freight Elevators—Pumps and Connections Used with "Safe Lifters"—Locking Device for Plunger Elevators.

300 pages, 6x9, fully illustrated, \$2.50 net

For Sale by

The William T. Comstock Co.
23 Warren Street, New York

The Modern Home

Edited by **WALTER SHAW SPARROW**

**A Book of British Domestic Architecture
for Moderate Incomes**

CONTENTS.

	Page.
Foreword	5
Special Plates in Color and Their Contributors	7
List of Contributors and Table of Black and White Illustrations.....	9
Chapter I.—The Home From Outside, by W. H. Bidlake, M. A., Architect	13
Illustrations to Chapter I.....	33—96
Chapter II.—The Interior and Its Furniture, by Halsey Ricardo, Architect	97
Illustrations to Chapter II.....	105—136
Chapter III.—Some Decorative Essentials, by John Cash, Architect.....	137
Illustrations to Chapter II.....	145—160
Chapter IV.—Sanitation, by John Cash, Architect, with Two Illustrations Showing a Drainage Plan and the Essential Features of Types of Fittings.....	161

The Contributors to this work are among the most eminent men in the profession, and the numerous illustrations call attention to various types of the best contemporary designs in British Architecture and Decoration. It is a work that will appeal to every Home-builder and Architects will find it most suggestive.

The book is beautifully illustrated with many colored plates, beside a large number in Black and White, together with floor plans and descriptive text, to which is added much in the way of suggestion as to the furnishing, decoration, etc.

Every Architect and home-builder should secure a copy of this work.

**Bound in Art Linen, making a book of
176 pages, 42 full pages in color**

Net Price, \$3.00

The William T. Comstock Co.
23 WARREN STREET, NEW YORK

Classified Advertisements—Continued

FIREPROOF WINDOWS.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Knoburn Company,
359-363 14th St., Hoboken, N. J.
Pomeroy Co. (Inc.), S. H., 427 W. 13th St., N. Y.
Voigtmann & Co., 427 W. 13th St., New York.

FIXTURES, GAS AND ELECTRIC.

Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.

FLOORING—Stone, Hardwood, etc.

Marbleloid Co., The., Marbridge Bldg., N. Y.

FLOOR AND WOODWORK POLISH.

Felton, Sibley & Co., 136 N. 4th St., Phila., Pa.

FLUSHOVALVES.

Flushovalve Co.,
71 Greenwich Ave., New York City

FURNITURE, HALL AND GARDEN

American Garden Beautifying Co., The
300 Schenck Ave., Brooklyn, N. Y.

GARAGE GASOLINE TANKS.

Bowser & Co., Inc., S. F., Ft. Wayne, Ind.

GAS AND ELECTRIC FIXTURES.

Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.

GLASS—Plate, Vault, Ornamental.

Shoemaker, Benj., H., 206 N. 4th St., Phila., Pa.

GRAPHITE PAINT.

Dixon Crucible Co., Jos., Jersey City, N. J.

HANGERS—House, Barn Door.

Lane Bros. Co., Poughkeepsie, N. Y.

HARDWARE.

Chicago Spring Butt Co., Chicago, Ill.; New York
Ives Co., The H. B., New Haven, Conn.
Stanley Works, The, Dept. B.
New Britain, Conn., and 79 Chambers St., N. Y.

HEATING APPLIANCES. (Also see Boilers.)

Boyd Equipment Co., 373 Fourth Ave., N. Y.
Gorton & Ledgerwood Co., 96 Liberty St., N. Y.

HINGES—Spring, Ballbearing, Etc.

Bommer Bros., 287 Classon Av., Brooklyn, N. Y.
Chicago Spring Butt Co.,
Chicago, Ill.; New York.
Stanley Works, The., New Britain, Conn.

HOLLOW TILE.

Carter, Black & Ayers., 1182 Broadway, N. Y.

HOT-WATER BOILERS—Copper.

Badger & Sons Co., E. B.,
63-75 Pitt St., Boston, Mass.

IRON WORK—Ornamental and Structural.

Polachek Bronze and Iron Co., John
144-6-8 Clay St., Brooklyn, N. Y.

JAIL AND PRISON WORK.

Van Dorn Iron Works Co., Cleveland, O.

JOIST HANGERS—(Steel).

Lane Bros. Co., Poughkeepsie, N. Y.
Van Dorn Iron Works Co., Cleveland, O.

LIGHTING FIXTURES—Gas and Electric

Black & Boyd Mfg. Co., 23 E. 22d St., N. Y.
Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.

LIGHTNING RODS.

Jones, T. W., 22 Burling Slip, N. Y.
Washburne & Co., E. G., 209 Fulton St., N. Y.

LIME.

Farnum Cheshire Lime Co.,
39 Cortlandt St., N. Y.

LOCKS, ETC.

Norwalk Lock Company., South Norwalk, Conn.

MANTELS, FIREPLACES, ETC.

Jackson Co., Wm. H., 2 W. 47th St., N. Y.

MARBLE WORKERS.

Cork & Zicha Marble Co.,
325-327 E. 94th St., New York
Voska, Foelsch & Sidlo, Mills St., Astoria, N. Y.

METAL CEILINGS.

Berger Mfg. Co., The., Canton, O.

METAL DOORS AND TRIM.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Knoburn Company,
359-363 14th St., Hoboken, N. J.

METAL LATHING.

Greenfield, Inc., Arthur., 204 E. 26th St., N. Y.

METAL LOCKERS.

Darby & Sons Co., Inc., Edward,
228 Arch St., Philadelphia, Pa.

METAL LUMBER.

Berger Mfg. Co., The., Canton, O.

METALLIC OFFICE FURNITURE.

Berger Mfg. Co., The., Canton, O.
Van Dorn Iron Works Co., Cleveland, O.

METAL SASH AND FRAMES.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Knoburn Company., 240 11th Ave., N. Y.
Pomeroy Co. (Inc.), S. H., 427 W. 13th St., N. Y.

METAL WINDOWS.

Pomeroy Co., (Inc.), T. H., 427 W. 13th St., N. Y.
Voigtmann & Co., 427 W. 13th St., New York.

MINERAL WOOL.

U. S. Mineral Wool Co., 140 Cedar St., N. Y.

MODELS—PLASTER, CEMENT, ETC.

Walsh, Dominic A.,
461 Cortland St., Belleville, N. J.

PAINTING CONTRACTORS.

Coleman & Bro., J., 1835 Lexington Ave., N. Y.
Grimmer & Son, Charles., 230 E. 37th St., N. Y.

PAINTS FOR COATING AND PRESERVING IRON AND STEEL.

Dixon Crucible Co., Jos., Jersey City, N. J.

PAINTS, OILS, VARNISHES, WOOD FILLING, etc.

Dixon Crucible Co., Jos., Jersey City, N. J.
Felton, Sibley & Co.,
136 N. 4th St., Philadelphia, Pa.

PLASTER WORK—Plain, Ornamental.

Monument Plaster Co., Harrison, N. J.

KEYSTONE
—FLAT FINISH—
KEYSTONE

For thirty years the firm of Charles Grimmer & Son has been known to you as Painters. Recently we have acquired the business of the W. Ludwig Schultze Co., the well known Decorators. In our three new buildings we now have facilities for doing the same high class Cabinet Wood-Work and Upholstery as we have for Painting.

A line of inquiry brings a representative, or we should be glad to welcome you at our extensive factories and our beautiful, new showrooms, where we carry the largest and most select stock in New York, of Wall Papers, Mantels, Andirons, Electric Fixtures, Fabrics, Furniture, Mirrors, Antiques, Clocks, Candlesticks, Lamps and Pillows.

Charles Grimmer & Son

Telephones, 7557-7558 Madison Square.

230-234 East 37th Street, NEW YORK

Bricklaying, Tile Work and Masonry

Bricklaying

An up-to-date work showing the best methods of construction. PART I.—Treats of Tools; Laying and Setting of Work; Mixing Concretes and Mortars; Front Work; Chimneys and Flues; also General Important Details of Brickwork. PART II.—Shoring; Needling; Underpinning. By Owen B. Maginnis. Illustrated by 150 cuts. Cloth. Price \$1.50

Rudiments of Practical Bricklaying

General Principles; Drawing, Cutting and Setting; Pointing; Paving, Tiling, &c. By Adam Hammond. With 68 Woodcuts.....\$.60

Bricks and Tiles

Treatise on the Manufacture; containing an outline of Brickmaking. By E. Dobson, M. R. I. B. A. Additions by C. Tomlinson, F. R. S. Illustrated.....\$1.20

The Practical Brick and Tile Book

Brick and Tile Making, by E. Dobson. Practical Bricklaying, by A. Hammond; Brickcutting and Setting, by A. Hammond. 350 pp. with 270 illustrations.....\$2.40

Brickwork

Embodying the General and Higher Principles of Bricklaying, Cutting and Setting; with the Application of Geometry to Roof Tiling, &c. By F. Walker.....\$.60

Practical Masonry

A Guide to the Art of Stone Cutting. Comprising the Construction, Setting-out and Working of Stairs, Arches, Niches, Domes, &c. 50 Lithographic Plates. By Wm. R. Purchase. Royal 8vo, cloth. Price.....\$3.00

Art of Practical Brick Cutting and Setting

By Adam Hammond. With 90 Engravings....\$.60

Brickwork and Masonry

A practical text-book for students and others engaged in the design and execution of structures in brick and stone. By Chas. F. Mitchell. With nearly 600 illustrations. Second edition, revised and enlarged. Cloth. Price, net.....\$3.00

Masonry and Stone Cutting

The principles of Masonic Projection and their application to Construction. By Edward Dobson, M. R. I. B. A.....\$1.00

The William T. Comstock Company ❁

23 Warren Street
New York



The accompanying cut represents the
American Bank Note Company's
New Bronx, N. Y., Factory.

Kirby, Pettit & Green, Architects.
C. O. Malloux & C. E. Knox, Electrical Engineers.

Albin Gustafson Co.
Electrical Contractors

34 East 29th Street, New York

Telephone 6765 Madison Square.

Classified Advertisements—Continued

PLUMBERS.

Boyd Equipment Co., 373 Fourth Ave., N. Y.
Knight & Son, J. M., 221 W. 49th St., N. Y.

PLUMBERS' WARE.—Bath-Tubs, Closets, Drinking Fountains, Lavatories, Laundry Tubs, Range Closets, Sinks, Urinals.
Flusho Valve Co., 71 Greenwich Ave., N. Y.

PORTLAND CEMENT.

PRESS CLIPPINGS.

United States Press Clipping Bureau, The,
State & Adams Sts., Chicago, Ill.

PRONG LOCK, STUDS AND FURRING.

Berger Mfg. Co., The, Canton, O.

PUBLISHERS.

Cornstock Co., The W. T., 23 Warren St., N. Y.
Concrete Age, The, Atlanta, Georgia
Manual Arts Press, The,
600 German Fire Insur. Bldg., Peoria, Ill.

PULLEYS.

Grant Pulley & Hardware Co.,
3 W. 29th St., N. Y.

REFRIGERATORS, PORCELAIN, ETC.

Tettenborn Refrigerator Co., Cincinnati, O.
White Enamel Refrigerator Co., of New York,
39 W. 42d St., New York

RINGS—Bridle, Corner Brace (Bridle), Sebco Aerial.
Star Expansion Bolt Co., 147-149 Cedar St., N. Y.

ROLLING DOORS AND SHUTTERS—Steel.

Grant Pulley and Hardware Co.,
3 W. 29th St., New York City.
Wilson Mfg. Co., James G.,
3 W. 29th St., New York

ROOFING AND ROOFING MATERIALS.

Barrett Mfg. Co., New York, N. Y.

SANITARY SPECIALTIES.

A. F. W. Paper Co., Albany, N. Y.

SASH CHAINS.

Morton, Thomas, 169 Elm St., N. Y.

SASH CORDS.

Silver Lake Co., Boston, Mass.

SASH LOCKS.

Ives Co., The H. B., New Haven, Conn.

SASH PULLEYS—Iron, Brass, Bronze.

Grant Pulley & Hardware Co.,
3 W. 29th St., N. Y.

SELF-CLINCHING NAILS.

Self-Clinching Nail Co., Philadelphia, Pa.

SIDEWALK LIFTS.

Spidel, J. G., Reading, Pa.

SIDEWALK LIGHTS.

The Berger Mfg. Co., Canton, O.

SIGNS, CHANGEABLE, ETC.

U. S. Changeable Sign Co.,
3 W. 29th St., New York

SKYLIGHTS.

Architectural Metal Works,
1192-1194 2d Ave., New York.

SNOW GUARD

Folsom Snow Guard Co.,
Roslindale (Boston), Mass.

SPRING HINGES.

Bommer Bros., 257 Classon Ave., Bklyn, N. Y.
Chicago Spring Butt Co.,
Chicago, Ill.; New York.

SPRINKLER SYSTEMS.

General Fire Extinguisher Co.,
Providence, R. I.
Rockwood Sprinkler Co., 123 William St., N. Y.
Vogel Co., H. G., 12 Walker St., N. Y.

STEEL BUILDINGS.

Van Dorn Iron Works Co., Cleveland, O.

STEEL JOIST HANGERS.

Lane Bros. Co., Poughkeepsie, N. Y.
Van Dorn Iron Works Co., Cleveland, O.

STUCCO.

Monument Plaster Co., Harrison, N. J.

TACKLE BLOCKS (Automatic).

Lane Bros. Co., Poughkeepsie, N. Y.

TERRA COTTA.

Federal Terra Cotta Co., 111 Broadway, N. Y.
New York Architectural Terra Cotta Co.,
401 Vernon Ave., Long Island City, N. Y.
Northwestern Terra Cotta Co.,
1000 Clybourn Ave., Chicago

VALVES.

Flusho Valve Co., 71 Greenwich Ave., N. Y.

VAULT LIGHTS.

Berger Mfg. Co., Canton, O.
Brooklyn Vault Light Co.,
262 Monitor St., Brooklyn, N. Y.

VENTILATING LOCKS.

H. B. Ives Co., The, New Haven, Conn.

VENTILATING RIDGING.

Globe Ventilator Co., Troy, N. Y.

VENTILATORS.

Globe Ventilator Co., Troy, N. Y.
Washburne & Co., E. G., 209 Fulton St., N. Y.

WALL FINISHES—FLAT, ETC.

Keystone Varnish Co.,
71 Otsego St., Brooklyn, N. Y.

WALL PLASTER.

Monument Plaster Co., Harrison, N. J.

WATER FILTERS.

Loomis-Manning Filter Co.,
828 Land Title Bldg., Philadelphia, Pa.

WEATHER VANES.

Jones, Thos. W., 153 Maiden Lane, N. Y.
Washburne & Co., E. G.,
209 Fulton St., N. Y.

WINDOW STOP ADJUSTERS AND VENTILATING LOCKS.

Ives Co., The H. B., New Haven, Conn.

WIRE ROPE.

Broderick & Bascom Rope Co.,
809 North Main St., St. Louis, Mo.

WOOD-WORKING MACHINERY.

Barnes Co., W. F. & John,
566 Ruby St., Rockford, Ill.

KEYSTONE
FLAT FINISH
KEYSTONE

The Dahlstrom Products

in the Millionaires' Apartments



In this issue of Architecture and Building there are interior views of the Millionaires' Apartments—conceded to be the finest apartments in the world.

The Dahlstrom Products are to be found throughout the apartments—wherever there was a call for interior trim.

This installation bears a double significance. The structure has been erected upon the unit idea of construction. The apartments are as separate buildings blocks down the street.

In case of fire it is confined to the apartment in which the flames originated. To accomplish this unit idea of construction and to keep the quality of the interior trim in accord with the other features of the apartments the Dahlstrom Products were used throughout.

Complete Literature Upon Request

Dahlstrom Metallic Door Company

Executive Offices and Factories

68 Blackstone Avenue

Jamestown, New York

Branch Offices in all Principal Cities



When writing Advertisers, please mention Architecture and Building.



ARLINGTON MILL, Lawrence, Mass.

100,000 English Size White and Sage Green Enameled Brick Used

C. R. Makepeace & Co., Architects and Engineers

B. F. Smith Construction Co., Contractors

Address All Inquiries to Our Head Office, 1182 BROADWAY, NEW YORK CITY

American Enameled Brick and Tile Company

THIS is only one of the many large mill operations where Messrs. C. R. Makepeace & Co. were the Architects and Engineers, and the Benj. F. Smith Construction Co. were the contractors, and in each of which jobs our material was specified and used for the interior lining. THESE REPEATED ORDERS SPEAK FOR THEMSELVES.

Have you considered ENAMELED BRICK for your new mill or Power House?

Modern School Buildings

A Collection of 150 Pages of Illustrations of Recently Constructed School Houses, from the Small School to the Normal and Technical Schools, Ranging in Price from \$20,000.00 to \$500,000.00

Supplemented with a Series of Articles by

PROF. A. D. F. HAMLIN, Columbia University

WM. J. ITTNER, Architect, Board of Education, St. Louis

C. B. J. SNYDER, Architect, Board of Education, N. Y.

FRANK G. McCANN, Heating and Ventilating Engineer

and many other prominent authorities

The useful, practical information will be of great value to Architects, School Boards, Superintendents and others interested in the subject of school designing. Size of page and plates, 9 x 12.

Cloth, Price, \$7.50

THE WM. T. COMSTOCK COMPANY, Publisher

23 WARREN STREET, NEW YORK

When writing Advertisers, please mention Architecture and Building.

Fleischmann Bros. Co.



General
Building Construction

507 Fifth Avenue, New York City

Detail view of boxes, Greeley
Square Theatre, 30th Street
and Sixth Avenue, New York

S. S. Sugar, Architect

Fleischmann Bros. Co., Contractors

Bohn Syphon Refrigerator

installation in

998 Fifth Avenue Apartment House,
New York

illustrated in this issue

McKim, Mead & White, Architects

White Enamel Refrigerator Co. of New York

59 West 42d Street, New York City

Recent Installations: { Hotel Chateau Laurier, Ottawa, Canada
Grand Trunk Railroad Station, Ottawa, Canada
Ross & McFarland, Architects
Carrere & Hastings, Associates.

**Wilson's
Rolling Steel
Shutters do
Not Mar The
Architectural
Possibilities
Of The
Doorway**



We illustrate our rolling shutters in use in the entrance of 248 Fourth Ave., New York City. Rouse & Goldstone, Architects.

We manufacture fireproof doors and shutters for any kind or size of opening. Write for handbook.

Models on view at salesroom

Jas. G. Wilson Mfg. Co.
5 West 29th St., New York

Also manufacturers of Rolling Steel Shutters and Wood and Steel Rolling Doors and Partitions.

SEBCO EXPANSION BOLTS

Those who know always demand Sebc Expansion Bolts—they are simple, flexible, strong, rigid and absolutely the only safe and economical method of fastening fixtures to Walls, Floors and Ceilings of concrete, stone, brick, etc.



Have you received your free sample—also our 70 page catalog No. 41 showing up-to-date methods of fastening all kinds of fixtures?

**STAR EXPANSION
BOLT COMPANY**
147-149 CEDAR ST., NEW YORK



Anchor your trade with
"F-S" Products. It is the
one best way to keep it
secure.

Just one coat of "F-S" Mission
Finish in any of its twelve colors
acts as a filler and dull finish—
wonderfully easy to apply.

FELTON, SIBLEY & CO., Inc.
Mfrs. of Colors, Paints, Varnishes
136-140 N. 4th St., Philadelphia
76

BOMMER SPRING HINGES

ARE QUALITY GOODS

But cost no more than inferior kinds



DON'T ERR IN JUDGMENT when specifying spring hinges, which of all hardware perform the hardest work. Bommer Spring Hinges never fail to give satisfaction, and have withstood the test of time. The springs never go lame. "Practically Unbreakable," says the World's Fair Award, Chicago, 1893.

GOLD MEDALS: Paris, 1900; Buffalo, 1901; St. Louis, 1904.

**All Who Figure on Hardware
Contracts Can Supply Them**

BOMMER BROS., Mfrs., Brooklyn, N. Y.

Est. 1876

ARCHITECTURE AND BUILDING

A Magazine Devoted to Contemporary Architectural Construction

VOLUME XLIV.

MARCH, 1912

NUMBER 3

THE MULTIPLE RESIDENCE

An Essay, with a Description of

NUMBER 998 FIFTH AVENUE

McKIM, MEAD & WHITE, Architects.

THOUGH under the jurisdiction of the Tenement House Department of the Borough of Manhattan, and classified in the same category as all other buildings which house three or more families under one roof, the building which is the subject of illustration in this article exemplifies a high ideal that its prosaic classification does not indicate. We have called it a "multiple residence" and we have chosen this term because we feel that the ordinary apartment house, which is of course a collection of private dwellings under one roof, has been exceeded in form, thoroughness of construction, amplitude of individual units, service, and most of all in the spirit and aim of its construction. 998 Fifth Avenue can be called without exaggeration the most highly specialized apartment that is now in existence. There are individual buildings which exceed it in size; others which are fully its equal in equipment, accommodation and magnificence of structure. But, being equal to all others from a material standpoint, it exceeds all others in its popularly esteemed location, which bears a significance in connection with the building ranking it the most magnificent of its class.

The popular attitude toward the apartment house has undergone a rapid

change even in a decade. With that attitude there has been a development in apartment house construction which, making use of every available modern appliance for human convenience and comfort, has raised the finer examples of apartment house buildings to a standard which may be looked upon as being the most perfected of human abiding places from a mechanical standpoint.


The elemental idea of a flat, tenement or apartment house has been one of a combined or cooperative dwelling in which many families could live in small quarters and with an economy impossible in an individual city dwelling. As cities have grown, the multiple dwelling has been developed, and starting in smaller towns with a two or three family house, we find a gradual aggrandizement of the idea until in New York, the most crowded and concentrated city of America, we find its highest development.

Some day a history of the apartment house will be written, and its legend will be a long and interesting one, taking its students back to the five and six story dwellings of the Trans-Tiber where the populace huddled when Rome was ruled by the emperors. The controlling element was then, and will always be, congestion of population and increasing

land values. In the Medieval capitols we will find a phase of the apartment house in the dwelling of the merchant, where, harbored under one roof, there were his shop, his dwelling, and the living quarters of his employees—apprentices and laborers—and their families. In New York City in a few decades a panoramic view of the whole development may almost be seen.

Twenty-five years ago an apartment house was not considered the most desirable place of abode. The private house was the chosen dwelling of peo-

ple of moderate means; the wealthy built their mansions on Fifth Avenue. Some apartments were built which were of high standard for their time, but they lacked the modern improvements which make the present-day apartment house the ideal city dwelling. Steam heat was unusual; service was unthought of, except for the speaking tube and the dumb-waiter; elevators were unknown; dark windowless bedrooms were considered an unavoidable feature. There was little difference between the apartments considered of high class and the tene-



FIRST STORY PLAN. APARTMENTS AT 998 FIFTH AVENUE.


McKim, Mead & White, Architects.



APARTMENTS AT 998 FIFTH AVENUE, NEW YORK.

McKim, Mead & White, Architects.

Builders: Century Holding Co.
 Cut Stone Contractors: Henry Hanlein & Son.
 Architectural Terra-Cotta: New York Architectural Terra-Cotta Co.
 Panel Boards: Metropolitan Electric Mfg. Co.
 Plumbing Contractors: J. N. Knight & Son.
 Window Glass: M. Arnstein.
 A. B. See Electric Elevators.
 Hardware: Norwalk Lock Co.
 Hollow Metal Doors and Trim: Dahlstrom Metallic Door Co.
 Refrigerators: White Enamel Refrigerator Co., of New York.
 Hardwood Floors: Hasbrouck Flooring Co., Inc.






DETAIL OF MARQUISE AND ENTRANCE.

McKim, Mead & White, Architects.

Ornamental Iron: Harris H. Uris Iron Works, Inc.

Hardware: Norwalk Lock Co.

Cut Stone Contractors: Henry Hanlein & Son.



THE FIRST STORY ELEVATOR GRILL AND A HALLWAY
ON AN UPPER STORY.
McKim, Mead & White, Architects.


A. B. See Electric Elevators.
Hardware: Norwalk Lock Co.
Hollow Metal Doors and Trim: Dahlstrom Metallic Door Co.

ment of the East Side. Their conveniences were about the same and their planning equally poor.

As the population concentrated and land values rose in New York City, the demand increased, and better apartment houses were built which kept pace with the modern inventions and made the fullest use of them. The movement has gone forward with giant strides in the last decade with a resulting change in the popular attitude toward the apartment house as a dwell-

ing. Restricted sections of the city, previously withheld for residential purposes where only private houses might be built, have rapidly changed, springing up as with a mushroom growth into lofty apartment structures into which the families of the house-holders have willingly moved as finding in them a more convenient form of abode.

Fifth Avenue has been regarded for many years as the finest street in America. On it have been built the palaces of our wealthiest citizens. Society has



TYPICAL STORY PLAN SHOWING AN APARTMENT ON A SINGLE FLOOR AND THE SECOND STORY OF A DUPLEX APARTMENT.

McKim, Mead & White, Architects.



TWO VIEWS THROUGH THE PRINCIPAL ROOMS OF A SINGLE APARTMENT.

McKim, Mead & White, Architects.



Hardwood Doors made by the Iroquois Door Co.
 Mantels: Wm. H. Jackson Co.
 Hardwood Floors: Hasbrouck Flooring Co., Inc.



A RECEPTION ROOM PANELLED IN HARDWOOD.

Hardwood Doors made by the Iroquois Door Co. McKim, Mead & White, Architects.
Hardware: Norwalk Lock Co.

reigned supreme and held it for its own. With the ever-encroaching invasion of business from the south, however, its residential section has gradually shrunk away from below 59th Street, which would seem to be a natural barrier against the further encroachment of business on the Avenue. Upper Fifth Avenue, facing the park, has filled up gradually with magnificent residences, the dwellings of the most wealthy. That it has been invaded by an apartment house is, to our mind, in no sense a detriment, but merely an indication of the spirit and demand of the times in which we live.

998 Fifth Avenue is a building containing seventeen private dwellings in one structure. It is a suitable structure to its location and its apartments are de-

signed for the residential use of those who could afford to own Fifth Avenue residences and maintain them. As a structure it offers to the dweller therein every convenience of a very large private house, and eliminates many of the disadvantages of the individually maintained city dwelling.

Our description of the building itself is largely pictorial. The plans show the arrangement of the apartments with the exception of some special suites which occupy larger space. The typical arrangement is that of three apartments on two stories—two apartments occupying a portion of a single floor and one duplex apartment, the chambers of which are in the story above.

The exterior is of limestone of a dig-



THE INTERIOR COURT, LINED WITH TERRA-COTTA.

New York Architectural Terra-Cotta Co.

McKim, Mead & White, Architects.

nified design. The approach is such as might be appropriate to a large city mansion, amplified slightly to meet the requirements. In finish, the lobby and elevator hall is in keeping with what might be expected in a dignified and tastefully decorated city residence. In the apartments themselves, free rein is, of course, given to the individual taste of those who dwell in them.

The builders of 998 Fifth Avenue were the Century Holding Co. Henry Hanlein & Son were the cut stone contractors. The architectural terra-cotta was supplied by the New York Architectural Terra-Cotta Company. The ornamental iron work was done by the Harris H. Uris Iron Works.

Inc. A. B. See electric elevators were used, and the panel boards were put in by the Metropolitan Electric Manufacturing Co. The plumbing contractors were J. N. Knight and Son, and the refrigerators throughout were built by the White Enamel Refrigerator Co. of N. Y. The gas ranges were made by Court & Beals. Sanborn sectional sash weights were used, and Grant sash pulleys. Hollow metal doors and trim were put in by the Dahlstrom Metallic Door Co. The veneered hardwood doors were manufactured by the Iroquois Door Co., and the Norwalk Lock Company installed all the hardware. William H. Jackson Company put in the mantelpieces and fireplaces. The Hasbrouck Flooring Co., Inc., put in the hardwood flooring.



THE KITCHENS OF 998 FIFTH AVENUE ARE EQUIPPED WITH LARGE REFRIGERATORS, CHILLED BY BRINE PIPES FROM A CENTRAL PLANT. FOR COOKING THESE LARGE GAS RANGES ARE PROVIDED.

Refrigerators: White Enamel Refrigerator Co., of New York.
 Plumbing Contractors: J. N. Knight & Son.
 Panel Boards: Metropolitan Electric Mfg. Co.



McKlm, Mead & White, Architects.

LINDEN BAPTIST CHURCH, CAMDEN, N. J.

ARTHUR TRUSCOTT ARNOLD H. MOSES
Associate Architects.


THE recently erected building for the Linden Baptist Church joins a large structure, known as the Bible school, which was built about six years ago and formerly used for all church purposes. This church building is rectangular in plan, 76 feet long on 9th Street by 88 feet deep on Linden Street, and has a seating capacity of about 600. The platform or rostrum is directly opposite the Linden Street entrance, while the choir and baptistry are on the left-hand side as one faces the rostrum.

The main feature of the building is the great dome covering the entire auditorium. This dome is supported by sixteen pillars, octagonal in plan, 32 feet in


height, $32\frac{1}{2}$ inches in their greatest diameter and built up of reinforced, poured concrete. The dome is 27 feet high from the springing line to the crown and has a radius of 36 feet $2\frac{1}{2}$ inches, the diameter at the top of the columns being 72 feet 5 inches. The concrete slabs and the roof covering of the dome are carried on sixteen 10 by 12-inch curved rafters of wood, built up of 1-inch yellow pine boards, curved to the desired radius and maintained at that radius by $\frac{3}{4}$ -inch bolts staggered throughout the rafter lengths. After the rafters were erected, three sets of draw-bolts, 1 inch in diameter for the two upper ones and $1\frac{1}{4}$



LINDEN BAPTIST CHURCH, CAMDEN, N. J.



LINDEN STREET ELEVATION



LINDEN BAPTIST CHURCH, CAMDEN, N. J.
Arthur Truscott } Associate Architects.
Arnold H. Moses }

inches for the lower ones, were placed through them, as shown in the accompanying detail drawings.

These curved rafters carrying the dome are supported at the base in a cast-iron shoe, bolted to a concrete ring resting on the sixteen columns. The construction of this shoe and of the concrete ring is also shown in the detail drawings. The thrust from the rafters was further taken up by means of tie-rods, $1\frac{1}{4}$ inches in diameter, placed at the back of the shoes, the tension being resisted by turnbuckles between each pair of rafters. At the head the rafters are bolted to a steel ring made up of 6 by 6 by $\frac{3}{8}$ -inch angle-irons. These

angle-irons receive not only the ends of the rafters but the circular top structure of the dome, all of which is clearly indicated in the detail drawing. This method of building up the rafters proved entirely satisfactory; and when they were raised into position and subjected to tests, they were found to be perfectly rigid and to conform to the true curve.

On top of the rafters two thicknesses of 1-inch yellow pine boards were laid, the joints of which were carefully broken. These boards were laid straight with the ends butted against strips placed on the curved rafters. On these boards 2 by 3-inch cleats were nailed



LINDEN BAPTIST CHURCH—INTERIOR.



LINDEN BAPTIST CHURCH, CAMDEN, N. J.
Exterior and Interior of the Dome.

Arthur Truscott } Associate Architects.
Arnold H. Moses }

to hold the ends of the concrete slabs, and then the entire roof surface was covered with a three-ply layer of roofing felt, carried to the base of the dome and there cemented into the level surface of the roof, thus guarding against every possibility of leakage. On this roofing felt fifteen courses of concrete slabs were placed, 31 inches in width and $1\frac{1}{4}$ inches in thickness and varying in length from 77 to 33 inches. All these slabs and hip coverings were made on the premises and are composed of one part Portland cement, two parts bar sand and two parts of $\frac{1}{4}$ -inch trap-rock. The materials were mixed quite wet and reinforcements of No. 26 expanded-metal, weighing about $2\frac{1}{2}$ pounds to the square foot, were used; and in finishing the slabs a dryer of one part Edison cement and one part bar sand was sprinkled on and troweled in, great care being taken to have all the surface of the slabs well troweled and smoothly finished.

In laying the covering tiles, those at the base were laid first where there were two tiles between each section of the dome, the central joint over these being covered with a tile similar to that used over the rafters. The arrangement of the slabs and covering tiles is such that they frequently interlock at all joints and are, therefore, watertight.

The crown of the dome is covered with a concrete slab which was formed in place and which is about 10 feet in diameter.

The interior surface of the dome is coffered or finished in large sunk panels, false ribs being placed between the

rafters and being of the same general dimensions as those of the rafters themselves. The inner surface is covered with slow-burning plaster-board, while the ribs and rafters are covered with poplar boards. The entire interior of the dome is finished in white-lead paint with gold decorations. Below the dome, the walls are painted in ivory white, lightly decorated with gold.

The seating throughout is in antique oak with a dull green finish.

A rather unique method of electric lighting is used, the lights being enclosed in large glass balls suspended from the dome and the ring underneath.

The six large windows on the street fronts in the south and west walls are filled with white glass in Roman lattice lead-work. In this field of white glass are set designs in color, symbolizing the history of the world and the Church, beginning with the Creation and the Fall and ending with the Church Triumphant, or the New Jerusalem. The motifs for the designs are found in the events of God's dealings with His people in the Old and New Covenant. Eden, the Flood, Melchizedek, Abraham, the Sojourn in Egypt, the Judges, the Prophets and the Kings furnish themes from the Old; and the Life of Christ, His birth, miracles, crucifixion and resurrection, the Early Church, the Apostles and the New Jerusalem, themes from the New.

The five apse windows are filled with designs, the predominating motifs being the vine and the rose surrounding the Cross, with the Candlesticks of Revelation.



THE HOLLOW-TILE FIREPROOF HOUSE

ARTICLE VI.

By FREDERICK SQUIRES.

AS may be noticed from the character of the illustrations, the object of this article is to go into more minute detail than was possible in the last issue about the surface effect of the "Texture-Tile" wall and the practical methods of obtaining it. A few words will then be added on the subject of more complete fireproofing.

The first picture is a detail of the porch side of the Lyon house, which was illustrated in the last article. It is noteworthy that the texture of the wall holds its own with the little evergreen plants—the most velvety kind of foliage. The combination of colors, old rose and dark green, is mutually advantageous. The picture shows the variation in color of adjoining blocks which could not be more happily obtained if the blocks were carefully selected instead of being used as they happened to

come. There is, to the pictured wall, a velvet surface from the millions of tiny shades and shadows cast by the roughened faces of the blocks. The wide, uneven joints made with cement and cinders, are in character with the wall, and their gray color does not mark off the units too sharply.

The tail-piece of this article shows a good piece of brick work of the same description—which suffers, however, by the minuteness of its units. It takes a sharp eye to trace out the delicate brick bond and bands. Yet this kind of a surface is a step in the right direction. The rough slate roof is in better scale than the brick work.

The picture of the inner porch wall of the Lyon house does not do justice to the charm of the reality. Its color reminds one of a Royal Bokhara rug, and the appearance of the surface



THE PORCH OF THE LYON HOUSE. A WALL LIKE A ROYAL BOKHARA RUG.

varies from that of the rug only in the rough gray mortar joints. Below is a good piece of brick work, which, however, falls short of the wine-like richness of the "Texture-Tile." The brick is as long as the tile, but not so high.

The working drawings which follow are given to explain the easiest ways of obtaining a good "Texture-Tile" building. The plan shows the proper position of the facing and backing, and is figured to tile sizes. A setting plan should accompany it, showing the exact number of tiles and which ones are omitted for door and window openings, which are always in tile dimensions. The elevations showed the exact number of tiles in the building, but the setting plan proved of greater service on the job.

There has grown up under the name of "the fireproof house," a method of con-

struction which is no better than the old brick or stone house of fifty years ago, and it is not fireproof at all. This is the terra-cotta tile house with wood floors. Wood floor construction costs ten cents a square foot, and fireproof floors about thirty. This means that a two-story house with fifteen hundred square feet of area per floor, could be adequately protected



THIS BRICK IS AS LONG AS A "TEXTILE-TILE" AND HAS THE SAME SURFACE.


rich American brought back with him from Japan the entire contents of a Japanese room. He had no sooner prepared an appropriate setting for these art treasures in his own house than the entire place was burned to the ground. No insurance adjuster, however fair, can repay that man for his loss.

The problem of reducing the cost of a masonry floor for a house to its lowest terms has not yet been solved in practice. The concrete beam and tile construction is not the cheapest method because the tile is but a filler to give depth to the beam, and after the beam is cast it is useful only to give a surface for plastering. This tile filler, because it must be a rectangle, ties the construction up to two forms—beams running in one direction, or in two directions at right angles to each other.

Too much emphasis has been placed on obtaining a flat surface for plastering. Either the expensive and otherwise useless tile block is required, or when plastering is to go directly on concrete, the aggregate for the concrete must be cinders, a very questionable material for constructive purposes. That such indirect methods should be used in the interests of plaster presupposes that plaster is the most desirable material to expose for a ceiling. This was true up to a recent date, but it is not now the case. Concrete has been so far perfected that its appearance is better than plaster. Compare a plaster cast from a model in high relief with its duplicate in concrete. The plaster by comparison is cold and cheap. It lacks the color, the texture, and even the appearance of solidity which are present in a high degree in the concrete image. Architects have gone so far as to leave off the hard finishing coat of plaster and roughen with sand the final coat in order to get away from the staring dead white surface of common plaster; when not roughened, plaster must

be tinted. All this shows that the appearance of plain-finished plaster work is unsatisfactory. The same is true when the comparison is made in larger surfaces than the cast.

When the question of elaborating the architectural effect of the six surfaces of a room is considered, it is usually the ceiling which receives the most attention. This is true alike in the public building—as witness the ceilings of the New Theatre, the New York Public Library, and the waiting room of the Pennsylvania station—in the city house and in the country house. It is an accepted principle of design and decoration. The designer of the public work may execute his ceiling in stone, the city mansion designer in plaster



TYPICAL WALL SECTION OF THE HORACE LYON HOUSE.

or carved wood and color, and the country-house architect in moulded wood beams, but each in his own way puts the greatest emphasis of his interior on the ceiling. This is true now, and it has always been true.

With the use of the light-colored cements, concrete has advanced rapidly in beauty. Since concrete is a combination of cement, sand, and stone, there is no difficulty in obtaining the appearance of certain natural stones, say marble, for example, by mixing broken or powdered marble with cement and sand. Beautiful reproductions of marble statuary in concrete are results obtained every day. The difference in cost between the operations of pouring a liquid into a mold, and cutting the same outline out of a block of stone is responsible for much of the present-day activity along these lines. Most lovely colors are easily obtained. The surface is dull and gives a chance for a display of the softest tones.

It is with concrete—a material which may display beautiful stone as a part of itself—which may be so mixed as to ob-

tain beautiful colors, and which best of all will take the form of any mold, however elaborate—that we are going to aid the fireproofing of the country house.

There will be described in a later article a recent invention in floor construction which involves the decoration of the ceiling and the casting of the constructive floor in the same operation, and which will serve to reduce the cost and beautify the fireproof house.

In closing this article it may be said that the time should be past when builders spend their whole efforts and other people's money in a fight to build houses as fast as they burn. The terra-cotta house is doing a real service to the country only when it is, or tends toward, greater fireproofness and permanency. To do this, we have succeeded in perfecting a wall construction and should now turn our minds, artistic and practical and inventive, toward perfection and economy in floor and roof construction. Meanwhile, let us try to build our outside walls, already fireproof, with better art.

(To be continued.)



AN EXAMPLE OF TEXTURE IN BRICK WORK.

STUDENTS' DETAILS OF CONSTRUCTION

Architectural Department, University of Pennsylvania

IN the June and September, 1911, numbers of *Architecture and Building*, some examples of students' work in architectural construction at the University of Pennsylvania were published and attention was called in a short article accompanying those drawings in the June issue to the correlation of design and construction in the schools of architecture of the United States and other countries. There is a constantly increasing tendency to emphasize the interdependence of design and construction and we are enabled to still further illustrate this fact by publishing more examples of the work of the schools selected from a great number of problems.

In a paper by Mr. Beresford Pite, F. R. I. B. A., recently read before the London Architectural Association School, on "Building Construction as a Features of Architectural Education," Mr. Pite says "The history of architecture is that of building construction, the means being involved in the consideration of the end attained. The two elements of architecture, the purport of the building, which involves the civilization of the race, and the aesthetic ideal and traditions of builders, both finding embodied expression in construction. A genuine architecture has neither of these two elements singly, as it cannot be without purpose or beauty; but it involves their combination under the conditions of the science of building, and, despite the tendency of books of modern architectural history to concentrate attention on religious, civic, or domestic habit, or upon a commerce in traditional architectural forms, the building construction of man in different

countries, and ages, is the field of the true study of architectural history."

There is no doubt of the constant increase in the amount of recognition given to the working out of the design and the construction at the same time. It is acknowledged that courses in architectural construction in the schools of architecture are of the greatest value when it is possible to take up with them some of the problems of design which lend themselves more readily to this treatment, and actually construct the work on paper as nearly as possible as it will be built.


For example, in the school of architecture at the University of Pennsylvania, in Philadelphia, in the course in building construction which continues through two years, all students, in addition to the lectures, quizzes and ordinary drawings in the elements of the subject, are required to do from two to four problems during the year in applying the principles of architectural construction to those problems in design which they have already completed.

The subjects published in this issue are a private garage, built in reinforced concrete—two designs by different men—and a suburban hospital. The problem stated in regard to the garage, that it was to be erected on the rear part of a suburban lot and approached from the front street by a driveway. It was to be a concrete building, and the design was to be appropriate to that material.


The suburban hospital, which is illustrated on the second page in this number, was to be designed for a small community and was to accommodate 32 patients in public wards and 8 patients in private rooms.

DETAIL OF A PRIVATE GARAGE.


—DESIGNED BY G. O. STEDMAN—APRIL 1911—



Designed by G. O. Stedman.



Designed by Willard See.



Designed by Lewis B. Walton.

SWISS CHALET DESIGN

V.

By WM. S. B. DANA, B. S.

THE chalet interior is determined by its exterior. Four walls, running from excavation to roof-line, and capped by a shallow, double-pitched roof—these when viewed from within constitute its *sine qua non*. The space thus included is generally partitioned off by one or more cross-walls locking together one of the pairs of enclosing walls, as in Fig. 29. The natural (tri-partite) vertical division of the interior, like that for all dwelling interiors, — that is, the earth portion:




Fig. 29.

its other extreme, the roof: and, thirdly, the space between them—determines the character of the employment to which these portions are to be assigned. When these natural divisions are more definitely marked and determined by *floors*, the structural interior becomes still more affected, as in Fig. 30. The assignment of stories cor-




Fig. 30.

responds closely to that in America; that is, the cellar (*Kellar, cave*) is given the storage, heating and rough work; the first floor (*rez-de-chausses, Parterre*) is given the business of the daily life, the social business, and the like; the second floor (*première étage, erste Stock*) is devoted to sleeping chambers; and the roof story (*Dach Stock, comble*) is given up to retirement, storage, etc.

The resultant “compartmented” structure must be next provided with a means of connection between the interior and the outer world, at a point near the ground; likewise, similar means of communication between the stories and the entrance. In the Swiss chalet, this system of communication, or circulation, is placed at one of the rear corners, the entrance being generally at the side, though occasionally at the rear—almost never at the front.




Fig. 31.


The characteristic assignment of the rear half of the main floor (sometimes, front) is to entrance, hall, stairs (up and down) toilet, and kitchen; the other half is assigned to reception and dining rooms.

A scientific basis for the study of the various floor plans cannot fail to be of assistance; for that purpose the following diagram, Fig. 31, is presented. A square about 2 inches on a side is divided into four squares, A, B, C; A is divided again into four square, and B likewise; these eight smaller squares and the two larger ones, C and D, are to be considered as miniature floor plans, being divided progressively and logically from 1 to 10. These ten may serve as types to which may be referred any of the chalet

plans which are given on the succeeding pages.

An example of 1 may be seen in the plan of the summer house on page 655 of


an actual chalet. This is made possible to a most gratifying degree, through the courtesy of Spring Frères of Geneva, Switzerland, whose plans for the chalet



Cellar Plan.

the December number; this plan with its porch is an example of 2. A number of examples, or slight modifications thereof, of 4, 5, 6, 7, may be noted.

of M. Chatelanat at Lausanne we are thus able to present. The disposition of the plan is a little unusual in that the long side faces the front. It will be seen



First Story Plan.


We could hardly do better at this point to show the results of these investigations of the elemental rules for chalet interior disposition and floor planning, than to present the four floor arrangements of

that the "husk" at the earth story (from cellar bottom to under side of main floor) is of stone 50 centimeters thick, or a trifle less than 20 inches; at the main story it is of stone a foot thick, and at the upper

story and roof story between 4½ inches and 5 inches.

The cross-wall running from left to


Fig. 31, though No. 4 practically covers the case, each floor being divided into four corner spaces, or rooms. The com-



Second Story Plan.

right, from cellar to roof, is approximately 8 inches thick at the earth story, 6 inches in the main story, and 4 inches


munication between the four floors, or stories, and the entrance way, is provided for in one corner of the plans, the stairs




Attic Story Plan.

in the remaining stories. The floor plans, as a result of this cross-wall, are brought under classes 3, 4 and 5 of our diagram,

occupying the extreme corner, and the communicating hallways the remaining portion of this section; the main point of



PLANS OF CHALET GIRAUD AT VARESE.




CHALET BERNARDINA NEAR VEVEY.

Parquet & Châlet Fabrik, Interlaken.




Front Elevation.



Main Floor.

CHALET AT GENEVA.

Ody & Co., Geneva.



A ZURICH CHALET PROJECT.

Jacq. Gros, Archt.

entry is at the center of the right-hand wall. A secondary entrance is into the kitchen at the rear. The division of the front half of the interior is maintained upward through three stories, thus providing for its double treatment, and the double treatment of its façade. At the top, this becomes triple, with a large guest chamber at the center and a narrow store room at either side. The main balcony is at the bedroom floor and encircles the building, except at the rear; it comes well within the protecting line of the gable at the front and the eaves at the sides. The balcony is supported on posts and brackets at the right wall, and by brackets at the other two walls. The balcony at the front of the roof story is supported by posts from the story below. The only remaining external structure is that of the entrance porch steps at the right-side wall.

The plumbing and heating systems are located at the middle of the rear wall

next to the kitchen and furnace chimney, with circulation to the right and front of them. The near portion of the stairwell, in the two upper stories becomes closet and storeroom space.

Unique features of the main floor are the window and wall seat, and table, at the inner corner of the hall; the toilet, and in the extreme left-hand corner, the *débarras*, or closet, and "office." The only objection to this arrangement would seem to be that the kitchen is not allowed sufficient lighting. The bedroom floor offers no unusual features, except, perhaps, the absence of closets, their place being taken by wardrobes; the presence of square cabinets at the head of each bed is characteristic of all continental bedrooms. The communication of the three bedrooms with the balcony is by case-ment doors, as indicated. In the roof story, the servant's room is shown at the rear.

(To be continued.)



A BERNESE CHALET.



LOFT IN THE SCHLEGEL BUILDING, NEW YORK.
Showing Automatic Sprinkler Equipment, With Exposed Pipe Suitable For Such A Structure.



SALESROOM IN THE COLGATE OFFICE BUILDING, JERSEY CITY, N. J.
Showing How An Open Pipe System May Be Submerged So As Not To Injure The Decorative Effect.

AUTOMATIC SPRINKLER EQUIPMENT OF LOFT BUILDINGS

ARTICLE I.

By E. P. BOONE.

DURING the last five years much has been said about the enormous fire loss in this country. Efforts have been redoubled in that period in a vain attempt to check the fire demon. Yet he seems to roll up a rich harvest each year in spite of all that is said, and that is being done by the way of fire-prevention and extinguishment.

The architect has given of his time liberally in the study of the subject, and has made effort, notably in city buildings, to combine safe and sane features with those artistic and ornamental. He has not only learned of the relative values of concrete and hollow-tile, but of fire-doors and wired-glass windows, metal trim, etc., and he has in many instances succeeded in having a building erected that was as near fireproof as a building could be before being tenanted. But with all his study, so far as I have been able to observe, little attention has been given to the protection of the contents against fire, until only within the last two years. The building may be of rugged, fireproof construction, with all horizontal and vertical openings properly protected, but when it is filled up with combustible contents, it presents a condition not unlike the old fashioned wood-burning stove, for when once the fire is well kindled, it will not only consume everything within, and attack the weakest part in the building construction, but it will also give off heat in a sufficient degree to ignite the contents of surrounding buildings. Perhaps this lack of attention to the protection of the contents may be a lack of knowledge; or possibly the thought that any automatic system of fire-protection, as, for example, automatic sprinklers,

placed on the ceilings, would ruin the appearance of the building, deters them. Injury to the decorations, the lighting effects, the causing of shadows and otherwise, it is their fear, would not enhance the value of the building from the investment standpoint; and when it came to having these so considered unsightly pipes containing water under pressure distributed on the ceiling, many were and now are the objections raised by the architect. Owing to what he considers a great danger: the possibility of a leak in the pipe somewhere, which sooner or later will flood the building, causing irreparable damage, raises another objection in the mind of the architect.

It is to be admitted that it is only within the last few years that the automatic sprinkler has sprung into prominence. After every great fire something has been said in the press about automatic sprinkler systems, but it is only recently that they have been given public recognition. It is to give the architect some idea of the value of an automatic sprinkler system, and the desirability of preparing the building to receive this form of protection, as well as to give a general interpretation of rules governing an installation, that this paper has been prepared.

Many attempts were made prior to 1870 to invent an automatic sprinkler head having a commercial value. Numerous systems of perforated pipes and rose sprinklers had been installed, but it was not until the Parmalee sprinkler was placed on the market (about 1874) that there was an automatic sprinkler head of commercial value in this country.

During the years from 1880 to 1885



THIS IS THE MAIN FLOOR OF THE MCCREERY STORE, NEW YORK.

An Example Of A Sprinkled Risk With A Concealed Pipe System. The Automatic Sprinkler Heads Are Inverted And Just Come Through The Ceiling. They Are Unnoticeable And Do Not Distract From The Decorations. McKim, Mead & White, Architects.

inclusive, several types of automatic sprinklers were placed on the market, including the Barnes, Brown, Burritt, Bishop, Buell, Gray and the early forms of Grinnell, all of which are now practically obsolete. The Buell sprinkler was one of the first types not having the solder exposed to the water. It was a common defect among the early sprinkler heads to have the solder exposed to the water, so that in many instances at the time of a fire the head would resolder, due to the water trickling out and reaching the solder before it was entirely fused. This cannot happen with any of the present day, approved automatic sprinkler heads, of which there are eleven.

From 1882 to 1885 the introduction of automatic sprinklers was slow, and from all accounts they were not favored either by the insured, who were ever mindful

of the possibilities of water damage, or by certain insurance companies for obvious reasons. To-day, however, one rarely hears of an objection on account of the possibilities of leakage, for the types of heads employed are guaranteed tight under 300 pounds pressure, and the insurance companies welcome their introduction and grant most liberal reductions in insurance rates.

In certain municipalities automatic sprinklers are required by law, as in certain portions of theatres and other houses of amusement, school houses, inaccessible basements, and in buildings of poor construction and hazardous occupancy in congested localities. Their introduction is not now confined to manufacturing establishments, but has extended to mercantile and loft buildings.

(To be continued.)





THE PACKARD SCHOOL, 35TH STREET AND LEXINGTON AVENUE, NEW YORK.
Builders: Hedden Construction Co. Henry F. Ballantyne, Architect.
Otis Elevators.
Plumbing Contractor: W. G. Cornell Co.
Metal Lath: Arthur Greenfield, Inc.
Star Expansion Bolts Used.

THE PACKARD COMMERCIAL SCHOOL


H. F. BALLANTYNE, Architect.

THE new building for the Packard Commercial School is located on the corner of Lexington Avenue and 35th Street, on a lot approximately 47 by 125 feet, with an extension about 25 by 42 feet on 35th Street. The purpose of the building is to provide suitable light, spacious class rooms for the school, together with a series of stores on the first floor. It is of the utmost importance that such a building should not only be perfectly light and express on the façade its

scholastic character, but it should also be of such a monumental character as is consistent with the age and dignity of the institution which it houses.


The style of the building might be described as Georgian, or rather a modern adaptation of that early American style sometimes called Colonial.

The most satisfactory and monumental way of obtaining the greatest possible light is by a columnar treatment, the interstices between the columns or pilasters being filled with an iron frame work, which by its contrasting color counts rather with the windows than with the masonry of the pilasters. The 35th Street façade of the school portion of the building is therefore treated with strong brick pilasters, which become columns of stone upon the Lexington Avenue front. These



SECOND STORY PLAN. THE PACKARD COMMERCIAL SCHOOL.

H. F. Ballantyne, Architect.



WINDOW SECTION.

DETAIL OF STONE WORK AND IRON WORK AT ENTRANCE. THE PACKARD
COMMERCIAL SCHOOL.

H. F. Ballantyne, Architect.

columns are engaged or connected with the wall so that, while retaining their dignity, there is no sacrifice of light.

The first story, containing the stores, is treated as a massive arcade, heavily rusticated, and of great depth of reveal, providing ample support for the columns above, and yet giving an abundance of light to the stores. The fifth floor, above the colonnade, is treated as an attic, pierced with triple windows over each bay. The lower portion of the building, the columns and entablature are of hand-cut Indiana limestone, and the jambs and trim of the entrance doors, together with the base of the building, are of semi-polished Green River granite, which is practically the same in color as the limestone, but which from its hardness and finish prevents the discoloration which would occur at these points, should limestone have been used throughout.

There are two main entrances to the building, one upon Lexington Avenue and one upon the eastern end of the 35th Street façade; two elevators and wide marble stairways which give access to the class rooms above by marble walled corridors.

The space on the first story not taken by the entrances is divided into four stores with a floor space of about 1,100 square feet each, except the end store on 35th Street, which contains about 1,500 square feet. These stores are well-lighted and have large basements provided with separate sidewalk lifts.


On the second floor are the main offices of the school, a reception room, handsomely paneled in oak, a private office, secretary's office and a library, together with the requisite stationery rooms and janitor's quarters. There are also two class rooms, one of which is very large.

On the third floor there are four large class rooms. Two of these can be thrown together by rolling partitions, forming a large lecture hall about 4,000 square feet in area.

On the fifth floor there are five class rooms similar in character to those below.

The building is of fireproof construction. Special attention has been paid to the ventilation and the lighting and it is equipped with a vacuum cleaning system, drinking fountains, and all modern safeguards for the convenience and safety of its occupants.





LOEW'S GREELEY SQUARE THEATRE, 6TH AVENUE AND 30TH STREET, NEW YORK. FIRST STORY PLAN.

Builders: Fleischmann Bros. Co.

S. S. Sugar, Architect.




S. S. Sugar, Architect.



LOEW'S GREELEY SQUARE THEATRE.

Builders: Fleischmann Bros. Co.
Electrical contractors: Edwards
Decorations: J. Coleman & Bro.
Switchboards and Panels: Metropolitan Electric Mfg Co.
Estdy Automatic Sprinklers: H. G. Vogel Co.



LOEW'S GREELEY SQUARE THEATRE. LONGITUDINAL SECTION AND DETAIL VIEW OF BALCONIES.

Builders: Fleischmann Bros. Co.
 Decorations: J. Coleman & Bro.
 Electrical Contractors: Edwards Electric Construction Co.
 Star Expansion Bolts Used.

S. S. Sugar, Architect.

DEPARTMENT STORE OF THE HIGBEE CO.

CLEVELAND, OHIO

AS an example of a thoroughly modern and well-planned department store for a small city, the building erected for the Higbee Company in Cleveland, Ohio, is in all probability typical. In plan the building has a frontage of about 105 feet and a depth of 184 feet on the side street. Above the first floor the depth of the building is 150 feet. The rectangular plan has been laid out into an even system of bays which possesses the advantage of making perfectly regular floor divisions. The building is of fireproofed steel construction. There are three Otis electric passenger elevators, and one freight elevator. These are all enclosed in fireproof partitions and are operated from the basement to the top floor. The doors and enclosures are of ornamental iron set with panels of

wire-glass. The stairway is enclosed in the same manner. The automatic sprinkler system is of the concealed pipe type usual in department store construction. The regular planning of the building has enabled an arrangement of the automatic sprinkler system so that there are four heads placed in each ceiling panel throughout all the open floor areas.

The exterior of the building is as representative of good design in department store work as the interior arrangements. The pilasters of the front indicate the divisions of the interior, and the regular bays and the window openings are as large as is practical. The exterior is entirely of glazed white terra-cotta with ornamental relief decorative courses at the first story level and the cornices.



APARTMENT AT 49 CEDAR STREET, CHICAGO, ILL.

Marshall & Fox, Architects.



THE STORE OF THE HIGBEE COMPANY, EUCLID AVENUE AND EAST 18TH STREET, CLEVELAND, OHIO.
Abram Garfield, Architect.

Otis Elevators.
"Solar Prisms." In Transoms and Sidewalk Lights: The Solar Prism Co.
"Peelle." Counterbalanced Fire Doors.
International Automatic Sprinklers.

Time is Money—Dilatory Methods Today are Intolerable. Cutting Down the Time and Cost of Freight Handling is the Thing that Counts

In planning new building and modernizing old, quick and economical method for freight and merchandise handling is of most vital importance. Today everything must be kept moving. Nowhere does this apply with greater emphasis than to the handling of merchandise and freight in Factory, Warehouse, Shop, Salesroom, Docks, Shipping Platform, Railway Terminal, etc. Every back-track, every stop, every transfer of load, every delay invites congestion—is a waste of time and money and should never obtain in the systematic conduct of any business. Buildings should be planned to meet this requirement.

Manufacturing and Business Buildings Equipped with the

Otis Inclined Elevator

Save 60% to 80% of the Time and Cost of Merchandise Handling



Otis Inclined Elevator

Capacity is enormously increased and freight handled far quicker and at a far less cost than it can be moved by any other method,—because **ONE Otis Inclined Elevator will Move More Freight in a Given Time than Six or Eight Vertical Elevators of the Usual Type, or Move More Freight in the Same Time than Fifty to One Hundred Men and Trucks Alone Can Handle.**

Running continuously in one direction, up or down, no time is wasted in stops to load or unload. No power is wasted in intermittent starting; no operator is required; there are no back-tracks; no stops for discharging and rehandling of freight—the movement is continuous from the initiation of the load until its final delivery at its destination.

Nor does it matter what the loads may weigh or how fast they come, the Otis Inclined Elevator will handle them. It cannot be overloaded. Its capacity is limitless. Ordinary installations will handle from 600 to 1960 loads per hour—by loads is meant loaded trucks or “wheelers,” with or without man,—and it will keep up this capacity year after year. An electric motor is all that is needed for operation and the power cost seldom runs to more than 50 cents per day.



Otis Inclined Dock Elevator

Without obligation our Engineering Department will supply full information, show the way to best meet specific requirements and submit estimate of installation cost. Correspondence invited. Write to us.

Otis Elevator Company, 17 Battery Place, New York

Offices in all principal cities in the world

When writing Advertisers, please mention Architecture and Building.

BOOK REVIEWS

THE DESIGN OF WALLS, BINS AND GRAIN ELEVATORS. By Milo S. Ketchum, C.E. Second Edition, revised and enlarged. New York: The McGraw-Hill Publishing Company. Price, \$4. net.

In this new edition of Mr. Ketchum's work, there have been added about 150 pages of new material, including illustrations. The book covers the advancement in engineering methods which has occurred in the four years since the first edition appeared. Chapters IV. and VII. have been entirely rewritten, and the new material includes two new chapters—IA and IVA. General material added throughout the book includes examples of retaining walls and additional formulae, methods and forms of construction, and a description of three additional reinforced concrete grain elevators. An appendix gives a brief resume of concrete, plain and reinforced.

The chapter headings are: the design of retaining walls; Rankine's theory; Rankine's theory modified; Coulomb's theory; design of masonry retaining walls; reinforced concrete retaining walls; effect of cohesion—stresses in bracing of trenches—stresses in tunnels; experiments on retaining walls; methods of construction and cost of retaining walls; design of coal bins, ore bins, etc.; types of coal bins, ore bins, etc.; stresses in bins; experiments on pressures on bin walls; design of bins; examples and details of bins; cost of bins; methods of handling materials; design of grain bins and elevators; types of grain elevators; stresses in grain bins; experiments on the pressure of grain in deep bins; examples of grain elevators; cost of grain bins and elevators; Appendix 1, concrete plain and reinforced.

LAMPS AND SHADES IN METAL AND ART GLASS. By John D. Adams. Popular Mechanics Company, Publishers, Chicago. Price, 50 cents.

This book is particularly designed for the amateur, and shows the methods of constructing electric lamp from light metal and glass. Drop lights, reading lamps, dining-room domes, mission chandeliers, hexagonal lamps and others are shown.

The first part deals with built-up shades, the second with soldered shades, the third with etched shades, and the fourth with sawn shades. All the fixtures can be easily constructed with simple tools. All the designs shown have detailed drawings accompanied by photographs of the finished fixture.

WOODWORKING FOR AMATEUR CRAFTSMEN. By Ira S. Griffith, A.B. Popular Mechanics Company, Publishers, Chicago. Price, 25 cents.

This is a small book which gives practical instruction on the proper use of woodworking tools, and the simple expedients used by good joiners in their trade. The first chapters of the book deal with the tools, and the latter chapters with the making of various objects, such as stands, a table, cabinet, etc. Throughout, the book is profusely illustrated with little line diagrams which often explain more fully than words the purpose of the writer.

ELECTROPLATING. A treatise for the beginner and for the most experienced electroplater. By Henry C. Reetz. Popular Mechanics Company, Chicago. Price, 25 cents.

This elementary text-book on electroplating is another of the Popular Mechanics' Series. It treats the subject in a way that you can understand, and contains numerous illustrations in connection with the text.

ELECTRIC TRANSMISSION OF WATER POWER. By Alton D. Adams, A.M. New York: The McGraw Publishing Company. Price, \$3. net.

This is a general treatise on the subject of the development of electric power by water and the transmission of the same to points of use. In view of the recent reports which have appeared concerning the water resources of the various States of the United States, this book possesses a general significance that should make it of value to many besides the hydraulic and electrical engineer. The text is descriptive and is very fully illustrated with photographic reproductions and plans and sections of power houses, turbine installations, pipe lines and canals for water transmission, electrical generator layouts, and diagrams of the machines. A most instructive portion of the book is that dealing with electrical transmission lines and their economic construction and maintenance. The chapters of the book cover the following subjects: Water-power in electrical supply; utility of water-power in electrical supply; cost of conductors for electric-power transmission; advantages of the continuous and alternating current; development of water-power for electric stations; location of electric water-power stations; alternators for electrical transmission; transformers in transmission systems; switches, fuses and circuit-breakers; regulation of transmitted power; guard wires and lightning arresters; electrical transmission under land and water, etc.

Barrett Specification Roofs



"Colnade" Apartments, Kansas City, Mo.
Sellers & Marquis, Roofers
J.W. McKecknie, Architect.

Best For Apartment Houses

THE "COLONADE" apartments in Kansas City, Mo., illustrated herewith, have Barrett Specification Roofs.

The owners selected this kind of roofing because they wanted first of all the least expensive roof which would give *proper protection*.

As a Barrett Specification Roof will last 20 years and over without care or attention and as its cost is less than that of any other permanent roof covering, they made no mistake on that point.

The owners wanted *low annual charges*, and Barrett Specification Roofs were satisfactory in that respect as they require no painting or care.

The owners also wanted *proper protection against fire* and as these roofs are considered by fire underwriters as slow burning construction and as such take the base rate of insurance, everything was satisfactory on that point.

It's always the same story—when ultimate costs and satisfactory service are carefully considered, Barrett Specification Roofs are selected.

Further information about Barrett Specification Roofs will be supplied free on request.

BARRETT MANUFACTURING COMPANY

New York Chicago Philadelphia Boston St. Louis Cleveland Pittsburgh
Cincinnati Kansas City Minneapolis New Orleans Seattle London, Eng.
Canadian Offices: — Montreal Toronto Winnipeg Vancouver St. John, N. B. Halifax, N. S.



Special Note

We advise incorporating in plans the full wording of The Barrett Specification, in order to avoid any misunderstanding.

If any abbreviated form is desired however the following is suggested:

ROOFING—Shall be a Barrett Specification Roof laid as directed in printed Specification, revised August 15, 1911, using the materials specified, and subject to the inspection requirement.

Art and Architecture

IN THE ARTS THERE ARE THE MOST ENDURING MONUMENTS OF MAN

Such is the underlying sentiment of a paper on the "Relation of the University to the Fine Arts" by Professor Edward Robinson, which appeared in the Columbia University Quarterly for December, 1911. In explanation of the importance of a study of the fine arts, Professor Robinson says that this study should be one of the great branches of university instruction, "—giving students the means of appreciating intelligently the great works of the past, of entering into the spirit in which the men of the great artistic periods of the world's history have expressed their highest aspirations, their most ideal selves, whether in poetry, architecture, sculpture, or painting." In further comment, there is at present no school or course of instruction in the Fine Arts in any university which presents the subject from Professor Robinson's standpoint. In closing he says: "Therefore I look, I hope I may say, with confidence, for the time when there shall be a thoroughly organized department of the fine arts, for the teaching of the various branches of the history of art, both ancient and modern, and for the training of specialists of which this country stands so much in need."

ARCHITECTURAL QUARTERLY OF HARVARD UNIVERSITY

This new architectural publication appears for the first time in March, and its purpose is to present in easily accessible form illustrations of important work done by the students in the architectural course at Harvard. The text will consist of contributions by members of the teaching staff, and graduates, and the paper will also provide a medium for the publication of special lectures which will be delivered at the school. In the first number there is an article on "Architectural Acoustics," by Professor W. C. Sabine, and an essay on "The Medieval Town Halls of Italy," by H. E. Warren. There are numerous illustrations.

At a special meeting of the San Francisco Chapter A. I. A., on February 20, 1912, there was a large attendance. Besides the regular members present, Messrs. Thomas F. Hastings, William Symmes Richardson, Henry Bacon and Robert Farquhar, who form the advisory council of the Panama-Pacific International Exposition,

HARRY BISSING

Consulting Engineer

Specialist in Lighting, Heating,
Ventilating and Stage Equip-
ment for Theatres and Halls

163 W. 42d STREET

NEW YORK

When writing Advertisers, please mention Architecture and Building.

were present as guests. All of these gentlemen made remarks concerning the architectural possibilities afforded by the site of the 1915 exposition.

THE EXHIBITION OF THE PITTSBURGH ARCHITECTURAL CLUB

The seventh annual exhibition of the Pittsburgh Architectural Club has just come to a close. It was as particularly notable for its good arrangement as for its exhibits. There were about 600 drawings and photographs on exhibition, as well as examples of decoration as it enters into architecture, mural painting, stained glass, cabinet work, interior decoration, etc. Mr. Henry Hornbostle exhibited some large pencil drawings of the New York East River bridges. The original drawings for the competition for the general plan of the Northwestern University and some of those now under way for the University of Pittsburgh and the Carnegie Technical Schools were also shown. Dwelling house architecture was represented by many exhibits. The four prize-winning designs for the Perry Memorial monument to be erected at Put-In Bay on Lake Erie attracted considerable attention. Exhibitions of students' work from the principal architectural schools of the country were also to be seen.

At the February regular meeting of the Philadelphia Chapter A. I. A. attention was called to the atelier now being conducted by the University of Pennsylvania, stating that besides the courses in elementary arithmetic and history of architecture now being conducted, a third course should immediately be started in construction. These courses consist of twenty-five lectures each. The work is being conducted under the direction of the Chapter.

On the subject of office practice, Mr. Boyd, in a brief address, outlined a document which should form a basis of understanding between the architect and the owner. Such a document might eventually be adopted by the Institute as one of its standards. It might present a combination schedule of charges, code of ethics, and rules for the control of competitions.

The Indianapolis Architectural Club, which was organized November 13, 1911, with thirteen charter members, has now reached a total membership of forty-five. The officers are C. W. Beelman, President; R. E. Backus, Vice-President; S. C. Duval, Secretary; T. L. Brookie, Treasurer; John Deery, Librarian; B. W. Day, Chairman Current Work Committee.

The club holds two meetings a month, and besides this is carrying on classes and lectures to which all club members have admission. The activities of the club are numerous, including prize competitions for various designs and special addresses before the club meetings. Professor Laird of the University of Pennsylvania is to deliver a special lecture. The lectures and classes are held at the John Heron Art Institute.

I. MORITZ, Prop.

Telephone 164 Plaza

Architectural Metal Works SKYLIGHTS

CORNICES AND ROOFING
CORRUGATED IRON WORK

1192-1194 SECOND AVENUE

NEW YORK

NATIONAL ACADEMY OF DESIGN EXHIBITION

The 87th annual exhibition of the National Academy of Design opened in the galleries of the American Fine Arts Society at 215 West 57th street, on March 9, and will continue until April 14. According to the rules, only exhibits of original work in oil and sculpture are eligible; further, these must be works of living artists that have never before been publicly exhibited in New York City. This latter clause was not strictly adhered to, however, space being allotted to William St. John Harper's "Winter's Veil" and to "My Bunkie," by Charles Schreyvogel. It was announced that the entire South Gallery would this year be devoted to the exhibition of sculpture, but as a matter of fact the representation of sculpture is exceedingly small in extent (the exhibits are 25 in number) as well as in the individual pieces. The most prominent work is the "Tortoise Fountain" by Janet Scudder, which occupies a position in the center of the middle gallery and is in operation. It is a bronze of very charming and graceful design. As to the special awards, the Julia A. Shaw memorial prize was won by the "Portrait of Mrs. John Henry Hammond and Daughter," by M. Jean McLean; the Saltus medal by "The Hills," by Bruce Crane, N. A.; the Inness gold medal went to Albert Groll, N. A., for his "Lake Louise, British Columbia"; Charles Rosen won the first Hallgarten prize with "A Rocky Ledge" and Everett L. Warner took the second with "Along the River."

There are an unusually large number of unusually pleasing portraits. One of the most delightful is "Little Jane B.," by Hilda Belcher. The American Indian and scenes from his country are apparently receiving each year a little more of the attention that they deserve from American artists. There were several such in this year's exhibition. "In the Sun," by Frederick C. Frieseke is a puzzle. A nude female figure, a glimpse of a pool, sunshine and foliage in abundance, a very modish striped parasol, and a heap of something that might be the discarded clothing of the young lady. The conception of the picture seems false; it is too modern to be allegory, and too allegorical to be modern. It seems captious, however, to waste space when space is limited, to find fault, leaving so much that is good unnoticed. There seems an unusually large number of pictures that recommend themselves, in size and in conception, to the ordinarily cultured person for the decoration of his walls, which may or may not seem flattery to the artists.

When writing Advertisers, please mention Architecture and Building.

HAVE YOU SEEN THE LATEST GARDEN NOVELTIES?

THEY include musical Garden ornaments, concealed lawn chimes, combined rose bush fountains with chimes (with or without electric illumination). Smaller models for table decoration. These novelties are placed on the market this season for the first time. These chimes can be concealed by flowers or vines, and the least breath of air will produce the sweetest tones, coming apparently from a distance. We also have a full line of all kinds of garden furniture, vases, settees, fountains and all other garden beautifiers. Write for Catalogue.

AMERICAN GARDEN BEAUTIFYING CO.

430 Fourth Ave., NEW YORK

A. S. JAKOBSON, Inventor

322 Degree Mason

BRANCH

800 Schenck Ave., Brooklyn, N. Y.



Patented, March, 1910
A rose bush fountain
with or without illumination.

J. COLEMAN & BRO.

Painters and Decorators

1835 Lexington Avenue
NEW YORK

Decorators for
Greeley Square Theatre and
Delancey Street Theatre
New York

S. S. Sugar, Architect

The Marble & Shattuck Chair Company

CLEVELAND, OHIO

Makers of Fine Chairs



NEW YORK OFFICE
815 Marbridge Bldg., 47 West 34th St.

CHICAGO OFFICE
804 South Wabash Avenue

Fireproofing and Fire-Protection

MR. G. W. STEWART

FIRE IN CITY INVESTING BUILDING

A fire which occurred in the City Investing Building on February 15 is of particular interest as pointing to small defects which may not be considered as serious at the time of the original construction and yet may develop into a serious menace on the occasion of a fire. Superintendent F. J. T. Stewart of the New York Board of Fire Underwriters says:

"The damage was mostly confined to the electrical equipment inside the shaft, consisting of cables and insulation on same; also the electrical elevator control apparatus at 32d floor. There was considerable damage to woodwork used in roof construction; the sloping roof of the 32-story portion is covered with sheet copper on wooden purlins about 2x4 inches, set 28 inches on center between 2-inch tile on T irons; this portion of roof also had two small thin glass sidelights in wood sash, which burned out and afforded a vent for the fire. A few wooden coat and hat racks in porters' closets, over doors to shaft, were also slightly damaged.

"While the fact that this fire did not result more seriously is quite a tribute to the building, from the viewpoint of fireproof construction, it has, nevertheless, developed two interesting points of weakness. First, is the introduction of unnecessary inflammable material inside the wire shaft. Second, the use of wood nailing strips in connection with the roof construction over the 32-story portion. This seemingly unimportant detail, together with the ordinary wood sash windows in the same roof, is responsible for considerable damage which would otherwise have been avoided."

THE VANDERBILT HOTEL FIRE

We quote another report by Superintendent Stewart, which shows very creditably for the thorough construction of this new hotel.

"The fire, although intensely hot, was confined to the floor where it originated and largely to the north half of the floor. The absence of all woodwork in the interior construction and trim afforded the fire but little opportunity to spread. The steel corridor doors to rooms and floor openings withstood the fire well and held it in check wherever they were closed. The doors into several of the rooms were, however, open at the time, thus permitting the flames to enter nearly one-half of the rooms on the floor. The loss was confined chiefly to the new furniture and carpets stored in bulk at the point where the fire

(Continued on page 24)

Safeguard Your Property

A small investment protects your big investment—like paying a slight premium on a big insurance policy.



NEWMAN Watchman's Clock

Is the Time Detector System that protects you. It safeguards your property. It keeps your watchman "on the job." It is absolutely tamperproof, has the simplest key registration mechanism and is made of the best material money can buy. Cheap, ordinary Watchman's Clocks are worthless—the sharp watchman can "beat" them. Not so with the NEWMAN—this system defies all tricks—and it lasts indefinitely. Write today for our proposition—it will protect your big investment.

NEWMAN CLOCK COMPANY

Largest Manufacturers of Watchman's Clocks in America

New York
178 Fulton St.

London
2 and 4 Whitechapel Road

Chicago
1526 Wabash Ave.

When writing Advertisers, please mention Architecture and Building.

Of Course

**You Will Protect That New
Building With Automatic
Sprinklers**

Let Us Estimate On Your Plans

EVERY INSTALLATION OF



put in by us represents quality of the very highest type,
Because

¶ We manufacture the Sprinklers and almost all the other parts for the complete installation.

¶ Our engineering staff has behind it the experience of many years in the laying out of thousands of entire installations.

¶ Our erecting staff, an expert organization which has put in these outfits, frequently in plants in full operation, is exceptionally well trained in installing the complete system.

¶ Our thoroughly equipped manufacturing plants, our branch offices, and well-stocked warehouses, scattered all over the United States and Canada, avoid the annoying delays incident to distance.

¶ In other words, we are ready to lay out a system, get right on the job and push it to a finish. Send us your plans and let us make an estimate. It will cost you nothing, and may save your client a great deal of trouble and expense.

GENERAL FIRE EXTINGUISHER CO.

EXECUTIVE OFFICES: PROVIDENCE, R. I.

40-34

ROCKWOOD SPRINKLER CO.

Manufacturers, Engineers, Contractors
FOR

COMPLETE AUTOMATIC SPRINKLER EQUIPMENTS

Approved by All Insurance Interests

NEW YORK OFFICE
UNDERWRITERS' BUILDING

123 WILLIAM STREET
NEW YORK

Telephone, 980 John

started, most of which was destroyed or seriously damaged. The damage to the building was comparatively slight and confined strictly to the fourth floor except some water damage to the first floor ceilings, the intermediate floors apparently having suffered no injury. The plastering on the fourth floor was scaled off where the fire was hottest, but the tile furring and under side of cinder concrete arches were not damaged.

"The confinement of this intensely hot fire to a relatively small space on the floor where it originated was doubtless due to a great extent to the fact that all openings into stair and elevator shafts and also those in corridor and room partitions were provided with fire doors, and to the absence of all wood or other combustible material in the interior trim and finish of the building, thus illustrating the marked advantages of this character of construction. A fire of this nature in a building less thoroughly fireproofed would most likely have resulted in a far more serious loss, if not the practical destruction of the building."

THE OFT-REPEATED STORY OF THE SHINGLE ROOF

According to the papers of February 21 and thereafter, a fire occurred in Houston, Texas, on that date, which razed 25 blocks and destroyed \$5,000,000 of property. The fire started in a small one-story frame building and sparks and brands were blown by a high wind to nearby shingle roofs on frame structures. The result was inevitable, and the fire spread to mills, factories and manufacturing plants, destroying everything in its path and was only checked at Buffalo Bayou, a small stream that intercepted its course.

FIREPROOF DIGEST

This is the title of a new publication which has appeared with its first issue in February. The appearance of the publication is promising, and it has a new field before it—that of a popular magazine of fireproofing and fire prevention; one that will appeal to the general reader who has a serious turn of mind. The preparation of the paper is most excellent. It is superbly printed, and the illustrations appear to the best advantage. The articles relate to the general subject of fireproofing and fire-prevention and are of a more or less popular nature.

(Continued on page 26)

Consolidated Chandelier Co.

MANUFACTURERS OF

Gas and Electric Fixtures

132-136 W. 14th St.

NEW YORK CITY

Build
with

Berger's

Metal Lumber

It replaces wood stick for stick in the superstructures of residences and medium-sized buildings—is used successfully in conjunction with structural steel in larger buildings.

Metal Joists can be used with any exterior wall construction and provide a shock-proof and non-combustible superstructure that is practically indestructible.

Write for "METAL LUMBER"
It gives details. Free on request.

New York
Boston
Philadelphia
Atlanta


THE
Berger Mfg. Co.
CANTON, OHIO

Chicago
St. Louis
Minneapolis
San Francisco

We also manufacture Metal
Ceilings, Sidewalk Forms,
Sidewalk Lights, Multiplies,
Rib-Truss and Ferro-Lithic
Plates, Metal Lath, etc.

When writing Advertisers, please mention Architecture and Building.

Send Your Order Now
for
Garages
and
Motor Boat Houses



This Book Contains Five Divisions

- Part I. Private Country and Suburban Garages.
- Part II. Private City Garages.
- Part III. Suburban and City Public Garages.
- Part IV. Motor Boat Garages.
- Part V. Garage Equipments and Accessories.

There are 136 illustrations of Garages and Motor Boat Houses consisting of interior and exterior photographs and plans. These are from the designs of twenty-four well known Architects.

Text and illustrations compiled by
Wm. Phillips Comstock
Editor of the "Architects' and Builders' Magazine"
Bound in Cloth and Art Paper, size 7½ x 10½
PRICE, \$2.00

The Wm. T. Comstock Co.
23 Warren Street, New York

**DETAILS OF
BUILDING
CONSTRUCTION**

BY

CLARENCE A. MARTIN, Archt.

A collection of thirty-three plates, 10 x 12½ inches, giving over 300 separate details, covering all the ordinary methods of building, and in many cases showing alternative methods. The plates are models of detailed drawing, and the text is in the forms of notes lettered on the drawings. *Buckram. Price, \$2.00.*

WM. T. COMSTOCK CO.

Publisher

23 WARREN ST., NEW YORK CITY

Knoburn

Fireproof Doors
Fireproof Windows

**KNOBURN
COMPANY**

359-63-14th St.
Hoboken N.J.

When writing Advertisers, please mention Architecture and Building.


Fire Protection



The SIMMONS LINE of Fire Equipment Specialties embraces everything designed for the protection of life and property.

"Simmons" Siamese Connections

Made in Brass or Iron, with heavy checks, finished trimmings. Highly efficient and fully guaranteed.



By installing such dependable specialties as are herein shown you offer your clients absolute protection against appalling losses by fire, and a certain decrease in the cost of insurance.

"Simmons" Swinging Hose Reel

Improved design made in iron, bronzed, japanned or electroplated. Made to harmonize with any furnishings. Last word in quality and efficiency.



Fully 75% of heavy losses by fire—daily chronicled in the newspapers—are due to negligence. Should the building be properly equipped with the "SIMMONS" Specialties thousands of dollars and many lives would be saved.

"Josico" Angle Hose Valves

This is practically the keystone of safety on a standpipe system, yet how little attention is paid to its installation. Eliminate the element of chance by specifying it in the future, which means that you'll have an appliance of the highest efficiency as to quality, finish, etc.

Catalogues, cuts and other data gladly sent on application.

John Simmons Co.

102-110 Centre St.,

New York

TO IMPROVE FIRE HOSE

Sec. Wentworth Urges It Be Brought Under Governmental Regulation

Boston, Mass., Jan. 16, 1912.—Speaking here tonight at the fifteenth annual banquet of the Boston Credit Men's Association, at Young's Hotel, Franklin H. Wentworth, secretary of the National Fire Protection Association, declared that if the manufacturers of fire hose are not willing voluntarily to improve the quality of their product their business should be brought under Governmental regulation. "An act of Congress was necessary," he said, "to protect the people from the poisons of adulterated drugs; and a like enactment may be necessary to protect them from shoddy fire hose. It would seem that those industries which thrive upon the common dangers and misfortunes should be especially sensitive to their public responsibilities in the furnishing of an honest product. Unfortunately, as our fire dangers and fire waste have increased, the quality of public department fire hose has deteriorated. Every piece of hose which bursts at a fire may cause loss of life and must necessarily cause loss of property by delaying the extinguishment of the fire. From Maine to California there come to my desk almost daily reports of bursting hose. There is no excuse for this except that it makes a market for hose. The manufacturers can make a hose that will not burst. At a fire in Norwich, Conn., the other evening, Chief Stanton was compelled to cut a piece of hose that had been in constant use by his department for twenty-three years. The hose manufacturers are not selling that quality of hose to fire departments today, and do not wish to.

"There has always been more or less of a mystery regarding the make-up of fire hose and this has been fostered by those engaged in its manufacture. Very few buyers or users have had sufficient technical knowledge of the ingredients used or of their assemblage to enable them to prepare specifications sufficiently well balanced to insure the receipt of fire hose of the quality desired. Municipal authorities and fire departments have been obliged to accept the statements of the manufacturers or their sales agents and to purchase fire hose without any real information as to the quality of the goods paid for.

"This has led to the establishment of the present almost universal practice of selling fire hose under 'trade names' or 'brands' which are supposed to indicate and in many cases undoubtedly have indicated the quality of the materials supplied. In consequence, where the better qualities of fire hose have in the past been secured, a very strong inclination is found on the part of the fire departments to continue to buy the particular brand which, in their opinion, has given good service. This is natural and so long as the trade name represented the high quality of materials which was responsible for its good reputation, no great danger existed."

STOP THAT FEARFUL FIRE LOSS

Think of it!! \$20,000,000 worth of merchandise and other valuable property burned up in New York State alone in 30 days, together with terrible loss of life

THE ESTY SPRINKLER

Would Have Prevented All of It

It reduces insurance rates in handsome proportions
Its use means safety and protection against fire


For particulars address

H. G. VOGEL COMPANY,

Chicago, Ill., Western Union Bldg.
Boston, Mass., 31 Milk St.

Cincinnati, O., Union Trust Bldg.
Buffalo, N. Y., Elliott Sq. Bldg.
Philadelphia, Pa., 3d and Chestnut Sts.

Executive Offices
12-14 Walker St., New York City
Lancaster, N. H., 59 Mill St.
Montreal, Can., 628 St. Paul St.



MICA SEATED VALVE

Thomas Morton,

169 Elm Street,

New York.

Copper Cable
Steel
Champion Metal
Steel Champion

SASH CHAINS.

CHAINS For Suspending Heavy Doors, Gates, etc.
ALL of SUPERIOR QUALITY.




COPPER CABLE CHAIN



CHAMPION METAL CHAIN

MINERAL WOOL
FIRE
SOUND
VERMIN **PROOF**



CHEAP AND
EASILY APPLIED
United States Mineral Wool Co.
140 CEDAR STREET, NEW YORK
SAMPLES FREE



S. H. POMEROY CO., Inc.
Successor to Voigtmann & Co., of New York
Manufacturers of Fire Windows
427 West 13th Street, New York

Practical demonstration at Washington Square Fire, March 25th, showing the integrity against fire and how utilized by Fire Dept. in fighting fires across alleys. By virtue of closing automatically the protection is constant and not subject to neglect as is common with Fire Shutters.

WASH METHOD OF HANDLING WATER-COLOR. By Frank Forest Frederick, Director of School of Industrial Art, Trenton, N. J.

"THIS LITTLE book affords a stimulus to the use of water-color as practiced by the earlier painters, whose beautiful work is unexcelled."—Inland Printer.

Price, postpaid, 50 cents

SIMPLIFIED MECHANICAL PERSPECTIVE. By Frank Forest Frederick.

A BOOK of simple practical problems, with sufficient explanations to make it a good text book. It aims to develop "the perspective sense" as well as to teach the drawing of lines.

Price, postpaid, 75 cents

HANDWORK IN WOOD. By William Noyes, Assistant Professor Department of Industrial Art, Teachers' College, Columbia University.

A COMPREHENSIVE and scholarly treatise on wood and woodworking, from the survey of the forest to the finished article. Ten chapters, references at the end of every chapter. Bibliography. 304 illustrations.

Price, postpaid, \$2.00

Send for the "Approved List of Books on the Manual Arts"

THE MANUAL ARTS PRESS
600 German Fire Insur. Bldg., Peoria, Ill.

JUST PUBLISHED

Practical Cement Work

By W. B. HENRY

PRICE, 50 CENTS

A book that will be of assistance to you every day in the week, no matter what line of cement-concrete construction you are engaged in.

Neatly Bound in Cloth

112 Pages—4½ x 6½

CONTENTS:

Portland Cement, The Unit of Purchase, Storing Cement, Sand, Aggregates, Mortar, Formulas, Mixing Aggregates, Concrete, Reinforced Concrete, Form Building, Waterproofing, Coloring, Cost Data, Testing Cement, Foundations and Walls, Cement Houses and How they are Built, Cement Plaster and Stucco Houses, Water and Steam Curing, Condition of Seasoning Blocks, Sand Lime Brick, Sidewalks, Floors for Cellars, Basements and Stables.

Address

THE CONCRETE AGE

ATLANTA

GEORGIA


DEPARTMENT CONSOLIDATION

At the monthly meeting of the Wychoff Heights Taxpayers' Association, Adam E. Fischer, a New York architect, offered a resolution which embodied the following recommendation: "We recommend that the work now being done by the Bureau of Fire Prevention, Health, Water, Tenement House and Building Departments, where applicable to the construction and alteration, as well as to the inspection of buildings, be consolidated under one head, thereby fixing the responsibility, reducing the cost of maintenance to a reasonable amount,"—Resolutions of this character which involve the re-organization of city departments, often appear, but the actual work of such re-organization is not only difficult, but expensive, and with the usual entry of political influence, it is doubtful if such a movement would be a real advantage when put into effect.

A paper entitled "The Arrangement and Layout of the Machine Shop" was delivered by Mr. W. T. Walters before the American Society of Engineer Draftsmen on March 21. The assumption was made in the beginning that a proper building was in existence which answered all requirements. The paper was synthetically developed, and delivered in a concise, tabulated form, presenting the possibilities that might be met in designing a machine shop for different classes of manufacture. It was a useful presentation of the idea, and one that might be used to advantage by an architect who was called upon to design a mill or factory building to contain a machine shop, in that given the requirements, he would have a better grasp of the uses to which the building was to be put and could therefore better its design.

Two papers read before the American Society of Engineer Draftsmen on February 15th attracted a considerable audience. One related to the "Training of Draftsmen" by Prof. F. G. Higbee, and the other to "A Number of Common Faults of Draftsmen," by William F. Turnbull.

GORTON WROUGHT STEEL BOILERS



are built on the lines of power boilers to secure durability, safety and highest economy in fuel consumption.

THEY ARE SELF-FEEDERS, and require coaling only twice a day in coldest weather.

They are high grade in every sense of the word—none better—they have no equal.

Send for catalog and investigate for yourself their superiority.

Gorton & Lidgerwood Co.
96 Liberty Street, NEW YORK
BOSTON, 182 High St.
CHICAGO, Fisher Bldg.

Roman Cities in Italy and Dalmatia

By A. L. FROTHINGHAM, Ph. D.

Professor of Ancient History and Archaeology at Princeton University.

A picture of Ancient Italy and pre-Augustan Rome drawn from her rivals has not yet been made. This book is a first sketch for such a picture in popular form, and the work gives a most interesting account of these ancient cities. It is illustrated by many full page plates showing the various buildings and their decorative features, also interiors and details. Architects and students will find it a most interesting volume to add to their libraries. Sixty-one page plates, Cloth, price net, \$1.75; postpaid, \$1.90.

For sale by

THE WILLIAM T. COMSTOCK COMPANY, Publisher, 23 Warren Street, N. Y.

STANLEY'S Ball Bearing Hinges



Permit the doors to open smoothly and softly without creaking or binding.

The hinges will never wear down or require oiling.

NON-RISING PINS

The whole story is told in our Circular "B."
Write for a copy.

THE STANLEY WORKS
NEW BRITAIN CONN.

Sanitary Engineering of Buildings

A Standard Book on Sanitation

By Wm. Paul Gerhard, C. E.

Consulting Engineer for Sanitary Work

THIS practical work takes up the subject of sanitation of buildings, devoting considerable space to the traps and systems of trapping, to the drainage and sewerage of buildings, different classes of plumbing fixtures, the sanitary work in tenement houses, improved methods of house drainage and public buildings. Also the sanitation in factories and workshops. The work is fully illustrated and will be found of value both to architects and engineers. The chapter devoted to **SIMPLIFIED PLUMBING METHODS** is considered by many one of the best in the book.

454 pages, 103 illustrations and
six plates. Buckram, \$5.00.

The Wm. T. Comstock Company
Publishers

23 Warren Street, New York

Dixon's Silica-Graphite Paint

Protects the structural steel work contained in such important buildings in New York City as the McAdoo Terminal Buildings; American Woolen Company's Building; Gimbel Department Store; Savannah Bank & Trust Company's Building, Savannah, Ga.; the Royal Insurance Company's Building, San Francisco, Cal., and numerous other structures.

Write us for "Notable Building List," and other paint literature

Joseph Dixon Crucible Co., Jersey City, N. J.


TELEPHONE 885 MURRAY HILL

Edwards Electrical Construction Co.**39 EAST 42d STREET, NEW YORK**

FORMERLY CONTRACT DEPARTMENT, EDWARDS & CO. ESTABLISHED 1872

Industrial Progress**COAL HOLE COVER AND VENTILATOR**

A new device has been placed on the market by the Brooklyn Vault Light Company, which is a vast improvement over the ordinary type of coal-hole cover or manhole cover which is employed in city buildings everywhere over sidewalk vaults and coal chutes into the basements.



This device, as shown by our illustrations, combines with the ordinary coal-hole cover a ventilator. The ventilator rests just below the cover, and when it is desired to obtain a circulation of air through the opening, the top cover may be removed and the lower or ventilating cover lifted into place and brought to the level of the side-

walk. The sectional illustrations explain the working fully. The cone lock engages a hook in the bottom of the top cover and is fastened by means of an ordinary chain to a hook or fastening in the cellar or vault below. When the chain is released, the upper cover may be raised, the cone unhooked, the ventilator cover raised into position, and again fastened securely by the chain, by means of this cone, as shown in the lower illustration. The great advantages of this device, which is known as the duplex safety coal-hole cover and ventilator, are the simplicity of its operation and the cone lock which provides a fastening for both top cover and grating when either are in use. Further circular matter descriptive of this invention may be obtained from the Brooklyn Vault Light Company, 262 Monitor St., Brooklyn, N. Y.

The Osborn Engineering Company announces that on and after April 1, 1912, their main offices will be located at 740 Engineers' Building, Cleveland, Ohio.

SPRING IS HERE

and with the flowers that bloom in the spring come the candidates, ornithological, political, etc. Promises are as abundant as buds on the peach tree. The point we make is, what will be the performance, the fruit, for, like Harriman, "we are practical men."

The sparrow begins at dawn with a brave chirp, but up to dewy eve he has not evolved anything fuller than a repetition of that noise, thin as tin.

The lustrous starling sits on our fence, opens his great yellow bill and promises something wonderful, but to date it has amounted to nothing more than a raucous disappointment. Robin red-breast on our lawn, and spotted thrush in our wood, trill out music that satisfies from promise to performance. Next spring we will choose these two ornithological candidates without giving the others even a trial, for they have made a record.

*(Continued on page 32)***INTERIOR MARBLE**

Material and work the standard for 14 years. Our reputation the best positive evidence as to our superiority.

CORK & ZICHA MARBLE CO., - - 325-327 East 94th St., NEW YORK

When writing Advertisers, please mention Architecture and Building.

**-Are You One of
the Architects
Who Are Specifying
This Cabinet?**

Many of the most eminent architects in this country, who are particular in every detail and hence obtain a greater composite result, are most careful to specify the



"Onliwon" Toilet
Paper
Cabinet
"It Stops Waste"

Unlike the old styles, which left the paper exposed and destroyed the otherwise pleasing effect of the toilet room, the "Onliwon" is unobtrusive and seems to fit right into the whole artistic scheme. Handsomely nickel plated, rounded corners, automatically delivers two sheets.

Send us a post card today for our "Literature for the Architects," and you'll certainly specify the "Onliwon" in your next plans.

A. P. W. PAPER CO., Sole Mfrs.
101 East Colonic Street, Albany, N. Y., U. S. A.

Badger Quality



Copper Hot Water **BOILERS**

are all that can be desired in a Range Boiler.

**LONG LIFE
CLEAN WATER
Beautiful Appearance**

Every boiler is tinned on the inside and guaranteed against leakage or collapse.

Write for Catalog

E. B. Badger & Sons Co.
BOSTON, U. S. A.


A POPULAR CLUB

The STUDENTS' AND DRAFTSMEN'S LIBRARY CLUB



MANY of our readers are taking advantage of the **SPECIAL TERMS** it offers for securing an Architectural or Technical Library on **Small Monthly Payments.** If interested, write for particulars and list of books offered.

THE WILLIAM T. COMSTOCK COMPANY
23 WARREN STREET NEW YORK CITY

JOIST HANGERS

Don't cut away your timbers or depend on flimsy spiking.
We make hangers adapted to all conditions.
More than 100 stock sizes.

LANE BROTHERS CO.
(The Door Hanger People)

Railroad Avenue Poughkeepsie, N. Y.

Weather Vanes

**Lightning Rods
Church Crosses
Flag Poles**

and

Fittings

Etc.



Send for Catalogue

THOS. W. JONES

153 Malden Lane
New York

Telephone Connection

ARTHUR GREENFIELD, Incorporated

**REINFORCED CONCRETE FLOORS
IRON FURRING and METAL LATHING**

Telephone Connection

204 EAST 26th ST.

NEW YORK

PRENTISS
ELECTRIC CLOCKS
PROGRAM **CALENDAR**
SELF-WINDING
Dept. 11, 92 Chambers St., N. Y.

The political candidates are springing up everywhere. Their promises fill the air. The people will choose the man who will be strong on performance. Will it be the pedagogue from Jersey, Teddy, the perpetual candidate, the lion of the Buckeye State, the Epictetus of New York, the trumpet of Wisconsin, Clark, Underwood, favorite sons, a dark horse, or Billiken, who says he is the "God of things as they ought to be"?

The paint candidates also bloom in the spring. Examine their composition and record. The National Hardware Bulletin of October 1911 urges users to shun protective paints that use petroleum or its products as a vehicle or adulterant. Dixon's Silica-Graphite paint uses only pure, boiled linseed oil as its lasting and elastic vehicle. There is a persistent cling and resistance to abrasion about it because of the paint's silica ingredient. The graphite in it makes it a peerless paint for unctuousness and resistance to gases, brine, acids, ice, damp, heat and cold. It costs a little more, but it is economical because of longer service, thus saving in labor and material.

The record tells. We have made Dixon's Silica-Graphite paint in one quality only for nearly fifty years—four colors. Use it in original cans, and see that the contractor does not adulterate, and that he steel-brushes the surface. Used around the circle of the world on leading railroads, bridges, buildings, pipes of all sorts, fences, gas tanks, water towers, trolley poles and trucks, roofs, steel cars, and wherever there is steel or iron to protect from corrosion.

Spring is here. You will be examining your steel work after the winter's wear. Use peerless Dixon's Silica-Graphite paint to protect it. Made in Jersey City, N. J., for all the world.


From "Graphite" for April.

The Lea Equipment Company have just issued a pamphlet descriptive of several types of high-duty, turbine pumps, or centrifugal pumps, such as they manufacture. These pumps are thoroughly adaptable for fire service and a list of four standard sizes together with the number of 1½" streams each will supply at 100 pounds pressure is given. A curve of the efficiency is presented, as well as a diagram of the structural features of the pump. This firm has moved its general offices to Philadelphia in connection with its works.

(Continued on page 34.)



Architects and Builders should investigate **EVANS "CRESCENT" EXPANSION BOLTS**
WITH DOUBLE END GRIP EXPANSION
 Constructed on NEW lines. Grip at BOTH ENDS, and on ALL sides. Cannot work loose.
 Send for Catalogue and samples screwed into blocks of wood or stone.
 Agencies in all large cities **F. H. EVANS** (Patentee and Sole Manufacturer) 31-33-35 Hewes St., Brooklyn, N. Y.



Van Dorn's Steel Joist Hanger
IS THE BEST OBTAINABLE
 Send for Catalogue and refer to this Magazine
THE VAN DORN IRON WORKS CO.
CLEVELAND, OHIO
 Steel Buildings, Wrought Iron Fencing, Iron Bridges, Jail and Prison Work, Metallic Office Furniture, etc.




No. 1 Steel Joist Hanger for Wood Header

O. 4 Steel Joist Hanger for Brick Walls

BOYD EQUIPMENT COMPANY
 CONTRACTING ENGINEERS
HEATING PLUMBING ELECTRIC
COMPLETE POWER PLANTS 373 Fourth Avenue, NEW YORK

The A. B. See Electric Elevator Co.

Main Office: 220 Broadway, New York

PHILADELPHIA
Land Title Building
Broad and Chestnut Sts.



BOSTON
India Building
84 State St.

BALTIMORE
Stock Exchange Building
210 East German St.

WASHINGTON
Barrister Building
635 F St., N. W.

HARTFORD
Connecticut Mutual Life Building
36 Pearl St.

FARRAND'S SELF-CLINCHING NAILS
 These Nails fasten direct to Hollow Tile and save the time, expense and anxiety of preparing Fireproof Walls to receive Nailing Grounds. They do away with the necessity of burying combustible wooden nailing blocks in the heart of the wall and afford full freedom for changing plans or correcting errors in the location of interior woodwork. Also used for attaching fixtures to all types of finished hollow walls.
SELF-CLINCHING NAIL COMPANY, 44 N. Fourth St., Philadelphia, Pa.

Patented July 12, 1910.

FREIGHT ELEVATORS

For Hand, Belt and Electric Power

Our belt power machines have Hindley Type of Worm Gearing and Ball Thrust Bearings, which reduces the friction to a minimum and increases the easy running qualities.

DUMB WAITERS

CELLAR HOISTS, Etc.

Catalog and prices upon request

J. G. SPEIDEL, Reading, Pa.

Plate Glass **Window Glass**
 Skylight and Floor Glass. Rolled Cathedral, beautiful tints. Embossed, Enameled and Colored Glass. A full stock of Plain Window Glass. Every Variety for Architects' and Builders' Use.
BENJAMIN H. SHOEMAKER, 205, 207, 209, 211 North Fourth St., Philadelphia, Pa.

When writing Advertisers, please mention Architecture and Building.

A Primer of Architectural Drawing

For Young Students

By Wm. S. B. Dana, B. S.

(Mass. Inst. of Technology)

Being a progressive series of DRAWING BOARD PROBLEMS, the embodiment of the author's teaching in the Mechanics' Institute of New York City.

Intensely practical in that theory is obliterated by the author's system of CONSTRUCTION ON PAPER.

This book makes a strong appeal, because it is interesting and the shortest course to a practical knowledge of the elements of architectural structural drawing yet evolved.

There are twenty-five problems, each illustrated by a plate and with 161 explanatory detail figures.

The Problems cover the following subjects:

Floors and Walls of Brick, Stone and Wood.
Framing of Floors, Walls and Roofs.
Development of Roof Forms.
Section of a Frame House.
Bricklaying and Bonding.
Brick Walls: Doors: Windows and their Casings.
Stairs, Wood and Iron.
Construction of Fireplace or Chimney.

154 pages, cloth, pocket size. Price \$1.25

PUBLISHER

The Wm. T. Comstock Co.
23 Warren St., New York

The subject of lubrication for mechanical installations, even the smallest of isolated plants, is one which requires study so that the maximum economy may be obtained while the plant is in operation. In designing a mechanical plant for a building of any size, an architect is dependent upon the mechanical engineer for his assistance and advice. Yet the architect requires a general knowledge of the subject. Complete lubricating systems which pipe the oil from a central reservoir direct to all the machinery, re-collect and clean the waste, are frequently being installed. The economy of these systems is unquestioned and in planning a mechanical plant and estimating its original cost, such a system should be included by the architect.

We are in receipt of an interesting booklet distributed by the Metropolitan Electric Mfg. Co., which is descriptive of the detachable mechanism, push-button switches, lock switches and flush receptacles manufactured by them. The booklet contains a number of well executed and interesting cuts, showing push buttons, plates, contact boxes, plugs, etc. A price list together with a table of standard sizes for gang plates and tandem gangs is another interesting feature of the book and will prove of great assistance to the prospective purchaser in selecting materials and gauging expense.

The Metropolitan Electric Mfg. Co. would be pleased to send a copy of this booklet to any one interested, upon application to them at their office, East Avenue and 14th Street, Long Island City.

The National Tube Company, of Pittsburgh, Pa., have issued a bulletin known as No. 7, concerning their re-grinding valves. To any architect or engineer requiring such products and wishing to investigate the merits of various patterns, this bulletin is of value. Bulletin No. 5, issued by the same company, deals with steel pipe versus wrought iron pipe in refrigerating work, and is an instructive paper.

An automatic cellar drainer particularly adapted for use in pits, sumps, cellars, tanks, or other receptacles where it is desired to keep water or other liquids at a given level, has been placed upon the market by the Penberthy Injector Company, of Detroit, Mich. The drainer is operated automatically by a float which controls a quick opening and closing valve. It is so arranged that the valve is never partly open. The float is so controlled that when the high point of the water is reached the valve is thrown fully open and when the low point is reached the valve is completely closed. This gives quick, positive action to the drainer, which operates on the injector principle and reduces the time of service and prevents dripping, leakage and other annoyances.

Heraldry Illustrated

By WM. H. ABBOTT

Being a short account of the

Origin and History of Heraldry and an explanation of its nature, with practical directions for drawing and Painting Coats of Arms

to which is added a Glossary of the terms used in the Science of Heraldry. There is also a chapter on the drawing and painting of Coats of Arms, which will prove of great assistance to those unaccustomed to the work. The glossary contains about fifteen hundred definitions of heraldic terms, many in French and Latin.

To Architects, Designers and others who desire to acquire a knowledge of this interesting art, it will prove of invaluable service.


700 Explanatory Engravings, 127 pages, bound in red cloth; price, \$2.00.

THE WM. T. COMSTOCK CO.

PUBLISHER

23 Warren Street

NEW YORK



**FOLSOM'S
MODEL 1910.**

THE SNOW GUARD ALLOWING
NO STRAIN ON THE SLATE

WHY NOT SEE IT?

A postal card will bring sample

Folsom Snow Guard Co. No. 4 Post Office Square
Boston, Mass.



PATENT LIGHT WORK OF EVERY DESCRIPTION
Office: 262 Monitor St., Brooklyn, N. Y.

When writing Advertisers, please mention Architecture and Building.

HIGGINS'

DRAWING INKS
ETERNAL WRITING INK
ENGROSSING INK
TAURINE MUCILAGE
PHOTO MOUNTER PAST
DRAWING BOARD PAST
LIQUID PASTE
OFFICE PASTE
VEGETABLE GLUE, Etc.

Are the Finest and Best Inks and Adhesive

Emancipate yourself from the use of corrosive and ill-smelling inks and adhesives and adopt the Higgins' Inks and Adhesives. The will be a revelation to you, they are so sweet clean and well put up.

At Dealers Generally

CHAS. M. HIGGINS & CO., Mfrs
Branches: Chicago, London
271 Ninth Street Brooklyn, N. Y.




**SELF-LUBRICATING
Rotary Screw
VENTILATORS**

Which Produce a
VACUUM BY ROTATION

The only positive cure for Smoky Chimneys, Poor Draughts and Ventilation. Adopted and used successfully on Private Residences, Greenhouses, Hotels, Breweries, Public Buildings, etc., etc.

E. G. WASHBURN & CO.
MANUFACTURERS
209 FULTON ST., NEW YORK
Telephone, 3125 Cortland
Send for Illustrated Circular

Work Shops



Of wood and metal workers without steam power, equipped with

BARNES' FOOT POWER MACHINERY

allow lower bids on jobs and give greater profit on the work. Machines sent on trial if desired.

Catalogue free

W. F. & John Barnes Co.
566 Ruby Street, Rockford, Ill.

CONSTRUCTION NEWS

Contractors, Material Men, Builders, Manufacturers, in fact Anybody interested in Construction News of all kinds, obtain from our daily reports **Quick Reliable Information**. Our special correspondents over the country enable us to give our patrons the news advance of their competitors and before it has become common property.

Let us know what you want and we will send you sample and quote you prices.

PRESS CLIPPINGS

Press Clippings on any subject from all the leading current newspapers, magazines, trade and technical journals of the United States and Canada. Public Speakers, Writers, Students and Club Women, can secure reliable data for speeches, essays, debates, etc. Special facilities for serving Trade and Glass Journals, Railroad and large industrial corporations.

The United States Press Clipping Bureau
1326-1334 Republic Building
State and Adams Sts., Chicago, Ill.

Maginnis' Practical Books

HOW TO FRAME A HOUSE

or **HOUSE AND ROOF FRAMING**

By OWEN B. MAGINNIS

PART I.—Balloon Framing.

PART II.—Roof Framing

PART III.—How to frame the timbers of a brick house.

One Octavo Vol., Cloth

80 Illustrations

PRICE \$1.00

ROOF FRAMING MADE EASY

A practical and easily comprehended system of laying out and framing roofs, adapted to modern building construction. The methods are made clear and intelligible by 76 engravings with extensive explanatory text.

SECOND EDITION, REVISED AND ENLARGED

One Octavo Vol., Cloth

PRICE \$1.00

How to Measure Up Woodwork for Buildings

Describing the simplest and most accurate methods to be followed when figuring up woodwork for either brick or frame houses.

By OWEN B. MAGINNIS, Architect

Fully Illustrated, Cloth

PRICE \$0.50

PRACTICAL CENTRING

TREATING OF

The Practice of Centring Arches in Building Construction

The work embraces each subject in detail and in language that practical men can understand, and is especially commended to students attending trade, technical and architectural schools.

By OWEN B. MAGINNIS

Sixty-five Illustrations

Bound in Cloth

PRICE \$1.50

BRICKLAYING

By OWEN B. MAGINNIS

The entire work represents the best up-to-date practice, and is illustrated by over 150 engravings.

It covers the important operations and methods necessary in altering brick buildings, and the proper temporary and permanent preservation and protection of old or adjoining buildings.

Cloth

PRICE \$1.50

When writing Advertisers, please mention Architecture and Building.



Hollow Tile for this Stucco House
furnished by us

HOLLOW TILE

for Stucco and Brick Veneer Houses

Vitrified and Hard Burned Blocks

FRONT ENAMELED BRICKS HARVARD VELOUR

Carter, Black & Ayers

1182 Broadway, New York

Telephone, 7613-7614 Madison Square



Residence W. C. Sanderson, South Orange, N. J.

Monument Plaster Co.

Manufacturers of

**WALL PLASTER and
ORIENTAL STUCCO**

Brick Mortars and any Color Sand Finish for
Interior Work

WRITE FOR BOOKLET

Office and Factory, HARRISON, N. J.



The Marbleloid Company

BROADWAY and 34th ST.
NEW YORK CITY

Manufacture and Install

**MARBLELOID - SANITAS
FIRE-PROOF FLOORING**

An Ideal Flooring for
Modern Fire-Proof Construction

Artistic, Absolutely Sanitary, Elastic,
Noiseless, Fire-Proof and Water-Proof

Approved by the New York City Building
Department as Fire-Proof Material.

Applied directly to wood or concrete.

Write for full information, references, etc.

SWITCHBOARDS *and* PANELS Marked "Metropolitan"

Are the Best that Can be Produced


Architects, Engineers and Owners specify
Metropolitan Detachable Mechanism Flush
Switches and Receptacles for their high class
buildings. The most up to date appliances.

METROPOLITAN
ELECTRIC MFG CO.

14th Street and East Avenue, L. I. City

"FLEXIFOLD"

ROLLING PARTITIONS



For
Churches
Schools
Parish Houses
Lodge Buildings

Grant Pulley and Hardware Co.

3 West 29th St., New York City

Descriptive Circular and Estimates Upon Application

THE NORTHWESTERN TERRA-COTTA COMPANY

M A N U F A C T U R E R S O F

ARCHITECTURAL TERRA-COTTA

**GLAZED AND ENAMELED
WORK IN ALL VARIETIES**

ESTIMATES GIVEN ON APPLICATION

MAIN OFFICE AND WORKS: 1000 CLYBOURN AVENUE
 BRANCH OFFICE: 1415 RAILWAY EXCHANGE

CHICAGO
 ILLINOIS

Send for Our New Catalogue

**It is the Only One Strictly Devoted to
Books for Architects and Builders.**

**It Contains a Complete List of Books
on the Subjects of**

**Architecture
Building Construction
Concrete, Plain and Reinforced
Structural Engineering**

**Bungalows — Country and Suburban Houses
Drawing — Architectural and Mechanical
Carpentry — Masonry Construction
Sanitation — Plumbing and Allied Topics**

**Our Clubbing Rates For Books and "Architecture
and Building" Sent on Request**

Published by

The Wm. T. Comstock Co.

23 Warren Street

New York



THE WHITE HOUSE

31st Street and Fourth Avenue, New York City

Mr. Henry B. Herts, Architect

The fronts of this building are
erected entirely in cream colored

Matt Glaze Architectural Terra Cotta

Manufactured by

Federal Terra Cotta Co.

Office

111 Broadway, New York

Plant at

Woodbridge, N. J.

Values of Improved Real Estate

By REGINALD PELHAM BOLTON, M. E.
Author of "Elevator Service," "Motive Powers," etc.

A CHART

Giving at a Glance the Relation between
*Invested Values of Property, Net Earning from
Rate of Rental and the Number of Floors
in the Building at Various
Rates of Interest*

Prepared for Real Estate Owners, Operators, Agents, Archi-
tects, Builders, Mortgagees and Financiers.

With Simple, Concise Directions for Reference and Use

The WM. T. COMSTOCK CO., Publisher

23 Warren Street, New York

*21 x 25
inches.*

*Printed
in two
colors.*

*Price
\$1.00.*

*Mounted
on Muslin
\$1.25*

FIRE PREVENTION

Architecture and Building is about to present a series of articles dealing with the practical preventive measures of this now country wide movement to check our great national extravagance: ***The Annual Fire Waste.***

Automatic Sprinkler Equipment of Loft Buildings is the first subject to be treated. These articles will be written by Mr. E. P. Boone, Superintendent of the Automatic Sprinkler Department, New York Fire Insurance Exchange.

The architect stands between his client and the outer darkness on all points of building construction. With ever increasing frequency, these days, is he called upon to explain a sprinkler system, outline the method of its installation, and give its approximate cost.

These articles by Mr. Boone will be a practical study of sprinkler, standpipe and supply tank equipments, considered as a portion of the original building design. It is the author's intention to give that amount of technical information which is necessary to a good understanding of the practical principles of an automatic sprinkler equipment without an engineering treatment of the hydraulic problems involved. The illustrative drawings which have been prepared are taken from actual, approved installations. They show sprinkler equipments in several types of building, and illustrate how a building of any particular class may be properly equipped.

The complete series will give the full information that it is necessary for an architect to have in planning a building in which he expects to install a fire protective equipment.

***THE AMERICAN FIRE WASTE
AVERAGES \$250,000,000 PER YEAR***

Harbison-Walker Refractories Company

PITTSBURG, PA.

MANUFACTURERS OF
FRONT BUILDING BRICK

SHADES

Light, Grey, Buffs and
Mottled



STYLES

Norman, Roman, Standard
and Ornamental

DELIVERIES GUARANTEED WHEN WANTED. GET SAMPLES AND PRICES

New York Office, 1133 Broadway

Telephone { 5687 } Madison
 { 5688 }

CORROSION AND PRESERVATION OF IRON AND STEEL

by

A. S. CUSHMAN, A. M. Ph. D., and H. A.
GARDNER.

This work presents a careful analysis of the entire subject, which is so serious a problem to nearly all classes of engineers.

It takes up the relation of various pigments to corrosion and the power of pigment mixtures to act as retarders.

Construction of preservative coatings and methods of application to structural work of all sorts are also considered.

Fully illustrated, 375 pages, cloth, price net,
\$4.00.

The Wm. T. Comstock Co.
Publisher

23 Warren Street

New York

ELKS

SOUVENIR NUMBER

New York Lodge No. 1

Send twenty cents for a copy NOW

ARCHITECTURE AND BUILDING
23 Warren Street, New York

LOOMIS FILTERS

ESTABLISHED 1880

Improved System

Simple and Effective

LOOMIS-MANNING FILTER DISTRIBUTING CO.

Main Office: 828 Land Title Building, PHILADELPHIA
Boston New York Baltimore Washington

Complete Architectural Catalogue

Sent on request

THE WILLIAM T. COMSTOCK CO.
Publishers


23 Warren Street

New York

ARCHITECTURE AND BUILDING

Vol. 44
No. 4

April
1912



Published by

THE WILLIAM T. COMSTOCK COMPANY

**"Globe" Ventilator and
"Globe Ventilating Ridging"**



The "Globe" is built on
honor and sold on merits

In Copper or Galvanized Iron

**Simple
Stormproof
Symmetrical
Satisfactory**

**Send for
Brown Print
Catalogue or Model**

MANUFACTURED BY

**Globe Ventilator Company
TROY, N. Y.**

**SILVER LAKE A SASH CORD
THE STANDARD**

Our name is stamped on every foot of our cord.

Estimate the greatest possible saving in the first cost of a building by using cheap cord. If there is any saving can you afford to take it? The best cord will wear over twenty years and you are saved the annoyance and expense of replacing broken cord. For the cheapest sash cord service specify **SILVER LAKE A.**

The Original Solid Braided Sash Cord

THE BEST IS THE CHEAPEST

SILVER LAKE CO., Boston

**Send for New Catalogue of Archi-
tecture & Building Construction**

**W. T. COMSTOCK COMPANY
23 Warren St., New York**

**JOHN R. PLOTTON,
President & Treasurer**

**J. HALE PARDONNER,
Vice-President**

**H. R. BLAGG
Secretary**

The John Rouzer Company

ESTABLISHED 1854

General Building Contractors, Carpentry and Joinery

MILL WORK—HARDWOOD FLOORS

FINE INTERIOR TRIM AND CABINET WORK

Dayton, Ohio

**Contractors for all carpentry work in HOTEL TAFT, New Haven,
Conn. (F. M. Andrews Co., Architects), illustrated in this issue.**



The Chateau Laurier Montreal

Ross & McFarlane, Architects

is equipped throughout with Corbin Hardware of special design selected by the architects. This is the first hotel of a number to be erected by the Grand Trunk Railway, and especial attention has been given to every detail. The design shown is for use upon the guest room floors. It is a heavy cast pattern with polished raised line borders and with the surfaces dull. The effect is one of dignity and simple elegance.



P. & F. CORBIN

Division

The American Hardware Corporation
NEW BRITAIN, CONN.

P. & F. CORBIN of Chicago P. & F. CORBIN of New York P. & F. CORBIN DIV., Philadelphia

PARIS
ROME



NEW YORK
705
Fifth Avenue

The Leamington

John S. Bradstreet & Co. decorated and furnished the entire First Floor of the Leamington, together with nine of the largest Special Suites, Mrs. Mackay's eight Private Apartments being handsomely treated in the style of Louis XVI.

All Rugs, Draperies and Furniture were made to order for this hotel.

The Bradstreet Co. also installed the Wood Work of the Billiard and Lower Lounging Rooms, using Hungarian Syka wood.



**John S. Bradstreet
& Co.**

327 South Seventh St., Minneapolis
Established 1876

VANDERBILT HOTEL, NEW YORK



ELEVATORS AND STAIRS

COVERED WITH

CRESCENT CORK

FURNISHED AND LAID BY

HASBROUCK FLOORING CO., Inc.

Manufacturers of

Parquet Flooring, Wood Carpets and the
Hasbrouck Patent Wood Block Flooring
For Fireproof Building

501-509 EAST 70th STREET, NEW YORK

ROBERT E. MACKAY CO.

Painting, Decorating

NEW YORK

CONTRACTORS FOR PAINTING AND DECORATING NEW ~~Vanderbilt Hotel, New York~~
(WARREN & WETMORE, ARCHITECTS), ILLUSTRATED IN THIS ISSUE.

Architecture and Building

Established 1882

*A continuation of the
Architect's and Builder's Magazine, 1899-1911*

Continued 1911

PUBLISHED MONTHLY BY

THE WILLIAM T. COMSTOCK COMPANY

23 Warren Street, New York

WM. PHILLIPS COMSTOCK, President

CONTENTS FOR APRIL

Special Hotel Issue

A HIGH BUILDING THAT IS BEAUTIFUL.....	139
By J. L.	
THE VANDERBILT HOTEL NEW YORK	150
Warren and Wetmore, Architects.	
THE TAFT HOTEL, NEW HAVEN, CONN.	153
F. M. Andrews and Company, Architects.	
THE CAWTHON HOTEL, MOBILE, ALA.	162
Hutchisson and Denham, Architects.	
THE LEAMINGTON HOTEL, MINNEAPOLIS, MINN.	164
THE GEORGIAN TERRACE HOTEL, ATLANTA, GA.	164
W. L. Stoddart, Architect.	
THE CHATEAU LAURIER, OTTAWA, CAN.	164
Ross and MacFarlane, Architects.	
THE HOTEL JEFFERSON, ST. LOUIS, MO.	165
Barnett, Haynes and Barnett, Architects.	
THE EMERSON HOTEL, BALTIMORE, MD.	173
J. Evans, Sperry, Architect.	
THE HOTEL ADOLPHUS, DALLAS, TEXAS	178
Barnett, Haynes and Barnett, Architects.	
THE FIREPROOF HOTEL.....	183
By Edwin O. Torbohm.	

These Regular Serial Articles Will Be Continued in the May Issue

THE HOLLOW-TILE FIREPROOF HOUSE VII.....	
By Frederick Squires.	
SWISS CHALET DESIGN VI.....	
By Wm. S. B. Dana, B. S.	
AUTOMATIC SPRINKLER EQUIPMENT OF LOFT BUILDINGS II..	
By E. P. Boone.	

ADVERTISING REPRESENTATIVES

D. R. Gimbel
Geo. H. Stewart (Dept. of Fireproofing and Fire Protection)

EDITORIAL DEPARTMENT

Wm. P. Comstock, Managing Editor
Charles Warren Hastings, Assistant Editor
Frederick Squires, Contributing Editor

Subscription Terms \$2.00 a year in advance for United States and Possessions, Mexico and Cuba. Canada, \$2.50, and other countries, \$3.00. Postage prepaid.
Subscribers when changing their address must state both old and new address.

Remitting Money All remittance of money should be in the form of U. S. Postal Money Orders (payable to THE WM. T. COMSTOCK CO., at New York Office). When these are not available, send money by registered letter, or send drafts on New York banks, made payable to order of THE WM. T. COMSTOCK CO. Personal checks on local banks cannot be received in payment.

TRADE SUPPLIED BY THE AMERICAN NEWS COMPANY AND ITS BRANCHES

LONDON AGENTS—Wm. Dawson & Sons (Ltd.), Cannon House, Bream's Buildings, London, England.

Copyright, 1912, by The Wm. T. Comstock Co.

Entered as second-class matter, April 4, 1911, at the Post Office at New York, N. Y., under the Act of March 3, 1879.



Pieces from the
Silver Service
Designed and made by
The Gorham Co.
for the new
Vanderbilt Hotel



THE ENTIRE SILVER
SERVICE of the new
Vanderbilt Hotel was espe-
cially designed and made by
The Gorham Company

The Gorham Co.
Fifth Avenue and Thirty-sixth Street
New York

When writing Advertisers, please mention Architecture and Building.



SHOWING BRONZE WORK EXECUTED FOR OFFICE IN VANDERBILT HOTEL

WARREN & WETMORE, Architects

AN OPPORTUNITY is solicited to estimate on Architects' plans for ORNAMENTAL BRONZE, WROUGHT IRON, INTERIOR DECORATIONS, CABINET WORK, LIGHTING FIXTURES, LEADED GLASS, FURNITURE and GLASS MOSAICS. The workmanship and finish of our productions assure architects and their clients of complete satisfaction.


TIFFANY

STUDIOS


347-355 MADISON AVE. COR. 45TH ST., NEW YORK CITY.

CHICAGO OFFICE, ORCHESTRA BUILDING - BOSTON OFFICE, LAWRENCE BUILDING.



THE HOTEL RECTOR
NEW YORK

Lighting Fixtures Were Manu-
factured by Us

The Mitchell Vance Company

836-838 BROADWAY
NEW YORK

MANUFACTURERS OF

Electric and Gas Light Fixtures



Bronze Entrance to National Savings Bank, New Haven, Conn.
Brown & Von Beren, Architects

John Polachek Bronze & Iron Co.
Architectural Bronze and Iron Work
ART IN BRONZE, STATUARY WORK, TABLETS, ETC.
Office & Works, 144-6-8 Clay St., Borough of Brooklyn, N. Y.

YELLOW STRAND

W
I
R
E

R
O
P
E



W
I
R
E

R
O
P
E

Copyrighted 1911 by F. W. Woolworth

WOOLWORTH BUILDING, NEW YORK
55 Stories High

In which many thousand feet of YELLOW STRAND
Wire Rope is being used.

Manufactured by

Broderick & Bascom Rope Co.

809 North Main St., ST. LOUIS, MO.

76 Warren St., NEW YORK.

Factories: ST. LOUIS, SEATTLE

Send for our catalogue 3K

[illegible]

Classified Advertisements

NOTE.—Every classified advertiser is entitled to insertion under one heading. Under extra headings, \$5.00 a year each

AIR PURIFYING MACHINERY.

Thomas & Smith, Inc.,
118 Carpenter St., Chicago, Ill.

ARCHITECTURAL BRONZE.

Bagues Freres Co....705 Fifth Ave., New York
The Gorham Co.....Fifth Ave., N. Y.
Polachek Bronze & Iron Co. John,
144-6-8 Clay St., Brooklyn, New York

AWNINGS, BLINDS, ETC.

Willson Mfg. Co., Jas. G.
5 W. 29th St., New York City

BOILERS.

Badger & Sons Co., E. B.Boston, Mass
Gorton & Lidgerwood Co.,
96 Liberty St., New York

BOLTS—Expansion, Machine Expansion, Sebco

Mooring, Sebco Twin, Toggle.
Evans, F. H...31-35 Hewes St., Brooklyn, N. Y.
Star Expansion Bolt Co., 147-149 Cedar St., N. Y.

BRICK—Enameled Front. Hollow.

American Enamel Brick & Tile Co.,
1184 Broadway, N. Y.
Carter, Black & Ayers....1182 Broadway, N. Y.
Flske & Co., Inc...Arena Building, New York
Harbison-Walker Refractories Co.,
30 Church St., New York
Stiles & Sons Brick Co., I. L.,
North Haven, Conn.

BRIDGES.

Van Dorn Iron Works Co.....Cleveland, O.

BRONZE.

Polachek Bronze and Iron Co., John,
144-6-8 Clay St., Brooklyn, N. Y.

BUILDING CONTRACTORS.

Fuller Co., Geo. A., Marquette Bldg., Chicago.
Leonard Construction Co.,
McCormick Building, Chicago, Ill.
Starrett Company, Theodore, 103 Park Ave., N. Y.

BUILDING DIRECTORY.

U. S. Changeable Sign Co..3-7 W. 29th St., N. Y.

BUTTS, BALL-BEARING.

Stanley Works, The.....New Britain, Conn.

CABINET WORK.

Nelson Co., W. P.....Chicago-New York

CHAIR MANUFACTURERS.

Kohn, Jacob & Josef, 110 W. 27th St., New York
Marble and Shattuck Chair Co., The,
Chicago-New York.

CLOCKS—Synchronized, Watchman's.

Newman Clock Co., The...178 Fulton St., N. Y.
Prentiss Clock Improvement Co.,
Dept. 11, 92 Chambers St., N. Y.

COAL CONVEYING MACHINERY.

Bartlett & Snow Co., The C. O.,
50 Church St., New York

CONCRETE SIDEWALK FORMS.

Berger Mfg. Co., The.....Canton, O.

CORDAGE.

Silver Lake Co.....Boston, Mass.

DOORS

Cream City Sash & Door Co..Milwaukee, Wisc.

DOOR HANGERS.

Lane Bros. Co.....Poughkeepsie, N. Y.

DRAWER SLIDE.

Grant Pulley & Hardware Co.,
85 Warren St., N. Y.

DRAWING INKS—(Higgins).

Higgins & Co., Chas. M.,
271 9th St., Brooklyn, N. Y.

DUMB WAITERS.

Otis Elevator Co.....17 Battery Place, N. Y.
Speldel, J. G.....Reading, Pa.

ELECTRICAL CONTRACTORS.

Boyd Equipment Co.....373 4th Ave., N. Y.
Edwards Electrical Construction Co.,
39 E. 42d St., New York
Watson-Flagg Engineering Co.,
Newark, N. J., and Paterson, N. J.

ELEVATORS.

A. B. See Electric Elevator Co., The,
220 Broadway, New York
Otis Elevator Co.....17 Battery Place, N. Y.
Standard Plunger Elevator Co.,
115 Broadway, New York

ENGINEERS, ELECTRICAL, CONSULTING, ETC.

Adams, Henry.....Baltimore, Md.
Blasing, Harry.....383 W. 42d St., N. Y.

EXPANSION BOLTS.

Evans, F. H...31-35 Hewes St., Brooklyn, N. Y.
Star Expansion Bolt Co....147 Cedar St., N. Y.

EXTERIOR PLASTER.

Monumental Plaster Company....Harrison, N. J.

FENCING AND RAILINGS.

Van Dorn Iron Works Co.....Cleveland, O.

FILTERS.

Loomis-Manning Filter Distributing Co.,
828 Land Title Bldg., Philadelphia, Pa.

FIRE BUCKET TANKS.

Safety Fire Extinguisher Co., The,
201-293 Seventh Ave., New York

FIRE DOOR EQUIPMENT.

Lane Bros. Co.....Poughkeepsie, N. Y.

FIRE EQUIPMENT, GENERAL.

Simmons Co., John....102-110 Centre St., N. Y.

FIRE EXTINGUISHING APPARATUS.

General Fire Extinguisher Co., Providence, R. I.

FIRE PLACES, CRAFTSMAN, ETC.

Stickley, Gustav.....41 W. 34th St., New York

FIREPROOF DOORS AND SHUTTERS.

Dahlstrom Metallic Door Co..Jamestown, N. Y.
Grant Pulley & Hardware Co.,
3 West 20th St., New York
Pomeroy Co., Inc., S. H.,
427 W. 13th St., New York City


FIREPROOF WINDOWS.

Dahlstrom Metallic Door Co..Jamestown, N. Y.
Knoburn Company,
359-363 14th St., Hoboken, N. J.
Pomeroy Co. (Inc.), S. H., 427 W. 13th St., N. Y.
Voigtmann & Co., 427 W. 13th St., New York.

KEYSTONE
FLAT FINISH
KEYSTONE



Hotel Taft, New Haven, Conn.
F. M. Andrews Co., Architects



All
**FRONT BRICK
INSIDE BRICK
HOLLOW BRICK**

Furnished by
THE
I. L. Stiles & Son
Brick Co.
North Haven, Conn.

TRADE
FLUSH-O-VALVE
MARK.



VANDERBILT HOTEL (519 FLUSHOVALVES
USED)

During 1911 our valves were installed
in more than 100 of the largest build-
ings constructed in N. Y. City alone.

Plate 24.

One of several types.

We make

both
handle
and push
button

valves with and with-
out integral shut off.

Specify the best

FLUSHOVALVES

and save your customers trouble
and expense.

FLUSHOVALVE CO.

71 Greenwich Ave., New York City



Classified Advertisements—Continued

FIXTURES, GAS AND ELECTRIC.

Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.

FLOORING—Stone, Hardwood, Cork, etc.

Hasbrouck Flooring Co., Inc.,
501-505 E. 70th St., New York
Marbleoid Co., The.....Marbridge Bldg., N. Y.

FLOOR AND WOODWORK POLISH.

Felton, Sibley & Co., 136 N. 4th St., Phila., Pa.

FLUSHOVALVES.

Flushovalve Co.,
71 Greenwich Ave., New York City

FURNITURE, INTERIOR.

Bradstreet & Co., John S.,
327 S. Seventh St., Minneapolis, Minn.
Mitchell Furniture Co., The Robert,
Cincinnati, O.

GARAGE GASOLINE TANKS.

Bowser & Co., Inc., S. F., Ft. Wayne, Ind.

GAS AND ELECTRIC FIXTURES.

Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.

GRAPHITE PAINT.

Dixon Crucible Co., Jos., Jersey City, N. J.

HANGERS—House, Barn Door.

Lane Bros. Co., Poughkeepsie, N. Y.

HARDWARE.

Chicago Spring Butt Co., Chicago, Ill.; New York
Corbin, P. & F., New Britain, Conn.
Ives Co., The H. B., New Haven, Conn.
Stanley Works, The, Dept. B,
New Britain, Conn., and 79 Chambers St., N. Y.

HEATING APPLIANCES. (Also see Boilers.)

Boyd Equipment Co., 373 Fourth Ave., N. Y.
Gorton & Ledgerwood Co., 96 Liberty St., N. Y.

HINGES—Spring, Ballbearing, Etc.

Bommer Bros., 257 Clamson Av., Brooklyn, N. Y.
Chicago Spring Butt Co.,
Chicago, Ill.; New York.
Stanley Works, The., New Britain, Conn.

HOLLOW TILE.

Carter, Black & Ayers., 1182 Broadway, N. Y.

HOT-WATER BOILERS—Copper.

Badger & Sons Co., E. E.,
63-75 Pitt St., Boston, Mass.

INTERIOR TRIM.

Rouzer & Co., The John., Dayton, O.

IRON WORK—Ornamental and Structural.

Bagues Freres Co., 705 Fifth Ave., New York
Noelke-Richards Iron Works., Indianapolis, Ind.
Polachek Bronze and Iron Co., John
141-6-8 Clay St., Brooklyn, N. Y.
Tiffany Studios,
347-355 Madison Ave., New York
Wells Architectural Iron Co.,
River Ave. & 151st St., New York

JAIL AND PRISON WORK.

Van Dorn Iron Works Co., Cleveland, O.

JOIST HANGERS—(Steel).

Lane Bros. Co., Poughkeepsie, N. Y.
Van Dorn Iron Works Co., Cleveland, O.

KITCHEN EQUIPMENT.

Barth & Son, L., 30-36 Cooper Square, New York
Bramhall Dean Co.,
261-263 W. 38th St., New York

LIGHTING FIXTURES—Gas and Electric.

Bagues Freres Co., 705 Fifth Ave., New York
Consolidated Chandelier Co.,

132-136 W. 14th St., N. Y.
Mitchell Vance Co., 836-838 Broadway, New York
Tiffany Studios, 347-355 Madison Ave., New York

LIGHTNING RODS.

Jones, T. W., 22 Burling Slip, N. Y.
Washburne & Co., E. G., 209 Fulton St., N. Y.

LIMESTONE, INDIANA.

Giberson & Co., E. F., Bedford, Ind.

LOCKS, ETC.

American Hardware Corporation,
New Britain, Conn.
Corbin, P. & F., New Britain, Conn.

MANTELS, FIREPLACES, ETC.

Jackson Co., Wm. H., 2 W. 47th St., N. Y.

MARBLE WORKERS.

Cork & Zicha Marble Co.,
325-327 E. 94th St., New York
Smith Marble Construction Co.,
Montreal, Can.
Voska, Foelsch & Sldlo, Mills St., Astoria, N. Y.

METAL CEILINGS.

Berger Mfg. Co., The., Canton, O.

METAL DOORS AND TRIM.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Knoburn Company,
359-363 14th St., Hoboken, N. J.

METAL LATHING.

Greenfield, Inc., Arthur., 204 E. 26th St., N. Y.

METAL LUMBER.

Berger Mfg. Co., The., Canton, O.

METALLIC OFFICE FURNITURE.

Berger Mfg. Co., The., Canton, O.
Van Dorn Iron Works Co., Cleveland, O.

METAL SASH AND FRAMES.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Knoburn Company., 240 11th Ave., N. Y.
Pomeroy Co. (Inc.), S. H., 427 W. 18th St., N. Y.

METAL WINDOWS.

Pomeroy Co., (Inc.), T. H., 427 W. 18th St., N. Y.
Voigtman & Co., 427 W. 18th St., New York

METAL WORKERS.

McFarlane-Douglas Co., Ltd., Ottawa, Can.

MILL WORK.

Rouzer Co., The John., Dayton, O.

MINERAL WOOL.

U. S. Mineral Wool Co., 140 Cedar St., N. Y.

PAINTING AND DECORATING.

Mackay Co., Robert E., New York

PAINTING CONTRACTORS.

Grimmer & Son, Charles., 230 E. 37th St., N. Y.

PAINTS FOR COATING AND PRESERVING IRON AND STEEL.

Dixon Crucible Co., Jos., Jersey City, N. J.

PAINTS, OILS, VARNISHES, WOOD FILLING, etc.

Dixon Crucible Co., Jos., Jersey City, N. J.
Felton, Sibley & Co.,
136 N. 4th St., Philadelphia, Pa.

PLASTER WORK—Plain, Ornamental.

Architectural Plastering Co.,
624 First Ave., New York
Brown, Davis., 306 E. 40th St., New York
Monument Plaster Co., Harrison, N. J.

PLUMBERS' WARES.—Bath-Tubs, Closets, Drink-

ing Fountains, Lavatories, Laundry Tubs,
Range Closets, Sinks, Urinals.
Flushovalve Co., 71 Greenwich Ave., N. Y.

PLUMBERS.

Boyd Equipment Co., 373 Fourth Ave., N. Y.
Knight & Son, J. M., 221 W. 49th St., N. Y.

KEYSTONE

FLAT FINISH

For thirty years the firm of Charles Grimmer & Son has been known to you as Painters. Recently we have acquired the business of the W. Ludwig Schultze Co., the well known Decorators. In our three new buildings we now have facilities for doing the same high class Cabinet Wood-Work and Upholstery as we have for Painting.

A line of inquiry brings a representative, or we should be glad to welcome you at our extensive factories and our beautiful, new showrooms, where we carry the largest and most select stock in New York, of Wall Papers, Mantels, Andirons, Electric Fixtures, Fabrics, Furniture, Mirrors, Antiques, Clocks, Candlesticks, Lamps and Pillows.

Charles Grimmer & Son

Telephones, 7557-7558 Madison Square.

230-234 East 37th Street, NEW YORK



Chateau Laurier, Ottawa, Canada—Ross & MacFarlane, Architects.

ENTIRE BUILDING BUILT OF
INDIANA LIMESTONE
FURNISHED BY

E. F. GIBERSON & COMPANY, Inc.

QUARRIES AND MILLS
BEDFORD, INDIANA

NEW YORK OFFICE
200 FIFTH AVENUE

MONTREAL OFFICE
307 TRANSPORTATION BLDG.

Roman Cities in Italy and Dalmatia

By **A. L. FROTHINGHAM, Ph. D.**

Professor of Ancient History and Archaeology at Princeton University.

A picture of Ancient Italy and pre-Augustan Rome drawn from her rivals has not yet been made. This book is a first sketch for such a picture in popular form, and the work gives a most interesting account of these ancient cities. It is illustrated by many full page plates showing the various buildings and their decorative features, also interiors and details. Architects and students will find it a most interesting volume to add to their libraries. Sixty-one page plates, Cloth, price net, \$1.75; postpaid, \$1.90.

For sale by

THE WILLIAM T. COMSTOCK COMPANY, Publisher, 23 Warren Street, N. Y.

When writing Advertisers, please mention Architecture and Building.

Classified Advertisements—Continued

PRONG LOCK, STUDS AND FURRING.

Berger Mfg. Co., The.....Canton, O.

PUBLISHERS.

Comstock Co., The W. T. 23 Warren St., N. Y.
Concrete Age, The.....Atlanta, Georgia
Manual Arts Press, The,
600 German Fire Insur. Bldg., Peoria, Ill.

PULLEYS.

Grant Pulley & Hardware Co.,
3 W. 29th St., N. Y.

PUMPS.

Goulds Mfg. Co., The.....Seneca Falls, N. Y.

REFRIGERATING MACHINERY.

Thompson Machine Supply Co., Emery,
202 E. 46th St., New York

REFRIGERATORS, PORCELAIN, ETC.

Linde Canadian Refrigeration Co.,
37 St. Peters St., Montreal, Can.
Tettenborn Refrigerator Co.....Cincinnati, O.
White Enamel Refrigerator Co. of New York,
59 W. 42d St., New York

RINGS—Bridle, Corner Brace (Bridle), Sebco Aerial.
Star Expansion Bolt Co..147-149 Cedar St., N. Y.

ROLLING DOORS AND SHUTTERS—Steel.

Grant Pulley and Hardware Co.,
3 W. 29th St., New York City.
Wilson Mfg. Co., James G.,
3 W. 29th St., New York

ROOFING AND ROOFING MATERIALS.

Barrett Mfg. Co.....New York, N. Y.

RUGS, DRAPERIES, ETC.

Bollentin & Thompson,
34 Union Square, E., New York
Bradstreet & Co., John S.,
327 S. Seventh St., Minneapolis, Minn.

SANITARY SPECIALTIES.

A. P. W. Paper Co.....Albany, N. Y.
Vitrolite Co., The.....Parkersburg, W. Va.

SASH CHAINS.

Morton, Thomas.....160 Elm St., N. Y.

SASH COORDS.

Silver Lake Co.....Boston, Mass.

SASH LOCKS.

Ives Co., The H. B.....New Haven, Conn.

SASH PULLEYS—Iron, Brass, Bronze.

Grant Pulley & Hardware Co.,
3 W. 29th St., N. Y.

SELF-CLINCHING NAILS.

Self-Clinching Nail Co.....Philadelphia, Pa.

SIDEWALK LIFTS.

Spedel, J. G.....Reading, Pa.

SIDEWALK LIGHTS.

The Berger Mfg. Co.....Canton, O.

SIGNS, CHANGEABLE, ETC.

U. S. Changeable Sign Co.,
3 W. 29th St., New York

SILVER SERVICES.

Gorham Co., The,
Fifth Ave. & 36th St., New York
International Silver Co.....Meriden, Conn.
Meriden Britannia Co.....Meriden, Conn.

SKYLIGHTS.

Architectural Metal Works,
1192-1194 2d Ave., New York.

SNOW GUARD

Folsom Snow Guard Co.,
Roslindale (Boston), Mass.

SPRING HINGES.

Bommer Bros....257 Classon Ave., Bklyn, N. Y.
Chicago Spring Butt Co.,
Chicago, Ill.; New York

SPRINKLER SYSTEMS.

General Fire Extinguisher Co.,
Providence, R. I.
Rockwood Sprinkler Co...123 William St., N. Y.

STEEL BUILDINGS.

Van Dorn Iron Works Co.....Cleveland, O.

STEEL JOIST HANGERS.

Lane Bros. Co.....Poughkeepsie, N. Y.
Van Dorn Iron Works Co.....Cleveland, O.

STEEL SMOKE STACKS.

Felber Engineering Works,
103 Park Ave., New York

STEEL SHUTTERS, ROLLING, ETC.

Wilson Mfg. Co., James G.,
3 W. 29th St., New York

STUCCO.

Monument Plaster Co.....Harrison, N. J.

SWITCHBOARDS, PANELS, ETC.

Metropolitan Electric Mfg. Co.,
14th St. & East Ave., Long Island City

TACKLE BLOCKS (Automatic).

Lane Bros. Co.....Poughkeepsie, N. Y.

TERRA COTTA.

Conkling-Armstrong Terra Cotta Co.,
1135 Broadway, New York
Northwestern Terra Cotta Co.,
1000 Clybourn Ave., Chicago.

VACUUM CLEANERS.

Spencer Turbine Cleaner Co.,
1184 Broadway, New York

VALVES.

Flushvalve Co.....71 Greenwich Ave., N. Y.

VAULT LIGHTS.

Berger Mfg. Co.....Canton, O.
Brooklyn Vault Light Co.,
262 Monitor St., Brooklyn, N. Y.

VENTILATING RIDGING.

Globe Ventilator Co.....Troy, N. Y.

VENTILATORS.

Globe Ventilator Co.....Troy, N. Y.
Washburne & Co., E. G...209 Fulton St., N. Y.

WALL FINISHES—FLAT, ETC.

Keystone Varnish Co.,
71 Olsego St., Brooklyn, N. Y.

WALL PLASTER.

Monument Plaster Co.....Harrison, N. J.

WATER FILTERS.

Loomis-Manning Filter Co.,
828 Land Title Bldg., Philadelphia, Pa.

WEATHER VANES.

Jones, Thos. W.....153 Maiden Lane, N. Y.
Washburne & Co., E. G.,
209 Fulton St., N. Y.

WIRE ROPE.

Broderick & Bascom Rope Co.,
809 North Main St., St. Louis, Mo.

WIRE, RUBBER COVERED.

Habirshaw Wire Co., 1 Madison Ave., New York

WOOD-WORKING MACHINERY.

Barnes Co., W. F. & John,
566 Ruby St., Rockford, Ill.

KEYSTONE
—FLAT FINISH—
KEYSTONE

Making Your Hotel Fireproof-- On the Stationery or in Reality

**Of Especial Interest to Those Contem-
plating the Erection of New Structures**

EVER hear of hotels going up nowadays not either "totally or absolutely fireproof"? Can you find any of the "half pretentious," new or old, not conspicuously labelled so? Just as well forget to build a kitchen as to fail making the fireproof feature prominent.

There is a reason for this not hard to understand. The public, from whom all hotels exact their revenue, expects and pays for the protection you promise to give whether you give it or not.

What your opinions may be as to what constitutes an "absolutely fireproof" structure does not make a particle of difference so far as this one fact is concerned. Unless every room is virtually a separate and isolated unit the building is not—cannot be—fireproof. You must make it impossible for a fire to spread from room to room. This certainly cannot be done if the fire is invited to eat its way through wooden doors, partitions and the like.

You may spend fortunes making the structure otherwise fireproof, but at best it is a mere shell. Give a fire the chance and it will greedily consume the contents. Standing walls and a mass of twisted steel is saving little.

The Dahlstrom Products throughout the building means, if it is otherwise fireproof, that every room is a hotel itself. In the event of a fire the lodger next door may sleep on undisturbed. The most that the fire can do is to muss things up in the room in which it originates. This is equally true of any other type of building.

We would be glad to communicate with those at all interested. There are scores of other decidedly important advantages, aside from the fireproofing feature, gained by the installation of the Dahlstrom Products.

Dahlstrom Metallic Door Company

Executive Offices and Factories

68 Blackstone Avenue

Jamestown, New York

Branch Offices in all Principal Cities



When writing Advertisers, please mention Architecture and Building.



HOLMES MILL, NEW BEDFORD, MASS.

Entire Interior Lined With American Enameled Brick

Protect your investment by using the best material
No cost for maintenance if you build right

Write for New Edition Catalog

American Enameled Brick & Tile Co., 1184 Broadway
N. Y. City

THE RUGS FOR THE


Vanderbilt

and

Taft

Hotels

Which are illustrated in this
issue, were furnished by



A Rug Pattern selected from the Vanderbilt Hotel, New York

Bollentin & Thompson

34 Union Square East

New York

SPECIALLY WOVEN RUGS

When writing Advertisers, please mention Architecture and Building.



THE HOTEL TAFT'S SILVER SERVICE

as well as that of many of the foremost hotels, restaurants, clubs, steamship and railroad lines, was supplied by this company. The reputation of our hotel silver, both for beauty and durability, was made possible only by quality that is the result of thorough and honest workmanship. Estimates, illustrations and samples on application.

MERIDEN BRITANNIA CO.

(International Silver Co., Successor)

MERIDEN, CONN.

49-51 West 34th Street—NEW YORK—9-19 Maiden Lane
5 North Wabash Ave., CHICAGO

150 Post St., SAN FRANCISCO

Wilson's Venetian Blinds



The following hotels, illustrated in this issue, are equipped with Wilson's Venetian Blinds:

The
Emerson Hotel,
Baltimore, Md.

The
Taft Hotel,
New Haven, Conn.

The
Vanderbilt Hotel,
New York

The accompanying cut shows one of the windows in the new Vanderbilt Hotel, New York.

Models on view at salesroom

Jas. G. Wilson Mfg. Co.

3 1/4 West 29th St., New York

Also manufacturers of Rolling Steel Shutters and Wood and Steel Rolling Doors and Partitions.



To Fasten Fixtures to Walls and Floors

Ordinary screws will not hold—they break the plastering and chip the tiling. The only satisfactory way to fasten fixtures is by using

SEBCO EXPANSION BOLTS

They are a patented device, made of composition metal with two shields grooved inside and teathed outside. When the screw is inserted the shield expands, making it impossible to pull out.

Send for free sample and Catalogue showing many uses

STAR EXPANSION BOLT CO.

147 CEDAR ST., NEW YORK. Cat. Dept. No. 41



Let "F-S" Products guide you, and you will be sure of safety every time.

To insure satisfaction, it will pay you to specify "F-S" Oil Colors. For quality and dependability, they are decidedly superior.

FELTON, SIBLEY & CO., Inc.

Mfrs. of Colors, Paints, Varnishes

136-140 N. 4th St., Philadelphia

77

BOMMER

SPRING HINGES

ARE QUALITY GOODS

But cost no more than inferior kinds



DON'T ERR IN JUDGMENT when specifying spring hinges, which of all hardware perform the hardest work. Bommer Spring Hinges never fail to give satisfaction, and have withstood the test of time. The springs never go lame. "Practically Unbreakable," says the World's Fair Award, Chicago, 1893.

GOLD MEDALS: Paris, 1900; Buffalo, 1901; St. Louis, 1904.

All Who Figure on Hardware Contracts Can Supply Them

BOMMER BROS., Mfrs., Brooklyn, N. Y.

Est. 1876

ARCHITECTURE AND BUILDING

A Magazine Devoted to Contemporary Architectural Construction

VOLUME XLIV.

APRIL, 1912

NUMBER 4

A HIGH BUILDING THAT IS BEAUTIFUL

By J. L.

IN turning over the leaves of a recent number of an architectural magazine in which was a profusely illustrated account of the work of a famous firm of Western skyscraper architects, I could not help admitting the severe plainness, to put it mildly, of the majority of the buildings shown. Passing from the text to the advertising pages and looking for the inevitable contributions of the various contractors and supply men, the builder who built this list of buildings or that list of buildings designed by the aforesaid architects or the manufacturer who equipped this building or that building, I was amused at the announcement of a firm which supplied metallic furniture equipment, also designed by the aforesaid. There was a half-tone picture of an interior, and standing on the floor was a filing case, twenty-two stories high, for all the world like any one of a half dozen of the great buildings which the architects had designed. And that very day, I had listened to a disgruntled party roasting the tall buildings and likening them to filing cases.

Now, I for one am an admirer of the skyscraper, and I have always felt like rising to protest against the abuse which is heaped upon our great American institution, the many-storied building, by professional architectural critics, who presumably voice the sentiments of the best practitioners in the profession.

The skyscraper is not new. The cathedral at Cologne is just a skyscraper;

the Parthenon, even, was one of the skyscrapers of its day; St. Peter's at Rome is another, and St. Paul's in London is another. I never heard of Sir Christopher Wren's great monument being criticized for the "utter recklessness" with which millions were invested "by people who trust to luck for their light," quoting some of the words of a leading architect who recently syndicated an interview on the subject of high buildings; yet the problem of light in St. Paul's Church in London was so poorly solved that Sir Christopher's famous epitaph was legible only on very rare occasions. When I was in the church some years ago, my principal impression was of a building as dark as a pocket. I understand the church is now lighted artificially by means of an electric plant donated by a citizen of the land of the skyscraper.

There is one great architect in this country who said in an address some years ago that the designing of the many-storied building was the most sublime problem that Infinite Wisdom had given man to solve. I refer to Mr. Louis H. Sullivan, a man who has, through his own work and through the work of others who have copied him, dotted the surface of this broad land with a thousand monuments to Sir Christopher Wren's one. If you seek Sullivan's monument, look around almost any city west of the Allegheny Mountains, with a scattering few east.

Despite the scoffers, the skyscraper

has come to America to stay. It is, indeed, what the logician would call the definitive American institution. Not only are our great cities distinguished by groups of twelve story, sixteen story, eighteen, twenty story buildings at their business centers, but the small towns have their tall buildings. In this land of money grubbing these temples to the "Almighty Dollar" are beginning to overshadow the old houses of worship. And the village skyscraper, marking some "civic center," now overtops the spires of the meeting houses in many and many a rural town.

Leaving it for other critics to discuss all questions of planning, architectural style and detail and the economics of the skyscraper, forgetting that cruel taunt about filing cabinets, it is interesting to inquire whether beauty can be an attribute of one of these lofty structures. The Greek and Roman and Middle Age and Renaissance skyscrapers are safe from our criticism, for they were dedicated to other gods than those of this twentieth century.

There are doubtless many "good" skyscrapers, well planned, comfortable, light and profitable to their owners. But of good looking, not to say beautiful, skyscrapers, alas, I fear there are not many, the more's the pity. But that, I solemnly affirm, is not the fault of the skyscraper itself. No; the fact that the filing cabinet designed by Messrs. So & So, architects, bears a strong resemblance to some of New York's best, and is, beside, one of the best "lookers" designed by the firm, is no fault of the buildings but of the men that built them. But let us get the "good" ones and then try for the beautiful ones. In the first place, a "good" one is a mass of windows; its front is peppered full of them—no place for ornament or decoration. In the second place, our artistically trained architects are trying to clothe our Ameri-

can building's form with the architectural dress of some foreign country, France, for instance, where there is not a commercial building in the whole land over seven stories high.

What can be more distressing to the trained "aesthete" than to be asked to treat a façade twenty stories high, where it is required that thirty or forty or even fifty per cent. of the area shall be glass? No wonder they try to cut down on the windows so as to increase the wall surfaces. Oh! for a commission to build a building without windows, like the Campanile at Venice, a skyscraper "*as was*" a skyscraper, and is again by this time, I suppose. No windows to bother that architect. Of course, there were a few peep-holes to light the stairs, but I never heard what the Campanile was good for except as a part of the show, like the tall man at the circus.

The problem of skyscraper designing resolves itself into one of form and surface. Form is noted in the sky line, whether of the top or of the sides. Surface is of necessity concerned with that architectural nuisance, the mass of windows. The problem of the sky line is solved only by regard for the optical illusion, which is just as present and insistent as it was when the Greeks studied the problem and solved it by means of the entasis.

One thing that few architects have even thought of is the entasis, although on it depends that most important thing, the repose of the design. Basing their theories on the French style, it has been a common practice to design a front with a projecting base, a vertical shaft and a projecting top member or architrave. This may be all right with a low building, but it is all wrong with a tall one. To produce upon the mind of the spectator the soothing effect—the satisfaction—that is a quality of architectural beauty, it is desirable that there should



THE VANDERBILT HOTEL, 34TH STREET AND PARK AVENUE, NEW YORK.

Builders: Wm. L. Crow Co.
 Front Brick: Carter, Black & Ayers.
 Metropolitan Detachable Mechanism Push Button Switches.
 Electrical Contractors: J. Livingston & Co.
 Insulated Wire: Habirshaw Wire Co.
 Elevators: Standard Plunger Elevator Co.
 Thomas' "Acme" Air Purifying and Cooling System.

Warren & Wetmore, Architects.
 C. O. Mailloux } Consulting Electrical
 C. E. Knox } Engineers.

Evans' "Crescent" Expansion Bolts Used.
 Flushvalves Used.

be an entasis. Whether a building stands remote from other buildings in such a position that it can be viewed from a distance, or whether it rises in a narrow street where the spectator stands so close that the line of vision is elevated, entasis is a desirable feature, becoming as the point of view is nearer and nearer a most important part of the design. This entasis is not Greek, or Roman, or Gothic or Renaissance; it is human.

Architecture is like sculpture, and silhouette is with both a vital matter.

Some of our New York skyscrapers have a beautiful entasis. The Hotel St. Regis, at Fifth Avenue and 55th Street, is in my opinion, with respect to its silhouette, well nigh perfect.

The first thing that the mind grasps in gazing at a tall building is that optical illusion of overhanging, of something impending, that is present in the wall which is absolutely perpendicular. Some architects have built their walls with a slight batter to overcome this illusion, but the eye does not take kindly to a wall that is out of plumb, unless it can see another wall leaning to meet it, as in the Bunker Hill Monument, for instance. The west wall of the New York Library at Fifth Avenue and 42nd Street has this disfigurement. An example of the lack of repose produced by an overhang is the Hotel Belmont. The architects seem to have been not satisfied with the result in this building, for they have

tried a different expedient on the Vanderbilt Hotel, and in my humble opinion it is a success. They have secured repose, that first requisite of a good design, not by battering the walls, but by setting back. The old habit still clung, however, for there is an overhang of the base of the top member of their design.

So much for the vertical component of the silhouette of this building. The series of festoons that form the sky line seemed at first to be a mistake, but later, viewed from near at hand, they strike one as being not the least of the charms of this design.


The problem of the surface has been even more successfully solved in this building. By eliminating as far as possible the reveal of the windows, they have given a mass to the front that one would not have believed possible. In several other respects Messrs. Warren & Wetmore have done things which entitle them to praise, if not indeed to glory. Their use of one principal material, brick, from the water table to the roof, is another common sense feature of this remarkable design.

And to crown the whole work, the color, the polychromatic gray brick, a "close harmony" of hidden and indescribable golden browns and blues, and all trimmed with stone colored terracotta, forming with the sky as a background a blue and gray symphony—it is a sight worth crossing a continent to see!




THE SILVER SERVICE OF THE VANDERBILT HOTEL

Made by The Gorham Co.







Warren & Wetmore, Architects.



THE VANDERBILT HOTEL. DETAILS AT THE TOP STORIES.

Front Brick: Carter, Black & Ayers.
Venetian Blinds: James G. Wilson Mfg. Co.



THE VANDERBILT HOTEL. PLANS OF THE BASEMENT, GROUND, FIRST AND SECOND STORIES.

The First Story is Practically Typical of All Upper Stories.

Warren & Wetmore, Architects.



THE VANDERBILT HOTEL. ENTRANCE LOBBY AND LOUNGE.
 Ornamental Plaster and Caen Stone: Davis Brown.
 Painting and Decorating: Robert E. Mackay Co.
 Bronze Grille Work: Tiffany Studios.
 Rugs: Bollentin & Thompson.
 Warren & Wetmore, Architects.



Bronze Grille Work: Tiffany Studios.
Lighting Fixtures: Edward Caldwell Co.
Electrical Contractors: J. Livingston & Co.
Ornamental Plaster and Cuen Stone: Davis Brown.



THE VANDERBILT HOTEL. THE RESTAURANT AND THE LOBBY.
Painting and Decorating: Robert E. Mackay Co.
Silver Service: The Gorham Co.
Rugs: Hollistin & Thompson.
Bulletin Boards: U. S. Changeable Sign Co.

Warren & Wetmore, Architects.
C. O. Mallouk } Consulting Electrical
C. E. Knox } Engineers.



THE VANDERBILT HOTEL. THE DELLA ROBBIA GRILL ROOM.

Electrical Contractors: J. Livingston & Co.
 Silver Service: The Gotham Co.
 Cork Floors: Hasbrouck Flooring Co., Inc.
 Thomas "Acme" Air Purifying and Cooling System.

Warren & Wetmore, Architects.
 C. O. Malloux } Consulting Electrical Engineers.
 C. E. Knox }



THE VANDERBILT HOTEL. VIEWS IN THE PRIVATE SUITES.

Ornamental Plaster: Davis Brown.
 Painting and Decorating: Robert E. Mackay Co.
 Venetian Blinds: James G. Wilson Mfg. Co.
 Flushvalves Used.
 Hardwood Floors: Hasbrouck Flooring Co., Inc.
 Rugs: Bollentin & Thompson.

Warren & Wetmore, Architects.



THE VANDERBILT HOTEL. THE OFFICE COUNTER AND THE JAPANESE ROOM
WHICH IS A BUFFET BAR.
Bronze Grille Work: Tiffany Studios. Warren & Wetmore, Architects.



BULLETIN BOARD IN THE MAIN LOBBY.
Made by The U. S. Changeable Sign Co.

THE VANDERBILT HOTEL.

The Vanderbilt Hotel is twenty-two stories in height and has three full basements, with a partial fourth. The lower basements are used for the power plant and different machinery. The basement, or one story below the sidewalk level, is for the most part occupied by the Della Robbia grill room. To the south end is the kitchen, and at the north end is the laundry. An entrance from the sidewalk near the south end leads into the café, which is in a mezzanine, and to the gallery around the grill room in the level below. The building is of the usual steel construction, with the Roebling system of concrete arch for the floors. The partitions are of gypsum blocks, and the trim, doors and window frames and sash are of hollow metal. In the service hallways the floors are of cement and the walls wainscoted with thin iron plates.

The fire which occurred shortly after the hotel was opened gave a very good practical proof of the fireproof construc-



THE VANDERBILT HOTEL. AN ELEVATOR FOYER ON AN UPPER STORY.

Elevators: Standard Plunger Elevator Co.
Ornamental Plaster and Caen Stone: Davis Brown.
Electrical Contractors: J. Livingston & Co.
Cork Floors: Hasbrouck Flooring Co., Inc.
Rugs: Bollentin & Thompson.

Warren & Wetmore, Architects.

tion of the building. It burned, as with-
in a stove, a large amount of furniture
which was in storage on one of the
floors, and although the fire was intense,
no damage to the building except of the
most superficial character resulted, and
the blaze was confined to the point of its
inception.

The mechanical equipment of the
building consists of a battery of Bab-
cock & Wilcox boilers, which are fed by
Wilkinson automatic stokers supplied by
a travelling hopper of about 1,500
pounds capacity which is filled by
a continuous bucket coal conveyer
manufactured by the C. O. Bartlett &
Snow Co. There are three direct-con-
nected electric generating sets de-
veloping a total of 500 kilowatts. All
machinery is oiled by a Peterson cen-
tral oiling system. There are two
garbage cremating furnaces of the Morse
Boulger type. The ice machine, which
is of 80 tons capacity, is of the Frick



THE TRAVELLING HOPPER FEEDING
THE STOKERS.
Made by The C. O. Bartlett & Snow Co.



THE KITCHEN IN THE VANDERBILT HOTEL.

Equipped by L. Barth & Son.
Ice Cream Freezer: Emery Thompson Machine & Supply Co.
Electrical Contractors: J. Livingston & Co.

ammonia compression type. This supplies refrigeration for the hotel in general and for the air purifying and cooling system, which is the Thomas' "Acme," built by Thomas & Smith, Inc. This apparatus is designed to wash and cool the air supplied to the grill room of the hotel. The air is passed through a spraying chamber, wherein it is thoroughly cleansed of dust particles and impurities, and receives its initial cooling. It then passes through a special refrigerating chamber consisting of a grid-iron of brine pipes containing brine at 15 degrees F. This reduces the air from 75 to 60 degrees F. The air then passes through an eliminator consisting of vertical non-perforated baffle plates, wherein excess water is separated from the air and from which the free air, thoroughly purified and dry, is delivered to the fan. The apparatus is designed to handle 14,000 cubic feet of air per minute, cooling incoming air from a temperature of 95 degrees to 60 degrees F.

The decoration of the Vanderbilt Hotel is in the Adam style, although quite a different development from that displayed in the Ritz-Carlton, designed by the same architects and completed about a year ago. Without exhaustive description, the illustrations quite fully explain the decorations. In the lounge or office foyer, the relief frieze was sculptured by Beatrice Astor Chanler. Other ornament and furnishing is evident in the illustrations. The rugs, however, which were specially woven for the hotel, are particularly interesting. They were made for Gimbel Brothers, New York, who supplied the interior furnishings from special designs worked out by the architects, by Bollentin & Thompson, their factors. The designs are of Chinese origin, and there are two rugs

in the entrance 27 by 48 feet in dimension, colored in royal Chinese blue, with beautiful medallion and duo-tone centers. The various rooms are suitably furnished with appropriate rugs, according to the decoration.

Warren & Wetmore were the architects of the Vanderbilt Hotel. The consulting electrical engineers were Mailloux & Knox. The builders were the Wm. L. Crow Co. Carter, Black & Ayers supplied the front brick.

The electrical contractors were J. Livingston & Co. The wire was supplied by the Habirshaw Wire Company, and detachable mechanism push button switches were furnished by the Metropolitan Electric Mfg. Co. The elevators are of the plunger type and were installed by The Standard Plunger Elevator Company.

The ornamental plaster and caen stone work was done by Davis Brown. Robert E. Mackay Co. did the painting and decorating. The Tiffany Studios did the bronze grill for the cashier's room and other work, and the lighting fixtures were made by the Edward Caldwell Co. The U. S. Changeable Sign Company installed a special hotel bulletin board.

The Hasbrouck Flooring Co., Inc., installed cork flooring in many rooms throughout the building. Venetian blinds were put into all the rooms by the James G. Wilson Manufacturing Co.

The silver service for the tables was designed and supplied by The Gorham Co., L. Barth & Son equipped the kitchen, and the Emery Thompson Machine and Supply Co., put in the ice cream freezers.

The sanitary equipment was put in by The Nason Manufacturing Co. Flush-valves manufactured by the Flushvalve Company were used on all toilets throughout the hotel.

THE HOTEL TAFT

The Hotel Taft contains about three hundred guest bedrooms, each connected with a bath, arranged singly or in suites of three to five rooms. The building has extensive public accommodations, including regular dining rooms, private dining rooms, a banquet hall, roof garden and accommodation for small society dinners. In construction the building is fireproofed with usual precaution. The trim and doors about the stairs and elevators is of hollow metal, thus thoroughly fireproofing these portions of the structure.

F. M. Andrews & Company were the architects of the Hotel Taft. V. J. Hedden & Sons Co., were the builders. The Wells Architectural Iron Company did the ornamental iron work, and the Federal Terra Cotta Company supplied exterior terra-cotta. Lime was supplied by the Farnum Cheshire Lime Company. The front, inside and hollow brick were all furnished by the I. L. Stiles & Son Brick Co. The interior wood-

work was done by the John Rouzer Company. The hollow metal doors and trim were installed by the Dahlstrom Metallic Door Co. Wilson's Venetian blinds were used in all the bedrooms. The lighting fixtures were supplied by Baguès Frères Co. Bollentin & Thompson furnished rugs, interior furnishings were supplied by John Wanamaker, N. Y., bentwood chairs by Jacob & Josef Kohn, and the U. S. Changeable Sign Co. put in a special hotel bulletin board. The electrical contractors were the Watson, Flagg Engineering Co. Wire was supplied by the Habirshaw Wire Company, and the Metropolitan detachable mechanism push button switches were used and Otis elevators were installed.

The silver service for the dining rooms was supplied by the International Silver Company. Bramhall-Deane Company equipped the kitchen. The Emery Thompson Machine and Supply Company furnished ice cream freezers. The vacuum cleaning equipment was installed by the Spencer Turbine Cleaner Company.




THE SILVER SERVICE OF THE HOTEL TAFT.
Made by The International Silver Co.



MARQUISE AT MAIN ENTRANCE.

Ornamental Iron: The Wells Architectural Iron Co.

F. M. Andrews & Co., Architects.



THE TAFT HOTEL. GROUND STORY PLAN.

F. M. Andrews & Co., Architects.



THE HOTEL TAFT, NEW HAVEN, CONN.

Builders: V. J. Hedden & Sons Co.
 Front Brick: The I. L. Stiles & Son Brick Co.
 Electrical Contractors: Watson, Flagg Engineering Co.
 Metropolitan Detachable Mechanism Push Button Switches.
 Insulated Wire: Habirshaw Wire Co.
 Architectural Terra-Cotta: Federal Terra Cotta Co.
 Farnam Cheshire Lime Used.
 Venetian Blinds: James G. Wilson Mfg. Co.
 Otis Elevators.
 Hollow Metal Doors and Trim: Dahlstrom Metallic Door Co.

F. M. Andrews & Co., Architects.



THE HOTEL TAFT. THE ROTUNDA OR GRAND LOBBY.

Ornamental Iron: The Wells Architectural Iron Co. F. M. Andrews & Co., Architects.
Electrical Contractors: Watson, Flagg Engineering Co.
Rugs: Bollentin & Thompson.
Lighting Fixtures: Baguès Frères Co.
Interior Trim: The John Rouzer Co.
Bulletin Board: U. S. Changeable Sign Co.
Hollow Metal Doors and Trim: Dahlstrom Metallic Door Co.



THE HOTEL TAFT. THE DINING ROOM OR GRAND CAFE.

Lighting Fixtures: Baguès Frères Co.

F. M. Andrews & Co., Architects.

Rugs: Bollentin & Thompson.

Interior Trim: The John Rouzer Co.



THE HOTEL TAFT. THE BALLROOM AND DETAIL OF A STAIRWAY.
 Bentwood Chairs: Jacob & Josef Kohn. F. M. Andrews & Co., Architects.
 Lighting Fixtures: Baguès Frères Co.
 Ornamental Iron: The Wells Architectural Iron Co.



THE HOTEL TAFT. THE BAR AND THE WRITING ROOM.

F. M. Andrews & Co., Architects.



Lighting Fixtures: Baguès Frères Co.
 Rugs: Hollenstin & Thompson.
 Electrical Contractors: Watson, Flagg Engineering Co.
 Interior Trim: The John Rouzer Co.
 Hollow Metal Doors and Trim: Dahlstrom Metallic Door Co.



THE HOTEL TAFT. THE PALM ROOM AND THE RATHSKELLAR.
Lighting Fixtures: Baguès Frères Co. F. M. Andrews & Co., Architects.



A HALLWAY TYPICAL OF THE UPPER FLOORS.

The steel smokestack of the Hotel Taft, of which we have shown a special illustration, was built by the Felber Engineering Works, and is of great interest. The illustration and the plan of the stack as depicted on the first story plan of the building shows how space has been economized and how little the stack interferes with the plan of the building. This steel stack fits exactly over the proper area which is necessary for the passage of gases from the power plant. It is lined with 2 inches of vitrified asbestos securely attached by clips to the steel shell and entirely covered within with a coating of asbestos cement. While this stack is a permanent



Exterior Smoke Stack
of The Hotel Taft.

Built by The Felber
Engineering Works.



THE SPENCER VACUUM
CLEANER MACHINE IN
THE HOTEL TAFT.

feature and practically indestructible, it may be removed without excessive cost if remodelling of the power plant is necessary at any time.


The sanitary equipment was installed by Hotchkiss, Vail & Garrison Co., and

Vitrolite partitions and wall linings were used in all the toilet rooms and in the barber shop.

THE CAWTHON HOTEL

This hotel is a fireproof structure, with reinforced concrete floor systems. Its seventh story, however, is of reinforced concrete throughout. The finish for the exterior is of grey Georgia granite for the first story, with the remainder of the building in mottled brown pressed brick with trimmings of terra-cotta. The floors throughout are of tile and concrete, and the trim is of marble and oak. There are two Otis passenger elevators and one service elevator.

The Cawthon Hotel in Mobile, Ala., was designed by Hutchisson & Denham. The Noelke-Richards Iron Works supplied the structural steel, and the Northwestern Terra Cotta Company supplied the terra-cotta. P. and F. Corbin hardware was used, and the hotel silver was supplied by the R. Wallace & Sons Manufacturing Company.



THE HOTEL TAFT. A TYPICAL STORY PLAN.

F. M. Andrews & Co., Architects.



THE HOTEL TAFT. THE BARBER SHOP AND A LADIES' RETIRING ROOM.
 Walls and Partitions of "Vitrolite," Making a Glass Lining.
 Made by The Vitrolite Co.



THE KITCHEN OF THE HOTEL TAFT.
 Kitchen Equipment: Bramhall-Deane Co.
 Ice Cream Freezer: Emery Thompson Machine & Supply Co.

THE LEAMINGTON HOTEL

The Leamington in Minneapolis, Minn., is distinctly an apartment hotel. It contains 850 rooms, besides the extensive public area on the first floor and the spacious roof garden. Its main frontage is about 330 feet.

The general contractors and engineers for the Hotel Leamington in Minneapolis, Minn., were the Leonard Construction Company. The interior trim and woodwork was done by the Cream City Sash and Door Co. John S. Bradstreet & Co. did the decorations, ornamental glass work, and supplied the draperies, furniture and rugs.

Exterior terra-cotta was furnished by the Northwestern Terra Cotta Co., and metal lath by the Berger Manufacturing Company. The fire protective system is thorough. Gould pumps are employed.

The hotel silver was designed and made by the International Silver Company.

THE GEORGIAN TERRACE HOTEL

W. L. Stoddart was the architect of the Georgian Terrace Hotel, in Atlanta, Ga. The hotel is located at the corner of Peachtree Street and Ponce de Leon Circle. It is ten stories in height, and contains more than 300 rooms. By locating the building 25 and 13 feet respectively from the two streets, within the lot line, it was possible to preserve the shade trees on the street fronts and improve the setting of the building. A 12-foot terrace extends along the frontage on both streets, which forms an outdoor dining room in connection with the main dining room. This latter has a seating capacity of 350 guests. It is 44 by 90 feet, and has a ceiling 20 feet in height. The plan explains the arrangement of the typical upper floors, and

shows the court separating the building into two wings, thus providing ample ventilation during the hot weather. The George A. Fuller Company were the builders, and the Federal Terra Cotta Company supplied the exterior terra-cotta. The front brick was supplied by the Hydraulic-Press Brick Company. The wire for the hotel was supplied by the Habirshaw Wire Company. The structural steel work was done by the Noelke-Richards Iron Works. Jacob & Josef Kohn supplied bentwood furniture.


THE CHATEAU LAURIER

The Chateau Laurier was designed by Ross & MacFarlane, and built by the George A. Fuller Company. The engineers were Westinghouse, Church, Kerr & Co. The exterior is built of Indiana limestone, which came from the quarries of the E. F. Giberson Company, Bedford, Indiana. The McFarlane-Douglas Company, Ltd., constructed the roof, which is of 16-oz. cold rolled copper. This company also supplied all doors and grill work about the elevators and many kalameined doors and windows. The foundations, waterproofing and galvanized steel ventilating pipes were also included in their contract. Enameled brick was supplied by the American Enameled Brick & Tile Company. The Linde Canadian Refrigeration Company, Ltd., installed the ice machines, and the refrigerators were made by the White Enamel Refrigerator Company of New York.

The interior marble, mosaic and tile work was done by the Smith Marble & Construction Company, Ltd. P. and F. Corbin supplied the hardware, and the Tiffany Studios did the bronze work. The interior decorations were done by the Bell Galleries in Toronto, and Jacob & Josef Kohn supplied bentwood furniture.



THE CAWTHON, MOBILE, ALA.
Hutchisson & Denham, Architects.
Terra-Cotta: Northwestern Terra Cotta Co.
Structural Steel: Noelke-Richards Iron Works.



HOTEL JEFFERSON, ST. LOUIS, MO.
Barnett, Haynes & Barnett, Architects.
Bulletin Board: U. S. Changeable Sign Co.
Ornamental Iron and Structural Steel: Noelke-Richards Iron Works.
Evans' "Crescent" Expansion Bolts Used.



THE CAWTHON HOTEL. THE VINEYARD CAFE AND THE MISSION LOBBY.
 Hardware: P. & F. Corbin. Hutchisson & Denham, Architects.
 Silver Service: R. Wallace & Sons Mfg. Co.
 Otis Elevators.
 Stanley Ball Bearing Hinges.



HOTEL JEFFERSON. ROTUNDA AND MAIN RESTAURANT.
Otis Elevators. Barnett, Haynes & Barnett, Architects.
Ornamental Iron and Structural Steel: Noelke-Richards Iron Works.




A CORNER OF THE MAIN RESTAURANT WHICH SEATS 486 PEOPLE.
Silver Service: International Silver Co.



THE LEAMINGTON HOTEL, MINNEAPOLIS, MINN.
General Contractors and Engineers: Leonard Construction Co.
Metal Lath: Berger Mfg. Co.
Terra-Cotta: Northwestern Terra Cotta Co.
Pumps: The Goulds Manufacturing Co.
Draperies and Ornamental Glass: John S. Bradstreet & Co.



THE LEAMINGTON. THE BALL ROOM OR TEA ROOM AND THE LOUNGE.
 General Contractors and Engineers: Leonard Construction Co.
 Decorations, Furniture, Rugs, etc.: John S. Bradstreet & Co.
 Interior Trim and Woodwork: Cream City Sash & Door Co.
 Silver Service: International Silver Co.



GEORGIAN TERRACE. GROUND AND TYPICAL STORY PLANS.

W. L. Stoddart, Architect.



GEORGIAN TERRACE, ATLANTA, GA.

Builders: George A. Fuller Co.
Structural Steel: Noelke-Richards Iron Works.
Face Brick: Hydraulic-Press Brick Co.
Terra Cotta: Federal Terra Cotta Co.
Insulated Wire: Habirshaw Wire Co.
Otis Elevators.

W. L. Stoddart, Architect.



GEORGIAN TERRACE. THE MAIN LOBBY AND THE MAIN DINING ROOM.
Bentwood Furniture: Jacob & Josef Kohn. W. L. Stoddart, Architect.

THE EMERSON HOTEL

The Emerson Hotel, Baltimore, was designed by J. Evans Sperry. William H. Parker was the builder of the hotel, and Henry Adams was the consulting engineer. The terra-cotta was made by the Conkling-Armstrong Terra Cotta Co.

In the interior, the ornamental plastering was done by the Architectural Plaster Company, the lighting fixtures were designed and made by the Mitchell Vance

Company, the hardware by P. and F. Corbin, and all of the interior woodwork was manufactured and erected by the Robert Mitchell Furniture Company. The hotel silver was produced by the R. Wallace & Sons Manufacturing Company.

The filter plant for the hotel was built by the Loomis-Manning Filter Distributing Co.

The photographs of the Emerson Hotel were made by Holmes & Bishop, of Baltimore.



THE CHATEAU LAURIER. A PRIVATE DINING ROOM.

Interiors: Bell's Galleries.

Decorations: Tiffany Studios.


Ross & MacFarlane, Architects.



THE CHATEAU LAURIER, OTTAWA, CANADA.

Builders: George A. Fuller Co. Bedford, Ind.
 Limestone: E. F. Giberson Co. Bedford, Ind.
 Copper Roof: McFarlane-Douglas Co. Ltd.
 Enamelled Brick: American Enamelled Brick
 Co. Inc. New York, N. Y.
 Tiles: The Smith Marble & Construction Co., Ltd.
 Elevators: The Smith Marble & Construction Co., Ltd.

Ross & MacFarlane, Architects.
 Westinghouse, Church, Kerr & Co., Engineers.



THE CHATEAU LAURIER. PERSPECTIVE AND PLAN.

Ross & MacFarlane, Architects.
Westinghouse, Church, Kerr & Co., Engineers.

Limestone: E. F. Giberson Co., Bedford, Ind.
Hardware: P. & F. Corbin.
Metropolitan Detachable Mechanism Push Button Switches.
Ice Machines: Linde Canadian Refrigerator Co., Ltd.
Refrigerators: White Enamel Refrigerator Co. of N. Y.
Metal Doors, Windows and Trim: McFarlane-Douglas Co., Ltd.
Bentwood Furniture: Jacob & Josef Kohn.
Evans' "Crescent" Expansion Bolts Used.



THE CHATEAU LAURIER. MAIN STAIRCASE AND MAIN DINING ROOM.
Interiors: Bell's Galleries. Ross & MacFarlane, Architects.
Decorations: Tiffany Studios.
Interior Marble, Mosaics and Tiles: The Smith Marble & Construction Co., Ltd.



HOTEL ADOLPHUS. MAIN DINING ROOM.

Barnett, Haynes & Barnett, Architects.

Designed and to be executed by W. P. Nelson Company.



THE CHATEAU LAURIER. THE LOUNGE.

Interiors: Bell's Galleries.

Ross & MacFarlane, Architects.



HOTEL ADOLPHUS, DALLAS, TEXAS.

Barnett, Haynes & Barnett, Architects.
Ornamental Iron and Structural Steel: Noelke-Richards Iron Works.
Hollow Metal Doors and Trim: Dahlstrom Metallic Door Co.
Interiors: W. P. Nelson Company.



Photographs by Holmes & Bishop.

THE HOTEL EMERSON, BALTIMORE, MD.

Builder: Wm. H. Parker.

Otis Elevators.

Loomis-Manning Filters.

Star Expansion Bolts Used.

Venetian Blinds: James G. Wilson Mfg. Co.


Terra-Cotta: Conkling-Armstrong Terra-Cotta Co.

Interior Woodwork Manufactured and Erected by The Robert Mitchell Furniture Co.

Metropolitan Detachable Mechanism Push Button Switches.

J. Evans Sperry, Architect.

Henry Adams, Consulting Engineer.



THE HOTEL EMERSON, THE DINING ROOM.

J. Evans Sperry, Architect.
Henry Adams, Consulting Engineer.

Interior Woodwork Manufactured and Erected by The Robert Mitchell Furniture Co.
 Silver Service: R. Wallace & Sons Mfg. Co.
 Lighting Fixtures: The Mitchell Vance Co.
 Hardware: P. & F. Corbin.
 Ornamental Plaster: Architectural Plaster Co.



THE HOTEL EMERSON. THE LOBBY.

Interior Woodwork Manufactured and Erected by The Robert Mitchell Furniture Co. J. Evans Sperry, Architect.
 Lighting Fixtures: The Mitchell Vance Co. Henry Adams, Consulting Engineer.
 Hardware: F. & F. Corbin.
 Ornamental Plaster: Architectural Plaster Co.



THE HOTEL EMERSON. THE BALL ROOM AND THE RATHSKELLAR.

Silver Service: R. Wallace & Sons Mfg. Co. J. Evans Sperry, Architect.
 Interior Woodwork Manufactured and Erected by The Robert Mitchell Furniture Co.
 Lighting Fixtures: The Mitchell Vance Co.
 Hardware: P. & F. Corbin.
 Ornamental Plaster: Architectural Plaster Co.

THE FIREPROOF HOTEL

A PRACTICAL IDEAL

By EDWIN O. TORBOHM.

SUCCESSFUL hotel managers may be, and probably are born, rather than made. Hotel structures, however, are still made in the old fashioned way by the judicious combination of brain and brawn in the use of various building materials. The peculiar fitness of the more successful of the nations' hostleries has come about not by accident but through a proper appreciation upon the part of those charged with the preparation of the plans, of the needs and requirements of the prospective occupants.

The modern, up-to-date hotel is "fireproof," that is to say built of fireproof material; but it does not necessarily follow that the structure is fire-resistive even to a moderate degree. The arrangement of the various parts may be so faulty that hardly any distinctive fire-resistive qualities are exhibited when the building is subjected to a serious test. The plan and arrangement then may make or mar our "fireproof" building according to the degree of intelligence with which the architect has approached his subject and the skill, or the lack of it, with which he has anticipated the various contingencies that may arise.

For the purpose of this necessarily brief paper let us assume that all the essentials of a thoroughly safe and a properly fireproofed structural creation are before us. In such a building the foundations and the frame, the floor system, and the enclosing walls are all adequate for the loads expected. Wind and other stresses have been liberally estimated and provided for, all struc-

tural steel work, including that in the attics (so often neglected) is fully protected by terra-cotta or concrete fireproofing, and the room partitions, of fireproof material, are all carefully constructed, extending from one permanent floor arch or plate to the next and nowhere rest upon wood or other combustible material.

How now shall we finish this building? To have wooden floors over hollow spaces, thin panelled wooden doors between the rooms and to the corridors, wooden window sash and framing, open stairways and elevators, dummies and vent shafts or pipe and wire shafts with wooden fronts or soldered metal, would obviously not be in keeping with the excellent start we have made. What we want is a building which shall be fireproof in fact as well as in name. The perfect fireproof building will probably never be erected, since to be absolutely proof against fire from without as well as from within would require a structure so arranged as to be practically unusable and therefore economically impossible. What we can and should do, however, is to so design our building that but a comparatively small proportion of its combustible contents will at any one time be subject to the same fire. This can only be accomplished through a proper subdivision of areas by adequate fire stops both vertical and horizontal and the elimination of all combustible trim.

If our "fireproof" is to be worthy of the name let us then avoid first of all

wooden floors. Concrete floors are cold only in cold buildings—never in hotels. So we will fasten our rugs directly to the waterproofed concrete surfaces and enjoy both greater safety from fire and better sanitation. Drawn steel or kalamained wood provides us with doors and room trim which, when properly treated, rivals the natural woods in beauty of finish, so why temporize with the non-fireproof trim in a "fireproof" building? Not merely the room doors leading to corridors, but *all* doors should be of incombustible material, which means that those connecting suites of rooms should be of this type. Mere "fireproof" construction will avail but little if the vast quantities of highly combustible contents which is a necessary concomitant of the large hotel are not in some way divided up into comparatively small and to that extent safer groups.

In the general plan interior shafts or fully enclosed light courts should be avoided; likewise interior vent shafts. All these act like flues or immense chimneys and frequently carry otherwise insignificant fires beyond bounds. Where the vent shafts can not be avoided four inches of brick, terra-cotta or concrete should be the minimum thickness of the enclosing walls and all openings into them protected by riveted metal louvres or wired-glass in kalamein or metal sash, automatically closing, in case of fire, through the use of fusible links.

No feature of internal arrangement is of more vital importance in a hotel than the proper and adequate enclosure of the various agencies through which communication is had from floor to floor. Stairways may be of sufficient width and strength and absolutely unburnable, but unless they are properly enclosed they will avail but little as means of safe egress under trying conditions. A compelling desire to care first for the safety,

comfort and convenience of his guests is characteristic of every successful hotel man. To have the guests needlessly alarmed even although no danger threaten is a thing to be shunned. Smoke communicating from floor to floor may cause quite as truly a loss as if fire spread throughout the same area. The natural tendency of fire and smoke being upward, stairways, elevators, dumb-waiters, etc., should therefore not only themselves be of fireproof material, but the entire enclosure, including the covering of such openings as may be required, should also be equally fire resistive. Unenclosed or surrounded by only partially fire-resistive material these will serve as ready means for the rapid spread of both fire and smoke. A standard arrangement consists of enclosure in six-inch terra-cotta blocks or poured concrete or their equivalent with all openings in the same closed by doors of drawn or pressed sheet steel or kalamained wood, with or without wired-glass panels as may be preferred. Sash, if any, should be similar material.

Elevators should be arranged in like manner, and where a maximum of safety is desired, elevators and stairways should be in separate shafts. In large establishments, where a number of stairways and elevators are installed, a battery of elevators may be located adjoining a staircase and the entire outfit enclosed in a thoroughly fireproofed vestibule with doors as indicated above. Such an arrangement can be approved, however, only for shafts not extending into the basements or other hazardous portions of the house. Nor can double-acting swinging doors, or, in fact, any door without fastenings be approved, since these offer little resistance to the passage of strong drafts of air.

Frequently treated as of secondary importance, but erroneously so, are service dummies. These should have as effective

protection as elevators and every effort should be made to separate them entirely from the shafts used by guests, the best practice now being to have them communicate not to hallways or corridors, but to serving kitchens on the various floors.

Pipe shafts, electric light conduits and similar ducts receive identical treatment. Indirect heating and ventilating systems should connect at convenient points at each floor with substantial brick, terracotta or concrete flues equipped with dampers so that portions may be entirely shut off when required. In this connection it may not be amiss to refer to the accident which recently befell a prominent New York City hotel. Through the burning of a quantity of rubbish from a demolished building, adjoining and close to the intake of a fresh-air circulating suction fan, a great volume of smoke was drawn into and distributed throughout the dining room at the dining hour. Aside from the annoyance and discomfort of the guests, who were compelled to vacate for the time being, there accrued an additional loss through the soiling of wall and ceiling decorations and draperies. This accident illustrates the care with which many of the details of arrangement ought to be studied. Had the fresh air intake been located higher it is unlikely that damage would have resulted. All air circulating systems ought to be equipped as a matter of safety with readily accessible dampers at convenient locations, and provision should also be made for the prompt shutting off of power to suction fans or blowers at one or more points other than at the device itself.

Before leaving the question of floor openings a word as to window protection is necessary. Where the neighboring buildings are of sufficiently hazardous nature to warrant consideration as exposures, all windows facing or over the same must be protected against the in-

gress of fire. Exposure hazard as interpreted by the fire prevention engineer is a subject too extensive to enter into here, but a hint of the generally accepted standards of protection is given. Thin sheet iron shutters are of but slight value and except the exposure be extremely mild windows of kalameined wood with wired-glass are likewise not recommended. For a moderate exposure wired-glass in hollow metal sash and framing is a standard protection; for more hazardous exposure standard metal clad, shutters are required. Where full protection is desired on the windows in rear courts or ells of the building which are exposed only to their own hazard, wired-glass in metal or kalameined sash should be used. Even if not all of the windows are so equipped those directly opening from stairways, corridors or other exits, should be thus protected to the end that these passages may be reasonably safe against the entrance of smoke and flame.

Especial care is required in the arrangement of the sub-grade floors. Kitchens, storerooms, bake and pastry shops, silver polishing, laundry, carpenter and pipe fitting shops, furniture repairing or upholstering and similar hazards are with few exceptions located here. In addition to the above there are boilers, engines and dynamos, pumps and ice machinery, as well as fuel below grade in the average hotel. All these should be segregated as thoroughly as may be, and the space allotted to each made as small as is consistent with safety and the needs of the department. Here, if anywhere, stout dividing walls and partitions are required and even if there are no fireproof doors in other parts of the house they are a prime requisite here. The stairways, dumbwaiters and all other vertical floor openings which connect the sub-grade floors with the upper portions of the hotel should be particularly well enclosed in fireproof material with fire-

proof doors. Even in the smaller establishments there should never be less than two separate and distinct stairways to the lower levels, so that a fire may be properly approached from more than one direction.

Hoods over kitchen ranges and broilers are designed primarily to carry off smoke and odors. Opinions may differ as to whether these should be connected to flues of metal (left bare or covered with asbestos) encased in brick or terra-cotta shafts and retained upon the inside of the building or whether they should be wholly outside. Convenience or inclination may decide, it matters little. About the necessity of safe insulation of these vent flues, there can be no question, however, since even with the best of circulation it seems impossible to wholly avoid the condensation of vaporized grease within them. They should be so substantially made and riveted that fire, whether accidental or designed, (they are frequently cleaned by being set afire) may be safely confined therein. Where such vents extend in a horizontal direction for any considerable distance, cleaning out doors should be provided at intervals of from twelve to fifteen feet.

It will be found a good plan to segregate as much as possible the refrigerating machinery from the kitchen, the butcher shop and storerooms or any other departments the stoppage of which may cause discomfort and inconvenience to the management or its guests. Convenience and perhaps economy suggests that the ice machine be located in or close to the engine and boiler rooms, but accidents do happen even in well-regulated hotels and ammonia does escape. At such times it will be worth many times its cost to have some special means of tightly closing, as well as quickly ventilating the refrigerating machine room.

Then there is the problem of rubbish disposal, and it is a problem of no mean

proportions in many establishments. By far the best solution lies in the installation of a special rubbish chute. This may consist of a sheet metal lining to a brick, terra-cotta or concrete shaft with all openings to it protected by self-closing, vertical (lifting) doors of not less than one-quarter inch boiler plate or its equivalent. The rubbish chute should terminate in a fireproof baling room, entrance to which is gained through a fireproof vestibule. All openings here should be protected by standard metal clad doors closing automatically through the melting of fusible links. The necessity for similar chutes for linen may not be so apparent, but their installation is a refinement which will make for increased efficiency and yet cost but little when incorporated in the original plans. Instead of being baled for shipment all rubbish may be consumed in an incinerator located in the boiler room or in a specially designed compartment cut off by fire doors.

Like the service dumbwaiters, service stairways and elevators are frequently treated as of secondary importance, while as a matter of fact they are much more important from the standpoint of fire prevention than are those intended exclusively or largely for guests. Temporary storage of rubbish and soiled linen (sometimes where chutes have been provided) is frequently noticed in these shafts which is an additional reason why the requirements for their enclosure should be not less rigid than those already described.

Although we may have provided both structurally and through efficient management against the dangers of fire, provision must also be made for its prompt extinguishment should it occur. First and foremost as an efficient fire extinguisher, in the opinion of the writer, is the humble fire pail. Objection is sometimes made to its unsightliness and in a hotel this is an item to be considered. The criticism may be almost wholly overcome

by placing the pails in closets along the corridors or in specially designed wall recesses along with the fire axes and hooks which are required by the fire regulations of most municipalities. Metal tanks containing six filled pails are also available and these are both sightly and sanitary.

Next in value for incipient fires is the portable three-gallon chemical extinguisher. These are particularly useful in the suppression of fires in concealed spaces or other situations not so readily reached by water from a fire pail. A goodly number of chemical extinguishers should be provided for all parts of the house. Standpipes with sufficient hose attached to thoroughly cover any point on a floor are required for larger fires. The water supply for the standpipes may be either from tanks on the roof, city water or fire pumps. The larger establishments usually combine all of the sources of supply described above, but whatever the source, the supply, to be efficient, must be ample. Except in very small establishments, the standpipes should be six inches or more in diameter (never less than four inches) and the hose two and one-half inches. Where the water for standpipes is taken from tanks used also for house purposes, an amply adequate proportion of the total capacity of the tank should be reserved exclusively for the fire lines.

To not extend the standpipe lines to the roof of a fireproof hotel is a grievous error. Outlets provided with hose properly housed should be located here as a protection against fires in neighboring buildings. In locating the fire pump it is quite necessary that some thought be given to its accessibility as well as to making suitable provision for draining the pump and boiler rooms. Here also, as in the case of standpipes and tanks, nothing is gained by niggardliness. When water for fire lines is required it is usual-

ly wanted badly and in quantities. One good sized stream, vigorously propelled is usually more effective than a half-dozen feeble streams. A large capacity pump, full sized piping, liberal steam supply, all are essential.

Automatic sprinklers are strongly urged for all work rooms, such as carpenter or upholstery shops, and in the store rooms, rubbish rooms, baggage rooms, etc. There seems to be no immediate necessity for their general introduction throughout the entire sub-grade floors, although to be sure no harm could accrue, except that as a matter of choice they had best be kept out of dynamo and motor rooms where short circuiting would follow their discharge from whatever cause. Pressed for patronage, some resourceful manager may yet equip his entire hotel with automatic sprinklers, although it is unlikely that a legitimate demand for such an installation will be formulated by the civil authorities or by the fire underwriters if the recommendations herein submitted are adhered to. An additional and very important fire extinguisher of trifling cost is available in the use of steam jets. These may be introduced into small confined spaces such as the rubbish room and are invaluable for the vent flues leading from kitchen ranges and broilers.

It is perhaps needless to add that the valves for turning on the steam must be located upon the outside of the rooms sought to be protected and in the case of flues located in readily accessible places somewhat remote from the point or points where fire is expected.

Having done all these things to guard against fire becoming unduly destructive, we want now to insure that they be maintained in an operative condition. This is best accomplished by the establishment of a fire brigade among the employees under the supervision of the chief engineer or an equally competent person.

Weekly inspection of every piece of fire-fighting paraphernalia by alternating sets of the members of such a brigade, duly recorded upon prepared blanks, will do much toward making the location of these safeguarding agencies familiar to those best qualified to use them, as well as providing against their being in an in-operative condition through neglect. Fire drills may and should be established for sub-grade floors or wherever and whenever they will not cause alarm and panic among the guests, and a sufficient number of the employees instructed in the use of the various fire appliances.

Watchmen are another feature of hotel management which must be provided for. Watchmen without watch clocks to record their rounds are not popular. The portable watchclock with key stations in connection with an auxiliary alarm system is both efficient and not costly. There are

also other recording devices which signal electrically to some distant central office station at stated intervals. The latter installation is, of course, much more expensive and in the case of hotels where there are at all times a considerable number of employees about, not necessarily more desirable. The installation of auxiliary fire-alarm boxes may be upon these circuits or direct to fire headquarters. Most large establishments prefer to have all the various floor fire-alarm boxes register upon an annunciator in the hotel office, reserving the sending of the actual alarm to the judgement of the hotel management.

While some of these features, properly speaking, belong exclusively to the management, the necessity for their consideration is impressed upon the architect so that he may be enabled to provide intelligently for their execution.





Otis Elevators

The achievement of this Company in perfecting the highest type of elevators has gained for our product recognition as the standard of excellence throughout the civilized world, and it is but fitting tribute to their superior quality that Otis Elevators have been chosen for many of the palatial, world-renowned Hotels and Apartment Houses of this country and abroad; in which are included

Hotel Astor, New York
Belmont Hotel, New York
Hotel Taft, New Haven, Conn.
Hotel Sherman, Chicago
Georgian Terrace Hotel, Atlanta, Ga.
Hotel Schenley, Pittsburgh, Pa.

Hotel Ritz-Carlton, New York
The Martinique Hotel, New York
The Emerson Hotel, Baltimore
Rector's Hotel, New York
Hotel Richmond, Richmond, Va.
Hotel Bossert, Brooklyn, N. Y.

and hundreds of others equally well known

Back of our product is over fifty-five years' experience and success in solving all kinds of elevator problems. We make all kinds of passenger and freight elevators for every purpose—for every kind of power. Otis Elevators have demonstrated they are

**Unequaled in Quality, Safety, Efficiency,
Economy, and Durability**

Otis Elevators should be used for modernizing old buildings, and for insuring the greatest convenience, safety, economy and satisfaction in the new.

Architects and Builders, or anyone requiring the moving of passengers or merchandise from level to level or horizontally to widely separated points, will do well to consult with us. Without obligation our Engineering Department will supply full information, show the way to best meet specific requirements, and submit estimate of installation cost. Correspondence invited. Write to us.

Otis Elevator Company

17 Battery Place, New York

Offices in all Principal Cities of the World



When writing Advertisers, please mention Architecture and Building.

BOOK REVIEWS

MOLDING CONCRETE CHIMNEYS. SLATE AND ROOF TILES. By A. A. Houghton, New York: The Norman W. Henley Publishing Company. Price, 50 cents.

This is another practical treatise by Mr. Houghton. The first part of the book treats of chimney construction, small monolithic chimneys, interlocking blocks for concrete chimneys, ornamental molds for chimneys, forms for large monolithic chimneys, etc. The author then discusses various types of concrete roofs and goes into the subject of concrete roof construction in a practical manner. Illustrations are given throughout, showing the methods and devices employed. The subject of roof loads and bearing capacity of roofs is shortly discussed at the end of the work.

SANFORD'S MANUAL OF COLOR. By John Ithiel Sanford. Price \$1.00.

This is a simple treatise on the subject of the primary colors and their blending. A color chart shows the system of blending, and there is also shown a complete chart of the prismatic or rainbow colors. The arrangement of this chart shows how the three primary colors passing through a prism are combined to give the seven colors with the various intervening shades.

THE KINGDOM OF DUST. Profusely illustrated. By J. Gordon Ogden, Ph.D. Chicago: The Popular Mechanics Company. Price, 50 cents.

This little book is an interesting essay which is very well illustrated, dealing with the subject of dust in the atmosphere and the various phenomena which accompany it and are related thereto. The first chapter treats of dust in the atmosphere, or terrestrial dust; the second with cosmic dust, or the dust of the universe. Further chapters treat with the injurious substances which are carried by dust, from inorganic poisons to the organic poisons of the molds and bacteria.

A PRACTICAL MANUAL OF STEAM AND HOT-WATER HEATING. By Edward Richmond Pierce. First Edition. Chicago: The Domestic Engineering Co. Price, \$2.50.

In reviewing this book, a great recommendation for it is the knowledge and experience of the author. Mr. Pierce has devoted the energy of a long and active business life to the study of heating conditions and the scope of his activities has covered a great range of territory. He has familiarized himself with heating conditions as they apply locally in all sections of the United States. Connected as he has been with the American Radiator Company, he has been able

to study the conditions of manufacture as well as those of installation, and his treatment of the subject of steam and hot-water heating is a broad and liberal one.

The book is written in the simplest language and it should do much to increase the demand for reliable and efficient heating apparatus. The author has patiently drilled through every problem ordinarily met with in estimating and installing heating apparatus under various conditions.

CONSTRUCTIVE CARPENTRY. By Charles A. King. Published by the American Book Company, New York. Price, 70 cents.

This is the third book of King's series in woodwork and carpentry, and it is particularly intended for students in technical, industrial and trade schools, who have advanced beyond the work as outlined in the previous elementary volumes. The subjects treated are those which would be of greatest value to the prospective and the finished workman. The book consists of a series of problems which arise in the different stages in the construction of the shell of a house, until it reaches the point where it is ready for the inside work. Special attention is given to the use of the steel square in framing roofs and the methods by which the angles of the different cuts and the lengths of the rafters and other members of the frame of the house, may be found. The chapters of the book include masonry foundations, with instructions concerning the laying out of building sites; forms of construction, which cover the various methods of framing; mill construction; the carpenter's steel square and carpenter's geometry, which is a new method of presenting the use of the steel square; roof construction, which is treated in considerable detail; boarding in and outside finish; roof coverings; and plastering, which includes methods of lathing. There is a glossary of terms used in carpentry, and an index.

THE ESSENTIALS OF LETTERING. A Manual for Students and Designers. By Thomas E. French and Robert Meiklejohn. Third Edition, revised and enlarged. Published by the McGraw-Hill Book Company, New York. Price, \$1.00.

This book, which is now in its third edition, contains an historical outline of lettering, chapters on letter construction, composition and titles, selection of style, letters in design, design and composition, monograms, ciphers and marks, drawing for reproduction, and a bibliography of the subject. The chapters on design and composition, and monograms, are particularly interesting and useful; while to the student of the subject of lettering, the bibliography is an exceedingly valuable addition.

Barrett Specification Roofs

*J. T. Fargason Building,
Memphis, Tenn.*
Roof on this building is 40 years
old and still watertight. Roofing
applied by Bartholomew
Roofing Co.,
Memphis



A Roof Which Outlasted a Brick Wall

THE building shown herewith was built in 1872 and roofed with pitch, felt and gravel along the lines now advocated in The Barrett Specification. The brick wall has recently required rebuilding, but in the work of renovation the roof did not require any attention.

Four times the roof has been exposed to fire; a neighboring hotel burned down and this roof was covered with falling sparks; another building, just across the street, was destroyed and this roof was swept with flame: two other fires, which threatened the destruction of the entire block, left this roof undamaged.

This roof has never leaked and never been repaired.

We do not claim that Barrett Specification Roofs will last 40 years, although we can point to innumerable instances where this type of roofing has lasted over twenty years and is still in serviceable condition.

Barrett Specification Roofs are used on the largest factories and commercial structures in the country and on practically all the large office buildings of New York, Chicago and other large cities.

*Copy of the Barrett Specification ready for incorporation
into building specifications free on request.*

BARRETT MANUFACTURING COMPANY

New York Chicago Philadelphia Boston St. Louis Cleveland Pittsburgh
Cincinnati Kansas City Minneapolis New Orleans Seattle London, Eng.
Canadian Offices:— Montreal Toronto Winnipeg Vancouver St. John, N. B. Halifax, N. S.

Special Note

We advise incorporating in plans the full wording of The Barrett Specification, in order to avoid any misunderstanding.

If any abbreviated form is desired however the following is suggested:

ROOFING—Shall be a Barrett Specification Roof laid as directed in printed Specification, revised August 15, 1911, using the materials specified, and subject to the inspection requirement.



When writing Advertisers, please mention Architecture and Building.

Art and Architecture

At the March meeting of the Philadelphia Chapter A. I. A., Mr. Crane of the committee on biography and history, issued a further request for members to fill out biographical blanks in order to complete the files of the committee. Besides the personal advantage of having such records in hand, there is an advantage to the profession at large, and, we might say, the community at large, in recording the life work of architects. In a sense such a collective biography is a history of the national building development and our civic monuments. Every architect should be interested in this movement and it is one that is worthy of emulation by all other chapters of the Institute and the various architectural clubs throughout the United States.

In furtherance of the discussion at the February meeting, a committee on practice was created, which is to prepare a revised schedule of charges for the Philadelphia Chapter. In view of the creation of this new committee, Mr. D. K. Boyd moved that it should also be charged with the preparation of the documents which he had advocated at the last meeting, namely, a form of understanding, not agreement, between the client and the architect, setting forth the principles of practice, a combination as it were of the schedule, the code of ethics and the code of competitions, the same to be incorporated, if favorably considered by the committee, with the proposed chapter schedule. The motion was adopted.

COURSES IN ARCHITECTURAL DRAFTING AT THE MECHANICS' INSTITUTE

The General Society of Mechanics and Tradesmen of the City of New York presents the following architectural courses in their school department: an elementary course for beginners which includes preliminary work in projects and detail drawings of various structural features; a second year course which takes up plans and elevations for frame houses and further details; a third year course which covers the plans, elevations and details of city buildings. There is a fourth course in estimating for builders, and a fifth course in advanced estimating. To graduate in architectural drafting, the student must have

HARRY BISSING

Consulting Engineer

Specialist in Lighting, Heating,
Ventilating and Stage Equip-
ment for Theatres and Halls

363 W. 42d STREET

NEW YORK

When writing Advertisers, please mention Architecture and Building.

taken the first four courses and must have a knowledge of arithmetic through square root.

TO COOPER UNION GRADUATES

The erection of the "Hewitt Memorial Building" cannot fail to be a matter of deep interest to every graduate and former student of Cooper Union. The complete project is a six-story and basement building, but lack of funds prevents the trustees from building more than the basement and two stories at the present time.

The executive committee of the General Alumni Association, feeling that the graduates would desire in some way to contribute to the building, have asked the director how they might best co-operate, and received in reply the suggestion, approved by the trustees, that the alumni might undertake to decorate and furnish the room on the first floor of the building, to be known as the Students' and Graduates' Room.

Further particulars can be obtained, by writing to the Cooper Union Alumni Association.

In the January issue of the Quarterly Bulletin of the American Institute of Architects, there appears an article on the American Academy at Rome, by Glenn Brown, which is splendidly illustrated from a fine series of photographs. The issue on this account will be of wider interest and will be valued by many besides Institute members.

The Mayor of Pittsburgh has recently appointed a city planning commission and an art commission. Many matters of interest to Pittsburgh will be taken up by these two commissions and municipal improvement should follow. The plan for the river-front improvement which includes a levee along the Ohio River is part of the scheme of development in the hands of these commissions. The new building projects in Pittsburgh include the erection of a new hotel on the site of the old Colonial Hotel, and a new theatre which will be located on Forbes Street, and a new building for the East End Savings and Trust Company.

The Housing Committee of the Pittsburgh Chamber of Commerce has recently presented a report urging the erection of small, sanitary dwellings for working people, at a cost of from \$1,600 to \$2,000. It is apparent that these buildings are intended to be built in large groups, thus reducing the unit cost. We quote from the report:

"We find the proposition for single dwellings preferable over tenements. It is, therefore, toward the single dwelling, we desire to guide the sentiment of our builders. There is an urgent need in Pittsburgh for a large number of small sanitary workmen's dwellings that may be rented for approximately \$12 to \$25 a month."

I. MORITZ, Prop. Telephone 164 Plaza

Architectural Metal Works SKYLIGHTS

CORNICES AND ROOFING
CORRUGATED IRON WORK

1192-1194 SECOND AVENUE NEW YORK

Holabird & Roche, who have for long been located in the Monadnock Block, Chicago, Ill., announce that they will, on May 1, 1912, move to offices in the new Monroe Building, 104 South Michigan Boulevard, corner of Monroe Street, Chicago, Ill.

An exhibition of 28 water color paintings by Walter L. Palmer is being held in the art gallery of Pratt Institute, Brooklyn, N. Y. This will close on April 27th.

ELECTRIC POWER ON THE FARM.

Bulletin No. 25 of the Engineering Experiment Station of Iowa State College bears the title "Electric Power on the Farm" by Adolph Shane. The paper is very concisely handled and is an exhaustive document. It deals with electricity in the house, electricity in the barn and the use of electric power about the farm land. The bulletin is equally applicable to the use of electricity on a country estate and with both illustrations and text shows the varied uses of electric power. The economic aspect is not lost sight of and the author has taken pains to tabulate the cost of current and the amount of current consumed. Further, the cost of installation is gone into in great detail and wiring diagrams, plans and illustrations of equipment and power supply are given. The cost data is thorough and closely figured.

OBITUARY

WILLIAM PHYFE.

We announce with deep regret the death of William Phye, of P. & F. Corbin, of New York. He was a loyal friend and employe, a salesman who represented the company as well as sold its goods, and a man of sterling character who won the respect and confidence of all with whom he came in contact.

He had been identified with the company since 1852, with the exception of one brief absence. As one of the pioneers in the field, he did his part to foster the growth of the hardware industry and as an honorable, kindly gentleman he made a record in his daily life of which those with whom he associated may well be proud.

When writing Advertisers, please mention Architecture and Building.

BULLETIN BOARDS FOR HOTELS



Changeable Bulletin Board Vanderbilt Hotel, New York

Manufactured and Installed by

U. S. CHANGEABLE SIGN CO. (C. M. KIMNEY CO. Successors)

3 West 29th Street, New York

Now in use by the Waldorf-Astoria, Plaza, Knickerbocker, Astor, Vanderbilt, Imperial, Park Ave., New Grand, Manhattan in New York City; Nassau in Long Beach, N. Y.; Bellevue-Stratford, Aldine in Philadelphia; Taft in New Haven; Lenox in Boston; Fort Pitt in Pittsburg; La Salle in Chicago; St. Charles, New Grunewald De Soto in New Orleans; Pfister in Milwaukee; Virginia in Long Beach, Cal.; Crown in Providence; Jefferson in St. Louis, and others

DETAILS OF BUILDING CONSTRUCTION

BY

CLARENCE A. MARTIN, Archt.

A collection of thirty-three plates, 10 x 12½ inches, giving over 300 separate details, covering all the ordinary methods of building, and in many cases showing alternative methods. The plates are models of detailed drawing and the text is in the forms of notes lettered on the drawings. *Buckram. Price, \$2.00.*

WM. T. COMSTOCK CO.

Publisher

23 WARREN ST., NEW YORK CITY

Fireproofing and Fire-Protection

MR. G. H. STEWART

CREMATION FOR THE MONTH

The aggregate fire loss for the month of March in the United States and Canada totaled \$16,650,850. This loss is approximately half of the fire loss for the month of March, 1911, and several millions less than that for the month of March, 1910. Nevertheless, it is sufficient. The cause of the large fire loss in March, 1911, was the serious fire in the State House at Albany, together with several others. Some further comparisons are interesting. The total loss for the first three months of 1912 is \$80,905,950. As compared with the first three months of 1911—\$69,907,250—and 1910—\$49,130,250—this is a very large increase and an extensive handicap for the beginning year. In the *Eastern Underwriter*, Mr. Bertram C. Scudder has figured out that at the ratio for the first two months of 1912, the yearly loss will reach the \$300,000,000 mark. The March figures show a marked decrease under the figures for January and February for this year, the January loss being \$35,653,450, and the February loss being \$28,601,650. It is to be hoped that the loss throughout the rest of the year may tend to reduce the high averages of the first months and that the efforts of our fire-preven-

tionists may be fruitful. We are indebted to the carefully kept records of the *Journal of Commerce and Commercial Bulletin* for the information given above.

PHILADELPHIA AND FIRE LOSSES.

Philadelphia burned up \$2,185,928 worth of property during the year 1911. This was all covered by insurance with the exception of \$134,400 worth. The loss in buildings amounted to slightly over half a million and the contents nearly a million and a half. The actual number of fires was 3,878 and of this number 2,857 were confined to the floor on which they started. This is surely a splendid showing and a great tribute to the city fire department.

It is interesting to note how Philadelphia is starting off a new year. In the month of January there was a \$200,000 damage in a moving picture film factory. February started in promptly with a loss which was roughly estimated at \$800,000 in a fire which destroyed three large factory buildings. The outlook is not promising for 1912, and Philadelphia will have to reduce its monthly average materially to come within the limits of 1911.

(Continued on page 24)

The Newman Watchman's Clock System



has been specified by more architects in the past year than practically all other makes combined. - - - WHY?

ASK ANY LEADING
FIRE INSURANCE UNDERWRITER

NEWMAN CLOCK COMPANY

Largest Makers of Watch-
man's Clocks in America

New York
178 Fulton Street

Chicago
1526 Wabash Avenue



THIS FIRE COST \$750,000

Five large structures were destroyed, including a church and four manufacturing buildings.

It would have been prevented

If the architects of these buildings had taken precautions to preserve their creations by equipping them with



These automatic sprinklers not only catch the fire at the start and put it out before it becomes dangerous, but also, by virtue of their ability to do this, command enough reductions in insurance premiums to pay for themselves in about five years. After this period the reduction in premiums is clear gain.

GENERAL FIRE EXTINGUISHER CO.

Executive Offices, Providence, R. I.

Plants, Warehouses and Offices in the Principal Cities of the United States and Canada

We are prepared to install Steam and Hot
Water Heating and Power Piping Systems.

40-63

When writing Advertisers, please mention Architecture and Building.

**ROCKWOOD
SPRINKLER CO.**

Manufacturers, Engineers, Contractors
FOR

**COMPLETE
AUTOMATIC SPRINKLER
EQUIPMENTS**

Approved by All Insurance Interests

NEW YORK OFFICE
UNDERWRITERS' BUILDING

**123 WILLIAM STREET
NEW YORK**

Telephone, 980 John

Knoburn

Fireproof Doors
Fireproof Windows

**KNOBURN
COMPANY**

359-63-14TH ST.
Hoboken N.J.

However, Philadelphia takes quick action and, as the result of a conference held by Director Porter of the Department of Public Safety, Charles A. Hexamer, secretary of the Fire Underwriters' Association, Dr. Jesse D. Burks, Director of the Bureau of Municipal Research, and Fire Marshal Lattimer, Mayor Blankenburg of Philadelphia will be asked to appoint a commission to investigate fire causes and prevention in that city.

THE HAZARD OF THE MOVING PICTURE FILM.

City officials in Philadelphia have demonstrated by actual experiments the highly inflammable nature of moving picture films, which, it was shown, would explode or burst into flame when exposed to a temperature of about 300 degrees. An overheated steam pipe, it was claimed, would be sufficient for such purpose.

Overheating of films from steam pipes was the cause which was suggested for the fire which occurred on January 13th in Philadelphia, causing a \$200,000 damage to a moving picture film plant and theatre. The experiments referred to above were conducted in the office of Fire Marshal Lattimer at City Hall by William McDevitt, chief inspector for the Philadelphia Fire Underwriters' Association; Assistant Director Murphy, of the Department of Public Safety; Chief Fire Inspector Baxter, Harry Schwable, manager of the General Film Company in whose building the fire started, and other film manufacturers.

MARCH FIREPROOF DIGEST.

In reviewing the "Fireproof Digest" for March, we can report progress. The article on the "World's Waste by Fire" is continued, and also that on "Electricity for Buildings." A very interesting article on the "Press and the Publisher" deals with the big advertiser and the publisher.

A COMMENT.

That the big advertiser owns the publisher is one way of looking at it. This may very well apply to the daily press, but as far as the class magazine is concerned we believe it is true that these are largely owned not by the big advertiser, but by the subscribers or the class to which they appeal. Our lumber papers are bitter against the introduction of steel cars. They cater to both the subscriber and the ad-

(Continued on page 26)

Consolidated Chandelier Co.

MANUFACTURERS OF

Gas and Electric Fixtures

132-136 W. 14th St.

NEW YORK CITY

When writing Advertisers, please mention Architecture and Building.

Berger's Metal Lumber



Heister Residence

An Inexpensive, Practical, Fireproof Construction

The use of Berger's Metal Lumber eliminates repairs and makes possible a structure practically indestructible. The Metal Lumber construction includes floors, partitions, walls, roofs, porches—everything, in fact, wherein wood is employed as a structural material. Besides being fire-proof, it is shock-proof, sound-proof, damp-proof, vermin-proof and rodent-proof. These features have been proven by actual use. It is easily and speedily erected.

Pieces are cut at our plant in accordance with working drawings and shipped ready to assemble. Ordinary mechanics do the work in less time than is required to erect wood.


Write nearest office for booklet, "METAL LUMBER"—it contains every detail, and shows photographs of actual installations

The Berger Mfg. Company Canton, Ohio

New York
Chicago
Boston
Atlanta

St. Louis
Philadelphia
Minneapolis
San Francisco

*We also manufacture Metal Lath,
Prong Lock Studs and Furring,
Sidewalk Lights, Ferro-Lithic Plates,
Multiplex Plates, Rib-Truss Plates,
Sidewalk Forms, etc., etc.*



You Can Make a Big Saving

in

Your Clients' Operating Expenses

by specifying Goulds Efficient Power Pumps for general water supply, fire protection, elevator service and boiler feeding.

This book gives data on actual installations where Goulds Efficient Pumps have reduced pumping costs by two-thirds and more.

Write for a Copy



THE GOULDS MFG. CO.
LARGEST MFR. OF PUMPS FOR EVERY SERVICE

142 Fall St., Seneca Falls, N. Y.

Branches in All Important Cities


Fire Protection



The SIMMONS LINE of Fire Equipment Specialties embraces everything designed for the protection of life and property.

"Simmons" Siamese Connections

Made in Brass or Iron, with heavy checks, finished trimmings. Highly efficient and fully guaranteed.



By installing such dependable specialties as are herein shown you offer your clients absolute protection against appalling losses by fire, and a certain decrease in the cost of insurance.

"Simmons" Swinging Hose Reel

Improved design made in iron, bronzed, japanned or electroplated. Made to harmonize with any furnishings. Last word in quality and efficiency.



Fully 75% of heavy losses by fire—daily chronicled in the newspapers—are due to negligence. Should the building be properly equipped with the "SIMMONS" Specialties thousands of dollars and many lives would be saved.

"Josico" Angle Hose Valves

This is practically the keystone of safety on a standpipe system, yet how little attention is paid to its installation. Eliminate the element of chance by specifying it in the future, which means that you'll have an appliance of the highest efficiency as to quality, finish, etc.

Catalogues, cuts and other data gladly sent on application.

John Simmons Co.

102-110 Centre St.,

New York

vertiser; very often with biased opinions. Our engineering press is swayed by the inertia of engineering opinion. It stands pat on that and resents intrusions of new ideas. Our architectural press is very touchy on the subject of design and the pre-eminence of the architect. But these are the subscribers and not the advertisers, and on the whole the magazine editor is less restricted than the editor of the daily press. He is not controlled by the big advertiser and he can afford to tell the truth—the whole of it—More often than can the editor of the daily press.

Cincinnati is making use of her firemen as fire-prevention inspectors. It is now part of a fireman's duty to inspect houses in the immediate neighborhood of his station. Printed blanks are provided for the gathering of data concerning the condition of every building in Cincinnati from the standpoint of fire danger and sanitation. The firemen are making these inspections and their reports are submitted to the chief of the fire department. The latter, under the Mayor's instruction, will then notify the owner or occupants of such houses as may be necessary to clean the premises of anything that may tend to endanger the house. Accumulations of rubbish in cellars and attics are to be ordered out. Explosives or inflammables that may be on the premises may be ordered removed. Changes will also be ordered in the arrangement of goods of business houses so as to provide reasonable access in case of fire.

FIRE PREVENTION: AN INSURANCE REVIEW

With February, the first issue of this publication, which is the official paper of the North Dakota and South Dakota State Fire Prevention Associations, has appeared. The publication contains a number of articles and local comment, all relative to fire prevention and insurance.

FIRE BUCKET TANKS.

Among the proverbs which have grown venerable with age and hoary with time, the proverb, "An ounce of prevention is worth a pound of cure," is one of the very oldest, and so far as the writer's knowledge goes, this proverb advocating forethought and advance prudence has only one senior and that one is the story of the Biblical Maidens who filled their lamps with oil against the coming of the darkness. The basic truth of these two old proverbs still remains true, and forethought and advance prudence are quite as valuable factors in human life as ever they were. In no better way is it exemplified than in the making of advance preparations to cope with that dread enemy of man, Fire. Some highly ingenious
(Continued on page 28)

When writing Advertisers, please mention Architecture and Building.



HAVE you considered the **Fire Protection of Your Hotel?**
Do you know why these great hotels have put in **Safety Fire Bucket Tanks?**

The St. Regis, Plaza, Astor, Gotham, Seville, Marlborough, Victoria, Buckingham, Marseille, Woodward, Sherman Square, Times Square, Navarre, Grand Union in New York have Safety Fire Bucket Tanks installed

We can tell you of many others and explain to you why they are used

THE SAFETY FIRE EXTINGUISHER CO.

291-293 SEVENTH AVENUE, NEW YORK

Manufacturers of the **SAFETY FIRE BUCKET TANK**

COPPER CABLE CHAIN



169 Elm Street,

New York.

Copper Cable
Steel " "
Champion Metal
Steel Champion




SASH CHAINS.

CHAMPION METAL CHAIN



CHAINS For Suspending Heavy Doors, Gates, etc.
ALL of SUPERIOR QUALITY.

**MINERAL WOOL
FIRE
SOUND
VERMIN
PROOF**



**CHEAP AND
EASILY APPLIED**

United States Mineral Wool Co.

140 CEDAR STREET, NEW YORK

SAMPLES FREE



S. H. POMEROY CO., Inc.

Successor to Voigtmann & Co., of New York

Manufacturers of Fire Windows

427 West 13th Street, New York

Practical demonstration at Washington Square Fire, March 25th, showing the integrity against fire and how utilized by Fire Dept. in fighting fires across alleys.

By virtue of closing automatically the protection is constant and not subject to neglect as is common with Fire Shutters.

JUST PUBLISHED
BOOKS ON
The MANUAL ARTS
A DESCRIPTIVE CATALOG

A VALUABLE reference book. Lists and describes 260 of the best books on the manual arts; includes all the standard and the best of the recent books.

MAILED FREE ON REQUEST—NO COST TO YOU AND NO OBLIGATION

Check the subjects you are interested in, fill in the blanks, clip and mail, and a copy will be sent to your address.

.....
 ..Agriculture ..Manual Training
 ..Building Arts ..Printing Arts
 ..Drawing, Mechanical ..Wood and Trees
 ..Household Arts ..Periodicals
 ..Pattern Making ..Art and Design
 ..Vocational Training ..Drawing, Architectural
 ..Art Crafts ..Elementary Handwork
 ..Decorative Arts ..Metal & Metalworking
 ..Drawing, Machine ..Plastic Arts
 ..Woodworking

Name
 Position
 Street
 City
 State

THE MANUAL ARTS PRESS
 PUBLISHERS AND DEALERS IN BOOKS ON
 THE MANUAL ARTS AND KINDRED SUBJECTS
PEORIA ILLINOIS

JUST PUBLISHED
Practical
Cement Work
 By W. B. HENRY
PRICE, 50 CENTS

A book that will be of assistance to you every day in the week, no matter what line of cement-concrete construction you are engaged in.

Neatly Bound in Cloth
 112 Pages—4½ x 6½

CONTENTS:

Portland Cement, The Unit of Purchase, Storing Cement, Sand, Aggregates, Mortar, Formulas, Mixing Aggregates, Concrete, Reinforced Concrete, Form Building, Waterproofing, Coloring, Cost Data, Testing Cement, Foundations and Walls, Cement Houses and How they are Built, Cement Plaster and Stucco Houses, Water and Steam Curing, Condition of Seasoning Blocks, Sand Lime Brick, Sidewalks, Floors for Cellars, Basements and Stables.

Address

THE CONCRETE AGE
ATLANTA GEORGIA


examples of man's inventive power, as directed towards fire prevention, are to be found in the varying types of the sprinkler system family, but as sprinkler systems and other mechanical devices are not always available, some simpler method of preparing for an unexpected fire must be found, and the best method is the old, but very frequently effective, fire bucket. While it would seem that but little improvement could be made upon so simple a thing as a fire bucket, yet an astonishing improvement has been made, as demonstrated in the Safety Fire Bucket Tank, which consists of a compact metal cylinder, having a lid which fits tightly and hermetically, because of a rubber ring around the top of the tank. This tank is filled with a non-freezing solution and contains six pails on the nesting principle. Each pail is fitted into the other, but protected from binding or catching by lugs on its sides and it is equipped with a weight device which causes the handle of each pail to rise as the pail above is withdrawn from the tank. The capacity of one of these tanks is 25 gallons, or enough to fill ten pails.

So successful and satisfactory has this device been found in general use, that it has been adopted by public institutions and large corporations all over the country. For instance, a recent installation of these tanks and buckets was that in the Public Dock and Ferries, 60 tanks; in the Lincoln Storage warehouse, 48 tanks; the new pier of the Jersey Central R. R., Jersey City, 40 tanks; and at the new pier, 80 North River, 15 tanks, and many others.

The Safety Fire Bucket Tank is manufactured by the Safety Fire Extinguisher Company, who for 15 years have been in business at 29 West 42d Street, but the growth and development of their business has been such, that they have lately been compelled to move to larger quarters at 291-293 Seventh Avenue, where they have an entire floor, devoted to offices and show rooms. The Safety Fire Extinguisher Company will be pleased to freely send literature, descriptive of their product, upon application.

(Continued on page 50)

THE GORTON WROUGHT
STEEL BOILERS



BESIDES the advantages of long life and the highest economy in fuel consumption, the boilers have a self feeding coal reservoir, which performs the duty of an experienced fireman in supplying coal to the fire, and will maintain a steady fire and a constant heat for twelve hours without attention.

Send for catalog and investigate for yourself their superiority.

Gorton & Lidgerwood Co.

96 Liberty Street, NEW YORK
 BOSTON, 182 High St.
 CHICAGO, Fisher Bldg.

Conkling-Armstrong Terra Cotta Co.


*Manufacturers of Architectural Terra-Cotta
in all COLORS and Finishes and Polychrome*

Main Office, Philadelphia, Pa.

New York Office, 1135 Broadway

*The Terra Cotta for Emerson Hotel, illustrated
in this issue, was manufactured by us.*

STANLEY'S Ball Bearing Hinges



Permit the doors to open smoothly and softly without creaking or binding.

The hinges will never wear down or require oiling.

NON-RISING PINS

The whole story is told in our Circular "B."
Write for a copy.

THE STANLEY WORKS
NEW BRITAIN CONN.

Sanitary Engineering of Buildings

A Standard Book on Sanitation

By Wm. Paul Gerhard, C. E.

Consulting Engineer for Sanitary Work

THIS practical work takes up the subject of sanitation of buildings, devoting considerable space to the traps and systems of trapping, to the drainage and sewerage of buildings, different classes of plumbing fixtures, the sanitary work in tenement houses, improved methods of house drainage and public buildings. Also the sanitation in factories and workshops. The work is fully illustrated and will be found of value both to architects and engineers. The chapter devoted to **SIMPLIFIED PLUMBING METHODS** is considered by many one of the best in the book.

454 pages, 103 illustrations and
six plates. Buckram, \$5.00.

The Wm. T. Comstock Company
Publishers

23 Warren Street, New York

Dixon's Silica-Graphite Paint

Protects the structural steel work contained in such important buildings in New York City as the McAdoo Terminal Buildings; American Woolen Company's Building; Gimbel Department Store; Savannah Bank & Trust Company's Building, Savannah, Ga.; the Royal Insurance Company's Building, San Francisco, Cal., and numerous other structures.

Write us for "Notable Building List," and other paint literature

Joseph Dixon Crucible Co., Jersey City, N. J.

TELEPHONE 885 MURRAY HILL

Edwards Electrical Construction Co.**39 EAST 42d STREET, NEW YORK**

FORMERLY CONTRACT DEPARTMENT, EDWARDS & CO. ESTABLISHED 1872

Industrial Progress**THE NOELKE-RICHARDS IRON WORKS
PURCHASES THE BROWN-KETCHAM PROPERTIES.**

The Noelke-Richards Iron Works, Indianapolis, Indiana, which has built up a considerable reputation in the last ten years through large operations in the West and Southwest in the manufacture of structural steel and ornamental iron for buildings, has concluded the purchase of the two large plants of the Brown-Ketcham Iron Works, which, a year ago, went into the hands of a receiver. This purchase makes the Noelke-Richards Iron Works one of the largest manufacturers both of structural steel and ornamental iron in the country. It claims to be the largest independent manufacturer of structural steel for building purposes only, with a capacity, in its three structural plants, of from sixty to seventy-five thousand tons a year.

Its original plant is located in Indianapolis, Ind., on the Pennsylvania Railroad. One of the former Brown-Ketcham plants is located in a suburb of Indianapolis, on the New York Central system, and the second Brown-Ketcham plant is in the Pittsburgh district, at Greensburg, Pa., thirty miles east of Pittsburgh. This latter plant is of very recent construction, modern in every respect, and will bring the Noelke-Richards Iron Works into eastern territory for a portion of its business.

In connection with their Indianapolis plant, the Noelke-Richards Iron Works operates an ornamental iron department, including a foundry, in which it has executed some of the best ornamental iron work in the country. Examples of its work in this department are: The Jefferson Hotel, St. Louis, Missouri, Barnett, Haynes & Barnett, architects, which is illustrated in this issue of "Architecture & Build-

ing," and the Berkeley Galleries Building, Boston, Mass., Codman & Despredelle, architects.

VITROLITE, A SANITARY PRODUCT.

One of the most marked characteristics of our time, is the active attention we direct as a people to the subjects of sanitation and hygiene, and persons of an inventive turn of mind are continually engaged in an effort to produce something that will either add to, or improve upon our present sanitary devices. An article of this character which is of comparatively recent invention is a glass product, known as "Vitrolite," which possesses a variety of qualities which render it an extremely desirable material for an almost endless number of sanitary purposes. "Vitrolite" is of a creamy white color which will not change or vary and possesses such desirable qualities of glass as that of being non-porous, non-crazing, impervious to the attacks of acids or alkalis, non-deteriorating with age, which make it particularly adaptable to structural work for wainscoting, closet partitions, door trim, etc. For this reason "Vitrolite" has been found very desirable in bath rooms, toilets, kitchens, butlers' pantries and rooms of like character. It has also been used with great success as wainscoting for corridors, tops for tables and pantry shelves and in fact in almost any quarter where a non-porous dirt resistant material was required. "Vitrolite" will clean even more readily than ordinary window glass and presents an attractive appearance and reflects a pleasing glow either in the sunlight or under artificial light, such as electric lights, gas, etc.

Persons interested in a material of this character and desirous of obtaining a list of the many purposes to which it may be put with admirable effect, are invited to communicate with Geo. A. O'Conner, at the Fifth Avenue Building, Eastern representative of The Vitrolite Company, or The Vitrolite Company, Parkersburg, W. Va. Descriptive literature of this product will be freely sent on request.

*(Continued on page 32)***INTERIOR MARBLE**

Material and work the standard for 14 years. Our reputation the best positive evidence as to our superiority.

CORK & ZICHA MARBLE CO., - - 325-327 East 94th St., NEW YORK

When writing Advertisers, please mention Architecture and Building.

General Specifications for Concrete Work

As Applied to Building Construction
By WILBUR J. WATSON, C. E.

A book of great assistance to Architects and Engineers in preparing specifications for reinforced concrete buildings, and it will be found especially useful in the preparation of competitive designs.

Paper, price, \$0.50

General Specifications for Concrete Bridges

By WILBUR J. WATSON, C. E.

These specifications will meet an actual need of the profession, and most of the ideas represented were gained by actual experience of the author, to which he has added suggestions of other engineers. Those preparing such specifications will find the book most helpful.

Paper, price, \$1.00

The Wm. T. Comstock Co., Publisher
23 WARREN ST., NEW YORK

Badger Quality



Copper Hot Water BOILERS

are all that can be desired in a Range Boiler.

**LONG LIFE
CLEAN WATER
Beautiful Appearance**

Every boiler is tinned on the inside and guaranteed against leakage or collapse.

Write for Catalog

E. B. Badger & Sons Co.
BOSTON, U. S. A.

CRAFTSMAN FIRE-PLACE

Burns Wood, Coal or
Coke



A Complete Heating and Ventilating System


IF you are intending to build a new home or remodel an old one, and would be interested in HEATING THE ENTIRE HOUSE WITH WARM AIR, OR HOT WATER, FROM AN OPEN FIRE-PLACE, write to me for full information. It is guaranteed.

GUSTAV STICKLEY

Inventor and Manufacturer

41 West 34th St., N. Y. City





FOLSOM'S
MODEL 1910.

THE SNOW GUARD ALLOWING
NO STRAIN ON THE SLATE
WHY NOT SEE IT?

A postal card will bring sample

Folsom Snow Guard Co. No. 4 Post Office Square
Boston, Mass.

Weather Vanes

Lightning Rods


Church Crosses

Flag Poles

and

Fittings

Etc.



Send for Catalogue

THOS. W. JONES

153 Maiden Lane
New York

Telephone Connection

ARTHUR GREENFIELD, Incorporated

REINFORCED CONCRETE FLOORS
IRON FURRING and METAL LATHING

Telephone Connection

204 EAST 26th ST. NEW YORK

PRENTISS

ELECTRIC CLOCKS

CALENDAR
SELF-WINDING

Dept. 11, 92 Chambers St., N.Y.

TANEX GLASS.

Those who contemplate building will be interested in knowing that a "New Process" glass has been produced, known as Tanex Glass, for the manufacture of vault and sidewalk lenses.

Glass used in sidewalk light construction is subjected to abnormal strains on account of temperature changes. Previously it has been almost impossible to produce a glass tough enough to withstand these changes of temperature and the accompanying contraction of the cement on the glass in cold weather, yet Tanex glass stands this test without going to pieces.

While being tougher and stronger than the best glass formerly made, it costs no more and has all the brilliancy of a first-class glass.

Tanex Glass is the result of many years of honest, painstaking tests and experiments at very great expense, but the results that have been obtained have more than offset the time, bother and expense incurred.

It is sold at the same price as the old brittle glass that has given so much trouble on account of chipping and crazing. The Berger Mfg. Co., Canton, Ohio, are using this superior glass in all their vault and sidewalk light construction.

Mr. Eli Blount, who has been practicing architecture in Tucson, Arizona, has moved to Albany, Oregon. He is anxious to receive manufacturers' catalogues, samples, etc., at his new address.


Forest Service Circular No. 189, "Stock Values for Structural Timber," contains tables of painting tests and heat tests on green material and air-seasoned material.

Last month a meeting was held at the Municipal Art Society of New York, at which the subject of discussion was "Suggestions for the Decorations in the Washington Irving High School." It was pointed out that the Board of Education had made this building as complete and perfect a workshop as was possible. It was the purpose of this meeting, however, to suggest and if possible, to provide means for the decoration of the school building, considering it as an appropriate setting for historic decorations and commemorative monuments.


(Continued on page 34)



Architects and Builders should investigate **EVANS "CRESCENT" EXPANSION BOLTS**
WITH DOUBLE END GRIP EXPANSION
 Constructed on NEW lines. Grip at BOTH ENDS, and on ALL sides. Cannot work loose.
 Send for Catalogue and samples screwed into blocks of wood or stone.
 Agencies in all large cities **F. H. EVANS** (Patentee and Sole Manufacturer) 31-33-35 Hewes St., Brooklyn, N. Y.



Van Dorn's Steel Joist Hanger
IS THE BEST OBTAINABLE
 Send for Catalogue and refer to this Magazine
THE VAN DORN IRON WORKS CO.
CLEVELAND, OHIO
 Steel Buildings, Wrought Iron Fencing, Iron Bridges, Jail and Prison Work, Metallic Office Furniture, etc.

No. 1. Steel Joist Hanger for Wood Header

O. 4. Steel Joist Hanger for Brick Walls

BOYD EQUIPMENT COMPANY
 CONTRACTING ENGINEERS
HEATING PLUMBING ELECTRIC
COMPLETE POWER PLANTS 373 Fourth Avenue, NEW YORK

The A. B. See Electric Elevator Co.

Main Office: 220 Broadway, New York

PHILADELPHIA
Land Title Building
Broad and Chestnut Sts.



BOSTON
India Building
84 State St.

BALTIMORE
Stock Exchange Building
210 East German St.

WASHINGTON
Barrister Building
635 F St., N. W.

HARTFORD
Connecticut Mutual Life Building
36 Pearl St.

FARRAND'S SELF-CLINCHING NAILS
 These Nails fasten direct to Hollow Tile and save the time, expense and anxiety of preparing Fireproof Walls to receive Nailing Grounds. They do away with the necessity of burying combustible wooden nailing blocks in the heart of the wall and afford full freedom for changing plans or correcting errors in the location of interior woodwork. Also used for attaching fixtures to all types of finished hollow walls.
SELF-CLINCHING NAIL COMPANY, 44 N. Fourth St., Philadelphia, Pa.

Patented July 12, 1910.

FREIGHT ELEVATORS

For Hand, Belt and Electric Power

Our belt power machines have Hindley Type of Worm Gearing and Ball Thrust Bearings, which reduces the friction to a minimum and increases the easy running qualities.

DUMB WAITERS

CELLAR HOISTS, Etc.

Catalog and prices upon request


J. G. SPEIDEL, Reading, Pa.

Building Construction and Superintendence
Part II. Carpenters' Work | **Part III. Trussed Roofs**
 Four Dollars a Volume | Three Dollars a Volume
 By F. E. KIDDER, C. E., Ph.D., Architect
THE WM. T. COMSTOCK CO., Publisher, 23 WARREN STREET, NEW YORK

When writing Advertisers, please mention Architecture and Building.

BOMMER SURFACE FLOOR SPRING HINGE.

Bommer Brothers, of Brooklyn, N. Y., are placing on the market a new surface floor ball-bearing spring hinge, of the horizontal compression type. It fastens to the bottom corner of a door and to the surface of floor. It is easy to apply, saves labor and admits of close fitting; there is no hanging strip required, and the back edge of door may be rounded. It has a simple and efficient alignment feature by which the door can be adjusted after it is in



place. It has a positive holdback when the door is opened beyond 90 degrees, so that the door will not close suddenly when it is required to have it remain open. The tension of the spring is adjustable. The spring is made of the best oil tempered steel wire. The floor plate is reinforced, eliminating a weak condition usually existing in this type of hinge. The bearing surfaces are case hardened. The weight of the door is carried on hardened tool steel balls, placed at the upper part of the pintle away from dust and dirt and spaced by a ball retainer so that they cannot drop out or become displaced. Workmanship, appearance and finish are unsurpassed, and up to the well known standard of excellence always maintained by Bommer Brothers. Simple, compact and durable, this hinge ranks among the best of its class.

Mr. F. S. Mendenhall, who has been employed for several years as a missionary architect and builder in western China, has been compelled to return to this country because of the revolution there. He is now visiting relatives at Security, Texas, and hopes to locate with some firm of architects in Houston, Texas.

CORK FLOORING.

Cork flooring means perhaps the greatest advance attained as yet in the art of floor surfacing, as it embodies many advantages not to be found in any other method of flooring. It has not the coldness of marble, it has not the dust and dirt collecting qualities of wood, and it has not the tendency to accumulate stains and retain them that some composition floors have. Cork flooring possesses several distinct and peculiarly characteristic qualities: it is noiseless; it is practically everlasting and will

not crack or disintegrate; it requires no expensive finish or refinishing; it possesses desirable elastic qualities. A floor of this material is peculiarly adapted to certain types of buildings—those designed for public speaking, or where for any reason absolute silence is desired. Thus, for churches, libraries, banks, courtrooms, museums or hotel corridors this material cannot be surpassed. Cork flooring may be laid with a sanitary cove and base, making it desirable for hospitals and service in clubs, hotels and dwellings.

When to these qualities we add those of non-absorption and non-slipperiness, together with the fact that the material may be obtained in a wide variety of shades, running from a delicate light brown to a rich old teak, we have a floor material which is a well-nigh ideal.

Crescent cork flooring may be obtained in a variety of stock sizes and any intermediate size can be made to order at a slight additional cost. The prices range from 65 cents to 85 cents per square foot; the lesser price being for the plain patterns in large squares, and the greater price for the more elaborate designs.

Persons interested in the subject of cork flooring may obtain descriptive literature upon application to the Hasbrouck Flooring Company at 501-9 East 70th St., N. Y. City. This concern is the selling agent for Crescent cork flooring and makes a specialty of covering cement or steel with cork or wood flooring.

The Habirshaw Wire Company announce their removal to new offices on the twenty-seventh floor of the Metropolitan Tower, New York City. They have occupied their new location since April 1st, and their new telephone numbers are 1934 and 1935 Gramercy.

A Primer of Architectural Drawing

For Young Students

By **Wm. S. B. Dana, B.S.**
(Mass. Inst. of Technology)

Being a progressive series of DRAWING BOARD PROBLEMS, the embodiment of the author's teaching in the Mechanics' Institute of New York City. Intensely practical in that theory is obliterated by the author's system of CONSTRUCTION ON PAPER. This book makes a strong appeal, because it is interesting and the shortest course to a practical knowledge of the elements of architectural structural drawing yet evolved.

There are twenty-five problems, each illustrated by a plate and with 161 explanatory detail figures.

The Problems cover the following subjects:

Floors and Walls of Brick, Stone and Wood.
Framing of Floors, Walls and Roofs.
Development of Roof Forms.
Section of a Frame House.
Bricklaying and Bonding.
Brick Walls: Doors: Windows and their Casings.
Stairs, Wood and Iron.
Construction of Fireplace or Chimney.

154 pages, cloth, pocket size. Price \$1.25

PUBLISHER

The Wm. T. Comstock Co.
23 Warren St., New York

HIGGINS'

DRAWING INKS
ETERNAL WRITING INK
ENGROSSING INK
TAURINE MUCILAGE
PHOTO MOUNTING PASTE
DRAWING BOARD PASTE
LIQUID PASTE
OFFICE PASTE
VEGETABLE GLUE, Etc.



Are the Finest and Best Inks and Adhesives
Emancipate yourself from the use of corrosive and ill-smelling inks and adhesives and adopt the Higgins' Inks and Adhesives. They will be a revelation to you, they are so sweet, clean and well put up.


At Dealers Generally

CHAS. M. HIGGINS & CO., Mfrs.

Branches: Chicago, London
271 Ninth Street Brooklyn, N. Y.



WEATHER VANES



Send for
Catalogue

E. G. Washburne & Co.
209 FULTON STREET, NEW YORK

Work Shops



Of wood and metal workers, without steam power, equipped with

BARNES' FOOT POWER MACHINERY

allow lower bids on jobs and give greater profit on the work. Machines sent on trial if desired.

Catalogue free

W. F. & John Barnes Co.
566 Ruby Street, Rockford, Ill.



PATENT LIGHT WORK OF EVERY DESCRIPTION
Office: 262 Monitor St., Brooklyn, N. Y.

DAVIS BROWN

PLASTERING CONTRACTOR

**Contractor for all Caen Stone
Ornamental and Plain Plastering
for the Vanderbilt Hotel, New York**

(Warren & Wetmore, Architects)

Illustrated in this Issue

**PLAIN AND ORNAMENTAL WORK
EXTERIOR STUCCO AND CAEN STONE**

Telephone { 3121 } Murray Hill **306 EAST 40th ST., NEW YORK**
 { 3122 }



LOBBY AND OFFICE HOTEL EMBERSON, BALTIMORE, MD. J. EVANS SPERRY, Architect

**Ornamental Plaster
Executed by**

Architectural Plastering Co., Inc.

**JOSEPH F. DUJAT,
President**

ORNAMENTAL PLASTERING, IMITATION CAEN STONE WORK, CEMENT AND STUCCO WORK,
ARTIFICIAL MARBLE, MODELS FOR STONE, WOOD AND BRONZE AND SCALE MODELS

Telephone, 6794 Madison Square

624-626 First Avenue, New York

When writing Advertisers, please mention *Architecture and Building*.



Carter, Black & Ayers

FRONT
ENAMELED

BRICK

HARVARD
VELOUR

HOLLOW TILE

For Stucco and Brick Veneer Houses

VITRIFIED AND HARD BURNED BLOCKS

Phones { 7613 } Madison Square
 { 7614 }

1182 Broadway, New York

63 Vanderbilt Hotel, N. Y.

All front brick furnished by us



Residence W. C. Sanderson, South Orange, N. J.

Monument Plaster Co.

Manufacturers of

WALL PLASTER and ORIENTAL STUCCO

Brick Mortars and any Color Sand Finish for
Interior Work

WRITE FOR BOOKLET

Office and Factory, HARRISON, N. J.

The Literature of Structures

Theory of Structures

By C. M. Spofford. Aug., 1911.
432 pp., \$4.00 (17s). Covers fun-
damental principles in a thorough,
logical manner. Has valuable data
and tables.

Framed Structures and Girders

Vol. I.—Stresses.—Part I., Oct.,
1911. 540 pp., \$4.00 (17s). Dis-
tinctive for its interpretation and
application, in full detail, of the
theory of stresses for practical pur-
poses.

Kinetic Theory of Engineering Structures

By David A. Molitor. 366 pp.,
\$5.00 (21s). A complete analysis of
"higher structures."

Walls, Bins and Grain Elevators

By Milo S. Ketchum. II ed.,
Nov., 1911. 556 pp., \$4.00 (17s).
A new book. It is again the stand-
ard work on design and construc-
tion.

Steel Mill Buildings

By the Same Author. 464 pp.,
\$4.00 (17s). Covers methods, ma-
terials and calculations of stresses.

Highway Bridges

By the Same Author. 550 pp.,
\$4.00 (17s). Covers stresses in
steel and wooden bridges.

Simple Steel Structures

By C. T. Morris. II ed., 201 pp.,
\$2.25 (9/6). It teaches the art of
producing "details which are in ac-
cord with the stresses they have to
transmit."

Bridge and Structural Design

By W. Chase Thomson. II ed.,
192 pp., \$2.00 (8/6). A simple,
practical treatise on the elements
of bridge and structural design.

Steel Railway Bridges


By W. Chase Thomson. 178 pp.,
\$2.00 (8/6). Covers the fundamen-
tals of design using typical struc-
tures for illustration.

FOR SALE BY

THE WILLIAM T. COMSTOCK CO., 23 Warren St., New York

When writing Advertisers, please mention Architecture and Building.

“FLEXIFOLD” ROLLING PARTITIONS



For
Churches
Schools
Parish Houses
Lodge Buildings

Grant Pulley and Hardware Co.

3 West 29th St., New York City

Descriptive Circular and Estimates Upon Application

THE NORTHWESTERN TERRA-COTTA COMPANY

M A N U F A C T U R E R S O F

ARCHITECTURAL TERRA-COTTA

**GLAZED AND ENAMELED
WORK IN ALL VARIETIES**

ESTIMATES GIVEN ON APPLICATION

**MAIN OFFICE AND WORKS: 1000 CLYBOURN AVENUE
BRANCH OFFICE: 1415 RAILWAY EXCHANGE**

**CHICAGO
ILLINOIS**



HOTEL EMERSON

Joseph Evans Sperry, Architect

William H. Parker, Contractor

All of the architectural woodwork and
building trim in the Hotel Emerson
was manufactured and erected by

The Robert Mitchell Furniture Company

Cincinnati, Ohio



MARQUISE, HOTEL TAFT, NEW HAVEN, CONN. F. M. Andrews & Co., Architects
Manufactured by

The Wells Architectural Iron Company

River Avenue and 151st Street, NEW YORK

Ornamental Iron at Following Buildings

Norfolk Railway Station, Norfolk, Va.; Reed & Stern, Architects. Union Dime Savings Institution; A. H. Taylor, Architect. Hamburg American Building; R. L. Daus, Architect. Garfield National Bank; Jas. B. Baker, Architect. Schools of Mines and Medicine, Pittsburgh; Palmer & Hornbostel, Architects. St. Luke's Hospital; Ernest Flagg, Architect. Ritz-Carlton Hotel, Philadelphia; Warren & Wetmore, Architects. Phipps Clinic, Baltimore; Grosvenor Atterbury, Architect. Garden City Hotel; Ford, Butler & Oliver, Architects.



CONTRACTORS FOR INTERIOR AND DECORATIVE MARBLE AND CAEN STONE
CHATEAU LAURIER, OTTAWA

THE
SMITH
MARBLE
AND

CONST.
CO., Ltd.

MONTREAL
CANADA

Importers

Manufacturers

Contractors

Marble
Caen Stone
Slate

All Kinds
Floor and
Wall Tiles

Mosaics
Faience
Terrazzo

When writing Advertisers, please mention Architecture and Building.



HOTEL TAFT, NEW HAVEN, CONN.
Frank M. Andrews & Co., Architects

Watson-Flagg Eng. Co.

Newark, N. J. New York, N. Y. Paterson, N. J.

Electrical Contractors

for the complete electrical installation, including
the Light and Power Plant

The Emery Thompson Vertical Brine Freezer



EMERY THOMPSON BRINE FREEZER

Produces finest quality American and French creams.

Cream goes in at the top and is discharged at the bottom without touching the hands.

FEATURES

White enamel outside, German silver inside. Steel cut gear underneath clean and out of the way.

Sold to domestic and foreign hotels, caterers, etc.

Emery Thompson Machine & Supply Co.

Office and Factory

No. 202 East 46th St., New York

STEEL SMOKE STACKS

For Office Buildings, Hotels, Factories.
Tanks of Steel and Wood. Flues,
Hoppers, All Kinds of Steel Plate Work
Erected Anywhere.

OUR ENGINEERING DEPARTMENT IS AT THE SERVICE
OF ARCHITECTS AND ENGINEERS FREE OF CHARGE.

FELBER ENGINEERING WORKS

103 Park Avenue, at 41st Street

Telephone, 2146 Murray Hill

NEW YORK CITY



TAFT HOTEL, NEW HAVEN, CONN.
F. M. Andrews & Co., Architects

Equipped
throughout
with the

**Celebrated
Habirshaw
Rubber Covered
Wire**



VANDERBILT HOTEL, NEW YORK
Warren & Wetmore, Architects

MANUFACTURED BY

HABIRSHAW WIRE COMPANY

Offices, New York City, Metropolitan Tower, 1 Madison Ave.

Works, Yonkers, N. Y.



THE "LEAMINGTON," MINNEAPOLIS, MINN.

World's Largest Apartment Hotel

Millwork furnished complete by Cream City Sash & Door Co.

WE operate one of the largest and most modern architectural woodwork plants in the United States. We are especially equipped to handle large contracts calling for mahogany and other fine woods. *We are always pleased to furnish estimates.*

CREAM CITY SASH & DOOR CO.
MILWAUKEE, WISCONSIN

When writing Advertisers, please mention Architecture and Building.

Washed Air

By our
iron-clad
guarantee

{ Means 98-100% elimination of Dust, Soot, Germs and Gases.
{ Means any desired percentage of humidity by means of our auto-
matic control.
{ Means cooled 9° to 18° F. below outside summer air.



The Most Efficient and Practical on the Market.

1. Patented feature of spraying in flat, solid sheets.
2. Bar and lock, swinging spoon brass spray nozzle.
3. Automatic Cleansing and Flushing control.
4. Vertical Self-cleansing, non-perforated baffle plates.
5. Removable spray shields protecting casing.

Our Automatic Flushing Control is an added Cleansing Feature—Piping and Nozzles Blown Out Periodically Two to Ten Times an Hour.

Conditioned Air for Textile Mills and Manufacturing Processes, Banks, Hotels, Theatres and Public Buildings means added efficiency and profits.

Write for new beautifully illustrated
"ACME" 80-page booklet.

THOMAS "ACME" Air Purifying, Cooling and Humidifying "Washed Air" SYSTEM as shown is installed in the Vanderbilt Hotel, New York City.

Blackstone, Congress, La Salle and Planters' Hotels, Chicago; Seelback Hotel, Louisville; Claypool Hotel, Indianapolis; New Ritz-Carlton Hotel, New York, two units, 57,500 C. F. M. being installed.

The system of **washing and refrigeration** by spraying water over direct expansion C O₂ coils in multiple air chambers was originated by T. & S. engineers years ago, and first demonstrated in Old Auditorium Hotel, Chicago, 1904.

Superiority, Reliability, Economy and Satisfaction—Illustrates WHY

116 CARPENTER ST.
CHICAGO

THOMAS & SMITH, Inc.

416 BROADWAY
NEW YORK

Also manufacturers "STERLING" Portable Air Purifiers



The Modern Apartment Hotel or Club

is cleaned by the vacuum system. This system not only eliminates all the dust and dirt, but also disease germs which may get into the building.

THE SPENCER SYSTEM of vacuum cleaning is the

acknowledged standard.

TAFT HOTEL, NEW HAVEN,

F. M. Andrews & Co., Architects

WOOLWORTH BUILDING, NEW YORK CITY

Cass Gilbert, Architect

SLOAN BUILDING, 5th AVENUE AND 47th STREET

J. B. Snooks & Sons, Architects

The accompanying cut shows in reduced form our sweeper as installed in the TAFT HOTEL, NEW HAVEN.

The Spencer Turbine Vacuum Cleaning System is suitable for any class of structure.

Full particulars, together with descriptive literature, list of installations, will be sent upon request. Estimates furnished.

SPENCER TURBINE CLEANER CO.

New York Office and Demonstrating Room

1182 Broadway, between 28th and 29th Streets

Principal Office and Factory, **HARTFORD, CONN.**

Selling Agencies in all the Principal Cities

 **SWEEPER PLANT INSTALLED IN TAFT HOTEL, NEW HAVEN, CONN.**

When writing Advertisers, please mention Architecture and Building.



CHATEAU LAURIER, OTTAWA

ROSS & MAC FARLANE, Architects

Our contract for this hotel included all the copper roofing and cornice work, the bronze elevator fronts, doors and grills, the Kalameined doors and windows, the galvanized iron piping for the ventilation system, the waterproofing for tunnels, foundations, etc.

McFARLANE-DOUGLAS CO., Ltd.

OTTAWA, CANADA

Our Specialty

Sheet Metal Work, of all descriptions. All Steel Doors. Bronze Doors and Windows. Kalamein Doors and Windows. Roofing and Cornices.

Type of All Steel Door, Circassian Walnut Finish.



OUR BUSINESS IS TO REDUCE YOUR HANDLING COST

For illustration see page 151 of this issue.

We specialize in the building of machinery for the economical handling of coal and ashes.



This illustration shows the Coal Conveyor for delivering coal to the stokers in the Boiler Room of the Vanderbilt Hotel, and is one of the many which we have built.



THE C. O. BARTLETT & SNOW CO.
CLEVELAND, OHIO, and No. 50 CHURCH ST., NEW YORK, N. Y.

When writing Advertisers, please mention Architecture and Building.

Bramhall-Deane Co.

French Ranges and Cooking Apparatus

261, 263 and 265 West 36th Street New York City

The Kitchen Equipment for the New Hotel Taft, New Haven, Conn. (F. M. Andrews & Co., Architects), Illustrated in this Issue, Was Manufactured and Installed by Us.

VITROLITE Used in TAFT HOTEL



TAFT HOTEL BARBER SHOP, NEW HAVEN, CONN., WAINSCOTED WITH VITROLITE

Also used as Wainscot in all Public Bath Rooms, Ladies' and Gentlemen's Retiring Rooms; also in General Toilet

Manufactured and Furnished by **THE VITROLITE COMPANY, Parkersburg, W. Va.**

Eastern Representative, **GEORGE A. O'CONNOR, Fifth Avenue Building, New York**

When writing Advertisers, please mention Architecture and Building.



Chateau Laurier, Ottawa, Canada

Bohn Syphon Refrigerator

installation in

CHATEAU LAURIER

Ottawa, Canada

illustrated in this issue

Ross & MacFarlane, Architects

White Enamel Refrigerator Co. of New York

59 West 42d Street, New York City

Recent Installations: { *Grand Trunk Railroad Station, Ottawa, Canada*
Ross & MacFarlane, Architects
998 Fifth Avenue, Apartments
McKim, Mead & White, Architects

THE LINDE CANADIAN REFRIGERATION Co.

Limited

C. W. VOLLMANN, President

Head Office, 37 St. Peter St., Montreal

Branch Offices, Toronto, Winnipeg, Vancouver

REFRIGERATING AND ICE-MAKING MACHINERY

CORK INSULATION

ESTABLISHED AND MANUFACTURING
IN CANADA FOR SEVENTEEN YEARS



The above cut shows the CHATEAU LAURIER HOTEL, Ottawa, in which are two Twenty-Five Ton Refrigerating Machines, and is only one of the many hotels using "Linde" Machines, manufactured and installed by The Linde Canadian Refrigeration Co.

WRITE FOR CATALOGUE



BANQUET ROOM IN ENGLISH TUDOR-ADOLPHUS HOTEL, DALLAS, TEXAS

Designed and Executed Complete by W. P. Nelson Company

Our schemes and sketches were successful in competition with leading concerns in the United States.

We also add a few of the many high class hotels and public buildings in which the W. P. Nelson Company participated

RECTOR HOTEL, NEW YORK
NEW AMSTERDAM THEATRE, NEW YORK
BRESLIN HOTEL, NEW YORK
CHALFONTE HOTEL, ATLANTIC CITY
BELVEDERE HOTEL, BALTIMORE

ARLINGTON HOTEL, HOT SPRINGS
SHERMAN HOTEL, CHICAGO
GRAND PACIFIC HOTEL, CHICAGO
BLACKSTONE HOTEL, CHICAGO
LA SALLE HOTEL, CHICAGO

UNITED STATES POST OFFICE, CHICAGO
AND A NUMBER OF HIGH CLASS RESIDENCES, CHURCHES, ETC.

W. P. NELSON COMPANY

614 S. Michigan Ave
CHICAGO

N. J. NELSON, President
PITTSBURG

812 Greenwich St.
NEW YORK



Chair No. 4355
GEORGIAN TERRACE
ATLANTA

The Ever Increasing POPULARITY of IMPORTED BENTWOOD FURNITURE

SPEAKS FOR ITSELF

"There is much durable furniture which is not artistic.
There is much artistic furniture which is not durable."

KOHN'S BENTWOOD IS BOTH

Made and Imported by

JACOB & JOSEF KOHN

110-112 West 27th St., New York


CHICAGO

TORONTO, CAN.



Chair No. 311
HOTEL TAFT
NEW HAVEN

When writing Advertisers, please mention Architecture and Building.



Jefferson Hotel Elevator Enclosures, St. Louis, Mo. Barnett, Haynes & Barnett, Architects, St. Louis, Mo.

Noelke-Richards Iron Works

General Office, Indianapolis, Ind.

Structural Steel and Cast Iron

Ornamental Cast and Wrought Iron, Brass and Bronze


HAUGHVILLE PLANT
INDIANAPOLIS, IND.

PALMER ST. PLANT
INDIANAPOLIS, IND.

PITTSBURG PLANT
GREENSBURG, PA.

When writing Advertisers, please mention Architecture and Building.

Send Your Order Now
for
**Garages
and
Motor Boat
Houses**



This Book Contains Five Divisions

Part I. Private Country and Suburban Garages.

Part II. Private City Garages.

Part III. Suburban and City Public Garages.

Part IV. Motor Boat Garages.

Part V. Garage Equipments and Accessories.

There are 136 illustrations of Garages and Motor Boat Houses consisting of interior and exterior photographs and plans. These are from the designs of twenty-four well known Architects.

Text and illustrations compiled by
Wm. Phillips Comstock
Editor of the "Architects' and Builders' Magazine"
Bound in Cloth and Art Paper, size 7½ x 10½
PRICE, \$2.00

The Wm. T. Comstock Co.
23 Warren Street, New York

FIREPROOFING AND FIRE - PROTECTION

(Continued from page 28)

FIRES DUE TO CARELESSNESS.

The Texas Insurance Board has tabulated the fires occurring in dwellings during the last fourteen months. It claims that 81.2 per cent. were easily preventable. The tabulation of the causes of fires in dwellings is as follows:

Causes.	Per Cent.
Flues	15.5
Stoves and heating.....	10.0
Kerosene lamps	5.0
Curtains ignited by gas.....	3.1
Defective electric wiring.....	3.4
Coals in ashes and candles.....	3.4
Parlor matches	3.2
Gasoline and volatiles.....	3.3
Kerosene stoves	1.7

The Insurance Board says that in other fires, 65 per cent. were also easily preventable. It offers to furnish any Texas town the draft of an ordinance for fire-prevention.

In this connection, the new match bill, which it is interesting to note, has the support of the Diamond Match Company, is a step in the right direction. The bill is intended to be submitted to state legislatures throughout the country. It requires the manufacture, storage and use of only safety matches. The bill prohibits the use of the parlor match or the single-dipped, white phosphorus match and any double-dipped match that contains white phosphorus in the first dipping. It permits the use of inert bulb-guarded tip matches such as the "Marguerite"; inert bulb, ordinary tip matches, such as the "Bird's-eye" or "searchlight"; strike on the box matches, such as "Red Top"; safe guarded head single, dipped matches, such as "Lu-mets" and "Blue Diamond."

FIREPROOFING THE OPENING

In constructing "fireproof buildings," the openings are ever the weakest link in the chain, whether they be vertical or horizontal. Vertical openings, such as elevator shafts, stair wells, pipe shafts, chutes, or others, we will leave for further discussion and confine ourselves to the subject of horizontal openings—that is, doorways from space to space within the building. That these can be properly closed and at a reasonable cost is a matter of easy proof. There is no longer any excuse for not adequately fireproofing every horizontal opening in a building as long as hollow metal doors, windows and trim are obtainable. Dahlstrom hollow metal doors passed the test of the Underwriters' Laboratories in Chicago successfully and received

(Continued on page 52)

Maginnis' Practical Books

HOW TO FRAME A HOUSE

or **HOUSE AND ROOF FRAMING**

By OWEN B. MAGINNIS

PART I.—Balloon Framing.

PART II.—Roof Framing

PART III.—How to frame the timbers of a brick house.

One Octavo Vol., Cloth

80 Illustrations

PRICE \$1.00

ROOF FRAMING MADE EASY

A practical and easily comprehended system of laying out and framing roofs, adapted to modern building construction. The methods are made clear and intelligible by 76 engravings with extensive explanatory text.

SECOND EDITION, REVISED AND ENLARGED

One Octavo Vol., Cloth

PRICE \$1.00

How to Measure Up Woodwork for Buildings

Describing the simplest and most accurate methods to be followed when figuring up woodwork for either brick or frame houses.

By OWEN B. MAGINNIS, Architect

Fully Illustrated, Cloth

PRICE \$0.50

PRACTICAL CENTRING

TREATING OF

The Practice of Centring Arches in Building Construction

The work embraces each subject in detail and in language that practical men can understand, and is especially commended to students attending trade, technical and architectural schools.

By OWEN B. MAGINNIS

Sixty-five Illustrations

Bound in Cloth

PRICE \$1.50

BRICKLAYING

By OWEN B. MAGINNIS

The entire work represents the best up-to-date practice, and is illustrated by over 150 engravings. It covers the important operations and methods necessary in altering brick buildings, and the proper temporary and permanent preservation and protection of old or adjoining buildings.

Cloth

PRICE \$1.50

When writing Advertisers, please mention Architecture and Building.

approval, and it is certain that they fully satisfy the claims made for them—that is, they are fireproof, satisfactory and durable for service, artistic in appearance and sanitary where this requirement is a necessity. In construction the doors are built of sheet steel, the connection between the different members being made invisible, which adds to the strength and fireproof properties of the door. The panels have an asbestos and felt lining, and the stiles have a compressed cork spacer. There is a reinforcing bar for the lock strip and hinge bar. There are large air chambers in the stiles.

The point is often raised—these metal doors will not add to the beauty of any building. This objection occurs particularly where an architect is designing a hotel or a first class office building. But if we may judge by the uses to which fireproof doors have been put, this objection can be easily answered. Fireproof doors, partitions and panelling have been put into fireproof buildings of the highest grade. Especial work has been done in imitation of wood; the finish of oak or mahogany or Circassian walnut may be perfectly imitated and the process of cold drawing the steel through dies gives well defined angles and well rounded curves in the mouldings, which are as perfect as those that may be produced by a skilled cabinet maker. Moreover, when the graining on the metal is finished, the surface is baked on, forming an enamel which is more dur-

able than any finish on wood. Certainly it seems that the day of wooden trim is rapidly passing, and as metal trim comes more fully into use we may see a reduction in our great national fire loss.

SAFEGUARDING ART TREASURES.

The fire hazard in the Metropolitan Museum of Art, New York, is slight because of the fact that the building itself is about as nearly fireproof as it could well be made. Not only this, but much of the contents is also non-inflammable. In order, however, to complete the safeguarding of such of the treasures as would be liable to destruction or serious damage in case of fire, it has been decided to install automatic sprinklers in the basement—the place where fires in such structures are most liable to start. The management of the museum is apparently unwilling to take the chance which was taken by the State of New York in the magnificent capitol building in Albany—a chance which cost the State about six million dollars in money, and the destruction of records which can never be replaced.

The American Water Color Society will hold its forty-fifth annual exhibition at the galleries of the American Fine Arts Society, 215 West 57th Street, New York, from April 25 to May 12, 1912.

JUST PUBLISHED

The Principles of Architectural Design

By PERCY L. MARKS, ARCHITECT

Author of "The Principles of Planning," etc.

Containing 165 full-page and other text illustrations.

This work is very fully illustrated and will be found a great aid to the architect or student of architectural design.

One large 8vo volume. Cloth, price \$4.50.

THE WILLIAM T. COMSTOCK COMPANY, Publisher, 23 Warren Street, New York

SWITCHBOARDS *and* PANELS Marked "Metropolitan"

Are the Best that Can be Produced

Architects, Engineers and Owners specify Metropolitan Detachable Mechanism Flush Switches and Receptacles for their high class buildings. The most up to date appliances.

METROPOLITAN
ELECTRIC MFG CO.

14th Street and East Avenue, L. I. City

No. 2



"Tapestry" is our Registered Trade Mark.

It is the legal name of our Brick.

It cannot be rightfully used in connection with any other Brick.

To protect you against substitution it is branded on each Brick, either on the flat side or the back.

FISKE & COMPANY, INC.

Boston and New York

MATT AND FULL GLAZE
Architectural Terra Cotta



Hotel Taft, New Haven
 Trimmings of White Matt
 Glaze Terra Cotta

FURNISHED
 BY

**Federal
 Terra Cotta
 Company**

Does not firecrack or
 craze

Can other manufac-
 turers say the same
 of their product ?



Georgian Terrace Hotel, Atlanta.
 Terra Cotta in Vitreous Gray,
 Bronze Green and Old Gold

LEONARD CONSTRUCTION COMPANY

(Not Inc.)

GENERAL CONTRACTORS AND ENGINEERS
 FOR HOTEL LEAMINGTON, MINNEAPOLIS,
 MINN., ILLUSTRATED IN THIS ISSUE

New York Office
 Whitehall Building

McCormick Building
 Chicago

Portland, Ore., Office
 Henry Building

HENRY ADAMS
Consulting Engineer

855-859 Calvert Building

BALTIMORE, MD.

POWER PLANTS, HEATING, VENTILATION
 LIGHTING, ELEVATORS, PLUMBING, ETC.

Kitchen Equipment Chosen on Merit

The most critical buying in the world directs the selection of equipment for our modern hotels, and the best from everywhere is always available for this purchasing power.

Before these large orders are placed qualities are analyzed, constructions are compared and values are weighed—the purchases are made on merit.

The kitchen in the new Vanderbilt Hotel is, because of its size and modern arrangement, the most perfect hotel kitchen in the land—it represents a distinct step forward in this important field. Every time and labor saving device, every sanitary precaution, and every safeguard for the guest will be found in this magnificent installation.

This kitchen equipment was designed, manufactured and installed by

L. BARTH & SON, 30-36 Cooper Square
NEW YORK CITY

Factory: 644-650 West 44th Street

Among the more recent kitchen installations and dining room equipments by BARTH may also be mentioned the following:

The Hotel Metropole, New York
The Great Northern Hotel, New York

The Hotel Nassau, Long Beach
The Hotel Clarendon, Sea Breeze, Fla.

Huber's Hotel, Long Beach
The Hotel Kenmore, Albany, N. Y.
The Cafe Madrid, New York
Churchill's Restaurant, New York
Murray's Restaurant, New York
Fleischmann's Restaurant, New York

Woolworth's Restaurant, Lancaster, Pa.

Woolworth's Restaurant, Philadelphia, Pa.

Keeler's Restaurant, Albany, N. Y.
Rigg's Restaurant, New York

The Elks Club, New York
The Albany Club, Albany, N. Y.
The Pittsburgh Athletic Club, Pittsburgh, Pa.

The Larchmont Yacht Club, Larchmont, N. Y.

Hotel Silver

The R. WALLACE stamp on hotel flat or hollow ware guarantees the highest combination of beauty and lasting qualities.

Estimates and Samples Furnished on Application

Main Office and Factory, WALLINGFORD, CT.

R. Wallace & Sons Mfg. Co.

SILVERSMITHS

J. G. MASON, Manager Salesrooms, 11 West 32d Street, New York

STAMPS

R. WALLACE, Silver Soldered

1835 R. WALLACE, Flatware

Standard Plunger Elevators

are installed in the

Vanderbilt Hotel

also in the

Plaza Hotel

Knickerbocker Hotel

Gotham Hotel

Waldorf Astoria

in New York

and

Bellevue Stratford Hotel

in Philadelphia

The absolute safety of the Standard Plunger Elevator makes it especially desirable for hotel service

STANDARD PLUNGER ELEVATOR COMPANY

115 Broadway

New York

Washington

Chicago

Philadelphia

Montreal

Worcester, Mass.

ELKS

SOUVENIR NUMBER

New York Lodge No. 1

Send twenty cents for a copy NOW

ARCHITECTURE AND BUILDING

23 Warren Street, New York

LOOMIS FILTERS

ESTABLISHED 1890

Improved System

Simple and Effective

LOONIS-MANNING FILTER DISTRIBUTING CO.

Main Office: 828 Land Title Building, PHILADELPHIA
Boston New York Baltimore Washington

Complete Architectural Catalogue

Sent on request

THE WILLIAM T. COMSTOCK CO.

Publishers

23 Warren Street

New York

ARCHITECTURE AND BUILDING

Architecture
NA
1
A 68
v. 44
no. 5

A Magazine
Devoted to Contemporary
Architectural Construction

Vol. 44 May No. 5
1912

Fireproofing and Fire-Protection

NOV 16 1967
SHORTAGE

Published by

THE WILLIAM T. COMSTOCK COMPANY

23 Warren Street New York

\$2.00 a Year

20¢ a Copy

**"Globe" Ventilator and
"Globe Ventilating Ridging"**



The "Globe" is built on
honor and sold on merit

In Copper or Galvanized Iron

Simple
Storeroof
Symmetrical
Satisfactory

Send for
Brown Print
Catalogue or Model

MANUFACTURED BY

Globe Ventilator Company
TROY, N. Y.

**SILVER LAKE A SASH CORD
THE STANDARD**

Our name is stamped on every foot of our
cord.

Estimate the greatest possible saving in the
first cost of a building by using cheap cord. If
there is any saving can you afford to take it?
The best cord will wear over twenty years
and you are saved the annoyance and expense
of replacing broken cord. For the cheapest
sash cord service specify SILVER LAKE A.

The Original Solid Braided Sash Cord

THE BEST IS THE CHEAPEST

SILVER LAKE CO., Boston

**Send for New Catalogue of Archi-
tecture & Building Construction**

W. T. COMSTOCK COMPANY

23 Warren St., New York



**In the Race for Supremacy, "F-S" Products,
on account of their quality and satisfying
results, always lead.**

Do you desire a particularly hard-drying floor surface?
If so, then specify "F-S" Diamond Floor Paint. It is
made for wear and tear service.

FELTON, SIBLEY & CO., Inc.

Manufacturers of Colors, Paints and Varnishes

136-140 N. 4th Street

Philadelphia



Architects, McKim, Mead & White

Contractors, The Geo. A. Fuller Co.

The Pennsylvania Terminal Building

Seventh Avenue and 32d Street, New York City

The Nation's New Gateway to the West

Equipped throughout with Corbin Builder's Hardware and Corbin Door Checks

The hardware on a building such as this is subjected to treatment which makes strength, durability and reliability absolutely essential. The hardware selected possesses these qualities, and the finish adds an effect of dignity and simple elegance.

Send for publication { SK 16 Corbin Wrought Hardware SK 53 Corbin Princeton Design
SK 17 Corbin Colonial Hardware SK 80 Corbin Specialties

P. & F. CORBIN

Division

The American Hardware Corporation

NEW BRITAIN, CONN.

P. & F. CORBIN of Chicago

P. & F. CORBIN of New York

P. & F. CORBIN DIV., Philadelphia

When writing Advertisers, please mention Architecture and Building.

CHICAGO
MARK

The Chicago "Triplex"
Spring Butt has features of
construction and design
which appeal
to the archi-
tect and
builder.



Their use in-
sures satis-
fied clients.

Chicago Spring Butt Company,

CHICAGO  NEW YORK
CATALOGUE E 26 ON REQUEST



ELEVATORS AND STAIRS
COVERED WITH

CRESCENT CORK

FURNISHED AND LAID BY

HASBROUCK FLOORING CO., Inc.

Manufacturers of

Parquet Flooring, Wood Carpets and the
Hasbrouck Patent Wood Block Flooring
For Fireproof Building

501-509 EAST 70th STREET, NEW YORK



DE FRANCISI BROTHERS CO.
INCORPORATED

Interior Marble and Mosaic Work

Office and Factory:

64 Mills Street, Astoria, Long Island

VIEW OF INTERIOR MARBLE, MECHANICS
BANK, NEW HAVEN, CONN.

L. W. ROBINSON, Architect

PARIS
ROME



NEW YORK
705
Fifth Avenue

When writing Advertisers, please mention Architecture and Building.

Architecture and Building

Established 1882

*A continuation of the
Architect's and Builder's Magazine, 1899-1911*

Continued 1911

PUBLISHED MONTHLY BY

THE WILLIAM T. COMSTOCK COMPANY

23 Warren Street, New York

WM. PHILLIPS COMSTOCK, President

CONTENTS FOR MAY

THE HOLLOW-TILE FIREPROOF HOUSE VII	189
Permanent Tile Forms in Factory Construction. By Frederick Squires.	
AUTOMATIC SPRINKLER EQUIPMENT OF LOFT BUILDINGS II	195
By E. P. Boone.	
NEW BUILDING FOR THE MARYLAND CASUALTY CO., BALTIMORE, MD.	200
Otto G. Simonson, Architect.	
ARCHITECTURAL DESIGN	201
Architectural Department, Harvard University.	
SWISS CHALET DESIGN VI	205
By Wm. S. B. Dana, B. S.	
THE MECHANICS' BANK, NEW HAVEN, CONN.	212
Leoni W. Robinson, Architect.	
THE PATERSON SAVINGS INSTITUTION, PATERSON, N. J. ..	216
Bankers Building Bureau, Interior Designers.	
MARKLE TRUST COMPANY, HAZELTON, PA.	218
John Irwin Bright, Architect.	
W. & J. SLOANE BUILDING	219
John B. Snook & Sons, Architects.	
NEWARK FIRE INSURANCE COMPANY BUILDING	220
Ely & Ely, Architects.	
BUILDING AT N. E. COR. 24th ST. AND 7th AVE., NEW YORK	222
Frederick Squires, Architect.	
FIRE COMPANIES BUILDING, 80 MAIDEN LANE, NEW YORK	225
D. H. Burnham & Co., Architects.	

ADVERTISING REPRESENTATIVES

D. R. Gimbel
Geo. H. Stewart (Dept. of Fireproofing and Fire Protection)

EDITORIAL DEPARTMENT

Wm. P. Comstock, Managing Editor
Charles Warren Hastings, Assistant Editor
Frederick Squires, Contributing Editor

Subscription Terms \$2.00 a year in advance for United States and Possessions, Mexico and Cuba. Canada, \$2.50, and other countries, \$3.00. Postage prepaid.
Subscribers when changing their address must state both old and new address.

Remitting Money All remittance of money should be in the form of U. S. Postal Money Orders (payable to THE WM. T. COMSTOCK CO., at New York Office). When these are not available, send money by registered letter, or send drafts on New York banks, made payable to order of THE WM. T. COMSTOCK CO. Personal checks on local banks cannot be received in payment.

TRADE SUPPLIED BY THE AMERICAN NEWS COMPANY AND ITS BRANCHES

LONDON AGENTS—Wm. Dawson & Sons (Ltd.), Cannon House, Bream's Buildings, London, England.

Copyright, 1912, by The Wm. T. Comstock Co.


Entered as second-class matter, April 4, 1911, at the Post Office at New York, N. Y.,
under the Act of March 3, 1879.

No. 3



No Brick is a
"TAPESTRY" BRICK
unless it is Fiske's

THE ESSEX RUBBER RUG



MFD. BY ESSEX RUBBER CO.

PRINCIPAL OFFICE & FACTORY: TRENTON, N.J., U.S.A.

Used in Vestibule of Fire Insurance Co. building, 80 Maiden Lane,
New York. They are made $\frac{3}{8}$ inches thick only and contain
no fabric to rot or break

BRANCH OFFICES:
58 Lincoln St., BOSTON
258 Broadway, NEW YORK

When writing Advertisers, please mention Architecture and Building.



CUYLER BUILDING, 119-123 WEST 31st STREET, NEW YORK
Architect, WILLIAM H. GOMPERT Mason Builders, THEODORE STARRETT COMPANY

THEODORE STARRETT COMPANY

BUILDERS

103 Park Avenue

NEW YORK

When writing Advertisers, please mention Architecture and Building.



Maryland Casualty Company's New Building,
Baltimore, Md.
Showing Detail of Tower Clock

Manufactured and to be Installed by

SETH THOMAS CLOCK CO.

MAKERS OF

Tower Clocks
FOR PUBLIC BUILDINGS
FACTORIES and CHURCHES

We have a special department
for this class of work and will
gladly furnish estimates and
suggestions upon request.

SETH THOMAS CLOCK CO.

Established 1813

NEW YORK LONDON CHICAGO



Bank Room, Mechanics' Bank, New Haven, Conn.
L. N. Robinson, Architect. All Bronze Work by

John Polachek Bronze & Iron Co.
Architectural Bronze and Iron Work

ART IN BRONZE, STATUARY WORK, TABLETS, ETC.

Office and Works

480-494 Hancock St. & 577-591 Boulevard, Long Island City, N.Y.

YELLOW STRAND

W
I
R
E

R
O
P
E



W
I
R
E

R
O
P
E

Copyrighted 1911 by F. W. Woolworth

WOOLWORTH BUILDING, NEW YORK

55 Stories High

In which many thousand feet of YELLOW STRAND
Wire Rope is being used.

Manufactured by

Broderick & Bascom Rope Co.

809 North Main St., ST. LOUIS, MO.

76 Warren St., NEW YORK.

Factories: ST. LOUIS, SEATTLE

Send for our catalogue 3K

When writing Advertisers, please mention Architecture and Building.

	Page
American Enameled Brick & Tile Co., The	25
American Hardware Corporation, The	1
Anderson Lumber Co., The....	11
Architectural Metal Works....	21
Automatic Sprinkler Co. of America.	27
Badger & Sons Co., E. B.....	31
Bagues Freres Co.....	2
Bankers Building Bureau....	29
Barnes Co., W. F. & John....	35
Barrett Mfg. Co., The.....	19
Berger Mfg. Co., The.....	25
Bommer Bros.	18
Boyd Equipment Company....	33
Broderick & Bascom Rope Co. 6	
Brooklyn Vault Light Co.....	35
Browe Company, The.....	15
Burwak Elevator Company....	33
Carter, Black & Ayers.....	37
Chicago Spring Butt Co.....	2
Collins, Francis W.....	20
Colonial Supply Co.....	28
Concrete Age, The.....	28
Conkling-Armstrong Terra Cotta Co.....	36
Consolidated Chandelier Co....	26
Corbin, P. & F.....	1
Cork & Zicha Marble Co.....	30
Cornell Company, W. G. III Cover	
Dahlstrom Metallic Door Company.....	—
Day Company, The	29
De Francisel Bros.....	2
Dixon Crucible Co., Jos.....	29
Doten-Dunton Desk Co.....	15
Edwards Electrical Construction Co.	30
Essex Rubber Co.....	4
Evans, F. H.....	33

	Page
Federal Terra Cotta Co.....	40
Felton, Sibley & Co.....II Cover	
Fiske & Co., Inc.....	4
Folsom Snow Guard Co.....	32
Foster, James Cramp.....	14
General Fire Extinguisher Co.	23
Globe Ventilator Co.....II Cover	
Gorton & Lidgerwood Co.....	28
Grant Pulley & Hardware Co.	38
Greenfield, Inc., Arthur.....	32
Grimmer & Son, Charles.....	11
Hasbrouck Flooring Co., Inc..	2
Higgins & Co., Chas. M.....	35
Hydro Damp-Proofing & Engineering Co., The.....	26
Ingham, Howard M.....	20
Jackson Co., Wm. H.....	14
Jones, Thomas W.....	32
Knoburn Co., The.....	25
Lane Bros. Co.....	20
Loomis Manning Filter Distributing Co.IV Cover	
Manual Arts Press, The.....	28
Marble Chair Co., The B. L....	15
Metropolitan Electric Mfg. Co.III Cover	
Monument Plaster Co.....	37
Morton, Thomas	27
Nelson Co., W. P.....	14
Newman Clock Co.....	22
Northwestern Terra-Cotta Co., The	38

	Page
O'Connor, George A.....	40
Otis Elevator Company.....	17
Polachek Bronze & Iron Co., John	6
Pomeroy Co., Inc., S. H.....	27
Prentiss Clock Improvement Co.	32
See Electric Elevator Co., The A. B.	38
Self-Clinching Nail Co.....	33
Silver Lake Co.....II Cover	
Simmons Co., John.....	26
Speidel, J. G.....	33
Standard Plunger Elevator Co. IV Cover	
Stanley Works, The	29
Star Expansion Bolt Co.....	16
Starrett Company, Theodore..	5
Stevens & Wafer.....	34
Stickley, Gustav	31
Tettenborn Refrigerators.....	32
Thomas Clock Co., Seth.....	6
U. S. Changeable Sign Company	—
United States Mineral Wool Co.	27
United States Press Clipping Bureau	34
Van Dorn Iron Works Co., The.	33
Vitrolite Co., The.....	40
Voigtmann & Co.....	27
Voska, Foelsch & Sidlo, Inc..	11
Washburne & Co., E. G.....	35
Wilson Mfg. Co., James G....	16

KEYSTONE
FLAT FINISH
KEYSTONE

Classified Advertisements

NOTE.—Every classified advertiser is entitled to insertion under one heading. Under extra headings, \$5.00 a year each

ARCHITECTURAL BRONZE.

Bagues Freres Co....705 Fifth Ave., New York
Polachek Bronze & Iron Co., John,
480-494 Hancock St. and 577-591 Boulevard,
Long Island City.

AWNINGS, BLINDS, ETC.

Wilson Mfg. Co., Jas. G.
5 W. 29th St., New York City

BANK INTERIORS.

Bankers Building Bureau,
33 E. 27th St., New York City.

BOILERS.

Gorton & Lidgerwood Co.,
96 Liberty St., New York

BOLTS—Expansion, Machine Expansion, Sebco
Mooring, Sebco Twin, Toggle.
Evans, F. H...31-35 Hewes St., Brooklyn, N. Y.
Star Expansion Bolt Co., 147-149 Cedar St., N. Y.

BRICK—Enameled Front. Hollow.

American Enamel Brick & Tile Co.,
1184 Broadway, N. Y.
Carter, Black & Ayers.....1182 Broadway, N. Y.
Flske & Co., Inc...Arena Building, New York
Harblson-Walker Refractories Co.,
30 Church St., New York

BRIDGES.

Van Dera Iron Works Co.....Cleveland, O.

BRONZE.

Polachek Bronze and Iron Co., John,
480-494 Hancock St. and 577-591 Boulevard,
Long Island City.

BUILDING CONTRACTORS.

Fuller Co., Geo. A., Marquette Bldg., Chicago.
Starrett Company, Theodore, 103 Park Ave., N. Y.

BUILDING DIRECTORY.

U. S. Changeable Sign Co..3-7 W. 29th St., N. Y.

BUTTS, BALL-BEARING.

Stanley Works, The.....New Britain, Conn.

CHAIR MANUFACTURERS.

Marble Chair Co., The B. L.....Bedford, O.

CLOCKS—Synchronized, Watchman's.

Newman Clock Co., The...178 Fulton St., N. Y.
Prentiss Clock Improvement Co.,
Dept. 11, 92 Chambers St., N. Y.
Thomas Clock Co., Seth.

COMMERCIAL FURNITURE.

Doten-Dunton Desk Co.,
25 Arch St., Boston & New York.

CONCRETE SIDEWALK FORMS.

Berger Mfg. Co., The.....Canton, O.

CORDAGE.

Silver Lake Co.....Boston, Mass.

DOOR HANGERS.

Lane Bros. Co.....Poughkeepsie, N. Y.

DRAWER SLIDE.

Grant Pulley & Hardware Co.,
85 Warren St., N. Y.

DRAWING INKS—(Higgins).

Higgins & Co., Chas. M.,
271 9th St., Brooklyn, N. Y.

DUMB WAITERS.

Otis Elevator Co.....17 Battery Place, N. Y.
Spedel, J. G.....Reading, Pa.

ELECTRICAL CONTRACTORS.

Boyd Equipment Co.....373 4th Ave., N. Y.
Edwards Electrical Construction Co.,
39 E. 42d St., New York
Stevens & Wafer.....New Haven, Conn.

ELEVATORS.

A. B. See Electric Elevator Co., The,
220 Broadway, New York
Burwak Elevator Company, 216 Fulton St., N. Y.
Otis Elevator Co.....17 Battery Place, N. Y.
Spedel, J. G.....Reading, Pa.
Standard Plunger Elevator Co.,
115 Broadway, New York

ENGINEERS, ELECTRICAL, CONSULTING, ETC.

Collins, Francis W...50 Church St., New York
Ingham, Howard M....160 5th Ave., New York

EXPANSION BOLTS.

Evans, F. H...31-35 Hewes St., Brooklyn, N. Y.
Star Expansion Bolt Co....147 Cedar st., N. Y.

EXTERIOR PLASTER.

Monumental Plaster Company....Harrison, N. J.

FENCING AND RAILINGS.

Van Dera Iron Works Co.....Cleveland, O.

FILTERS.

Loomis-Manning Filter Distributing Co.,
828 Land Title Bldg., Philadelphia, Pa.

FIRE BUCKET TANKS.

Safety Fire Extinguisher Co., The,
291-293 Seventh Ave., New York

FIRE DOOR EQUIPMENT.

Lane Bros. Co.....Poughkeepsie, N. Y.

FIRE EQUIPMENT, GENERAL.

Simmons Co., John.....102-110 Centre St., N. Y.

FIRE EXTINGUISHING APPARATUS.

General Fire Extinguisher Co., Providence, R. I.

FIRE PLACES, CRAFTSMAN, ETC.


Stickley, Gustav.....41 W. 34th St., New York

FIREPROOF DOORS AND SHUTTERS.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Grant Pulley & Hardware Co.,
8 West 29th St., New York
Pomeroy Co., Inc., S. H.,
427 W. 13th St., New York City

KEYSTONE
FLAT FINISH

The SWISS CHALET BOOK



IN the series of articles which have appeared in ARCHITECTURE AND BUILDING, Mr. W. S. B. Dana has given an epitome of his researches on Châlet Architecture. In this book, which will be issued shortly, the subject is much elaborated, and both the volume of text and number of illustrations are doubled. There are ten valuable chapters in this new book, one of which treats of the châlet as adapted to American uses. This chapter is well illustrated.

Cloth, 7½ x 10. Price, \$2.50

The Wm. T. Comstock Co., 23 Warren St., New York

When writing Advertisers, please mention Architecture and Building.

Classified Advertisements—Continued

FIREPROOF WINDOWS.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Day Company, The,
107 Water St., New Haven, Conn.
Knoburn Company,
359-363 14th St., Hoboken, N. J.
Pomeroy Co. (Inc.), S. H., 427 W. 13th St., N. Y.
Voigtmann & Co., 427 W. 13th St., New York.

FIXTURES, GAS AND ELECTRIC.

Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.

FLOORING—Stone, Hardwood, Cork, etc.

Hasbrouck Flooring Co., Inc.,
501-505 E. 70th St., New York
Marbleoid Co., The.....Marbridge Bldg., N. Y.

FLOOR AND WOODWORK POLISH.

Felton, Sibley & Co., 136 N. 4th St., Phila., Pa.

FLUSH VALVES.

Flushvalve Co.,
71 Greenwich Ave., New York City

GAS AND ELECTRIC FIXTURES.

Browe Company, The,
9-11 Franklin St., Newark, N. J.
Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.

GRAPHITE PAINT.

Dixon Crucible Co., Jos.....Jersey City, N. J.

HANGERS—House, Barn Door.

Lane Bros. Co.....Poughkeepsie, N. Y.

HARDWARE.

American Hardware Corporation, The,
New Britain, Conn.
Chicago Spring Butt Co., Chicago, Ill.: New York
Corbin, P. & F.....New Britain, Conn.
Stanley Works, The, Dept. B,
New Britain, Conn., and 79 Chambers St., N. Y.

HEATING APPLIANCES. (Also see Boilers.)

Boyd Equipment Co., 373 Fourth Ave., N. Y.
Gorton & Lidgerwood Co., 96 Liberty St., N. Y.

HINGES—Spring, Ballbearing, Etc.

Bommer Bros., 257 Nassau Av., Brooklyn, N. Y.
Chicago Spring Butt Co.,
Chicago, Ill.: New York
Stanley Works, The.....New Britain, Conn.

HOLLOW TILE.

Carter, Black & Ayers, 1182 Broadway, N. Y.

HOT-WATER BOILERS—Copper.

Badger & Sons Co., E. E.,
63-75 Pitt St., Boston, Mass.

INTERIOR DECORATIONS.

Foster, James Cramp,
117 Forest Ave., Dayton, O.
Nelson Company, W. P.,
614 S. Michigan Ave., Chicago.

INTERIOR TRIM.

Anderson Lumber Co., The.....Passaic, N. J.

IRON WORK—Ornamental and Structural.

Bagues Freres Co., 705 Fifth Ave., New York
Polachek Bronze and Iron Co., John
480-494 Hancock St. and 577-591 Boulevard,
Long Island City.

Tiffany Studios,

347-355 Madison Ave., New York
Wells Architectural Iron Co.,
River Ave. & 151st St., New York

JAIL AND PRISON WORK.

Van Dorn Iron Works Co.....Cleveland, O.

JOIST HANGERS—(Steel).

Lane Bros. Co.....Poughkeepsie, N. Y.
Van Dorn Iron Works Co.....Cleveland, O.

LIGHTING FIXTURES—Gas and Electric.

Bagues Freres Co., 705 Fifth Ave., New York
Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.
Mitchell Vance Co., 836-838 Broadway, New York
Tiffany Studios, 347-355 Madison Ave., New York

LIGHTNING RODS.

Jones, T. W.....22 Burling Slip, N. Y.
Washburne & Co., E. G., 209 Fulton St., N. Y.

LOCKS, ETC.

American Hardware Corporation,
New Britain, Conn.
Corbin, P. & F.....New Britain, Conn.

MANTELS, FIREPLACES, ETC.

Jackson Co., Wm. H., 2 W. 47th St., N. Y.

MARBLE WORKERS.

Cork & Zicha Marble Co.,
325-327 E. 94th St., New York
De Francisel Bros., Mill St., Astoria, L. I.
Voska, Foelsch & Sidlo, Mills St., Astoria, N. Y.

MATS, RUBBER.

Essex Rubber Co.,
258 Broadway, New York & Trenton, N. J.

METAL CEILINGS.

Berger Mfg. Co., The.....Canton, O.

METAL DOORS AND TRIM.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Knoburn Company,
359-363 14th St., Hoboken, N. J.

METAL LATHING.

Greenfield, Inc., Arthur....204 E. 26th St., N. Y.

METAL LUMBER.

Berger Mfg. Co., The.....Canton, O.

METALLIC OFFICE FURNITURE.

Berger Mfg. Co., The.....Canton, O.
Van Dorn Iron Works Co.....Cleveland, O.

METAL SASH AND FRAMES.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Knoburn Company.....240 11th Ave., N. Y.
Pomeroy Co. (Inc.), S. H., 427 W. 13th St., N. Y.

METAL WINDOWS.

Pomeroy Co. (Inc.), T. H., 427 W. 13th St., N. Y.
Voigtmann & Co., 427 W. 13th St., New York

MINERAL WOOL.

U. S. Mineral Wool Co....140 Cedar St., N. Y.

PAINTING CONTRACTORS.

Grimmer & Son, Charles, 230 E. 37th St., N. Y.

PAINTS FOR COATING AND PRESERVING IRON AND STEEL.

Dixon Crucible Co., Jos.....Jersey City, N. J.

KEYSTONE
—FLAT FINISH—
KEYSTONE

For thirty years the firm of Charles Grimmer & Son has been known to you as Painters. Recently we have acquired the business of the W. Ludwig Schultze Co., the well known Decorators. In our three new buildings we now have facilities for doing the same high class Cabinet Wood-Work and Up-^eholstery as we have for Painting.

A line of inquiry brings a representative, or we should be glad to welcome you at our extensive factories and our beautiful, new showrooms, where we carry the largest and most select stock in New York, of Wall Papers, Mantels, Andirons, Electric Fixtures, Fabrics, Furniture, Mirrors, Antiques, Clocks, Candlesticks, Lamps and Pillows.

Charles Grimmer & Son

Telephones, 7557-7558 Madison Square.

230-234 East 37th Street, NEW YORK

The Anderson Lumber Co.

ESTABLISHED 1812

INCORPORATED 1887

DEALERS IN

Interior Trim and Cabinet Work

Scroll Sawing and Turning

Sub-Contractor for all Interior Trim, Cabinet Work and Mantelpieces for the Newark Fire Insurance Co.'s Building (Ely & Ely, Architects), Newark, N. J.

Mill, Yard and Docks
Foot of Gregory Ave.

Passaic, N. J.



VOSKA, FOELSCH & SIDLO

Incorporated

MARBLE WORK

OF EVERY DESCRIPTION

Main Office and Factory

MILLS STREET

ASTORIA, N. Y.

Paterson Savings Institution. All wall wainscoting, floors, bank counter, stairway, balcony, balustrades, etc., of marble.

We do Contracting Marble Work in all parts of United States

When writing Advertisers, please mention Architecture and Building.

Classified Advertisements—Continued

PAINTS, OILS, VARNISHES, WOOD FILLING, etc.
 Dixon Crucible Co., Jos.....Jersey City, N. J.
 Felton, Sibley & Co.,
 186 N. 4th St., Philadelphia, Pa.

PLASTER WORK—Plain, Ornamental.
 Monument Plaster Co.....Harrison, N. J.

PLUMBERS.
 Boyd Equipment Co...373 Fourth Ave., N. Y.
 Cornell, W. G.....Everett Building, New York.

PRONG LOCK, STUDS AND FURRING.
 Berger Mfg. Co., The.....Canton, O.

PUBLISHERS.
 Cemstock Co., The W. T...23 Warren St., N. Y.
 Concrete Age, The.....Atlanta, Georgia
 Manual Arts Press, The,
 600 German Fire Insur. Bldg., Peoria, Ill.

PULLEYS.
 Grant Pulley & Hardware Co.,
 8 W. 29th St., N. Y.

REFRIGERATORS, PORCELAIN, ETC.
 Tettenborn Refrigerator Co.....Cincinnati, O.
 White Enamel Refrigerator Co. of New York,
 59 W. 42d St., New York

RINGS—Bridle, Corner Brace (Bridle), Sebco Aerial.
 Star Expansion Bolt Co...147-149 Cedar St., N. Y.

ROLLING DOORS AND SHUTTERS—Steel.
 Grant Pulley and Hardware Co.,
 8 W. 29th St., New York City.
 Wilson Mfg. Co., James G.,
 3 W. 29th St., New York

ROOFING AND ROOFING MATERIALS.
 Barrett Mfg. Co.....New York, N. Y.

RUBBER SPECIALTIES.
 Essex Rubber Co.,
 Trenton, N. J. & New York, N. Y.

SANITARY SPECIALTIES.
 Vitrolite Co., The.....Parkersburg, W. Va.

SASH CHAINS.
 Morton, Thomas.....169 Elm St., N. Y.

SASH CORDS.
 Silver Lake Co.....Boston, Mass.

SASH PULLEYS—Iron, Brass, Bronze.
 Grant Pulley & Hardware Co.,
 8 W. 29th St., N. Y.

SELF-CLINCHING NAILS.
 Self-Clinching Nail Co.....Philadelphia, Pa.

SIDEWALK LIFTS.
 Spedel, J. G.....Reading, Pa.

SIDEWALK LIGHTS.
 The Berger Mfg. Co.....Canton, O.

SIGNS, CHANGEABLE, ETC.
 U. S. Changeable Sign Co.,
 3 W. 29th St., New York

SKYLIGHTS.
 Architectural Metal Works,
 1192-1194 2d Ave., New York.
 Day Company, The,
 107 Water St., New Haven, Conn.

SNOW GUARD
 Folsom Snow Guard Co.,
 Roslindale (Boston), Mass.

SPRING HINGES.
 Bommer Bros....257 Classon Ave., Bklyn, N. Y.
 Chicago Spring Butt Co.,
 Chicago, Ill.; New York.

SPRINKLER SYSTEMS.
 Automatic Sprinkler Co. of America,
 123 William St., New York City.
 General Fire Extinguisher Co.,
 Providence, R. I.
 Rockwood Sprinkler Co...123 William St., N. Y.

STEEL BUILDINGS.
 Van Dorn Iron Works Co.....Cleveland, O.

STEEL JOIST HANGERS.
 Lane Bros. Co.....Poughkeepsie, N. Y.
 Van Dorn Iron Works Co.....Cleveland, O.

STEEL SHUTTERS, ROLLING, ETC.
 Wilson Mfg. Co., James G.,
 5 W. 29th St., New York

STUCCO.
 Monument Plaster Co.....Harrison, N. J.

SWITCHBOARDS, PANELS, ETC.
 Metropolitan Electric Mfg. Co.,
 14th St. & East Ave., Long Island City

TACKLE BLOCKS (Automatic).
 Lane Bros. Co.....Poughkeepsie, N. Y.

TERRA COTTA.
 Conkling-Armstrong Terra Cotta Co.,
 1135 Broadway, New York
 Federal Terra Cotta Co., 111 Broadway, N. Y.
 Northwestern Terra Cotta Co.,
 1000 Clybourn Ave., Chicago.

Vault Lights.
 Berger Mfg. Co.....Canton, O.
 Brooklyn Vault Light Co.,
 282 Monitor St., Brooklyn, N. Y.

VENETIAN BLINDS.
 Wilson Mfg. Co., Jas. G.,
 3½ W. 29th St., New York.

VENTILATING RIDGING.
 Globe Ventilator Co.....Troy, N. Y.

VENTILATORS.
 Globe Ventilator Co.....Troy, N. Y.
 Washburne & Co., E. G...209 Fulton St., N. Y.

WALL FINISHES—FLAT, ETC.
 Keystone Varnish Co.,
 71 Otsego St., Brooklyn, N. Y.

WALL PLASTER.
 Monument Plaster Co.....Harrison, N. J.

WATER FILTERS.
 Loomis-Manning Filter Co.,
 828 Land Title Bldg., Philadelphia, Pa.

WEATHER VANES.
 Jones, Thos. W.....153 Maiden Lane, N. Y.
 Washburne & Co., E. G.,
 209 Fulton St., N. Y.

WIRE ROPE.
 Broderick & Bascom Rope Co.,
 809 North Main St., St. Louis, Mo.

WOOD-WORKING MACHINERY.
 Barnes Co., W. F. & John,
 568 Ruby St., Rockford, Ill.

KEYSTONE
 FLAT FINISH
KEYSTONE


ELEVATOR SHAFT CONSTRUCTION

By **H. ROBERT CULLMER**

Assisted by **ALBERT BAUER**

Practical Suggestions for the Installation of Elevators in Buildings

A treatise for the architect and builder covering the surveying and preparing of detail drawings for elevator shafts; machine rooms; elevator bulkheads; tables and formulae for calculating the size and capacity of elevators; freight elevators; sidewalk elevators; dumb-waiters; specification writing for elevator installation; elevator shaft doors and appliances; building regulations covering elevator installation.



Cross Section of Elevator Shaft and Bulkhead.

This book supplies the demand for information on this subject, and it has been the effort of the author to supply the necessary data for the use of the architect in placing an elevator equipment in any building. New York practice is followed, and the Building Department laws and regulations of New York are made the standard. The author has also made a careful study of the regulations in use elsewhere, giving the deviations from New York requirements. Specification writing for elevator equipment has been covered by two forms; one a simple specification for a single elevator, the other a more elaborate equipment embracing several styles of cars suitable for an office building.

The book contains most practical information and it is the hope of the author that he has omitted no important point. Every phase of the shaft problem in building construction has been covered, and the method of presentation is such that ready reference is possible to any detail of the subject.

The book is in companion size with the **Building Construction and Superintendence** Series, by Mr. F. E. Kidder.

Cloth bound, 170 pages, Frontispiece, 47 diagrammatic plates, 15 illustrative plates


Price \$3.00

Publishers


The Wm. T. Comstock Co.

23 Warren Street,

NEW YORK



Plan of a Machine Room.



BANQUET ROOM IN ENGLISH TUDOR-ADOLPHUS HOTEL, DALLAS, TEXAS

Designed and Executed Complete by W. P. Nelson Company

Our schemes and sketches were successful in competition with leading concerns in the United States. We are prepared to handle Interior Decorations of private residences and public buildings. Also to estimate and carry out general painting, finishing woodwork, etc., in large buildings throughout U. S.

A FEW PROMINENT BUILDINGS FOR WHICH WE HAVE CONTRACTS

BUFFALO GEN. ELECTRIC BLDG., Buffalo, N. Y.
COTTON EXCHANGE, ADOLPHUS HOTEL,
SOUTHWESTERN LIFE INS. BLDG., Dallas
EXCHANGE NAT. BANK, Roanoke, Va.
UNION NAT. BANK, Clarksburg, W. Va.
MONROE BLDG., Chicago
OTIS BLDG., Chicago
MALLERS BLDG., Chicago
HEARST BLDG., Chicago
RAND McNALLY BLDG., Chicago

GENERAL HOSPITALS, Cincinnati, Ohio
WOODMAN BLDG., Omaha, Neb.
LONGACRE BLDG., 42d St. & Broadway
EIGHTY MAIDEN LANE BLDG., 80 Maiden Lane
NEW YORK EDISON BLDG., 42d St.
OTIS ELEVATOR CO. BLDG., 26th, 27th & 11th Av.
MUNICIPAL BLDG., New York
FIRST NAT. BANK BLDG., Pittsburg, Pa.
COMMERCIAL NAT. BANK, Charlotte, N. C.

W. P. NELSON COMPANY

614 S. Michigan Ave
CHICAGO

N. J. NELSON, President

812 Greenwich St.
NEW YORK



Bronze Entrance Doors—Mechanics' Bank—New Haven, Conn.

L. W. ROBINSON, ARCHITECT

WILLIAM H. JACKSON COMPANY, Bronze and Iron Work
2 West 47th Street, New York City

The Mechanics' Bank

New Haven, Conn.

Working details of fixtures for the above bank (described in this magazine), as well as working details of interior fixtures and furniture for

MORE THAN 300 OTHER BUILDINGS

Comprising banks, state capitols, court houses, city halls, stores, private residences, etc., as well as designs for many of the same, were prepared by or under the supervision of


James Cramp Foster

Interior Designer


117 Forest Ave.,

Dayton, Ohio

When writing Advertisers, please mention Architecture and Building.




TRADE MARK
Reg. U. S. Pat. Off.



DOTEN-DUNTON DESK CO.
*Acknowledged leaders in the manufacture of DISTINCTIVE
COMMERCIAL FURNITURE and SPECIAL FURNI-
TURE TO ORDER.*
25 Arch Street, BOSTON, MASS. NEW YORK BRANCH, 111 Broadway



THE BROWE COMPANY
9-11 Franklin St., Newark, N. J.
MANUFACTURERS OF
Gas and Electric Fixtures



No. 899

Highest Grade Office Chairs
Specified by the United States
Government and other equally
particular purchasers.

The chair illustrated above is the design
selected by the Paterson Savings Institution.
Catalog furnished to dealers and architects on request
**The B. L. Marble Chair Co. BEDFORD
OHIO.**

When writing Advertisers, please mention Architecture and Building.

Wilson's Venetian Blinds



The following hotels are equipped with Wilson's Venetian Blinds:

The
Emerson Hotel,
Baltimore, Md.

The
Taft Hotel,
New Haven, Conn.

The
Vanderbilt Hotel,
New York

The accompanying cut shows one of the windows in the new Vanderbilt Hotel, New York.

Models on view at salesroom

Jas. G. Wilson Mfg. Co.

3½ West 29th St., New York

Also manufacturers of Rolling Steel Shutters and Wood and Steel Rolling Doors and Partitions.

SEBCO QUICK ACTING EXPANSION BOLTS

We have perfected the Sebco Expansion Bolt so that it now meets every requirement in building construction—the Plumber, the Electrician and the Mechanic all have their particular uses for which there is a Sebco Expansion Bolt especially adapted.



Send for free sample and our Catalogue No. 41, showing many ways of properly fastening fixtures to floors, walls, etc., of tile, cement, brick, etc.

**STAR EXPANSION
BOLT COMPANY**

147-149 CEDAR ST., NEW YORK

A NEW AUTHORITATIVE WORK

Ransome & Saurbrey's

Pub. April, 1912

Reinforced Concrete Buildings

By **ERNEST L. RANSOME** and **ALEXIS SAURBREY**

235 p., 6 x 9, illus., \$2.50 (10/6) net, postpaid

Mr. Ransome is probably the best known concrete specialist in the country. He was the great pioneer in its introduction. Mr. Saurbrey, now associated with him, has had unusual facilities for investigation and study. The book is written for engineers.

It does not rehash the standard data. It is full of unusual material on patents, design and practical details of construction.

CONTENTS

Part I. Chapter I—Personal Reminiscences. II—Basic Patents and a Short Survey of the Early History of the Art.

Part II. Chapter III—Introduction. IV—Adhesion. V—Compression and Lateral Expansion. VI—Bending. VII—Transverse Stresses. VIII—Applications of the Bending Theory. IX—Initial and Allowable Stresses.

Part III. Chapter X—Materials of Construction. XI—Floor Systems. XII—Foundations. XIII—Finishing Operations. XIV—Fireproofing and Fires. XV—Repairs to Existing Buildings. XVI—Accidents. XVII—Superintendents Specifications. XVIII—The Engineer. XIX—The Theory of the Beams as Illustrated by Tests.

FOR SALE BY

THE WM. T. COMSTOCK CO.

23 Warren Street, New York

BOMMER SPRING HINGES

ARE QUALITY GOODS

But cost no more than inferior kinds



DON'T ERR IN JUDGMENT when specifying spring hinges, which of all hardware perform the hardest work. Bommer Spring Hinges never fail to give satisfaction, and have withstood the test of time. The springs never go lame. "Practically Unbreakable," says the World's Fair Award, Chicago, 1893.

GOLD MEDALS: Paris, 1900; Buffalo, 1901; St. Louis, 1904.

**All Who Figure on Hardware
Contracts Can Supply Them**

BOMMER BROS., Mfrs., Brooklyn, N. Y.

Est. 1876

When writing Advertisers, please mention Architecture and Building.

THE HOLLOW-TILE FIREPROOF HOUSE

Article VII.—Permanent Tile Forms in Factory Construction


By FREDERICK SQUIRES

WHEN the building here illustrated was contemplated, it seemed a good opportunity to test out the practicability of permanent forms. Every building consists in its final analysis of these parts: vertical uprights resting on the earth and supporting floors and roofs, and filling between these uprights to surround the windows and doors. In other words, any support may always be regarded as a post.

These

supports, from an engineering standpoint, should always be heavier than the curtain walls, but, in many instances, in order to avoid breaks in the wall surfaces, the piers and walls are made uniform in thickness. The scheme of permanent tile forms comes into play, in order to obtain a pier and a curtain wall with strength relative to their respective loads, and yet maintain a flush wall inside and out. It is obvious that this may be done in tile walls by grouting the piers and leaving the curtain walls hollow. When this is insufficient to take up the inequality in loads, it becomes necessary to make these grouted piers thicker than the hollow curtain walls. Both types are illustrated in the Whitall-Tatum factory shown in the illustrations.

I will describe briefly a complete scheme for permanent hollow-tile forms in factory construction, and show in what respects this Whitall-Tatum factory



The piers and the intervening window panels set with pivoted sash. Whitall-Tatum Co. Factory.




THE INTERIOR IN THREE STAGES OF CONSTRUCTION.
Whithall-Tatum Company Factory.



A TYPICAL BAY SHOWING THE LARGE GLASS AREA AND CONCENTRATED ROOF LOADS.

makes use of the possibilities of such methods. Illustration A shows a typical bay of a factory building with no interior columns. It is obvious that the plane of the floor may be carried in any of three ways: by girders resting on columns in opposite exterior walls; by girders resting on columns in the same exterior wall; or by girders connecting all four columns.



A.—SKELETON DIAGRAM OF CONSTRUCTION.

the floor load being carried on all four. It is also obvious that the floor load may be carried to the supports at the line where the floor intersects the outside wall or it may be transferred to the lintel of the window below, provided the lintel is made to extend from column to column. In either case the carrying girder may be made in permanent forms.

The floor itself, both one way and two ways, may be made in permanent tile forms, as follows: We will illustrate with the two-way as shown in B. Tile blocks beveled on all sides are set on temporary wood forms, side by side, and touching along their lower edges, thus forming V channels all around each block. Since the reinforcing rods must cross each other, the sides of the block for the lower rods are curved a little to give more room. The opposite sides, along which run the higher rods, are merely cut off on a straight bevel, a machine face. The concrete will not run into the open ends at more than 45°, or in the block as



WALLS LAID UP OF BLOCKS.




THE END WALL IN CONSTRUCTION.




THE WALLS STUCCOED ON ENGINE ROOM WING.


The Whitall-Tatum Company Factory, Keyport, N. J.




WHITALL-TATUM COMPANY FACTORY, GROUND PLAN AND THE SIDE WALL BEFORE AND AFTER IT WAS STUCCOED.



B.—TWO WAY PERMANENT TILE FORMS FOR FLOOR CONSTRUCTION.



C.—LINTEL BLOCK.



D.—SILL IN PERMANENT TILE FORM. THE DOTTED LINE SHOWS WHERE THE TILE IS DIVIDED TO MAKE TWO SILLS.

shown, about an inch and a half. It is curious to note that since concrete is in compression at the top of the beam, and has little or no value in tension, in which condition it finds itself in the lower half, a beam sectioned like the above takes absolute advantage of this condition as the volume of the concrete is made to diminish exactly in the proportion in which its usefulness disappears. So much for the permanent form floor.


The lintel and wall girder for carrying the floor slabs are similarly constructed. They are merely U-shaped troughs either poured full of concrete on the ground and set in place as its best practice with the lintel, or set in the wall and poured in place as is best done with the wall girder. See figure C.

The sill, if made in permanent tile

forms, must be cast on the ground and set in place, the concrete being poured into unit tiles sectioned, as shown in the figure D. This tile will be delivered to the job with a cut at the dotted line almost through the tile, so that it may be broken into two similar pieces at that point. The channels for lintels will be manufactured with a rectangular section to be broken in half in the same way.

The following article will take up pier construction and other methods of using hollow tile permanent forms.

(To be continued.)



THE SUN DRYING ROOM.

AUTOMATIC SPRINKLER EQUIPMENT OF LOFT BUILDINGS

ARTICLE II.

By E. P. BOONE.

AMONG the first things to be considered by an architect in planning for a sprinkler equipment is the type of construction—whether the building is of ordinary, slow-burning or fireproof construction. This must be definitely settled in order that the spacing of sprinkler heads, the number of heads necessary to protect the building and contents, and the capacity of the water supplies necessary may be determined.

Having decided upon the above, next comes the questions of riser location and general layout of system, location of feed and cross mains, as well as branch lines. It should be borne in mind that provision must be made for the risers, which should be located so as to give either a centre central or side central feed to the system. Care should be taken not to locate the risers where subject to mechanical injury, and never in close proximity to a window facing a street. If located in pipe shafts, care should be taken to see that there is sufficient room to effect repairs and do painting. As the size of the riser is generally 4, 5 or 6 inches, the importance of allowing sufficient room for their proper installation should not be lost sight of. In many cases, notably in modern fireproof buildings, the risers can be located either in pipe shafts or in recesses specially constructed in the side walls, where they are out of the way, yet at a proper location. Risers, other than those supplying sprinklers in the stair shafts, which are arranged to be shut off in Winter, should never be located therein. These stair shafts, like vent shafts, are rarely heated, consequently there is always the danger of freezing in excessively cold

weather. As far as is practical, the riser should be free from turns and bends and only long-turn flanged fittings may be specified. This question of riser location and protection is of vital importance if the best results from sprinklers are to be expected.

Feed mains to the risers should be planned for with the same degree of care used in laying out a high-pressure steam plant. The feed mains are the main arteries, consequently they should be allowed sufficient space in order that they may be installed without unnecessary bends and 45 degree fittings. Care should be taken to keep them out of boiler rooms and power plants, and to avoid locations where there is danger of freezing. Too often is the entire building planned, all complete, but the sprinkler equipment—one of the chief assets—is left to be installed as best it can be, at the mercy of everyone, yet the utmost service is expected of it. Pipe trenches in the basement floor, having a suitable covering for protection, as well as affording accessibility in case of repairs, are suggested as one way of overcoming some of the objections often raised, particularly that concerning loss of head room. It should be remembered that the feed mains are often 8 inches in size, and that the extra heavy fittings are often used, consequently sufficient room is needed and must be arranged for in order to run the pipes in the proper manner.

The weight of the pipe system, particularly in buildings of great height, is of importance. It should be borne in mind that a 6-inch pipe filled with water weighs approximately 20½ pounds per foot and

an 8-inch pipe filled with water approximately 31 pounds per foot. These figures should not be overlooked in planning, as the question of proper support and footings is a vital one.

Having established the layout for the building under consideration, as to risers and feed mains, the location of cross mains and branch lines must be determined, as well as the spacing and location of sprinkler heads.

Before locating and spacing the sprinkler heads with a view of determining the capacity of water supplies, there is one thing of great importance that must be taken into consideration, and that is that the sprinkler heads are located on the top of the pipe, in an upright position, except in the case of concealed pipe systems, where the sprinkler heads are located in a pendant position, a subject which will be dealt with later on. The deflector of the head must be not less than 3 inches or more than 10 inches below the ceiling or bottom of a joist, and in addition to this the head itself as set up measures approximately $2\frac{1}{2}$ inches in height, to which must be added the diameter of the pipe fittings, so that the pipe system will be from 8 to 15 inches below the ceiling, according to the form of construction. This space allowance should be considered in planning for the equipment of a building with sprinklers, and

the rule requiring that no goods or materials should be stored or piled within 2 feet of the ceiling or the bottom of the joists should be kept in mind. This last rule is necessary in order that the water from the sprinklers may be properly sprayed over the surface to which the sprinkler head is figured to give protection.

For buildings of ordinary construction—that is, with open joists—the sprinkler heads will approximately cover 72 to 80 square feet per head, but in no case should the heads be over 8 feet apart across joists, and 10 feet with joists (see Figure 1) and they should always be staggered. Under slow-burning construction, a spacing of approximately 90 to 100 square feet per head can be figured, although in certain types of paneled ceilings the heads will approximate less area in square feet in order not to have the distribution of water obstructed by the girders or beams forming the panel.

In the form of ceiling construction the depth of the beams plays an important part in determining the number of sprinkler heads necessary. If the beams average 10 inches in depth and are spaced 4 to 5 feet apart in 20-foot bays, two lines of sprinklers at right angles to the bay, with the sprinkler heads staggered in the centre of the bay with deflectors 10 to 12 inches below the ceiling, will




FIGURE 1. PLAN SHOWING FEED MAINS IN BASEMENT AND SPACING OF SPRINKLERS UNDER OPEN JOIST CEILING.

make a desirable layout which will give good protection. Further, this layout will keep the piping up close to the bottoms of the beams, thereby avoiding numerous fittings, and at the same time giving ample head room. In buildings of mill construction, the heads should be spaced as shown in Figure 2.

Fig. 3 shows the best method of spacing sprinkler heads under ceilings of fire-proof construction where the beams forming the panels are not more than 8 inches in depth, spaced 6 feet apart, and the girders not over 16 inches in depth spaced 20 feet apart.

Fig. 4 shows the best method of spac-

ing sprinkler heads under fireproof ceilings where beams are not over 12 inches in depth, spaced from 4 feet to 5 feet 6 inches apart, with girders not over 24 inches deep, spaced 20 feet apart. Either of the above methods will admit of the proper distribution of water over the contents provided the deflectors are not less than 3 inches below the soffit of the beams and not more than 15 inches below the plane of the ceiling. Either of the above methods may be used under semi-mill construction ceilings.

The important point to consider is to have not more than 100 square feet of ceiling surface allotted to a sprinkler




FIGURE 2. SPACING OF SPRINKLER HEADS UNDER MILL CONSTRUCTION CEILING. (SPRINKLERS SPACED 10 FEET APART ON A LINE IN 10-FOOT BAYS.)



THE CEILING IN ONE OF THE OPEN STORIES AT GIMBEL BROTHERS' STORE, SHOWING THE DISPOSITION OF THE SPRINKLER HEADS.




FIGURE 5.—THE RISERS WHICH FEED EACH SECTION ARE INDICATED AT X IN THE PLAN.

and the heads so located as to be not more than 12 feet in radius from each other.

Fig. 5 shows an ideal method of spac-

ing sprinkler heads under ceilings of fireproof construction where the girders forming the bays are of unusual depth and where the pipe system is concealed.

(To be continued.)




FIGURE 3.—SKETCH SHOWING METHOD OF SPACING SPRINKLER HEADS UNDER FIREPROOF CEILING (BEAM CEILING) WHEN BEAMS ARE NOT OVER 8 INCHES DEEP.




FIGURE 4.—SKETCH SHOWING METHOD OF SPACING SPRINKLER HEADS UNDER FIREPROOF CEILING. (BEAM CONSTRUCTION) WHERE BEAMS ARE NOT OVER 12 INCHES DEEP.



NEW BUILDING FOR THE MARYLAND CASUALTY CO., BALTIMORE, MD.
Elevators: Standard Plunger Elevator Co. Otto G. Simonson, Architect.
Enameled Brick: American Enameled Brick & Tile Co.
Clocks: Seth Thomas Clock Co.
Star Expansion Bolts Used.
Terra-Cotta: Conkling-Armstrong Terra Cotta Co.

ARCHITECTURAL DESIGN

Architectural Department, Harvard University

THE instruction in Architectural Design in the School of Architecture of Harvard University, following the introductory course on the orders and the elements of architectural form, is divided into three successive courses, which may be designated as elementary, intermediate, and advanced. A student is promoted from one course to the next according to his proficiency as shown in the problems and sketches in design which he executes. Advancement is therefore reckoned not by years of work, but by attainment.


The loggia by Mr. W. E. Rowland is an example of the sketch problem in advanced design. The problem was a Ceremonial Loggia on a State Capitol building, in which the Governor might stand on occasions of public functions, especially for the purpose of reviewing troops or other processions. It was supposed to occupy an angle pavilion. This drawing was awarded the prize (in 1911) offered annually by the Boston Society of Architects.

The next two drawings show another sketch problem in advanced design, the work of Mr. S. F. Kimball and Mr. Rhodes Robertson. The sketch followed the solution of a large problem of a great Roman Catholic Church, with parish schools, clergy house and nunnery. The sketch called for was a doorway of the problem previously rendered. The drawing of Mr. Kimball won the prize offered by the Boston Society of Architects in 1910.

The subjects for the problems in design are selected, especially in the intermediate and advanced courses, from such

as are characteristic of American requirements, most of them being chosen from among current problems of frequent occurrence. The imagination of the students is stimulated by encouraging them to handle these problems in an ideal way—in such manner as they would be handled under the most favorable conditions. After the students have made their sketches *en loge*, thus fixing the scheme on which their solution of the problem must be worked out under the criticism of the instructors, they are taken to visit some of the best or most characteristic actual buildings of the type they are studying. The practical requirements of such buildings are then explained on the spot, and are brought home to them by an examination of the building itself as a working machine. They are then aided in making use of this knowledge in the working out of their design, thus learning how to give artistic expression to actual requirements, how to relate practical demands of arrangement or of construction to beauty of design. In this way, for instance, the modern department store, the religious association building and the fire engine house have lately been studied. This study is supplemented by lectures on the requirements of modern buildings by such well-known architects as Mr. R. S. Peabody, Mr. Frank Miles Day, and Mr. Cass Gilbert, all of them past presidents of the American Institute of Architects.

The advanced course in design is in the hands of Professor E. J. A. Duquesne, Grand Prix de Rome, Architect of the French Government, and until



A CEREMONIAL BALCONY FOR A STATE CAPITOL BUILDING.


Problem in Advanced Design.
 School of Architecture, Harvard University.
 Awarded Prize of Boston Society of Architects, 1910.

Designed by Wirt C. Rowland.

lately, patron of an atelier in Paris and member of the Jury of the Ecole des Beaux-Arts. Professor Duquesne has designed and carried out important buildings in France, and is now practicing in Boston.

Architectural history is taught by Professor H. Langford Warren, F. A. I. A. (of the firm of Warren & Smith), who is also chairman of the department.


The entire instruction in architecture is in the hands of practicing architects.



A PORTAL FOR A LARGE CHURCH.

Problem in Advanced Design.
School of Architecture, Harvard University.
Awarded Prize of Boston Society of Architects, 1910.

Designed by Sidney F. Kimball.



A PORTAL FOR A LARGE CHURCH.

Problem in Advanced Design.
School of Architecture, Harvard University.

Designed by Rhodes Robertson.

SWISS CHALET DESIGN

By WM. S. B. DANA, B. S.

VI.

"You will be surprised if I tell you that the chalets of the Swiss mountains are exactly the same as the chalets that one sees on the slopes of the Himalayas, and in the valleys of Kashmir."
Viollet le Duc.

IT was my pleasure on a dazzling Genevan summer's day, to visit the handsome chalet of a certain universally esteemed *pasteur* of Geneva. The impression that I received was that of a palace of wood—rich, warm, red wood. The floors were of parquetry, the walls of long, narrow, vertical panels, and the ceiling, beamed. The chalet, as I approached it, appeared as in the accompanying cut, all the shutters closed to keep out the intense sunlight. I presented myself at the porch door under the awning and was requested to enter at the main entrance a little further to the left. I found a generous hall-way flanked on the right by a dining room, and on the left by a kitchen; next to this came the stairs. In the kitchen I noted the characteristic tiled floor of dull red

squares placed diagonally, and the softly tinted porcelain lined range, a peculiar product of Swiss manufacture. To the rear were the reception rooms. Upstairs



THE RECEPTION ROOM.



CHALET OF PASTEUR—GENEVA.
Product of Bernese Fabrik.

the arrangement corresponded to that below, with everywhere the finish of wooden panels and beamed ceilings. A view of the reception room is given.

Geneva is a famous home of chalet manufacture and design. From its *fabriques*, chalets of all manner of shapes and sizes are sent forth into the world to become summer houses, mountain railroad stations, dwellings, hotels, etc. Probably the most important manufacturers are Ody and Company, and Spring Frères. To quote from "Publications Internationales": "the firm of Ody has a special reputation for the elegance and solidity of its chalets. They



CHALET BIENSIS ON THE HEIGHTS OVERLOOKING LAKE GENEVA AT MONTREUX.

have constructed a quantity of chalets in the canton (of Geneva) as well as in Switzerland, also in France, America, etc."

In the "Revue Universelle" we find, among others, these words concerning the reputation of Spring Frères: "We have . . . a list of references—among whom we find the names of doctors, engineers, lawyers, manufacturers, who are especially competent to judge the chalet from the standpoint of strength as well as from that of health and comfort."

From the article on Ody and Company, some valuable information is to be gleaned; we quote: "First, and before all, they tell us, in order to construct a good chalet, good wood is necessary. But Switzerland is a privileged country, as a producer of the best timber, and our firm possesses a tremendous stock of it in reserve; it is well seasoned, having been stored for seven or eight years.

"It goes without saying that, inde-

pendently of the quality of the wood, a careful handling and treatment, learned only by long experience are necessary.

. . . Wood which is not sufficiently dry has a tendency to be influenced by the temperature, resulting in structural defects. A good chalet ought to last for a very long time, as witness the century-old chalets called 'mazots.'

"All beams for the chalets are grooved their whole length, and dowed together at least once in every yard. On the interior of each exterior wall is a lining of brick with a shallow air-space between, which insures the best of insulation from extremes of temperature.

"The outside walls are coated with a mixture of Norway tar and hot oil, which preserves the wood indefinitely.

"The cost of chalets is about \$400 a room for a good chalet. The chalets, besides their beauty, require no repairing, as the great overhanging gables serve not only as decorative features, but as a protection from the weather."



CHALET BIENSIS, MONTREUX.

From the "Revue Universelle," under the title "The manufacture of Swiss chalets, Spring Frères, Geneva": "The chalet is the Swiss dwelling *par excellence*, the typical construction, just as the brick house is the dwelling of the English; more than this, the chalet is the construction economic. Chalets range in size from two rooms to twenty. They can be made to suit all tastes, and to accommodate all purses. They are solid, comfortable, habitable throughout the year. They require no more attention than the ordinary house and can be made incombustible by a special preparation. Built on footings of concrete and foundations of masonry, they are impervious to dampness. Constructed of heavy beams, they are reinforced on the inside by a thin brick wall, or by paneling. Spring Frères have also begun the manufacture of chalets with triple shell walls, which can be handled at slight ex-

pense. A chalet like this latter, built on a masonry foundation is, on account of the air-spaces between the various shells, guaranteed to preserve an even temperature, equivalent to that obtained by masonry walls 21 inches thick.

"For countries exposed to severe cold or tropical heat we cannot too highly recommend this system of construction. In fact, with the same wall structure, the number of shells and spaces between can be increased, producing as a result insulation equivalent to that obtained by a masonry wall more than 3 feet thick.

"The advantage of this type of chalet is its rapidity of construction; in one month's time after the foundation is laid, it is possible to prepare a chalet of fifteen rooms in the workshop and erect it at any point. The rapidity of manufacture, and consequently the reduced cost of erection, as well as of transportation, because of reduced weight, insure a great



1. Railroad Station, Montbovon.
2. A chalet doorway, Chateau d'Oex.
3. Corner of chalet, Berne.

4. An aged chalet, Chateau d'Oex.
5. A modern chalet, Chateau d'Oex.
6. A Bernese chalet, with exterior alcoves, flower balconies and awnings.



CHALET FULPIUS AT GRAND LANCY.

Ody & Co., Manufacturers.

economy, while maintaining the same conveniences and appearance; for the *chalet à parois isolantes* (isolated walls) yields nothing to other types in the matter of æsthetics, solidity and durability.

"The wood used is pine, pitch-pine, and oak. All parts of the building are arranged so as to prevent the collecting of water and dampness.

"The price of the chalet ranges from \$600 to \$12,000.

"In the high country are chalets of

the 15th and 16th centuries which are still used as dwellings; this is sufficient proof of their powers of resistance and durability. The chalet is the construction of greatest solidity; in the mountainous regions, where the severe climate and high winds would not allow of any but the most solid construction, the chalet is the favorite form of dwelling.


"The construction in wood cannot be too highly recommended in countries where earthquakes are frequent. Stone dwellings collapse at the slightest movement of the earth, or, at least, crack, while those of wood remain unaffected; the rapidity and facility of manufacture and erection of hollow walls (Spring Frères method) make them specially adapted to the colonies."

The *fabriques* of Ody and Company and Spring Frères are indicated on the portion of the map of Geneva which is given; "A" is the location on the hill-top of Ody and Company, and "B" that of Spring Frères; the location of the United States Consulate is indicated by letter "C."

A night ride by train along the north-



MAP OF GENEVA.



DETAILS; BRIENZ, KIENHOLZ—FROM VARIN.

ern shore of Lake Geneva, past the enchanting home of Paderewski, at Morges, to Lausanne, where I spent the night; then a Sunday morning boat ride across green waters brought me to the favorite winter resort at the head of Lake Geneva, Montreux. On the almost perpendicular mountain side above Montreux, I found Biensis, a model chalet designed for the Paris exposition of 1880, where it was bought by a prominent citizen of Montreux, dismounted and shipped to its present eyrie. An idea of its situation may be gained from the photograph: another cut shows it




FIG. 32.

more in detail. A leading citizen of Montreux, whom I had been recommended to call upon, kindly gave me permission to examine some new chalets which he was building. The panorama from their balconies, under the broad sweep of their vast gables was matchless. With the aid of the foreman, who talked good-humoredly to me in Italian-French-Swiss, I learned the names of many details of these chalets which were still in




FIG. 33.

the unfinished wood. In all cases I found the walls to be made of a core of 3-inch planks, on edge. The floors were of cinder concrete with steel beams, the beams being 28 inches on centers, with flanges $2\frac{1}{4}$ inches wide.

Fig. 32 shows a sketch of one of the great overhanging consoles (projection about 9 feet), which was most easily obtained by lying flat on my back on the balcony below it. Fig. 33 is an entrance door. On the way by the funicular railway from Montreux to Berne, among giant mountains, and through giant valleys, I took some snap-shots, as the railroad station at Montbovan, and several at Chateau d'Oex and Berne.

Upon the advice of the vice-consul at Berne, I visited the Parquet and Chalet fabrik at Interlaken, and obtained from them a set of plates with a prospectus of their work. I quote from this latter: "The different styles of the old Swiss blockhouse, whose rugged construction has resisted for centuries the elements, and whose picturesque outlines harmonize so well with the scenery, serve as a model for the construction and style of the chalets."

(Concluded.)



THE MECHANICS' BANK, NEW HAVEN, CONN.

Bronze Entrance Doors: Wm. H. Jackson Co.
Fireproof Windows: The Day Co.
Electrical Contractors: Stevens & Wafer.

Leoni W. Robinson, Architect.

The interesting building of the Mechanics' Bank in New Haven is a good representative of a type which has been constructed for some time in the large cities and is now being adopted for bank construction generally throughout the country. The bank is notable for its fine interior marble, bronze work, both exterior and interior, and for its fireproof construction.

The builders were the Sperry & Treat Co. The Day Company supplied the fireproof windows and Stevens and Wafer were the electrical contractors. The furniture of the officers' and directors' room was made by the Doten-Dunton Desk Company; De Francisci Brothers Company did the interior marble work and the John Polachek Bronze & Iron Co. did the interior metal work.

The Markle Bank and Trust Company building is notable in that it is one of the first examples outside of New York City in which wood has been entirely eliminated from construction. Wire-glass in metal sash is used in all windows exposed to outside fire risk, it being intended to make the building as nearly as possible conflagration-proof.

The building has ten upper stories devoted to offices and 75 per cent. of the total area of the building, measuring from the outside walls, is rentable space on all floors devoted to offices.

The builder was James G. Doak & Co., and the bronze work was done by John Polachek Bronze and Iron Company.

The building for the Newark Fire Insur-


(Continued on page 220.)



THE MECHANICS' BANK. ENTRANCE.

Bronze Entrance Doors: Wm. H. Jackson Co.

Leonl W Robinson, Architect.



MARKLE BANKING AND TRUST COMPANY, HAZELTON, PA.

First Story Plan. (See Page 218.)

John Irwin Erigh, Architect.



Leonl W. Robinson, Architect.



THE MECHANICS' BANK. THE BANKING ROOM SIDE AISLES.

Bronze Screen and Ornaments: John Polachek Bronze & Iron Co.
Interior Marble: De Francisci Brothers Co.



THE MECHANICS' BANK. DIRECTORS' ROOM. BANKING ROOM NEAR ENTRANCE.

Leon W. Robinson, Architect.
 Bronze Screen and Ornaments: John Polachek Bronze & Iron Co.
 Office Furniture: Doten-Dunton Desk Co.
 Interior Marble: De Francis Brothers Co.



THE PATERSON SAVINGS INSTITUTION, PATERSON, N. J.

Engineers and Contractors: Bankers' Building Bureau.



THE PATERSON SAVINGS INSTITUTION.

Engineers and Contractors: Bankers' Building Bureau.

Chairs: The B. L. Marble Chair Co.

Interior Marble: Voska, Foelsch & Sidlo, Inc.



MARKLE BANKING AND TRUST COMPANY, HAZELTON, PA.

Bronze: John Polachek Bronze & Iron Co.

John Irwin Bright, Architect.



BUILDING FOR W. & J. SLOANE, 5TH AVENUE AND 47TH STREET, NEW YORK.

Corbin Hardware.

Otis Elevators.

Newman Watchclock System.

Evans' "Crescent" Expansion Bolts Used.

Star Expansion Bolts Used.

Rockwood Sprinkler Equipment.

John B. Snook & Sons, Architects.



NEWARK FIRE INSURANCE COMPANY, 41 CLINTON STREET, NEWARK, N. J.
 Star Expansion Bolts Used. Ely & Ely, Architects.

(Continued from page 212.)

ance Company is a single story structure with a mezzanine across the front over the entrance for offices.

The builder was E. M. Waldron Co.; the Anderson Lumber Company did the interior trim and cabinet work. The Browe Company supplied the lighting fixtures.

The building at 80 Maiden Lane has a frontage on that street of 143 feet with a frontage on Cedar Street of 173 feet. The building is twenty-five stories high, the top or attic story being lighted by bull's-eye windows. The

exterior walls are faced with cream-colored enameled brick with enameled surface terracotta trim.

The Thompson-Starrett Company of New York were the builders. The W. G. Cornell Company did the plumbing; the painting and decorating were done by the W. P. Nelson Company; William H. Jackson Company furnished mantels and the lighting fixtures were supplied by the Mitchell Vance Company; the rubber rugs in the vestibules were produced by the Essex Rubber Co.; P. and F. Corbin supplied the hardware; and Otis elevators were used.



NEWARK FIRE INSURANCE COMPANY. OFFICE WITHIN THE COUNTER,
MAIN FLOOR.

Lighting Fixtures: The Browe Co.
Interior Trim and Cabinet Work: The Anderson Lumber Co.
Evans' "Crescent" Expansion Bolts Used.
Stanley Ball Bearing Hinges Used.

Ely & Ely, Architects.



MERCANTILE BUILDING, N. E. CORNER OF 7TH AVENUE AND 24TH STREET,
NEW YORK.

Builders: Theodore Starrett Company.
Tapestry Brick: Fiske & Company, Inc.
A. B. See Electric Elevators.
Lighting Fixtures: The Simes Co.


Frederick Squires, Architect.



MERCANTILE BUILDING. DETAILS.

Builders: Theodore Starrett Company.
Tapestry Brick: Fiske & Company, Inc.
Sidewalk Elevators: Burwak Elevator Co.


Frederick Squires, Architect.



MERCANTILE BUILDING. FIRST AND TYPICAL STORY PLANS.

Frederick Squires, Architect.

CEDAR STREET



FIRE COMPANIES BUILDING. TYPICAL STORY PLANS.

D. H. Burnham & Co., Architects.



FIRE COMPANIES BUILDING, 50 MAIDEN LANE, NEW YORK.
Plumbing: W. G. Cornell Company. D. H. Burnham & Co., Architects.
Mantels: Wm. H. Jackson Co.
Otis Elevators.
Corbin Hardware.
Newman Watchclock System. Evans' "Crescent" Expansion Bolts Used.




A Look from Maiden Lane Shows the German American Building Overlapping.

FIRE COMPANIES BUILDING, 78-88 MAIDEN LANE.



From Pine Street the View Strains the Eye Even As It Does the Camera.

NEW YORK.



AN ELEVATOR SCREEN. D. H. Burnham & Co., Architects.




THE ELEVATOR CORRIDOR. FIRE COMPANIES BUILDING. The Mitchell Vance Co.
Lighting Fixtures: Otis Elevators.
Star Expansion Bolts Used.



FIRE COMPANIES BUILDING. THE VESTIBULE ON MAIDEN LANE.

D. H. Burnham & Co., Architects.

Rubber Rugs: Essex Rubber Co.
 Painting and Decorating: W. P. Nelson Co.
 Corbin Hardware.



Otis Elevator Company

Announce their Removal, on or about June 15, 1912
to their New Building
Eleventh Avenue and Twenty-sixth Street
New York



Otis
Elevator
Building

Which, through concentration of the General Offices and Metropolitan District Departments under one roof, provides for the benefit of the users of Otis Elevator Products, the most complete **"Supply" and "Service" Organization of any Elevator Company in the World.**

The achievement of this Company in perfecting the highest type of Elevators has gained for our product recognition as the standard of excellence throughout the civilized world,--- and while the **best built and least in need of "service" and repairs**, users of Otis products are, through this concentration and enlargement of facilities, **protected by a "Service" Organization as perfect as the product itself.**

In addition to housing all the General Offices of the Company there will be kept on hand at all times **a full line of all parts and supplies ready for immediate delivery.** Our "Service" Organization will include factory-trained experts thoroughly familiar with Elevator construction, who, with our **Automobile Service** for expediting the delivery of needed parts, will be on call **at all times**,---Days, Nights, Sundays and Holidays.

(New) Telephone 7500 Chelsea

Private Branch Exchange Connecting All Departments

We build and erect all types of Passenger and Freight Elevators,---for all kinds of power;---including Otis "Traction" and "Drum" type Passenger and Freight Elevators;---Otis Inclined and Horizontal Freight Elevators;---Otis Escalators or Moving Stairways, and Moving Sidewalks;---and Otis Automatic Push-Button Elevators for private residences.

When writing Advertisers, please mention Architecture and Building.

BOOK REVIEWS

ROMANESQUE ARCHITECTURE IN FRANCE. Edited and with an introduction by Julius Baum. New York: E. P. Dutton and Company. Price, \$7.50 net.

This volume, which is a companion to "Baroque Architecture" is the same size and is equally perfect in its method of reproduction. There are 226 plates. The method of presentation is the same, the text consisting of an historical resumé which the author, Dr. Baum, has illustrated with a number of plans and sections of churches. In the main the illustrations show a larger proportion of church work than is exhibited in the book on "Baroque Architecture."

CONCRETE COSTS. By Frederick W. Taylor, M. E., Sc. D., and Sanford E. Thompson, S. B. New York: John Wiley and Sons. Price, \$5.00 net.

This new book by the authors of "A Treatise on Concrete, Plain and Reinforced," which is very favorably known by engineers and architects, consists of tables, and recommendations for estimating time and cost of labor operations in concrete construction and for introducing economical methods of management. The chapters include the following: approximate costs of miscellaneous concrete work; approximate cost data on concrete structures; approximate costs of reinforced concrete buildings; determination of labor cost; task-work in construction; proportioning concrete; tables of quantities of materials for concrete and mortar; cost of concrete materials; excavating and crushing stone for concrete; handling and transporting materials; labor of hand mixing; machinery plants for mixing and handling concrete; labor costs of machine mixing; forms for mass concrete; arch centers; forms for reinforced concrete; tables of concrete volumes; tables of steel areas and quantities; tables of times and costs bending and placing steel; tables for designing forms; tables of quantities of lumber for forms; tables of times and costs of labor on forms; estimates for reinforced concrete construction.

The text includes 81 figures which are necessary to the better understanding of the subject. They deal mainly with form construction and cement handling and concrete mixing machinery. The book should be of great aid to architects and engineers in enabling them to make accurate estimates of the cost of concrete and the cost of erection of concrete structures. It is a work that will be of service to contractors and superintendents also, enabling them to plan and lay out their materials and methods of construction so that the greatest economy may be obtained in handling and in erection work. In a broad sense the work is of value as introducing scientific management into building construction. A distinctive feature of the book is its tabulated

information as to the time necessary for a workman to perform a certain task. This information should enable a superintendent or foreman to greatly increase the efficiency of the laborers and mechanics under him. As outlined in the introduction, it is pointed out that analysis, synthesis and proof are the three sections of writing a book, and if we may judge from the character of the text and the information presented, the entire work represents the careful thought of well-ordered and regulated minds.

BAROQUE ARCHITECTURE AND SCULPTURE IN ITALY. By Corrado Ricci. New York: E. P. Dutton and Company. Price, \$7.50 net.

This book, outside of a few introductory remarks, consists of 274 plates about 9 inches by 12 inches in size. The illustration and reproduction are of the most perfect character, and the photographs have been carefully chosen and most excellently made, making the reproductions by the half-tone process of the clearest possible sort. Baroque art persisted in Italy perhaps longer than elsewhere, and began to decline only towards the end of the 18th century. In France, Baroque art flourished in the reign of Louis XIV, and Rococo was the favorite in the reign of Louis XV. In the introductory pages the author gives an historical resumé of the style.

HAND-FORGING AND WROUGHT-IRON ORNAMENTAL WORK. By Thomas F. Googerty. The Popular Mechanics Company, Publishers, Chicago. Price, \$1.00, postpaid.

The purpose of this book is to outline the methods of design and construction for wrought-iron ornamental work. It is directed to the use of instructors in manual training, students, amateurs, and professional workers. It deals largely with the constructive principles of interior iron work. Throughout the book there are illustrations of diagrammatical character, 122 in number. While the book is interesting reading, the practical phase of the question cannot but arise in the mind of anyone looking it over; while it looks very fascinating for the amateur on the face of it, in reality it presents many problems which require manual dexterity and knowledge of materials and use of tools which are only attained by long practice. High grade wrought-iron work is the product of the skilled workman who is also, in most cases, an artist. Not nevertheless that the book is misleading in that in a seemingly easy presentation, a difficult subject is concealed. To the practical ornamental iron worker or apprentice at that trade, the book should be valuable, but we wishing to discourage the amateur, we feel cannot recommend it to the amateur worker.

Barrett Specification Roofs

John Latenser, Architect
Omaha, Neb.



THE building illustrated is the new County Court House at Omaha, Neb., which carries a Barrett Specification Roof.

This roof will undoubtedly last over twenty years without a cent of expense for painting or maintenance of any kind.

The *saving in maintenance expense* combined with the *low first cost* makes Barrett Specification Roofs less expensive per year of service than any other kind.

The use of The Barrett Specification not only protects the Architect and Owner as to materials and methods, but, whenever possible, we will, if desired, have an inspector verify same in accordance with the inspection clause in the Specification.

We shall be pleased to mail architects, engineers or owners of buildings, copies of The Barrett Specification with diagrams from which blue prints can be made. Address nearest office.

BARRETT MANUFACTURING COMPANY

New York Chicago Philadelphia Boston St. Louis Cleveland Pittsburgh
Cincinnati Kansas City Minneapolis New Orleans Seattle London, Eng.
Canadian Offices:—Montreal Toronto Winnipeg Vancouver St. John, N. B. Halifax, N. S.

Special Note

We advise incorporating in plans the full wording of The Barrett Specification, in order to avoid any misunderstanding.

If any abbreviated form is desired, however, the following is suggested:

ROOFING—Shall be a Barrett Specification Roof laid as directed in printed Specification, revised August 15, 1911, using the materials specified, and subject to the inspection requirement.



Illustration shows method of constructing a Barrett Specification Roof

Art and Architecture

THE CITY HALL PARK SITE AND THE POST OFFICE.

We think it safe to say that any New Yorker who has any civic pride, or we may go farther and include any American who boasts of the architecture of his country and its structural achievements in building, who has the slightest eye for civic improvement would welcome the demolition of the Mullet post office building and the restoration of City Hall Park to its pristine state.

As a matter of expansion, to accommodate the growth of the post office department and the increased requirements of the Federal Courts, the present site is inadequate unless thereon the government should see fit to erect a skyscraper. With the other buildings surrounding City Hall Park towering skyward, it would seem by far the better course to increase rather than further restrict the air space. The movement for the removal of the post office to a new site has the approval of the Merchants' Association of New York, various other civic organizations and the support of architects. The city press has not been backward, either.

The American Anti-Boycott Association has issued a bulletin on injunctions as a remedy against illegal strikes. It says:

"A strike to benefit the working conditions of the strikers is ordinarily legal, but there are many kinds of illegal strikes against which an injunction may properly issue and be made effective if properly applied.

"Of such a character are all sympathetic strikes and strikes to prevent the use of open shop materials, such as are particularly frequent in the building trades to enforce the purchase of materials made under strictly union conditions. For many years there has been grave doubt as to the best method of dealing with such strikes, and many people have questioned the efficacy of the injunction as a remedy. The familiar argument

in and out of court has been that it is impossible to make men work against their will, and therefore impossible to avert strikes by injunction. This argument ignores the important element that a large percentage of union men are not sufficiently interested in the object of such strikes to take part in them upon their own initiative and will gladly remain at work if the union delegates are forbidden to interfere. Our experience with the Carpenter's Union during the past year has conclusively demonstrated that the injunction properly applied can successfully deal with such a situation, and not only prevent strikes, but will result in the men who are out on strike returning to work."

Following this it gives a number of instances of proof.

FOREIGN COMMERCE OF THE UNITED STATE AT HIGH-RECORD FIGURES.

The foreign trade of the United States in the fiscal year, which ends with next month will show larger totals than in any earlier year. The ten months' figures covering the commerce down to the close of April, just compiled by the Bureau of Statistics, Department of Commerce and Labor, make it quite apparent that in both imports and exports the totals for the fiscal year 1912 will be the largest on record. Imports seem likely to approximate 1600 million dollars, exceeding by between 40 and 50 million dollars the high record import year 1910, when the total was 1,557 million dollars. Exports seem likely to approximate 2,200 million dollars, or about 150 million dollars more than those of the previous high record of 2,049 million made in the fiscal year 1911.

This growth in foreign commerce, while common to both imports and exports, is especially marked in the export trade. Imports have increased approximately 850 million dollars since 1896, while exports in the same time have increased about 1,300 million, the excess of exports over imports in the same period increasing from 103 million dollars in 1896 to about 600 million dollars in the current fiscal year.

Next to raw cotton, iron and steel manufactures are the largest exports.

FRANCIS W. COLLINS

Assoc. Mem. A. S. C. E.
Mem. A. I. M. E.

CONSULTING ENGINEER

50 CHURCH ST., HUDSON TERMINAL
NEW YORK CITY

Investigations, Valuations,
Scientific Organization and Management

HOWARD M. INGHAM

MEM. AM. SOC. M. E.

Industrial Engineer

SPECIALIST IN THE
INSTALLATION OF

Simple, Direct, Effective Methods
of
Office Management

160 FIFTH AVE., NEW YORK

When writing Advertisers, please mention Architecture and Building.

I. MORITZ, Prop.

Telephone 164 Plaza

Architectural Metal Works

SKYLIGHTS

CORNICES AND ROOFING
CORRUGATED IRON WORK

1192-1194 SECOND AVENUE

NEW YORK

The National Building Trades and Employers' Association as now organized, makes the following statement:

"The objects of this association are declared to be the promotion and protection of the general interests of the Building Trades of the United States. It is its purpose to secure and maintain the highest standard of efficiency, a more uniform system and harmonious relation with those connected with the Building Trades; whether they be engaged in the manufacture or sale of appliances, supplies, materials or in the installation of appliances, the use of materials, or the erection of buildings, and securing a more equitable system of dealing between the architect, owner and member to the end that the interests of all parties concerned may be fully protected and the trade in consequence thereof elevated to a higher standard of proficiency and usefulness, and in order to fully accentuate this declaration, to guarantee to the organization affiliated with this national association the absolute right of home rule in the adjustment of all matters pertaining to labor or questions of a local nature which may arise or exist in their respective localities; this national association to hold itself in readiness at all times to assist in every way possible in times of trouble when called upon through the proper officers."

This is included in the plans of organization adopted by the National Convention at Washington, D. C., on February 27 and 28, 1912.

Dodge & Morrison announce the removal of their architectural offices to Nos. 133-137 Front Street, corner of Pine Street, New York City. In these new quarters they obtain increased space and better light.

Arthur L. Loveless, formerly of the firm of Wilson & Loveless, architects, announces the opening of an office for the practice of architecture at 427-9 Henry Building, Seattle, Wash.

Robert W. Gibson, architect, formerly of 103 Park Avenue, New York City, has removed his offices to 185 Madison Avenue (Cameron Building), corner of 34th Street.

The firm of Squires and Wendehack has been formed for the practice of architecture, with offices at 27 East 22d Street, New York City. The firm consists of Mr. Frederick Squires and Mr. Clinton C. Wendehack.

The United States Civil Service Commission announces an examination on June 12, 1912, for a laboratory assistant in engineering, and another on June 26 and 27 for an assistant to inspector of ordnance. Particulars may be obtained from the commission at Washington, D. C.

Mr. Oswald C. Hering and Mr. Douglas Fitch announce the removal of their offices to the southwest corner of Madison Avenue and 31st Street, at which location they will continue the practice of architecture.

"Tests of the Absorptive and Permeable Properties of Portland Cement Mortars and Concretes" is the title of the third of the technologic papers of the Bureau of Standards of the Department of Commerce and Labor. Together with it is included "Tests of Damp-proofing and Waterproofing Compounds and Materials." The authors are Rudolph J. Wig and P. H. Bates. This is a valuable document which continues the series which was started by the Technologic Branch of the United States Geological Survey at the structural materials testing laboratories, St. Louis, Mo., under the direction of Richard L. Humphrey. When this work was transferred to the Bureau of Standards, July 1st, 1910, the unpublished data was delivered to this Bureau.

The constituents of concrete vary in absorptive qualities, porosity, percentage of voids, and surface qualities. These constituents may combine in numerous ways which will vary with changes in consistency, in manner of placing, in the stroke of the tamper, or the pressure of the trowel.

The investigations reported in this paper are not exhaustive. They cover some previously uninvestigated phases of this important subject and are contributory to our present meager knowledge.

The investigations are reported in two parts. Part I comprises the results of a series of tests on 11 different mortars and 23 concretes to determine their permeability at various ages, for various consistencies and thickness of test piece, and the absorption on 12 mortars at various ages and for various consistencies. Part II contains the results of a series of comparative tests of 40 compounds and several void-filling materials recommended for use or advertised as "damp-proofing" or "waterproofing" mediums, purchased privately in the open market.

The report, with its many statistical tables and illustrations, is one that should be of value to engineers and architects who are making a study of foundation work in buildings, and the results obtained should prove profitable information to them.

When writing Advertisers, please mention Architecture and Building.

Fireproofing and Fire-Protection

MR. G. H. STEWART

NATIONAL FIRE-PROTECTION ASSOCIATION 16TH ANNUAL MEETING.

In the auditorium of the Insurance Exchange, Jackson Boulevard, Chicago, on Tuesday, Wednesday and Thursday, May 14, 15 and 16, the sixteenth annual meeting of the National Fire-Protection Association was held.

The program for Tuesday commenced with the morning session at 10 A. M., and after the regular business was concluded, the committee reports were considered. The afternoon session opened at 2 P. M., with messages from the Hon. William H. Taft, President of the United States, Hon. Charles S. Deneen, Governor of Illinois, and Hon. Carter H. Harrison, Mayor of Chicago, which were followed by an address by Mr. E. P. Heaton, of Toronto, Ontario, the subject of which was "A Call from Macedonia," and another paper by Mr. Charles H. Fox of Cincinnati on the "Calibre of Fire Streams."

The committees reporting Tuesday were those on state fire-prevention associations, George R. Crossly, Chairman; private fire departments and fire drills, J. Albert Robinson, Chairman; forest, brush and grass fires, E. L. Sanders, Chairman; mine fires, H. M. Wilson, Chairman; high pres-

sure fire service systems, H. B. Machen, Chairman; and standard hose couplings and hydrant fittings for public fire service, F. M. Griswold, Chairman.

The paper presented by Mayor Harrison of Chicago was very interesting and held the attention of the gathering. The report on standard hose couplings and hydrant fittings for public fire service was also a valuable and interesting document from the standpoint of the architect and builder. Mr. Robinson's report on private fire departments and fire drills produced a long discussion. The report was printed and presented at the meeting. It was systematized and covered all phases of the subject. To the factory owner, or any large employer of labor, the document is valuable.

THE SECOND SESSION

The program for Wednesday, May 15, was devoted exclusively to committee reports and there was a very large attendance, both of members and visitors. The following committees reported:

Cold storage warehouses, E. P. Boone, Chairman; automobile garages, F. E. Cabot, Chair-

(Continued on page 26)

THREE RECENT INSTALLATIONS OF The Newman Watchman's Clock System

(Illustrated in this Number)



**Fire Companies Building (Continental)
New York, N. Y.**


**W. & J. Sloane Company's Building
New York, N. Y.**

**Whitall Tatum Company's Factory
Keyport, N. J.**

Each represents the latest development in design and building construction.

Why not investigate the merits of the Newman—the most largely used Watchman's Clock System in this country?

When writing Advertisers, please mention Architecture and Building.



"Thank you — but our


GRINNELL

AUTOMATIC SPRINKLERS

were Right on the Job
— the Fire's OUT!"

The GRINNELL AUTOMATIC SPRINKLER
 opens on the heart of the fire as soon as
 the heat makes itself felt.
Manufactured and the complete
 system installed by the

GENERAL FIRE EXTINGUISHER CO.
 EXECUTIVE OFFICES — PROVIDENCE, R.I.
 PLANTS, WAREHOUSES AND OFFICES IN THE PRINCIPAL
 CITIES OF THE UNITED STATES AND CANADA
Send for THE AUTOMATIC SPRINKLER BULLETIN



40-35



SHOWING SPRINKLER WITH THE TWO HALVES OF THE STRUT SOLDERED TOGETHER.

ROCKWOOD SAFETY LOOP SPRINKLER



SHOWING HOW THE TWO PARTS OF THE SOLDERED STRUT SPRING APART ONLY AFTER THE LUMP OF SOLDER IS MELTED AWAY FROM THE LOOP.

THE ROCKWOOD SPRINKLER IS UNIQUE IN THAT THE TWO PARTS OF THE SOLDERED LINK ARE HELD TOGETHER, NOT MERELY BY A SWEATED SOLDERED JOINT, BUT BY COVERING THE END OF THE LEVER WITH A SMALL PIECE OF SOLDER WHICH IS MECHANICALLY BOUND TO THE STRUT BY A LOOP OF WIRE RIVETED THROUGH ONE PART OF THE LINK.

THE ROCKWOOD SPRINKLER IS THE ONLY APPROVED HEAD THAT IS INCAPABLE OF OPENING ITSELF BY THE BREAKING OF THE SOLDERED JOINT, WHICH MUST ABSOLUTELY MELT TO OPEN. IT IS THUS IN A CLASS BY ITSELF, SUPERIOR TO ALL OTHERS.

ROCKWOOD SPRINKLER CO.

OF MASSACHUSETTS

MANUFACTURERS, ENGINEERS AND CONTRACTORS FOR COMPLETE SPRINKLER EQUIPMENTS USING WET OR DRY SYSTEMS.

38 HARLOW STREET

WORCESTER, MASS.

NEW YORK - - - 123 WILLIAM STREET
BOSTON - - - 141 MILK STREET
BUFFALO - - - 300 PRUDENTIAL BUILDING

CHICAGO - - - 3604 SOUTH MORGAN STREET
SEATTLE - - - 208 COLUMBIA STREET
MONTREAL - - - 141 ST. MAURICE STREET

When writing Advertisers, please mention Architecture and Building.

When Coney Island's Dreamland Park Burned



Built of "American" Enameled Brick. (It Stood The Test)

May 27th, 1911, the ONLY structures undestroyed were two Beef Roasters built of


American Enameled Brick

See cut illustrating one of the Roasters.

WHY not protect your investment by using this fireproof brick? No cost for maintenance or fire insurance.

American Enameled Brick and Tile Co.

HEAD OFFICE
1182 Broadway, New York City



Standard Metal Joist Floor Construction

Total dead load per square foot, 28 lbs.

**Sound-Proof
Vermin-Proof**

**Dust-Proof
Fire-Proof**

These are the qualities you can give to your client's house by using for its construction

BERGER'S *Hot Lumber*

Write for Catalog

THE BERGER MFG. CO., Canton, O.
For prompt shipment address nearest office

New York Atlanta St. Louis San Francisco Minneapolis
Boston Chicago Philadelphia

Also manufacturers of Prong Lock Studs and Furring Rib-Truss, Ferro-Lithic and Multiplex Reinforcing Plates, Metal Ceilings, Expanded Metal Lath, Sidewalk Forms, Raydiant Sidewalk Lights, etc.

KALAMEIN

WORK IN

COPPER

BRONZE

AND IRON

Knoburn Company

**KALAMEIN
DOORS**

**FIRE
UNDERWRITER
WORK
A SPECIALTY**

Office and Factory
365 14th St.
HOBOKEN, N. J.

Fire Protection



The SIMMONS LINE of Fire Equipment Specialties embraces everything designed for the protection of life and property.

"Simmons" Siamese Connections

Made in Brass or Iron, with heavy checks, finished trimmings. Highly efficient and fully guaranteed.



By installing such dependable specialties as are herein shown you offer your clients absolute protection against appalling losses by fire, and a certain decrease in the cost of insurance.

"Simmons" Swinging Hose Reel

Improved design made in iron, bronzed, japanned or electroplated. Made to harmonize with any furnishings. Last word in quality and efficiency.



Fully 75% of heavy losses by fire—daily chronicled in the newspapers—are due to negligence. Should the building be properly equipped with the "SIMMONS" Specialties thousands of dollars and many lives would be saved.

"Josico" Angle Hose Valves

This is practically the keystone of safety on a standpipe system, yet how little attention is paid to its installation. Eliminate the element of chance by specifying it in the future, which means that you'll have an appliance of the highest efficiency as to quality, finish, etc.

Catalogues, cuts and other data gladly sent on application.

John Simmons Co.

102-110 Centre St.,

New York

The Hydra Damp-Proofing & Engineering Co.
Manufacturers of Water-proof Paints, Cements and Compounds
Engineers and Expert Contractors in Water-proofing
Slag and Composition Roofing
Office, 403 Wabash Building PITTSBURGH, PA.

man; electric railway, light and power properties, C. H. Patton, Chairman; fire prevention ordinances, W. E. Mallalieu, Chairman; standards, W. C. Robinson, Chairman; automatic sprinklers, E. P. Boone, Chairman; fire pumps, H. O. Lacount, Chairman; private fire supplies from public mains, E. V. French, Chairman; fire hose, W. C. Robinson, Chairman; and hydrants and valves, H. O. Lacount, Chairman.

The reports on cold storage warehouses, automobile garages, automatic sprinklers, fire pumps and fire hose, were of particular interest from the building standpoint. The report of the committee on standards was also valuable. A great deal of interest was taken in the series of fire prevention ordinances which were proposed, including a fire marshal law, regulations for matches, explosives and inflammable liquids. Strenuous opposition was raised by the paint, oil and varnish people to some of their provisions, and the entire report was finally referred to the executive committee with power to act.

The following resolutions were adopted:

1. The continued encouragement of fire resistive building construction, and the adoption of suitable building codes by all cities and towns.
2. The rigorous State and municipal regulation of the transportation and storage of all inflammable oils and explosives and the investigation of all fires by public officials.
3. The especial safeguarding of schools, theatres, factories and all other places in which numbers of people congregate or are employed.
4. The adoption of the automatic sprinkler system as a fire extinguishing agent in all commercial establishments and city blocks.
5. The universal adoption and use of the safety match.
6. A safe and intelligent celebration of Independence Day.
7. Special education of children and their parents in habits of care regarding fire.

THE THIRD SESSION

The program for Thursday, May 16, concluded the committee reports, which were as follows:

Fireproof construction, including concrete and reinforced concrete, Ira H. Woolson, Chairman; fire protection coverings for window and door openings, W. C. Robinson, Chairman; gravity tanks, Gorham Dana, Chairman; manufacturing risks and special hazards, Benjamin Richards, Chairman; electrical committee report, F. E. Cabot, Chairman; explosives and combustibles,

(Continued on page 28)

Consolidated Chandelier Co.

MANUFACTURERS OF

Gas and Electric Fixtures

132-136 W. 14th St.

NEW YORK CITY

When writing Advertisers, please mention Architecture and Building.

The Annual Fire Waste in the U. S. exceeds \$230,000,000. It is estimated that 75% of this loss is preventable and can be saved by the use of

AUTOMATIC SPRINKLER PROTECTION

Our business is the installation of Automatic Sprinkler protection; a complete fire fighting apparatus, operating automatically and only where the fire is located.

"AUTOMATIC" SPRINKLER CO. OF AMERICA

Executive Offices

123 WILLIAM STREET (Underwriter Bldg.), NEW YORK CITY

Department Offices, in Large Cities

COPPER CABLE CHAIN



169 Elm Street,

New York.

Copper Cable
Steel " "
Champion Metal
Steel Champion




SASH CHAINS.

CHAMPION METAL CHAIN



CHAINS For Suspending Heavy Doors, Gates, etc.
ALL of SUPERIOR QUALITY.

MINERAL WOOL
FIRE SOUND VERMIN **PROOF**



**CHEAP AND
EASILY APPLIED**

United States Mineral Wool Co.

140 CEDAR STREET, NEW YORK

SAMPLES FREE



S. H. POMEROY CO., Inc.

Successor to Voigtmann & Co., of New York

Manufacturers of Fire Windows

427 West 13th Street, New York

Practical demonstration at Washington Square Fire, March 25th, showing the integrity against fire and how utilized by Fire Dept. in fighting fires across alleys.

By virtue of closing automatically the protection is constant and not subject to neglect as is common with Fire Shutters.

JUST PUBLISHED
BOOKS ON
The MANUAL ARTS
A DESCRIPTIVE CATALOG

A VALUABLE reference book. Lists and describes 260 of the best books on the manual arts; includes all the standard and the best of the recent books.

MAILED FREE ON REQUEST—NO COST TO YOU AND NO OBLIGATION

Check the subjects you are interested in, fill in the blanks, clip and mail, and a copy will be sent to your address.

.....

..Agriculture	..Manual Training
..Building Arts	..Printing Arts
..Drawing, Mechanical	..Wood and Trees
..Household Arts	..Periodicals
..Pattern Making	..Art and Design
..Vocational Training	..Drawing, Architectural
..Art Crafts	..Elementary Handwork
..Decorative Arts	..Metal & Metalworking
..Drawing, Machine	..Plastic Arts
	..Woodworking

Name

Position

Street

City

State

THE MANUAL ARTS PRESS
 PUBLISHERS AND DEALERS IN BOOKS ON
 THE MANUAL ARTS AND KINDRED SUBJECTS
PEORIA ILLINOIS

JUST PUBLISHED
Practical
Cement Work
 By W. B. HENRY
PRICE, 50 CENTS

A book that will be of assistance to you every day in the week, no matter what line of cement-concrete construction you are engaged in.

Neatly Bound in Cloth
112 Pages—4½ x 6½

CONTENTS:

Portland Cement, The Unit of Purchase, Storing Cement, Sand, Aggregates, Mortar, Formulas, Mixing Aggregates, Concrete, Reinforced Concrete, Form Building, Waterproofing, Coloring, Cost Data, Testing Cement, Foundations and Walls, Cement Houses and How they are Built, Cement Plaster and Stucco Houses, Water and Steam Curing, Condition of Seasoning Blocks, Sand Lime Brick, Sidewalks, Floors for Cellars, Basements and Stables.

Address

THE CONCRETE AGE
ATLANTA GEORGIA

Wanted Salesmen

to sell new toilet fixture. A fine side line. Liberal commissions. Address with references, naming territory desired. **COLONIAL SUPPLY CO.,** Wheeling, West Virginia.

Charles A. Hexamer, Chairman. The first two were particularly applicable to building construction and were closely followed by the architects and builders present.

At the close of the session the following officers were elected:

President, H. L. Phillips, Hartford.

Vice-President, G. M. Robertson, San Francisco.

Secretary and Treasurer, Franklin H. Wentworth, Boston.

Chairman of the Executive Committee, F. J. T. Stewart, New York.

Members of the Executive Committee, E. B. Hatch, Chicago; E. P. Heaton, Toronto; R. L. Humphrey, Philadelphia; C. H. Phinnel, Boston; and T. B. Sellers, Columbus.

Powell Evans of Philadelphia, representing the commercial organizations, advocated an important change in regard to legislation looking to the reduction of the fire waste. He said that the National Fire-Protection Association had done a great work, but had not begun to realize all its possibilities. If it would work through the trade and commercial organization in its membership and use their influence to get in desirable legislation it could accomplish a great deal more than was now possible.


The executive committee was instructed to consider the formation of a committee on publicity and legislation, more than half of the membership of which should be made up of active members of the National Fire-Protection Association, representing trade organizations.

VISIT TO THE UNDERWRITERS' LABORATORIES

On Thursday afternoon, part of the program was a visit to the Underwriters' Laboratories at

(Continued on page 30)

GORTON WROUGHT STEEL
BOILERS are built like a power boiler



THEY have the same lasting qualities and freedom from repairs with the accompanying advantage of highest economy in consumption of fuel.

Being *self-feeders*, they keep the heat up and keep the bills down.

Send for catalog and investigate for yourself their superiority.

Gorton & Lidgerwood Co.

96 Liberty Street, NEW YORK
 BOSTON, 182 High St.
 CHICAGO, Fisher Bldg.



Lane's Trolley No. 100

LANE'S TROLLEY

Parlor Door Hangers and Track

Ball Bearings machined from solid steel and properly hardened—the finest bearing obtainable.

The only Trolley Track adjustable sidewise (patented) after equipment is installed, thereby relieving any side binding. Send for catalog telling more about this excellent hanger for modern building.

LANE BROTHERS COMPANY
 Railroad Avenue, **POUGHKEEPSIE, N. Y.**

STANLEY'S

Ball Bearing Hinges



Permit the doors to open smoothly and softly without creaking or binding.

The hinges will never wear down or require oiling.

NON-RISING PINS

The whole story is told in our Circular "B."
 Write for a copy.

THE STANLEY WORKS
NEW BRITAIN CONN.

Bankers Building Bureau

BUREAU OF FACTORIES

VEIT MANUFACTURING CO.
 Grand Rapids, Mich.

METAL
 FURNITURE

Bank Building Construction

MANUFACTURERS AND BUILDERS OF COMPLETE
BANK INTERIORS

No. 106 East 19th St., New York City

THE DAY COMPANY

107 WATER ST., NEW HAVEN, CONN.

WE HAVE MODERN POWER MACHINERY
 FOR THE PRODUCTION OF

**CORNICE, Fireproof Windows,
 Skylights, Metal Ceilings, Tin,
 Slate and Composition Roofing**

*Contractors for Fireproof Windows
 in Mechanics Bank*

Dixon's Silica-Graphite Paint

Protects the structural steel work contained in such important buildings in New York City as the McAdoo Terminal Buildings; American Woolen Company's Building; Gimbel Department Store; Savannah Bank & Trust Company's Building, Savannah, Ga.; the Royal Insurance Company's Building, San Francisco, Cal., and numerous other structures.

Write us for "Notable Building List," and other paint literature

Joseph Dixon Crucible Co., Jersey City, N. J.

TELEPHONE 385 MURRAY HILL

Edwards Electrical Construction Co.**39 EAST 42d STREET, NEW YORK**

FORMERLY CONTRACT DEPARTMENT, EDWARDS & CO. ESTABLISHED 1872

207 East Ohio Street, Chicago. The program of this visit included inspection of the departments of electricity, chemistry, laboratory service, automatic sprinklers, gases and oil, and protection department, with a complete examination of the entire plant. For the benefit of the members and guests who visited the laboratories, tests were made of a metal window glazed with wire-glass, and of a three-gallon chemical extinguisher. Both gave satisfactory performance. Considerable discussion was held by different parties, notably the fire chiefs, as to the value of various appliances, all commending highly the automatic sprinklers.

The laboratory buildings cover now nearly the whole site, with the new two-story addition. They are the most complete for work of this kind probably of any in the world and the managers have every reason to be proud of the growth and progress of the work.

N. F. P. A. MEMBERSHIP.

The growth in membership of the National Fire-Protection Association shows the progress of the national movement for the prevention of fire and the increased activity to further better building. The following table shows the increase from May 1, 1911, to May 1, 1912:

	1911	1912
Active	92	101
Associate	1,216	1,479
Subscribing	644	832
Honorary	3
	1,955	2,412

At the convention a membership curve was distributed which showed the growth from the time of the organization of the society in 1897, with the predicted future increase through the following year. The first twelve years of the association's life showed a slow but gradual growth. In 1909 the public educational campaign was begun and in the three following years the membership has doubled. There is unquestionably great value in publicity and with the increased popular effort, the association has grown two-fold and the results of its work have multiplied boundlessly.

ANOTHER TEST.

On the occasion of the convention a series of

practical tests were conducted at the testing station of the National Fireproofing Company at 26th Street and Shields Avenue, Chicago. Architects, engineers and builders were invited. The tests were on the bearing qualities of walls of different construction—hollow tile, concrete, etc. One test of a Monarch hollow tile block wall 8 inches in thickness, 36 inches long and 12 feet high, built in accordance with the Chicago building code, was tested to failure at 257¼ tons. The results for the tests were satisfactory. We understand that detailed reports of these tests will be available.

THE FIRE DRILL AND EQUIPMENT.

AN INTERVIEW WITH MR. W. GERALD HAWES OF THE JOHN SIMMONS CO.

While we all know that the checking of a great fire devolves more or less upon the efficiency of the fire equipment, yet in many instances, assuming that the equipment is satisfactory, how many building employees are capable of handling this fire line at the first alarm?

While in almost every instance the supervision of the equipment is in the hands of engineer or superintendent, yet how many of these men will expend even a little of their time now and then to see if it is in proper working condition; whether there exist any defects caused by previous operation or from lack of use?

On the other hand, while the workings of this equipment are understood by engineer or superintendent, yet how many building employees are drilled to handle it efficiently at the critical moment?

In fact, to most of them, it is merely a thing to be looked at, or worse still, their idea of handling it is to grab the nozzle and run toward the fire zone, forgetting to turn on the valve, tangling the hose and causing the loss of valuable time at the beginning of the fire.

The leading fire authorities advocate as a remedy for this a systematic drill to be held at least once every month, together with explanations to the various building employees of the working of the apparatus. This should do much to insure the proper handling of fire lines when a fire

(Continued on page 32)

INTERIOR MARBLE

Material and work the standard for 14 years. Our reputation the best positive evidence as to our superiority.

CORK & ZICHA MARBLE CO., - - 325-327 East 94th St., NEW YORK

When writing Advertisers, please mention Architecture and Building.

General Specifications for Concrete Work

As Applied to Building Construction

By WILBUR J. WATSON, C. E.

A book of great assistance to Architects and Engineers in preparing specifications for reinforced concrete buildings, and it will be found especially useful in the preparation of competitive designs.

Paper, price, \$0.50

General Specifications for Concrete Bridges

By WILBUR J. WATSON, C. E.

These specifications will meet an actual need of the profession, and most of the ideas represented were gained by actual experience of the author, to which he has added suggestions of other engineers. Those preparing such specifications will find the book most helpful.

Paper, price, \$1.00

The Wm. T. Comstock Co., Publisher
23 WARREN ST., NEW YORK

Badger Quality



Copper Hot Water BOILERS

are all that can be desired in a Range Boiler.

**LONG LIFE
CLEAN WATER
Beautiful Appearance**

Every boiler is tinned on the inside and guaranteed against leakage or collapse.

Write for Catalog

E. B. Badger & Sons Co.
BOSTON, U. S. A.

CRAFTSMAN FIRE-PLACE

Burns Wood, Coal or
Coke



A Complete Heating and Ventilating System

If you are intending to build a new home or remodel an old one, and would be interested in HEATING THE ENTIRE HOUSE WITH WARM AIR, OR HOT WATER, FROM AN OPEN FIRE-PLACE, write to me for full information. It is guaranteed.


GUSTAV STICKLEY

Inventor and Manufacturer

41 West 34th St., N. Y. City



When writing Advertisers, please mention Architecture and Building.



FOLSOM'S
MODEL 1910.

THE SNOW GUARD ALLOWING
NO STRAIN ON THE SLATE

WHY NOT SEE IT?

A postal card will bring sample

Folsom Snow Guard Co. No. 4 Post Office Square
Boston, Mass.

Weather Vanes

Lightning Rods


Church Crosses

Flag Poles

and

Fittings

Etc.



Send for Catalogue

THOS. W. JONES

153 Malden Lane
New York

Telephone Connection

ARTHUR GREENFIELD, Incorporated

REINFORCED CONCRETE FLOORS
IRON FURRING and METAL LATHING

Telephone Connection

204 EAST 26th ST. NEW YORK

PRENTISS

ELECTRIC CLOCKS

PROGRAM CALENDAR SELF-WINDING

Dept. 11, 92 Chambers St., N.Y.

alarm is sounded. Not only this, but the owners of buildings should insist on their engineers or superintendents making a personal inspection of the fire equipment, irrespective of that maintained by the Board of Underwriters. Besides money and time losses, we must not forget that the all-important element of fire equipment is its purpose of safeguarding human life.

An idea is fast gaining ground of installing two fire lines in a building with outlets on each floor. By this is meant that at one end of the floor there is still maintained the 2½" hose line which is to be used mainly by the fire department when they enter the building or as an auxiliary by competent persons; as in most instances, to handle this line and obtain the best results, especially if under high pressure, it would have to be in the hands of two building employees. The other line is to consist of 1½" hose with nozzle, which is reduced through the agency of a 2½" outlet from the 4" standpipe. This outfit is so simple that at the slightest alarm anyone on the floor can run to this station, turn on the valve, take the nozzle and run toward the fire zone. This seems a very fair solution of a hose equipment for a large building, which may be used by anyone before the arrival of the fire department or the drilled building employees.

It is also a great point to remember that no matter how well you are protected against fire, you should immediately turn in an alarm upon the slightest sign of fire. In a great many instances a conflagration is caused by the independence of building employees. This should never be countenanced and instructions should be given that no matter how small the blaze may be, an alarm should be immediately turned in. This in itself might save thousands of dollars and no end of trouble that is caused afterwards.

To obtain these good results universally, we must not only have the co-operation of factory and building owners, but we must also have their support from a moral standpoint. They should at no time consider fire equipment from a monetary standpoint, for the best is none too good when it comes to purchasing material of this sort.

It should also be more generally known that the Underwriters' and Insurance Exchange will gladly furnish any information gratis as to the specification and installation of fire equipment. In addition to this, information on this subject will be willingly given by Mr. Hawes.

(Continued on page 34)



When writing Advertisers, please mention Architecture and Building.

Architects and Builders should investigate **EVANS "CRESCENT" EXPANSION BOLTS**



WITH DOUBLE END GRIP EXPANSION
Constructed on NEW lines. Grip at BOTH ENDS, and on ALL sides. Cannot work loose.

Send for Catalogue and samples screwed into blocks of wood or stone.

Agencies in all large cities **F. H. EVANS** (Patentee and Sole Manufacturer) 31-33-35 Hewes St., Brooklyn, N. Y.

No. 1 Steel Joist Hanger for Wood Header



Van Dorn's Steel Joist Hanger

IS THE BEST OBTAINABLE

Send for Catalogue and refer to this Magazine

THE VAN DORN IRON WORKS CO.
CLEVELAND, OHIO

Steel Buildings, Wrought Iron Fencing, Iron Bridges, Jail and Prison Work, Metallic Office Furniture, etc.



No. 4 Steel Joist Hanger for Brick Walls

BOYD EQUIPMENT COMPANY

CONTRACTING ENGINEERS

HEATING

PLUMBING

ELECTRIC

COMPLETE POWER PLANTS

373 Fourth Avenue, NEW YORK

The A. B. See Electric Elevator Co.

Main Office: 220 Broadway, New York

PHILADELPHIA
Land Title Building
Broad and Chestnut Sts.

BOSTON
India Building
84 State St.

BALTIMORE
Stock Exchange Building
210 East German St.

WASHINGTON
Barriester Building
635 F St., N. W.

HARTFORD
Connecticut Mutual Life Building
36 Pearl St.




Patented July 12, 1910.

FARRAND'S SELF-CLINCHING NAILS

These Nails fasten direct to Hollow Tile and save the time, expense and anxiety of preparing Fireproof Walls to receive Nailing Grounds. They do away with the necessity of burying combustible wooden nailing blocks in the heart of the wall and afford full freedom for changing plans or correcting errors in the location of interior woodwork. Also used for attaching fixtures to all types of finished hollow walls.

SELF-CLINCHING NAIL COMPANY, 44 N. Fourth St., Philadelphia, Pa.



HAND POWER ELEVATORS

With machines having shafts running on roller bearings and all bearings supported by iron frames, making them easy running, strong and durable. Can be installed at small cost and make all floor space available.

ELECTRIC ELEVATORS, DUMBWAITERS, CELLAR HOISTS

Catalog and Prices upon request.

J. G. SPEIDEL, Reading, Pa.

BURWAK ELEVATOR COMPANY

Incorporated

Hand and Power Elevators and Dumbwaiters of Every Description

Phone 8463 Cortlandt

216 FULTON STREET, NEW YORK

When writing Advertisers, please mention Architecture and Building.

STEVENS & WAFER

Electrical Contractors for
MECHANICS' BANK
illustrated in this issue

Electrical Contractors

121 Court Street

NEW HAVEN, CONNECTICUT

"THE FUNCTION OF A FIREPROOF BUILDING IS TO PROTECT THE CONTENTS OF THAT BUILDING FROM LOSS."

"It is not enough that a building should be incombustible, nor even that its steel frame should be safely insulated, nor that the incombustible members or decorations should be of a nature not easily damaged by fire, desirable as all these things are; but the house should be so arranged that only a small portion of the inflammable contents can be damaged by fire or water at any one time, and also that the lives of the occupants of the house may be safe. For the accomplishment of this result, three things are absolutely necessary: 1st, The building should be divided into as small sections as possible. 2d, Appliances, preferably automatic sprinklers, should be provided for extinguishing small fires in contents. 3d. Means of quick escape should be provided for the occupants."

"The subject of fire escapes is being given a great deal of attention at present, and properly so, the very best and safest means of getting people out of burning buildings should be provided, but after all, that method of settling the problem is a good deal like avoiding an epidemic of diseases in a town by providing good railroad service in which to get away. That should be only a last resort, and the most serious thought should be given to means of curing the trouble at its root. In the case of fireproof buildings, as above stated, the thing to be borne in mind is, that the function of a fireproof building is to protect its contents from loss, which can be done only by dividing the house into as small sections, both vertically and horizontally, as its normal use will permit, then to provide adequate extinguishing devices and lastly safe means of escape."—Report of Committee on Fireproof Construction—including concrete and reinforced concrete. E. T. Cairns, Chairman. The fifteenth annual meeting of the National Fire Protection Association.

As an expression of purpose in a broad sense, this quotation from Mr. Cairns' paper last year represents the underlying thought of almost every one who is trying to reduce our national fire loss. To architects and architectural engineers, who as a class control by far the largest proportion of the money expended in building each year in the United States, the value of the efforts that are being put forth by the National Fire Protection Association and its influential membership, is so great that it cannot be ignored.

To the man who makes building his profession, knowledge of modern methods of fire prevention, both in materials and in fire-extinguishing apparatus, is so essential that neglect of the valuable data which is his for the asking means self-elimination from the field.

To the man who owns the property the value of such information is greatest, for in the end he is the man who pays the bills, the insurance premiums, and suffers the losses. He has reached a period of enlightenment, and he is demanding a better building for himself, realizing that economy does not always exist in minimum first cost

AN ENTERPRISING SUGGESTION.

We all like cheerful ideas. They promote good fellowship, success, and good business. This thought seems to have been the underlying motive which induced the Newman Clock Company to issue a souvenir bill folder for distribution at the National Fire-Protection Association meeting just held. This little leather folder contained within a greenback program giving the events of the convention. So much for the make-up of the folder. We are more interested in the spirit of the gift. It is a hint to everyone to fill the folder up; a prediction of prosperity and success, provided you install a Newman watchman's clock system in your factory.

Newman watchman's clock safeguards the Underwriters' Laboratories in Chicago.

The Vitrolite Company which manufactures a white sanitary product for wainscoting and other structural use, have located their Eastern office in the Fifth Avenue Building, New York.

CONSTRUCTION NEWS

Contractors, Material Men, Builders, Manufacturers, in fact Anybody interested in Construction News of all kinds, obtain from our daily reports Quick Reliable Information. Our special correspondents all over the country enable us to give our patrons the news in advance of their competitors and before it has become common property. Let us know what you want and we will send you samples and quote you prices.

PRESS CLIPPINGS

Press Clippings on any subject from all the leading current newspapers, magazines, trade and technical journals of the United States and Canada. Public Speakers, Writers, Students and Club Women, can secure reliable data for speeches, essays, debates, etc. Special facilities for serving Trade and Glass Journals, Railroads and large industrial corporations.

The United States Press Clipping Bureau
1326-1334 Republic Building
State and Adams Sts., Chicago, Ill.

When writing Advertisers, please mention Architecture and Building.

A Primer of Architectural Drawing

For Young Students

By Wm. S. B. Dana, B. S.
(Mass. Inst. of Technology)

Being a progressive series of DRAWING BOARD PROBLEMS, the embodiment of the author's teaching in the Mechanics' Institute of New York City. Intensely practical in that theory is obliterated by the author's system of CONSTRUCTION ON PAPER. This book makes a strong appeal, because it is interesting and the shortest course to a practical knowledge of the elements of architectural structural drawing yet evolved. There are twenty-five problems, each illustrated by a plate and with 161 explanatory detail figures.

The Problems cover the following subjects:

Floors and Walls of Brick, Stone and Wood.
Framing of Floors, Walls and Roofs.
Development of Roof Forms.
Section of a Frame House.
Bricklaying and Bonding.
Brick Walls: Doors: Windows and their Casings.
Stairs. Wood and Iron.
Construction of Fireplace or Chimney.

154 pages, cloth, pocket size. Price \$1.25

PUBLISHER

The Wm. T. Comstock Co.
23 Warren St., New York

When writing Advertisers, please mention Architecture and Building.

HIGGINS'

DRAWING INKS
ETERNAL WRITING INK
ENGROSSING INK
TAURINE MUCILAGE
PHOTO MOUNTER PASTE
DRAWING BOARD PASTE
LIQUID PASTE
OFFICE PASTE
VEGETABLE GLUE, Etc.

Are the Finest and Best Inks and Adhesives
Emancipate yourself from the use of corrosive and ill-smelling inks and adhesives and adopt the Higgins' Inks and Adhesives. They will be a revelation to you, they are so sweet, clean and well put up.

At Dealers Generally

CHAS. M. HIGGINS & CO., Mfrs.

Branches: Chicago, London

271 Ninth Street Brooklyn, N. Y.



SELF-LUBRICATING Rotary Screw VENTILATORS

Which Produce a VACUUM BY ROTATION

The only positive cure for Smoky Chimneys, Poor Draught and Ventilation. Adopted and used successfully on Private Residences, Greenhouses, Hotels, Breweries, Public Buildings, etc., etc.

E. G. WASHBURN & CO.
MANUFACTURERS

209 FULTON ST., NEW YORK

Telephone, 3125 Cortland

Send for Illustrated Circular

Work Shops



Of wood and metal workers, without steam power, equipped with

BARNES' FOOT POWER MACHINERY

allow lower bids on jobs and give greater profit on the work. Machines sent on trial if desired.

Catalogue free

W. F. & John Barnes Co.
566 Ruby Street, Rockford, Ill.



PATENT LIGHT WORK OF EVERY DESCRIPTION

Office: 262 Monitor St., Brooklyn, N. Y.

Conkling-Armstrong Terra Cotta Co.

*Manufacturers of Architectural Terra Cotta
in all COLORS and Finishes and Polychrome*

Main Office, Philadelphia, Pa.

New York Office, 1135 Broadway

*The Terra Cotta for Maryland Casualty Co. Building, illustrated
in this issue, was manufactured by us.*

Industrial Progress

AN ESSAY ON ARCHITECTURE.

Bulletin No. 176 of the University of Texas contains an essay entitled "Academic Training in Architecture," which was written by Hugo Franz Kuehne, Adjunct Professor of Architecture in that university. The essay is an appeal for a wider knowledge of architecture among people in general. Following an introductory appeal, it treats under subheads of technique; composition and design; history; and construction and practice.

THE WHITNEY COMPANY.

The Whitney-Steen Co., engineers, contractors and builders, of 1 Liberty Street, have assumed the corporate title of the Whitney Company. Mr. A. R. Whitney, Jr., is President and Treasurer; Mr. T. Eckford Rhoades, Vice President, and Mr. Arthur J. Henchey is Secretary and a director.

ANNOUNCEMENT IN CONNECTION WITH A RECENT CONTRACT.

The Federal Terra Cotta Company has recently secured the contract for furnishing the Architectural Terra Cotta to be employed in the 30-story loft building now in course of erection by the owner, Edward West Browning, at 110 and 112 West 40th Street, from plans by Buchman & Fox, architects. This building is unique in many features, notably its unusual height on the comparatively small ground area, of approximately a fifty-foot front with a depth of one hundred feet.

White full glaze architectural terra cotta is to be used on all four fronts, which is a decided departure in this character of building operation.

Other prominent contracts in process of execution by the Federal Company are:

Emmet Building, 29th St. and Madison Ave., Barney & Colt, architects.

Eagle Building, 21st St. and Fourth Ave., Warren & Wetmore, architects.

Longacre Theatre, 48th St., Henry B. Herts, architect.

The Times Annex, West 43d St., Buchman & Fox, architects.

The Gilchrist Store, Boston, Bigelow & Wadsworth, Architects.

Carlton Hotel, Montreal, Warren & Wetmore, architects.

REMOVAL NOTICE.

The John Polachek Bronze & Iron Company, who are workers in architectural bronze and iron, making a specialty of bank interior construction, announce the removal of their offices and works from 144 Clay Street, Borough of Brooklyn, to 480-94 Hancock Street, and 577-91 Boulevard, Long Island City. The necessity for the enlargement of their plant caused the change.

BUILDING TRADES ASSOCIATION OFFICERS.

The annual election of officers of the Building Trades Employers' Association was held in the rooms, 30 West Thirty-third Street, last week. C. G. Norman, the retiring Chairman of the Board of Governors, was presented with a gold watch and fob.

These officers were elected: President, William Crawford; First Vice President, F. G. Weber; Second Vice President, Edwin Outwater, and Treasurer, A. N. Chambers. William J. Holmes continues as Secretary. Charles J. Kelly was chosen to succeed Mr. Norman as Chairman of the Board of Governors.

ANNUAL MEETING OF THE JOSEPH DIXON CRUCIBLE COMPANY.

At the annual meeting of the stockholders of the Joseph Dixon Crucible Company, held at the company's main office in Jersey City, N. J., Monday, April 15, the retiring board of directors, consisting of Geo. T. Smith, William Murray, Edward L. Young, William H. Corbin, Geo. E.

(Continued on page 38)

When writing Advertisers, please mention Architecture and Building.



Carter, Black & Ayers

FRONT
ENAMELED

BRICK

HARVARD
VELOUR

HOLLOW TILE

For Stucco and Brick Veneer Houses

VITRIFIED AND HARD BURNED BLOCKS

Phones { 7613 } Madison Square
 { 7614 }

1182 Broadway, New York

Vanderbilt Hotel, N. Y.

All front brick furnished by us



Residence W. C. Sanderson, South Orange, N. J.

Monument Plaster Co.

Manufacturers of

WALL PLASTER and ORIENTAL STUCCO

Brick Mortars and any Color Sand Finish for
Interior Work

WRITE FOR BOOKLET

Office and Factory, HARRISON, N. J.

The Literature of Structures

Theory of Structures

By C. M. Spofford. Aug., 1911. 432 pp., \$4.00 (17s). Covers fundamental principles in a thorough, logical manner. Has valuable data and tables.

Framed Structures and Girders

By Edgar Marburg. Vol. I.—Stresses.—Part I., Oct., 1911. 540 pp., \$4.00 (17s). Distinctive for its interpretation and application, in full detail, of the theory of stresses for practical purposes.

Kinetic Theory of Engineering Structures

By David A. Molitor. 366 pp., \$5.00 (21s). A complete analysis of "higher structures."

Walls, Bins and Grain Elevators

By Milo S. Ketchum. II ed., Nov., 1911. 556 pp., \$4.00 (17s). A new book. It is again the standard work on design and construction.

Steel Mill Buildings

By the Same Author. 464 pp., \$4.00 (17s). Covers methods, materials and calculations of stresses.

Highway Bridges

By the Same Author. 550 pp., \$4.00 (17s). Covers stresses in steel and wooden bridges.

Simple Steel Structures

By C. T. Morris. II ed., 201 pp., \$2.25 (9/6). It teaches the art of producing "details which are in accord with the stresses they have to transmit."

Bridge and Structural Design

By W. Chase Thomson. II ed., 192 pp., \$2.00 (8/6). A simple, practical treatise on the elements of bridge and structural design.

Steel Railway Bridges

By W. Chase Thomson. 178 pp., \$2.00 (8/6). Covers the fundamentals of design, using typical structures for illustration.

FOR SALE BY

THE WILLIAM T. COMSTOCK CO., 23 Warren St., New York

When writing Advertisers, please mention Architecture and Building.

LATE BOOKS

MANUAL OF COLOR.

By John Ithiel Sanford. The book is written in so clear and plain a manner that anyone can comprehend the subject, and the Hexagon Color Guide shows not only the complete analysis of color but also the harmony of colors. Second edition. Cloth, net\$1.00

CONSTRUCTIVE CARPENTRY.

By Charles A. King. The book takes up the problems that arise at different stages in the construction of the shell of the house and treats them in a most practical manner. The method of presenting the steel square is entirely new. 138 illustrations. Cloth, net.....\$0.70

SUBURBAN HOMES WITH CONSTRUCTIVE DETAILS.

Comprising twenty-three selected designs of suburban homes, ranging in price from \$5,000 to \$24,000, with floor plans, elevations, etc., all drawn to scale. Second edition completely revised.\$1.00

A PRACTICAL MANUAL OF STEAM AND HOT-WATER HEATING.

By Edward Richmond Pierce. In this work the author has endeavored to bring out the fundamental principles involved in the science of heating and the architect, engineer, and those who carry out their plans, will find the book of great assistance in every respect. Illustrated by tables and diagrams. Cloth.....\$2.50

THE KINGDOM OF DUST.

By Professor J. G. Ogden, Ph. D. Many interesting phases of this subject are treated at length in a most entertaining and instructive style. 128 pages. 40 illustrations. Cloth.....\$0.50

HAND FORGING AND WROUGHT-IRON ORNAMENTAL WORK.

By Thos. F. Googerty, Instructor at Stout Institute. It is written so that the amateur can readily understand all points involved, is not a theoretical treatise but a practical handbook. 208 pages, 122 illustrations. Cloth.....\$1.00

REINFORCED CONCRETE BUILDINGS.

By E. L. Ransome and Alexis Saurbrey. A treatise on the history, patents, design and erection of the principle parts entering into a modern reinforced building. 235 pages; illustrated. Cloth, net\$2.50

WOOD AND FOREST.

By Wm. Noyes, M. A. A thoroughly comprehensive and scholarly reference book, bringing within the reach of all in attractive and convenient form much valuable information, with chapters on the structure of wood and on the properties of wood. 475 illustrations; 309 pages. Net.....\$3.00

THE ART OF ILLUMINATION.

By Louis Bell, Ph. D. Since the first edition of this book was published many marked changes have taken place in the materials of artificial illumination, and the present edition treats on both the new types for electrical and gas lighting. Second edition; thoroughly revised; 171 illustrations; 353 pages. Cloth, net.....\$2.50

HINTS FOR PAINTERS, DECORATORS AND PAPERHANGERS.

By C. Godfrey. Containing instructions and suggestions for house painting, stenciling, gilding, graining, paper-hanging, etc. Illustrated; 122 pages. Cloth.....\$0.50

CONCRETE BRIDGES, CULVERTS AND SEWERS.

By A. A. Houghton. Illustrating and explaining the various types of solid and reinforced arch, slab and girder concrete bridge, the molding of concrete culverts, drains and sewers, with forms for their construction. Fully illustrated. Paper..\$0.50

CONSTRUCTION CONCRETE PORCHES

By A. A. Houghton. Treating on the construction of monolithic concrete and concrete block porches, together with the molding of columns, balusters, railings, etc.; also plain and reinforced types of porch floors. Illustrated. Paper.....\$0.50

THE WM. T. COMSTOCK CO.

23 Warren Street

NEW YORK

Long, William G. Bumsted and Harry Dailey were unanimously re-elected.

Officers elected for the ensuing year are as follows: President, Geo. T. Smith; vice-president, W. H. Corbin; treasurer, Geo. E. Long; secretary, Harry Dailey; assistant treasurer and assistant secretary, J. H. Schermerhorn.

There were voted 9,304 shares of a total of 10,000. A number of stockholders attended the meeting and expressed themselves as well pleased with the Company's showing and with future prospects.

THE GORTON WROUGHT STEEL BOILERS.

The Gorton wrought steel boilers are upright, tubular boilers built on the lines of power boilers, thus securing the greatest strength, durability and highest efficiency. The boiler shell is especially designed to secure the largest amount of efficient heating surface, which is about one-third more per square foot of grate than that of any other boiler. The tubes are spaced so as to give the free and rapid circulation of water necessary to properly absorb the heat. As the boiler shell is directly over the fire, it receives




the benefit of all of the heat generated from the coal, which gives highest fuel economy.

Another feature of the Gorton wrought steel boiler is the self-feeding coal reservoir. This performs the duty of an experienced fireman in supplying coal to the fire, keeping a bright, sharp fire over the entire surface of the grate, and furnishing a constant supply of heat for twelve hours without attention in the coldest weather.

The new line of Gorton wrought steel boilers are made up in thirty-four sizes for steam, ranging in capacity from 390 up to 6,000 square feet; they are also made in thirty-four sizes for hot water, ranging in capacity from 600 up to 9,800 square feet.

These facts and other information covering Gorton wrought steel boilers are set forth in detail in the new catalog, "Modern House Heating," which will be mailed free on application to the manufacturers, the Gorton & Lidgerwood Co., 96 Liberty Street, New York.

“FLEXIFOLD” ROLLING PARTITIONS



For
Churches
Schools
Parish Houses
Lodge Buildings

Grant Pulley and Hardware Co.
3 West 29th St., New York City

Descriptive Circular and Estimates Upon Application

THE NORTHWESTERN TERRA-COTTA COMPANY

M A N U F A C T U R E R S O F

ARCHITECTURAL TERRA-COTTA

**GLAZED AND ENAMELED
WORK IN ALL VARIETIES**

ESTIMATES GIVEN ON APPLICATION

**MAIN OFFICE AND WORKS: 1000 CLYBOURN AVENUE
BRANCH OFFICE: 1415 RAILWAY EXCHANGE**

CHICAGO
ILLINOIS



HOTEL TAFT

NEW HAVEN, CONN.

F. M. Andrews Co., Architects

TRIMMINGS IN

**WHITE MATT GLAZE
TERRA COTTA**

MANUFACTURED BY

**Federal
Terra Cotta Co.**

111 BROADWAY
NEW YORK CITY

Architectural Terra Cotta is the Logical
Material for Hotel Construction, as it is
ABSOLUTELY FIREPROOF

VITROLITE Used as WAINSCOTING



OPERATING ROOM IN THE MORGUE OF THE DICKINSON-STREETER CO.,
SPRINGFIELD, MASS.—LINED WITH A SIX FOOT HIGH **VITROLITE** WAINSCOT

Manufactured and Furnished by **THE VITROLITE COMPANY, Parkersburg, W. Va.**

Eastern Representative, **GEORGE A. O'CONNOR**, Fifth Avenue Building, New York

When writing Advertisers, please mention Architecture and Building.

N. G. CORNELL
President

EDWARD SLOSSON
Vice President

GEORGE W. SIMMONS
Sec. & Treas.



ENGINEERS & CONTRACTORS
LUMBERING • HEATING • LIGHTING

YORK

BOSTON

BALTIMORE

WASHINGTON

PROMINENT CONTRACTS

WOOLWORTH BUILDING
MUNICIPAL BUILDING
BANKERS' TRUST BUILDING
80 MAIDEN LANE BUILDING
NEW POST OFFICE, WASHINGTON
RICE INSTITUTE, HOUSTON, TEXAS
PLAZA COPLEY HOTEL, BOSTON
INSANE ASYLUM, SCHUYLKILL HAVEN, PA.
SECOND NATIONAL BANK, NEW HAVEN, CONN.

JUST PUBLISHED

The Principles of Architectural Design

By PERCY L. MARKS, ARCHITECT

Author of "The Principles of Planning," etc.

Containing 185 full-page and other text illustrations.

This work is very fully illustrated and will be found a great aid to the architect or student of architectural design.

One large 8vo volume. Cloth, price \$4.50.

THE WILLIAM T. COMSTOCK COMPANY, Publisher, 23 Warren Street, New York

SWITCHBOARDS *and* PANELS Marked "Metropolitan"

Are the Best that Can be Produced

Architects, Engineers and Owners specify Metropolitan Detachable Mechanism Flush Switches and Receptacles for their high class buildings. The most up to date appliances.

METROPOLITAN
ELECTRIC MFG CO.

14th Street and East Avenue, L. I. City

General Specifications for Concrete Work

As Applied to Building Construction

By WILBUR J. WATSON, C. E.

A book of great assistance to Architects and Engineers in preparing specifications for reinforced concrete buildings, and it will be found especially useful in the preparation of competitive designs.

Paper, price, \$0.50

General Specifications for Concrete Bridges

By WILBUR J. WATSON, C. E.

These specifications will meet an actual need of the profession, and most of the ideas represented were gained by actual experience of the author, to which he has added suggestions of other engineers. Those preparing such specifications will find the book most helpful.

Paper, price, \$1.00

**The Wm. T. Comstock Co., Publisher
23 WARREN ST., NEW YORK**

Sanitary Engineering of Buildings

A Standard Book on Sanitation

By Wm. Paul Gerhard, C. E.

Consulting Engineer for Sanitary Work

THIS practical work takes up the subject of sanitation of buildings, devoting considerable space to the traps and systems of trapping, to the drainage and sewerage of buildings, different classes of plumbing fixtures, the sanitary work in tenement houses, improved methods of house drainage and public buildings. Also the sanitation in factories and workshops. The work is fully illustrated and will be found of value both to architects and engineers. The chapter devoted to **SIMPLIFIED PLUMBING METHODS** is considered by many one of the best in the book:

*454 pages, 103 illustrations and
six plates. Buckram, \$5.00.*

The Wm. T. Comstock Company

Publishers

23 Warren Street, New York

Standard Plunger Elevators

are installed in the

Maryland Casualty Building

also in the buildings of the

Fidelity and Deposit Co. of Maryland

Baltimore

Girard Trust Co.

Philadelphia

Lawyers Title Insurance & Trust Co.

New York

Firemen Insurance Co.

Newark, N. J.

Travelers Insurance Co.

Hartford

These Companies demand

SAFETY, RELIABILITY, ECONOMY

STANDARD PLUNGER ELEVATOR COMPANY

115 Broadway

New York

Washington

Chicago

Philadelphia

Montreal

Worcester

ELKS

SOUVENIR NUMBER

New York Lodge No. 1

Send twenty cents for a copy NOW

ARCHITECTURE AND BUILDING

23 Warren Street, New York

LOOMIS FILTERS

ESTABLISHED 1890

Improved System

Simple and Effective

LOOMIS-MANNING FILTER DISTRIBUTING CO.

Main Office: 828 Land Title Building. PHILADELPHIA

Boston New York Baltimore Washington

Complete Architectural Catalogue

Sent on request

THE WILLIAM T. COMSTOCK CO.

Publishers

23 Warren Street

New York


ARCHITECTURE AND BUILDING

AND
Architecture
NA

1 A68
v. 44
no. 6

June 1912

Vol. 44 No. 6



"IF OUR SHIP
WERE AS OUR
BUILDINGS"
J.L.S. 21

\$2.00 a Year

20¢ a Cop

NOV 16 1967
SHORTAGE

THE UNIVERSITY OF ... LIBRARIES

"Globe" Ventilator and "Globe Ventilating Ridging"



The "Globe" is built on honor and sold on merit

In Copper or Galvanized Iron

Simple
Stermproof
Symmetrical
Satisfactory

Send for
Brown Print
Catalogue or Model

MANUFACTURED BY

**Globe Ventilator Company
TROY, N. Y.**

SILVER LAKE A SASH CORD THE STANDARD

Our name is stamped on every foot of our cord.

Estimate the greatest possible saving in the first cost of a building by using cheap cord. If there is any saving can you afford to take it? The best cord will wear over twenty years and you are saved the annoyance and expense of replacing broken cord. For the cheapest sash cord service specify **SILVER LAKE A.**

The Original Solid Braided Sash Cord

THE BEST IS THE CHEAPEST

SILVER LAKE CO., Boston

**Send for New Catalogue of Archi-
tecture & Building Construction**

W. T. COMSTOCK COMPANY

23 Warren St., New York



**Let the quality and satisfaction of
"F-S" protect your interests—you
will not be disappointed.**

When it comes to open grain hardwood, there's nothing quite the equal of "F-S" Pioneer Paste Wood Filler for lasting satisfaction

FELTON, SIBLEY & CO., Inc.

Mfrs. of Colors, Paints, Varnishes

136-140 N. 4th St., Philadelphia



Henry J. Hardenbergh, Architect

C. T. Wills, Builder

The Hotel Martinique

32d Street and Broadway, New York City

Broadway's Newest Palatial Hotel, Equipped Throughout With Corbin Hardware

The Corbin Lock with ball-bearing cylinder has a different key for each guest room, with master keys, grand master key and emergency key to pass all locks. The outside knob is rigid, entrance being secured by key only. The door is locked on the inside by a thumb-piece, making all keys except emergency key inoperative, and throwing an "indicator" which tells attendants that the guest is within.

Send for Publication

SK17 Corbin Colonial Hardware

SK33 Corbin Anti-Panic Door Fixtures

SK80 Corbin Specialties

P. & F. CORBIN

Division

The American Hardware Corporation

NEW BRITAIN, CONN.

P. & F. CORBIN of Chicago

P. & F. CORBIN of New York

P. & F. CORBIN DIV., Philadelphia

When writing Advertisers, please mention Architecture and Building.



**EQUIPPED
THROUGHOUT
WITH THE**

**Celebrated
Habirshaw
Rubber
Covered
Wire**

Manufactured by
**HABIRSHAW
WIRE
COMPANY**

Offices, New York City,
Metropolitan Tower
1 Madison Avenue
WORKS, YONKERS, N. Y.

Bankers Trust Co. Building
New York
Trowbridge & Livingston

VANDERBILT HOTEL, NEW YORK



**ELEVATORS AND STAIRS
COVERED WITH**

CRESCENT CORK

FURNISHED AND LAID BY
HASBROUCK FLOORING CO., Inc.

Manufacturers of

Parquet Flooring, Wood Carpets and the
Hasbrouck Patent Wood Block Flooring
For Fireproof Building

501-509 EAST 70th STREET, NEW YORK

FREDERICK S. HOLMES Bank Vault Engineer

2 Rector Street - - New York

**Engineer for the Bank Vault Equipment in the Bankers
Trust Co. Building illustrated in this issue.**

**PARIS
ROME**



**NEW YORK
705
Fifth Avenue**

When writing Advertisers, please mention Architecture and Building.

Architecture and Building

Established 1882

*A continuation of the
Architect's and Builder's Magazine, 1899-1911*

Continued 1911

PUBLISHED MONTHLY BY

THE WILLIAM T. COMSTOCK COMPANY
23 Warren Street, New York
WM. PHILLIPS COMSTOCK, President

CONTENTS FOR JUNE

OUR FAIR ARCHITECTURE	229
By J. L.	
BANKERS' TRUST COMPANY BUILDING	232
Trowbridge and Livingston, Architects.	
THE PROFITS OF AN ARCHITECT	244
By Howard M. Ingham, Ph. B.	
THE HOLLOW-TILE, FIREPROOF HOUSE, VIII.	249
By Frederick Squires.	
CHICAGO TELEPHONE BUILDING	254
Holabird and Roche, Architects.	
STUDENTS' DETAILS OF CONSTRUCTION	255
PALAIS ROYAL DEPARTMENT STORE, WASHINGTON, D. C.	258
G. P. Hales, Architect.	
RESIDENCE OF MR. J. M. SPARKMAN, SEATTLE, WASH.	259
RESIDENCE OF MR. CLAYTON D. WILSON, W. SEATTLE, WASH. ..	260
Wilson and Loveless, Architects.	
PERSPECTIVE OF THE L. C. SMITH BUILDING, SEATTLE, WASH. ..	261
Gaggin and Gaggin, Architects.	
H. W. JOHNS-MANVILLE COMPANY BUILDING	262
Augustus N. Allen, Architect.	
MANICE BUILDING	264
Wallace and Goodwillie, Architects.	
FRANCES BUILDING	266
C. P. H. Gilbert, Architect.	
CHICAGO, BURLINGTON AND QUINCY RAILROAD CO. BUILDING, CHICAGO, ILL.	268
Marshall and Fox, Architects.	

ADVERTISING REPRESENTATIVES

D. R. Gimbel
Geo. H. Stewart (Dept. of Fireproofing and Fire Protection)

EDITORIAL DEPARTMENT

Wm. P. Comstock, Managing Editor
Charles Warren Hastings, Assistant Editor
Frederick Squires, Contributing Editor

Subscription Terms \$2.00 a year in advance for United States and Possessions, Mexico and Cuba. Canada, \$2.50, and other countries, \$3.00. Postage prepaid.
Subscribers when changing their address must state both old and new address.


Remitting Money All remittance of money should be in the form of U. S. Postal Money Orders (payable to THE WM. T. COMSTOCK CO., at New York Office). When these are not available, send money by registered letter, or send drafts on New York banks, made payable to order of THE WM. T. COMSTOCK CO. Personal checks on local banks cannot be received in payment.

TRADE SUPPLIED BY THE AMERICAN NEWS COMPANY AND ITS BRANCHES

LONDON AGENTS—Wm. Dawson & Sons (Ltd.), Cannon House, Bream's Buildings, London, England.

Copyright, 1912, by The Wm. T. Comstock Co.

Entered as second-class matter, April 4, 1911, at the Post Office at New York, N. Y.,
under the Act of March 3, 1879



MAIN BANKING ROOM, BANKERS TRUST CO.'S BLDG., NEW YORK
SHOWING DETAIL OF MARBLE WORK

TROWBRIDGE & LIVINGSTON, Architects

BATTERSON & EISELE

IMPORTERS AND WORKERS OF

Marble, Stone and Granite

Roman & Venetian Mosaics for Floors, Walls, Mantels, etc.

Office: Times Building, New York

Works: Edgewater, N. J.

When writing Advertisers, please mention **Architecture and Building**.

CONCORD GRANITE

THE IDEAL GRANITE
FURNISHED BY

The New England Granite Works

J. G. BATTERSON, President

This picture of the BANKERS'
TRUST BUILDING, at Wall
and Nassau Streets, New York,
shows a sample of our work.

The contract for the entire
granite work in this building
was awarded to us.

Estimates furnished on all kinds
of Building and Monumental
work.

Quarries and Works, WESTERLY, R. I.
CONCORD, N. H.

New York Office, 489 Fifth Avenue

The New England
Granite Works

MAIN OFFICE
WESTERLY, R. I.



When writing Advertisers, please mention Architecture and Building.



BANKERS' TRUST CO., NEW YORK
Trowbridge & Livingston, Architects
EQUIPPED WITH

Temperature Regulation

Manufactured and Installed by

Johnson Service Co.

New York Office, 123 East 27th Street

MAIN OFFICE AND FACTORY
MILWAUKEE, WISCONSIN



THE HOTEL RECTOR
NEW YORK

Lighting Fixtures Were Manu-
factured by Us

The Mitchell Vance Company

836-838 BROADWAY
NEW YORK

MANUFACTURERS OF

**Electric and Gas Light
Fixtures**

Alphabetical List of Advertisers

	Page		Page		Page
Allen Mfg. Co., W. D.....	28	General Fire Extinguisher Co.	23	O'Connor, George A.....	37
American Enameled Brick & Tile Co., The.....	25	Gleason-Tiebout Glass Co., The	9	Otis Elevator Company.....	17
American Hardware Corporation, The	1	Globe Ventilator Co....II	Cover		
Andrews, W. F.....	43	Gorham Co., The.....	13	Polachek Bronze & Iron Co., John	15
Architectural Metal Works.....	21	Gorton & Lidgerwood Co.....	30	Pomeroy Co., Inc., S. H.....	27
Automatic Sprinkler Co. of America.	27	Grant Pulley & Hardware Co.	46	Prentiss Clock Improvement Co.	34
		Greenfield, Inc., Arthur.....	34		
		Grimmer & Son, Charles.....	11		
Badger & Sons Co., E. B.....	33	Habirshaw Wire Co.....	2	Radley Steel Construction Co.	45
Bagues Freres Co.....	2	Hasbrouck Flooring Co., Inc..	2	Rockwood Sprinkler Co.....	24
Barnes Co., W. F. & John.....	36	Higgins & Co., Chas. M.....	36		
Barrett Mfg. Co., The.....	19	Holmes, Frederick T.....	2		
Batterson & Elsie.....	4				
Bengtson, John P.....	33	Ingham, Howard M.....	20	Safety Fire Extinguisher Co., The	33
Berger Mfg. Co., The.....	31	International Floor Machine Co.	33	See Electric Elevator Co., The A. B.	35
Bommer Bros.	16			Silver Lake Co.....II	Cover
Boyd Equipment Company.....	35	Jackson Co., Wm. H.....	14	Simmons Co., John.....	26
Brooklyn Vault Light Co.....	36	Jacobson & Company.....	48	Speldel, J. G.....	35
		Johnson Service Co.....	6	Standard Plunger Elevator Co.	IV Cover
		Jones, Thomas W.....	34	Stanley Works, The.....	31
Carroll Electric Co.....	11			Star Expansion Bolt Co.....	16
Carter, Black & Ayers.....	41	Kalamein Co., The.....	28	Stickley, Gustav	33
Chicago Spring Butt Co.....	—	Knoburn Co., The.....	25	Sweet's Catalogue.....	38-39
Collins, Francis W.....	20				
Colonial Supply Co.....	30	Lane Bros. Co.....	—		
Concrete Age, The.....	30	Loomis Manning Filter Distributing Co.	IV Cover		
Consolidated Chandelier Co....	26			Tettenborn Refrigerators.....	34
Corbin, P. & F.....	1	Manual Arts Press, The.....	30		
Cork & Zicha Marble Co.....	32	Matthews Bros. Mfg. Co.....	9	U. S. Changeable Sign Company	—
		Metropolitan Electric Mfg. Co.	III Cover	United States Mineral Wool Co.	27
Dahlstrom Metallic Door Company	29	Mitchell Vance Co., The.....	6	United States Press Clipping Bureau	—
Denton & Co.....	33	Monument Plaster Co.....	41		
Dixon Crucible Co., Jos.....	31	Morton, Thomas	27		
		Murray Iron Works Co.....	43		
Edwards Electrical Construction Co.	32				
Essex Rubber Co.....	11	Nelson Co., W. P.....	14	Van Dorn Iron Works Co., The	35
Evans, F. H.....	35	New England Granite Works, The	5	Vitrolite Co., The.....	37
		Newman Clock Co.....	22	Voigtmann & Co.....	27
Federal Terra Cotta Co.....	48	Non-Staining Cement Co.....	47		
Felton, Sibley & Co.....II	Cover	Northwestern Terra-Cotta Co., The	46	Washburne & Co., E. G.....	36
Folsom Snow Guard Co.....	34			Westergren, M. F.....	28
				Willson Mfg. Co., James G....	16

KEYSTONE
FLAT FINISH
KEYSTONE

Classified Advertisements

NOTE.—Every classified advertiser is entitled to insertion under one heading. Under extra headings, \$5.00 a year each

ARCHITECTURAL BRONZE.

Bagues Freres Co....705 Fifth Ave., New York
Polachek Bronze & Iron Co., John,
490-494 Hancock St. and 577-591 Boulevard,
Long Island City.

AWNINGS, BLINDS, ETC.

Wilson Mfg. Co., Jas. G.
5 W. 29th St., New York City

BOILERS.

Badger & Sons Co., E. B., Boston, Mass.
Gorton & Lidgerwood Co.,
96 Liberty St., New York

BOLTS—Expansion, Machine Expansion, Sebco
Mooring, Sebco Twin, Toggle.
Evans, F. H...31-35 Hewes St., Brooklyn, N. Y.
Star Expansion Bolt Co., 147-149 Cedar St., N. Y.

BRICK—Enameled Front. Hollow.

American Enamel Brick & Tile Co.,
1184 Broadway, N. Y.
Carter, Black & Ayers....1182 Broadway, N. Y.
Fiske & Co., Inc...Arena Building, New York
Harblson-Walker Refractories Co.,
30 Church St., New York

BRIDGES.

Van Dorn Iron Works Co.....Cleveland, O.

BRONZE.

Gorham Co., The, 5th Ave. & 36th St., N. Y.
Polachek Bronze and Iron Co., John,
490-494 Hancock St. and 577-591 Boulevard,
Long Island City.

BUILDING CONTRACTORS.

Fuller Co., Geo. A., Marquette Bldg., Chicago.
Starrett Company, Theodore, 108 Park Ave., N. Y.

BUILDING DIRECTORY.

U. S. Changeable Sign Co..3-7 W. 29th St., N. Y.

BUTTS, BALL-BEARING.

Stanley Works, The.....New Britain, Conn.

CEMENT.

Non-Staining Cement Co., 136 5th Ave., New York.

CLOCKS—Synchronized, Watchman's.

Newman Clock Co., The...178 Fulton St., N. Y.
Prentiss Clock Improvement Co.,
Dept. 11, 82 Chambers St., N. Y.

CONCRETE SIDEWALK FORMS.

Berger Mfg. Co., The.....Canton, O.

CORDAGE.

Silver Lake Co.....Boston, Mass.

DOOR HANGERS.

Lane Bros. Co.....Poughkeepsie, N. Y.

DRAWER SLIDE.

Grant Pulley & Hardware Co.,
35 Warren St., N. Y.

DRAWING INKS—(Higgins).

Higgins & Co., Chas. M.,
271 9th St., Brooklyn, N. Y.

DUMB WAITERS.

Otis Elevator Co.....17 Battery Place, N. Y.
Spedel, J. G.....Reading, Pa.

ELECTRICAL CONTRACTORS.

Boyd Equipment Co.....373 4th Ave., N. Y.
Carroll Electric Co., 314 12th St. N. W., Wash-
ington, D. C.
Edwards Electrical Construction Co.,
39 E. 42d St., New York

ELEVATORS.

A. B. See Electric Elevator Co., The,
220 Broadway, New York
Otis Elevator Co.....17 Battery Place, N. Y.
Spedel, J. G.....Reading, Pa.
Standard Plunger Elevator Co.,
115 Broadway, New York

ENGINEERS, ELECTRICAL, CONSULTING, BANK VAULT, ETC.

Collins, Francis W...50 Church St., New York
Holmes, Frederick S., 2 Rector St., New York.
Ingham, Howard M....160 5th Ave., New York

EXPANSION BOLTS.

Evans, F. H...31-35 Hewes St., Brooklyn, N. Y.
Star Expansion Bolt Co....147 Cedar St., N. Y.

EXTERIOR PLASTER.

Monumental Plaster Company....Harrison, N. J.

FENCING AND RAILINGS.

Van Dorn Iron Works Co.....Cleveland, O.

FILTERS.

Loomis-Manning Filter Distributing Co.,
828 Land Title Bldg., Philadelphia, Pa.

FIRE BUCKET TANKS.

Safety Fire Extinguisher Co., The,
291-293 Seventh Ave., New York

FIRE DOOR EQUIPMENT.

Lane Bros. Co.....Poughkeepsie, N. Y.

FIRE EQUIPMENT, GENERAL.

Simmons Co., John....102-110 Centre St., N. Y.

FIRE EXTINGUISHING APPARATUS.

General Fire Extinguisher Co., Providence, R. I.

FIRE PLACES, CRAFTSMAN, ETC.

Stickley, Gustav.....41 W. 34th St., New York

FIREPROOF DOORS AND SHUTTERS.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Grant Pulley & Hardware Co.,
3 West 29th St., New York
Pomeroy Co., Inc., S. H.,
427 W. 18th St., New York City

KEYSTONE
FLAT FINISH
KEYSTONE

Matthews Bros. Manufacturing Company

FINE INTERIOR WOODWORK

**Bank and Office Fittings
Furniture, Mantels, etc.**

**Office and Factory, 61-75 & 60-68 FOURTH STREET
MILWAUKEE, WIS.**

NOW IN WORK

INTERIOR FINISH, NEW COPLEY PLAZA HOTEL, BOSTON

" " MINOT BUILDING, BOSTON

" " MANDEL BROS. BUILDING, CHICAGO

" " CHICAGO TELEPHONE BUILDING, CHICAGO

**The Largest Buildings
The Most Modern Hotels
The Finest Residences**

USE

Gleason-Tiebout Glassware

**The Semi-Indirect Lighting Glassware
and
The Opalux Reflectors**

used in the

Bankers' Trust Building

were manufactured by

The Gleason-Tiebout Glass Co.

BROOKLYN

NEW YORK

CHICAGO

Classified Advertisements—Continued

FIREPROOF WINDOWS.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Knoburn Company,

359-363 14th St., Hoboken, N. J.
Pomeroy Co. (Inc.), S. H., 427 W. 18th St., N. Y.
Voigtmann & Co., 427 W. 18th St., New York.
Westergren, M. F., 213 East 144th St., New York.

FIXTURES, GAS AND ELECTRIC.

Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.

FLOOR AND WOODWORK POLISH.

Felton, Sibley & Co., 136 N. 4th St., Phila., Pa.

FLOORING—Stone, Hardwood, Cork, etc.

Hasbrouck Flooring Co., Inc.,
501-505 E. 70th St., New York

FLOORING MACHINERY.

International Floor Machine Co., 39 West 38th St., New York.

GAS AND ELECTRIC FIXTURES.

Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.
Simes Co., The, 18 Rose St., New York.

GLASSWARE.

Gleason-Tiebout Glass Co., The, Brooklyn, New York, Chicago.

GRANITE.

New England Granite Works, The, Westerly, R. I.

GRAPHITE PAINT.

Dixon Crucible Co., Jos., Jersey City, N. J.

HANGERS—House, Barn Door.

Lane Bros. Co., Poughkeepsie, N. Y.

HARDWARE.

American Hardware Corporation, The,
New Britain, Conn.
Chicago Spring Butt Co., Chicago, Ill., New York
Corbin, P. & F., New Britain, Conn.
Stanley Works, The, Dept. B,
New Britain, Conn., and 79 Chambers St., N. Y.

HEATING APPLIANCES. (Also see Boilers.)

Boyd Equipment Co., 373 Fourth Ave., N. Y.
Gorton & Lidgerwood Co., 96 Liberty St., N. Y.

HINGES—Spring, Ballbearing, Etc.

Bommer Bros., 257 Classon Av., Brooklyn, N. Y.
Chicago Spring Butt Co.,
Chicago, Ill., New York.
Stanley Works, The, New Britain, Conn.

HOLLOW TILE.

Carter, Black & Ayers, 1182 Broadway, N. Y.

HOT-WATER BOILERS—Copper.

Badger & Sons Co., E. B.,
63-75 Pitt St., Boston, Mass.

INTERIOR DECORATIONS.

Nelson Company, W. P.,
614 S. Michigan Ave., Chicago.

INTERIOR TRIM.

Matthews Bros. Manufacturing Co., 61-69
Fourth St., Milwaukee, Wis.

IRON WORK—Ornamental and Structural.

Bagues Freres Co., 705 Fifth Ave., New York
Murray Iron Works, Burlington, Iowa.
Polachek Bronze and Iron Co., John
490-494 Hancock St. and 577-591 Boulevard,
Long Island City.

JAIL AND PRISON WORK.

Van Dorn Iron Works Co., Cleveland, O.

JOIST HANGERS—(Steel).

Lane Bros. Co., Poughkeepsie, N. Y.
Van Dorn Iron Works Co., Cleveland, O.

LIGHTING FIXTURES—Gas and Electric.

Bagues Freres Co., 705 Fifth Ave., New York
Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.
Gleason-Tiebout Glass Co., The, Brooklyn, New York, Chicago.
Mitchell Vance Co., 836-838 Broadway, New York

LIGHTNING RODS.

Jones, T. W., 22 Burling Slip, N. Y.
Washburne & Co., E. G., 209 Fulton St., N. Y.

LOCKS, ETC.

American Hardware Corporation,
New Britain, Conn.
Corbin, P. & F., New Britain, Conn.

MANTELS, FIREPLACES, ETC.

Jackson Co., Wm. H., 2 W. 47th St., N. Y.

MARBLE WORKERS.

Batterson & Elsie, Times Building, New York.
Cork & Zicha Marble Co.,
325-327 E. 94th St., New York

MATS, RUBBER.

Essex Rubber Co.,
258 Broadway, New York & Trenton, N. J.

METAL CEILINGS.

Berger Mfg. Co., The, Canton, O.

METAL DOORS AND TRIM.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Knoburn Company,
359-363 14th St., Hoboken, N. J.

METAL LATHING.

Greenfield, Inc., Arthur, 204 E. 26th St., N. Y.

METAL LUMBER.

Berger Mfg. Co., The, Canton, O.

METALLIC OFFICE FURNITURE.

Berger Mfg. Co., The, Canton, O.
Van Dorn Iron Works Co., Cleveland, O.

METAL SASH AND FRAMES.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Knoburn Company, 240 11th Ave., N. Y.
Pomeroy Co. (Inc.), S. H., 427 W. 18th St., N. Y.

METAL WINDOWS.

Pomeroy Co. (Inc.), T. H., 427 W. 18th St., N. Y.
Voigtmann & Co., 427 W. 18th St., New York.

MINERAL WOOL.

U. S. Mineral Wool Co., 140 Cedar St., N. Y.

PAINTING CONTRACTORS.

Bengtson, John P., 25 West 42d St., New York.
Grimmer & Son, Charles, 230 E. 37th St., N. Y.

PAINTS FOR COATING AND PRESERVING IRON AND STEEL.

Dixon Crucible Co., Jos., Jersey City, N. J.

KEYSTONE

—BEST FINISH—


For thirty years the firm of Charles Grimmer & Son has been known to you as Painters. Recently we have acquired the business of the W. Ludwig Schultze Co., the well known Decorators. In our three new buildings we now have facilities for doing the same high class Cabinet Wood-Work and Upholstery as we have for Painting.

A line of inquiry brings a representative, or we should be glad to welcome you at our extensive factories and our beautiful, new showrooms, where we carry the largest and most select stock in New York, of Wall Papers, Mantels, Andirons, Electric Fixtures, Fabrics, Furniture, Mirrors, Antiques, Clocks, Candlesticks, Lamps and Pillows.

Charles Grimmer & Son

Telephones, 7557-7558 Madison Square.

230-234 East 37th Street, NEW YORK



THE
Essex Rubber Rug

Sectional, Reversible
Repairable. All Colors and
Color Combinations

Write for Sample and Prices

ESSEX RUBBER CO., Inc.
TRENTON, N. J.

Phone Harlem 1260

THE MADISON IRON WORKS

**ARCHITECTURAL AND ORNAMENTAL WORK
FOR BUILDINGS**

449-451-453 E. 120th Street

N. W. Cor. of Pleasant Ave.

NEW YORK

CARROLL ELECTRIC CO.

Electrical Engineers and Contractors

Dealers in Electrical Supplies and Machinery

514 Twelfth Street N. W.

Washington, D. C.

Contractors for Electric Lighting, Power Equipment, Switchboard, etc.,
for Palais Royal Department Store, Washington, illustrated in this issue.

Classified Advertisements—Continued

PAINTS, OILS, VARNISHES, WOOD FILLING, etc.
 Dixon Crucible Co., Jos.....Jersey City, N. J.
 Felton, Sibley & Co.,
 186 N. 4th St., Philadelphia, Pa.

PLASTER WORK—Plain, Ornamental.
 Jacobson & Co., 241 E 44th St., New York.
 Monument Plaster Co.....Harrison, N. J.

PLUMBERS.
 Boyd Equipment Co...373 Fourth Ave., N. Y.

PRONG LOCK, STUDS AND FURRING.
 Berger Mfg. Co., The.....Canton, O.

PUBLISHERS.
 Comstock Co., The W. T...23 Warren St., N. Y.
 Concrete Age, The.....Atlanta, Georgia
 Manual Arts Press, The,
 600 German Fire Insur. Bldg., Peoria, Ill.

PULLEYS.
 Grant Pulley & Hardware Co.,
 8 W. 29th St., N. Y.

REFRIGERATORS, PORCELAIN, ETC.
 Tettelnborn Refrigerator Co.....Cincinnati, O.

RINGS—Bridle, Corner Brace (Bridle), Sebco Aerial.
 Star Expansion Bolt Co...147-149 Cedar St., N. Y.

ROLLING DOORS AND SHUTTERS—Steel.
 Grant Pulley and Hardware Co.,
 8 W. 29th St., New York City.
 Wilson Mfg. Co., James G.,
 8 W. 29th St., New York

ROOFING AND ROOFING MATERIALS.
 Barrett Mfg. Co.....New York, N. Y.

RUBBER SPECIALTIES.
 Essex Rubber Co.,
 Trenton, N. J. & New York, N. Y.

SANITARY SPECIALTIES.
 Vitrolite Co., The.....Parkersburg, W. Va.

SASH CHAINS.
 Morton, Thomas.....169 Elm St., N. Y.

SASH CORDS.
 Silver Lake Co.....Boston, Mass.

SASH PULLEYS—Iron, Brass, Bronze.
 Grant Pulley & Hardware Co.,
 8 W. 29th St., N. Y.

SIDEWALK LIFTS.
 Spedel, J. G.....Reading, Pa.

SIDEWALK LIGHTS.
 The Berger Mfg. Co.....Canton, O.

SIGNS, CHANGEABLE, ETC.
 U. S. Changeable Sign Co.,
 3 W. 29th St., New York

SKYLIGHTS.
 Architectural Metal Works,
 1192-1194 2d Ave., New York.

SNOW GUARD
 Folsom Snow Guard Co.,
 Roslindale (Boston), Mass.

SPRING HINGES.
 Bommer Bros....257 Classon Ave., Bklyn, N. Y.
 Chicago Spring Butt Co.,
 Chicago, Ill.; New York.

SPRINKLER SYSTEMS.
 Automatic Sprinkler Co. of America,
 123 William St., New York City.
 General Fire Extinguisher Co.,
 Providence, R. I.
 Rockwood Sprinkler Co...123 William St., N. Y.

STEEL BUILDINGS.
 Van Dorn Iron Works Co.....Cleveland, O.

STEEL JOIST HANGERS.
 Lane Bros. Co.....Poughkeepsie, N. Y.
 Van Dorn Iron Works Co.....Cleveland, O.

STEEL SHUTTERS, ROLLING, ETC.
 Wilson Mfg. Co., James G.,
 5 W. 29th St., New York

STONE PAVEMENTS.
 Denton & Co., 42 East 23d St., New York.

STUCCO.
 Monument Plaster Co.....Harrison, N. J.

SWITCHBOARDS, PANELS, ETC.
 Metropolitan Electric Mfg. Co.,
 14th St. & East Ave., Long Island City

TACKLE BLOCKS (Automatic).
 Lane Bros. Co.....Poughkeepsie, N. Y.

TEMPERATURE REGULATION.
 Johnson Service Co., 123 E 27th St., N. Y.

TERRA COTTA.
 Conkling-Armstrong Terra Cotta Co.,
 1135 Broadway, New York
 Federal Terra Cotta Co., 111 Broadway, N. Y.
 Northwestern Terra Cotta Co.,
 1000 Clybourn Ave., Chicago.

VAULT LIGHTS.
 Berger Mfg. Co.....Canton, O.
 Brooklyn Vault Light Co.,
 262 Monitor St., Brooklyn, N. Y.

VENETIAN BLINDS.
 Wilson Mfg. Co., Jas. G.,
 3½ W. 29th St., New York.

VENTILATING RIDGING.
 Globe Ventilator Co.....Troy, N. Y.

VENTILATORS.
 Globe Ventilator Co.....Troy, N. Y.
 Washburne & Co., E. G...209 Fulton St., N. Y.

WALL FINISHES—FLAT, ETC.
 Keystone Varnish Co.,
 71 Otsego St., Brooklyn, N. Y.

WALL PLASTER.
 Monument Plaster Co.....Harrison, N. J.

WATER FILTERS.
 Loomis-Manning Filter Co.,
 828 Land Title Bldg., Philadelphia, Pa.

WEATHER VANES.
 Jones, Thos. W.....153 Maiden Lane, N. Y.
 Washburne & Co., E. G.,
 209 Fulton St., N. Y.

WOOD-WORKING MACHINERY.
 Barnes Co., W. F. & John,
 56½ Ruby St., Rockford, Ill.

KEYSTONE
 —FLAT FINISH—
KEYSTONE



1st and 2nd Stories, 5th Avenue Front, Frances Building.
C. P. H. GILBERT, Architect.

All metal work on the exterior of 1st and 2nd stories,
entrances and main halls in this building is of

Gorham Commercial
 Standard Bronze

Using the "Fullerton" System of Bronze Store Front and
Window Construction.

EXECUTED BY

THE GORHAM CO. ARCHITECTURAL BRONZE

FIFTH AVENUE, NEW YORK

WORKS AT PROVIDENCE, R. I.

When writing Advertisers, please mention Architecture and Building.

"Painted and Decorated by Nelson"

Is the distinguishing phase of exclusiveness in design and workmanship.



Many notable residences, theatres, churches and public buildings throughout the United States have been decorated by us.

CHICAGO

New City Hall
U. S. Naval Station
South Shore Country Club
Congress Hotel
First National Bank
Cort Theatre

Chicago Athletic Club
University Club
Hearst Building
Hotel Sherman
Hotel LaSalle
Hotel Blackstone
Steger Building

NEW YORK

Singer Building
Trinity Building
U. S. Realty Building
Amsterdam Theatre
Grand Opera House
Rector Hotel

Breslin Hotel
Hall of Records
New York Postoffice
Masonic Building
Otis Building
Wilkins Building

Established 1856

W. P. NELSON COMPANY,

N. J. NELSON
President

CHICAGO, 614 S. Michigan Avenue

NEW YORK, 812 Greenwich Street



MARBLE MANTEL IN PRIVATE SUITE
31st STORY
BANKERS TRUST BUILDING

MARBLE mantels in a number of the special rooms, also all tile work throughout the new building of the Bankers Trust Co.,

Furnished by

Wm. H. Jackson Co.

2 W. 47th St., New York City

also

902 S. Michigan Boulevard
Chicago, Ill.

When writing Advertisers, please mention Architecture and Building.

*Bronze
Screens,
Partitions,
Registers,
etc., in
Banking
Rooms of
Bankers'
Trust Co.*

*Trowbridge
& Livingston
Architects*



*Bronze
Elevator
Doors
Bankers'
Trust Co.
Building,
New York*

John Polachek Bronze & Iron Co.

Architectural Bronze & Iron Work

Interior Bank Construction a Specialty

Office and Works

480-494 HANCOCK STREET and 577-591 BOULEVARD

LONG
ISLAND
CITY,
N. Y.

We have completed the bronze work for the following 24 banks during the period of 1 year:

- | | |
|--|--|
| 1. Bankers Trust Co.....New York City | 12. Mt. Vernon Trust Co..Mt. Vernon, N. Y. |
| 2. Essex Co. Nat'l Bank.....Newark, N. J. | 13. Germania Sav. Bank....Brooklyn, N. Y. |
| 3. Lehigh Valley Trust Co..Allentown, Pa. | 14. Merchants Nat'l Bank..New Haven, Conn. |
| 4. Nat'l Exchange Bank..Wheeling, W. Va. | 15. Sag Harbor Sav. Bank..Sag Harbor, N. Y. |
| 5. Poughkeepsie Savings Bank | 16. Corn Exchange Bank.....L. I. City |
| 6. New Hampshire National Bank | 17. National Bank of Cuba..Havana, Cuba |
| 7. Connecticut Nat'l Bank..Bridgeport, Conn. | 18. Merchants and Farmers Bank |
| 8. Mechanics Bank.....New Haven, Conn. | 19. Marshall Nat'l Bank.....Marshall, Tex. |
| 9. Chase Nat'l Bank.....New York City | 20. Union Bank.....Knoxville, Tenn. |
| 10. Markle Banking & Trust Co. | 21. Calcasteu Nat'l Bank..Lake Charles, La. |
| 11. National Sav. Bank...New Haven, Conn. | 22. Central Trust Co.....Harrisburg, Pa. |
| | 23. Merchants Bank.....Harrisburg, Pa. |
| | 24. So. Norwalk Trust Co..So. Norwalk, Conn. |

When writing Advertisers, please mention Architecture and Building.

Wilson's Venetian Blinds



The following hotels are equipped with Wilson's Venetian Blinds:

The
Emerson Hotel,
Baltimore, Md.

The
Taft Hotel,
New Haven, Conn.

The
Vanderbilt Hotel,
New York

The accompanying cut shows one of the windows in the new Vanderbilt Hotel, New York.

Models on view at salesroom

Jas. G. Wilson Mfg. Co.

3½ West 29th St., New York

Also manufacturers of Rolling Steel Shutters and Wood and Steel Rolling Doors and Partitions.

SEBCO EXPANSION BOLTS



A ½ inch diameter bolt by 3½ inches in length withstood by actual test a weight of 8,200 lbs. before stripping the threads of the lag screw.

It has been found that the shield will strip the threads of the lag screw before pulling out and will resist a greater strain than any known make, style or design.

Our new special Architectural Cat. 41 and free samples are ready. Your name, please?

STAR EXPANSION BOLT COMPANY

147-149 CEDAR ST., NEW YORK

A NEW AUTHORITATIVE WORK

Ransome & Saurbrey's

Pub. April, 1912

Reinforced Concrete Buildings

By ERNEST L. RANSOME and ALEXIS SAURBREY
235 p., 6 x 9, illus., \$2.50 (10/6) net, postpaid

Mr. Ransome is probably the best known concrete specialist in the country. He was the great pioneer in its introduction. Mr. Saurbrey, now associated with him, has had unusual facilities for investigation and study. The book is written for engineers.

It does not rehash the standard data. It is full of unusual material on patents, design and practical details of construction.

CONTENTS

Part I. Chapter I—Personal Reminiscences. II—Basic Patents and a Short Survey of the Early History of the Art.

Part II. Chapter III—Introduction. IV—Adhesion. V—Compression and Lateral Expansion. VI—Bending. VII—Transverse Stresses. VIII—Applications of the Bending Theory. IX—Initial and Allowable Stresses.

Part III. Chapter X—Materials of Construction. XI—Floor Systems. XII—Foundations. XIII—Finishing Operations. XIV—Fireproofing and Fires. XV—Repairs to Existing Buildings. XVI—Accidents. XVII—Superintendents Specifications. XVIII—The Engineer. XIX—The Theory of the Beams as Illustrated by Tests.

FOR SALE BY

THE WM. T. COMSTOCK CO.

23 Warren Street, New York

BOMMER SPRING HINGES

ARE QUALITY GOODS

But cost no more than inferior kinds



DON'T ERR IN JUDGMENT when specifying spring hinges, which of all hardware perform the hardest work. Bommer Spring Hinges never fail to give satisfaction, and have withstood the test of time. The springs never go lame. "Practically Unbreakable," says the World's Fair Award, Chicago, 1893.

GOLD MEDALS: Paris, 1900; Buffalo, 1901; St. Louis, 1904.

**All Who Figure on Hardware
Contracts Can Supply Them**

BOMMER BROS., Mfrs., Brooklyn, N. Y.

Est. 1876

When writing Advertisers, please mention Architecture and Building.

ARCHITECTURE AND BUILDING

A Magazine Devoted to Contemporary Architectural Construction


VOLUME XLIV.

JUNE, 1912

NUMBER 6

OUR FAIR ARCHITECTURE

By J. L.



A GREAT many of our institutions in "these most brisk and giddy-paced times" may be said to be reckoning without the host. The host is the public, whose servants undertake to settle the score and receipt the bill without consulting their employer. Architecture is one of the things that would not be the worse for a little better acquaintance with its master—the public.

Architectural language is a strange jargon that the public does not understand. It almost makes one think of the Latin of the pill-makers, not intended to be understood by the consumers of the pills, or the French bill of fare which the majority of patrons have to get the waiters to translate. Writers on architectural subjects have been seeking to gain the applause of the architects rather than to explain to the general public. All of which has resulted in a popular misunderstanding and confusion, with no especial benefit to architecture itself,—rather, injury, because the average studious layman is confused when he talks about our architecture. He has a hazy idea that everything is wrong and in bad taste. He cannot see it himself, but the critics say it is bad, so it must be. Things have come to this pass, that to praise is to show lack of culture.

I fear me professional jealousy has something to do with this bad reputation

that American architecture has acquired. I, for one, am tired of hearing our fair architecture abused. It would be bad enough if the public were dissatisfied with it, but the vilifiers would seem to be the ones who live by architecture, and the art is "wounded in the house of its friends." Architectural criticism is anachronistic. The standards of the profession are the standards of the past, and our high-brow guides, philosophers and friends keep harking back to things and forms that are dead and gone.

Who is there that isn't familiar with the picture of high-pooed ships of the days of Hendrick Hudson? What if our ships were as our buildings? Call to mind one of these highly-decorated constructions, and then think what some of the big ocean liners of today would look like if their "outsides" were treated in the same "architectural" style. Imagine a group of architects—designers of high poops and carved figureheads—standing on the shore and shouting derisively as each flashily decorated ship went by, calling the figureheads laughable, the stack decoration a frenzy, the pilot house debased, and so on.

Well, that is an impossible picture, of course, in ship architecture, but not in building architecture. And how the blasé smatterer will sometimes work himself into a state of contempt for our beautiful (!) skyscrapers, those fine creations

that mark our country, which, in fact, name our country—the land of the skyscraper—just as we speak of England as the land of roast beef, and France as the land of the frog.

Not long ago an American was returning to his native heath from a visit to a foreign strand. He was standing on the deck of the good ship as she came up the bay, drinking in with barbaric pride the sight of that mountain of buildings which his countrymen have builded on the lower end of Manhattan Island.

As the ship passed into the river and a nearer view was possible, the American, who knew most of the buildings, could not restrain his enthusiasm, and he broke into a description—a kind of seeing-New York lecture—for the benefit of a couple, Lord and Lady Somebody-or-other, who stood on the deck near him.

Now, his lordship was a good fellow, a noted clergyman—a missionary, somebody had said—and her ladyship was a good fellow, too. So they listened with rather unusual complacency to the returned patriot descanting on the beauties of—not nature exactly—well, let us say for the sake of argument the beauties of art, stretched out before him.

"That is the Singer Tower," said the returning native, pointing to the red and gray "monstrosity"—as he had heard it described on several occasions by intelligent American architects.

"Oh, yes, I've heard of it," said her ladyship. She was a sweet, kind woman and very much interested. "That is your tallest building, is it not?"

"No," said the American. "It was the tallest for a few weeks. The tallest is the Metropolitan Tower up there"—pointing into the distance. The Woolworth building wasn't started then.

"Why did they build the Singer Tower?" asked her ladyship. She did

most of the talking, but her husband was a very attentive listener and occasionally put in a word.

The manner of the English couple was plainly indicative of their state of mind. The American felt that they were probably thinking of old Kaspar and Peterkin and little Wilhemine and the Battle of Blenheim. He could imagine that her ladyship was inwardly humming the refrain:

"But what good came of it at last?"

Quoth little Peterkin.

"Why, that I cannot tell," said he,

"But 'twas a famous victory."

The American thought of little Peterkin, but he plucked up courage. "Oh," he replied, "they thought it would make a good advertisement," and, after a pause, "maybe they thought it was beautiful, too."

Her ladyship had no comment to make on the astonishing statement that anybody could think that the Singer Tower beautiful.

"You should see the Singer Building at night," continued the American. "It really is wonderful. There's a kind of halo around it that makes it one of the sights of the world."

The ship had meantime been moving up stream, and the white tower of the Metropolitan Building was more easily discernible.

"There," said our American, "is our tallest building." His pride was self-evident.

An expression of sympathy came to the face of the kind lady who stood thus listening to the boyish—maybe the childish—raptures of the poor deluded barbarian. Undaunted, however, the American returned to the charge.

"The Metropolitan Tower is built of white marble," he said.

"Marble costs a lot of money," said his

lordship. "Why did they go to all that expense?"

The American thought again of Peterkin and the Battle of Blenheim.

"Ah, that I cannot tell," thought he, but he said, "Oh, they thought that was beautiful, too." And then, his courage, rising, he continued: "And it is beautiful. That white roof against the sky is a sight to stand and watch by the hour. Sometimes the top of the tower is lost in the mist."

Now, this feeling of these foreigners would not be worthy of notice were it not for the fact that it is typical. Many Americans have assumed a false attitude toward American construction and have affected a contempt for their own architecture. And the funny part of it is that American architects, and their satellites, the architectural critics, have started the talk.

Whoever would think of ridiculing England or Germany for their big ships? They have their great ships and we have our great buildings, and it is about time that the architectural knockers of America should be muzzled. There is hardly a thing in America that has been the object of more indiscriminate abuse than has our architecture.

The trouble is that our every-day American work is compared with the monumental specimens of European architecture. These architectural comparisons are most unfair. The critics have been comparing

our commercial buildings with the palaces and museums of Europe.

On an automobile trip from the Riviera to Paris I was afforded an opportunity to observe some indigenous architecture, the "common people's" kind. We happened to run upon a "sub-division." There were the signs of the real estate boomer. Lots for sale, terms, and all the evidences of constructive activity. Here at last was a chance to see what the Frenchman was doing and compare it with the American's work. The houses were substantial, and undoubtedly were for the same class of people that we could find in some healthy American suburb. They were more permanently built than ours would be for the same class of occupancy. The walls were of masonry, the roofs were tile. But one looked in vain for signs of "architecture." The houses seemed to have no single redeeming architectural feature. The walls were yellow stucco with red brick trimmings on the corners. They looked as though they have been designed by the village barber. If they were a fair sample of indigenous, modern French archi-

tecture, what is France coming to?

We Americans have listened to enough abuse of our architecture. Let us refuse to stand for it any longer. If they would tell you we are so bad, go over to the "other side" and see some of theirs. If you go, don't look at their dead architecture; look at their live architecture.



SUN PARLOR. OFFICES OF J. P. MORGAN & CO., 31ST FLOOR OF THE BANKERS' TRUST CO. BUILDING.



LOOKING NORTH FROM THE 31ST STORY OF THE BANKERS' TRUST CO. BUILDING.

Granite: The New England Granite Works.
"Lafarge" Non-Staining Cement Used.



THE BANKERS TRUST COMPANY BUILDING, WALL AND NASSAU STREETS,
NEW YORK.

Trowbridge & Livingston, Architects.

Builder: Marc Eldlitz & Son.
Granite: The New England Granite Works.
Hollow Metal Trim: Dahlstrom Metallic Door Co.
Basement Tile Flooring: Wm. H. Jackson Co.

Plumbing: W. G. Cornell Co.
Thermostats: Johnson Service Co.
Otis Elevators.



THE WALL AND NASSAU STREET CORNER.

Trowbridge & Livingston, Architects.

Granite: The New England Granite Works.
 "La Farge" Non-Staining Cement Used.
 Bank Vault Engineer: Frederick S. Holmes.
 Bronze Rails: John Polachek Bronze and
 Iron Co.

Evans' Crescent Expansion Bolts Used.
 Mantels: Wm. H. Jackson Co.
 Loomis-Manning Filters.
 Grant Overhead Pulleys Used.

THE BANKERS' TRUST CO. BUILDING

THE speed and perfection of the construction of the Bankers' Trust Company building was due to a well-ordered plan all thought out and scheduled in advance and performed with punctuality. The three parties entering into the contract for construction—the owner, the architect and the contractor—co-operated and worked together according to a definite scheme. The consulting engineer

acted for the owners and held weekly meetings with the architects and contractor at which details of construction were agreed upon, charges passed and conferences held with the various subcontractors, superintendents and experts who were called in. The day previous to each of these weekly meetings, a similar meeting was held at the building by representatives of each party. A full



THE PUBLIC CORRIDOR. ENTERED FROM WALL STREET AND CONNECTING INTO
THE HANOVER BANK BUILDING.

Trowbridge & Livingston, Architects.

Interior Marble: Batterson & Elsele.
Marble Floors Surfaced With International Floor Machines.
Lighting Fixtures: The Mitchell Vance Co.
Gleason-Tiebout "Camia" Glass in Lighting Fixtures.
Copper Covered Windows and Bronze Covered Doors: M. F. Westergren, Inc.
Otis Elevators.
Hose Racks (Yale) and Hose: W. D. Allen Mfg. Co.
Fire Bucket Tanks: The Safety Fire Extinguisher Co.
Insulated Wire: Habirshaw Wire Co.



THE FIRST STORY BANKING ROOM.

Interior Marble: Batterson & Elsele.
 Lighting Fixtures: The Mitchell Vance Co.
 Gleason-Tiebout "Camia" Glass in Lighting Fixtures.
 Thermostats: Johnson Service Co.
 Vault Lift: Standard Plunger Elevator Co.

Trowbridge & Livingston, Architects.



STAIRCASE LEADING TO SECOND STORY BANKING ROOM.
Lighting Fixtures: The Mitchell Vance Co.
Interior Marble: Batterson & Elsie.
Bronze Rails: John Polachek Bronze and Iron Co.
Trowbridge & Livingston, Architects.



Trowbridge & Livingston, Architects.



DETAILS IN THE SECOND STORY BANKING ROOM.
Bronze Screens and Grilles: John Polachek Bronze and Iron Co.
Interior Marble: Batterson & Kiesel.
Marble Floors Surfaced With International Floor Machines.



THE BANKING ROOM ON THE SECOND STORY.

Interior Marble: Batterson & Elsele.
 Lighting Fixtures: The Mitchell Vance Co.
 Bank Vault Engineer: Frederick S. Holmes.
 Thermostats: Johnson Service Co.
 Otis Elevators.

Trowbridge & Livingston, Architects.
 Gleason-Tiebout "Camia," Glass in Lighting Fixtures.
 Hollow Metal Trim: Dahlstrom Metallic Door Co.
 Bronze Screens and Partitions: John Polachek Bronze and Iron Co.
 Metropolitan Push Button Switches Used.



THE IONIC COLUMNS OF THE SECOND STORY BANKING ROOM.
Interior Marble: Batterson & Eisele. Trowbridge & Livingston, Architects.
Hollow Metal Trim: Dahlstrom Metallic Door Co.



THE BANKING ROOM ON THE SECOND STORY.

Bank Vault Engineer: Frederick S. Holmes. Trowbridge & Livingston, Architects.
Interior Marble: Batterson & Elsele.
Bronze Screens and Grilles: John Polachek Bronze and Iron Co.
Copper Covered Windows and Bronze Covered Doors: M. F. Westergren, Inc.

written report of the progress of the building up to date was thus in the hands of those in authority at their weekly meetings. The building committee of the Bankers' Trust Company acted as a court of appeals for the actual constructors and did not otherwise concern itself with the details of the construction work except in the selection of artistic or architectural designs. The result of this plan, which has been here very briefly stated, was a wonderfully rapid accomplishment of a very difficult project.

Interesting articles on the construction of the Bankers' Trust Company building appeared in the "Engineering Record" for February 11, 1911, and April 29, 1911. These cover the general features and the construction of the floors and roofs with details of trusses.

The Bankers' Trust Company building was designed and erected under the supervision of Trowbridge and Livingston. Mr. W. E. S. Strong was the consulting engineer, and Mr. Thomas Bruce Boyd was the bank engineer collaborating with the architects. The builders were Marc Eidlitz and Son. The exterior is of granite, the material being supplied and cut by the New England Granite Works. La Farge non-staining cement was used.

In the interior the marble work was done by Batterson & Eisele, the staircase, panelling and columns of the banking room being exceedingly beautiful both in selection of material and in quality of workmanship in carving. Tavernelle Clair is used in the banking rooms in polished surfaces from floor to ceiling. The entrance hall and the elevator halls are trimmed with Botticino; the floors are of a light Tennessee of somewhat unusual shade. The marble floors were all surfaced by International floor machines. The tile floors in the base-

ment were supplied by William H. Jackson Company, who also constructed the marble mantel on the 31st floor in the offices of J. P. Morgan & Company. The bronze work for the elevator doors, banking screens, partitions and staircase railings and the like, was done by the John Polachek Bronze and Iron Co.

The lighting fixtures were made by the Mitchell Vance Company, and in the banking room stories, Gleason Tiebout "Camia" glass was used in the fixtures, "Opalix" glass having been used in the fixtures elsewhere. The Frink system of artificial lighting is used in the banking rooms.

The W. G. Cornell Company did the plumbing, Loomis-Manning filters were used, and the temperature regulation is the system installed by the Johnson Service Company.

The engineer for the bank vault construction in the basement was Frederick S. Holmes. Throughout the building the hollow metal trim was installed by the Dahlstrom Metallic Door Company. Copper covered windows and bronze covered doors are used everywhere throughout the building. These were installed by M. F. Westergren, Inc.

The fire protection is provided for by stand pipes with Yale hose racks and hose furnished by the W. D. Allen Mfg. Co. on each floor. There are also fire bucket tanks furnished by the Safety Fire Extinguisher Co.

The eleven passenger elevators in the main battery are of the Otis gearless traction type. Five of the drum type are installed elsewhere. There are two Otis plunger sidewalk lifts. A vault lift was installed by the Standard Plunger Elevator Company. In the windows Grant overhead pulleys were used. Evans "Crescent" expansion bolts were employed in portions of the construction.



THE SIDE OF THE BANKING ROOM TOWARD NASSAU STREET.

Interior Marble: Batterson & Elsele.
Hollow Metal Trim: Dahlstrom Metallic Door Co.
Bronze Doors: John Polachek Bronze and Iron Co.
Copper Covered Windows and Bronze Covered Doors: M. F. Westergren, Inc.
Lighting Fixtures: The Mitchell Vance Co.
Gleason-Tiebout "Camia" Glass in Lighting Fixtures.

Trowbridge & Livingston, Architects.

THE PROFITS OF AN ARCHITECT

By HOWARD M. INGHAM, PH. B.

HOW much net profit did you make on that house you finished last month?

What is the total cost of this set of plans on which you are just about ready to take figures?

How much did you lose on that competition where you did not take first or second prize?

How far away from your home city does it pay you to build a \$10,000 house?

How far away can you afford to build a \$30,000 building?

Should these distances be expressed in miles or hours?

How much work must you have on the books before it pays you to hire an outside superintendent, or to increase your force if you already have one?

The financial aspect of architecture as a profession is so vitally affected by these considerations that the answers should be instantly accessible in every office. A simple set of books will give the answers to all the specific questions, and to the general queries the answers are readily obtained by a little analysis.

Let us begin by assuming that the architect does not understand double-entry bookkeeping, and a set of books or a record of receipts and disbursements is kept by a stenographer or a draftsman. No additional "talent" will be necessary for the system to be described.

The book consists of one or two hundred 9¼"x11⅞" "Extra Debit" ledger leaves, and an equal quantity of 4-column journal leaves of the same size.* (See

*These leaves are stock forms, and cost about \$0.90 per 100. A binder costs from \$2.75 up. A supply of adjustable index tags with some extra gummed stickers for renewal purposes saves the trouble, time and expense due to an index.

Figures No. 2 and No. 3.) The latter are for the "Cost Accounts" of the several contracts, each of which has its own page. The ledger leaves are for the other accounts, as follows:

General Expense.

Yearly Business.

Furniture and Fixtures.

Cash.

Investment.

Every client for whom work is going on.

Every person who sells services or materials and renders a bill for them.

Each partner.

As soon as a contract is secured, the amount of it (that is, the amount the architect is to receive for his services) is entered under "Debit" on a ledger leaf which is headed with the client's name, and also under "Credit" on the ledger leaf headed "Yearly Business."† If the amount of the contract is a percentage of the cost of the building, and hence indeterminate until the work is completed, several entries, as described above, can be made at different times, as fast as any specific partial amounts can be determined.

As soon as the contract is entered, a cost account for the work is opened on one of the 4-column journal leaves. The heading consists of the client's name, or

†It is understood, of course, that one cardinal principle of double-entry bookkeeping is that every time any amount is debited to one account, it must be credited to another account. This makes the sum of all the debits in the ledger equal the sum of all credits, and makes the book balance. A simple illustration may assist in forming a clear conception of "Debit" and "Credit." Suppose the reader goes to a tailor where he has an account, and buys a suit, telling the tailor to charge it. As the words charge and debit mean the same thing, the tailor debits it in his books to the reader. Later, when the reader pays the bill, he expects the tailor to give him credit for the money. This the tailor does by entering the amount of the check on the credit side of the reader's account.

PAY-ROLL AND DISTRIBUTION SHEET.

Draftsmen. Week Ending April 27-1912

NAMES.	Amounts to be charged to different contracts.								General Expense	Salaries must equal total of amounts charged to Draftsmen.
	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6	No. 7	No. 8		
Draftsman #1	151	153	154	157	160	168				25.00
Draftsman #2				7.95	3.98	7.93			3.12	22.00
Draftsman #3			14.46	5.56						20.00
Draftsman #4			1.76		6.50	4.55	3.91		1.30	18.00
Draftsman #5	1.08	3.43	14.70	2.77	1.81	1.81				15.00
Totals to be charged to cost accounts.	44	63	24	15	13	19	44	14	3.42	100.00
The sum of these totals must agree with the totals on the salaries.										
Superintendents.										
Superintendent		3.62		7.23	2.77	6.86	6.14		3.98	30.00
Totals.		3.62		7.23	2.77	6.86	6.14		3.98	30.00

FIG. 1.

For this example the working hours were assumed to be from 9 to 12 and from 1 to 5.30; Saturday from 9 to 1; 41½ hours per week.

the name of the building, with the words "Cost Account" immediately following in plain large letters. (If the letters are large and plain, there is less likelihood of an entry being made in the cost account which should be in the client's account, and vice versa.) The headings of the columns are as follows: Drafting; Superintendence; Prints, Drawings and Specifications; Miscellaneous and General Expense.†

It is presumed that the time of draftsmen is kept separately on the different contracts and also the time of the traveling superintendents. When the money for salaries is drawn from the bank, the amount is entered in the "Cash" account, on the credit side, and the amounts of salaries chargeable to the various contracts are entered on the proper cost ac-

†These headings are suggested as describing four classes into which expenses will naturally fall. It might be desirable in some offices or on some contracts to divide the expenses differently, according to what information is particularly desired. Four columns, however, will usually provide for a segregation in sufficient detail.

counts, in the column headed "Drafting" of "Superintendence," as the case may be.‡

In making this distribution, care must be taken that the debits are equal to the credits, and a little arbitrary juggling with the odd cents may be necessary. It is not likely that a draftsman's salary, divided by the number of hours worked per week, is a whole number. A convenient form of pay-roll and distribution sheet is illustrated in Fig. 1. Superintendents should be listed on the same sheet in a different place, so as not to confuse the totals, or could have a separate sheet. The columns could be made wider and divided in two so that hours as well as amounts could be set down. Draftsmen could use the same form for keeping track of their time. Each man would use a separate sheet, Monday's time go-

ing on the first line, Tuesday's on the second, and so forth.

A cash box may be kept in the office for petty expenses. An arbitrary amount, say \$20.00, is drawn from the bank and placed in the box. No entry is made on the books of this amount, as the money has not yet been spent. As money is withdrawn from the box, a memorandum of the amount and the proper charge account is left, and each week a sum is drawn from the bank to bring the cash up to exactly \$20.00. This sum is credited to "Cash," as are all withdrawals from the bank, and the items from which it is made up are charged to cost accounts under "Miscellaneous" or in the proper column, or to "General Expense," or to the correct account, whatever it may be.

When bills are received, say from the

‡It will be noticed that there is no "Credit" side to the cost accounts. Theoretically, there should be one, but, as it is hard to conceive of a credit to a cost account in an architect's office, it is hardly likely that there would ever be any entries on the credit sides, even if they were provided for.

Sheet No. _____				Account No. <u>151</u>			
NAME <u>Mr. John Smith</u>				Terms _____			
ADDRESS <u>9900 Broadway N.Y.</u>				Rating _____			
_____				Credit Limit _____			
DATE	ITEMS	DEBITS	DATE	ITEMS	DEBITS	DATE	ITEMS
1912							
Mar 15	6% of Contract for House	600.00					
Apr 5	6% of Extra #1 (\$125.00)	7.50					

FIGURE 2—"EXTRA DEBIT" LEDGER LEAF.

blue-printer or the drafting material dealer, the amounts are entered on the credit side of the account headed with the dealer's name, and charged to the cost accounts under "Blue Prints" or to "General Expense," as the case may be. When these bills are paid, the amounts of the checks are credited to "Cash" and debited to the dealer to whom they are sent. The difference between the debit and credit sides of each of these accounts will therefore show how much money is owed to that particular person.

"General Expense" will be debited with all items not directly applicable to particular cost accounts, such as rent, telephone, (toll calls can frequently be directly charged to cost accounts, however, and help to tell the story if so charged), postage, stationery, supplies, etc. The guiding principle in determining whether to charge to cost accounts or to "General Expense" should be to place in the

former all items directly applicable, but not to attempt to split hairs.

A large porportion of the cost of work will necessarily be accumulated in the general expense account, and, unless this is distributed among the cost accounts, the latter will fail to tell a true story. No one will deny that an architect requires an office and appurtenances in order to handle his work properly. If so, can anyone deny that the cost of maintaining that office is a part of the cost of his work just as much as is the salary of the draftsman who drew the plans?

The method of distribution is simple. Each month the general expense account is added up and divided into a number of parts equal to the number of contracts in hand in the office during that month. The parts should not be equal, but should be approximately proportional to the amount of time and thought bestowed upon the several contracts that month.

Mr. John Smith Cost Account				#151			
DATE	ITEMS	DRAFTING	SUPERINTENDENCE	PRINTS DRAWINGS & SPECIFICATIONS	MISCELLANEOUS GENERAL EXPENSE	DATE	ITEMS
1912							
Apr 21	Details, interior trim	1463					
	Jas. Blank, Supt.		362				

FIG. 3.

These are merely the entries illustrated in the Pay-Roll and Distribution Sheet, Fig. 1. Of course, by April 27th, there would be a great many entries on the cost account of a contract secured March 15th, the date on which this is charged to client in Fig. 2.

Judgment will dictate the proportions, and—as there is no possible way of arriving at an exact solution—it is needless to attempt to split hairs. The amounts applicable to the several cost accounts are entered in the proper columns, and, at the same time, entered on the credit side of the general expense account. This account is consequently wiped off the books once a month.

The simplest way to handle the cost of soliciting work is to charge it to "General Expense." If, however, it is desired to learn the cost of this important function of the business, a cost account can be opened, headed "Soliciting Work," to which all charges such as sketches, pictures and entertainments can be made. The cost of securing a contract could be picked out from this and transferred to the cost account of the contract, when the latter is opened. The balance spent on unsuccessful efforts would have to be transferred to "General Expense" every month or so. Both of these transfers would be made by crediting the amount to be transferred to "Soliciting Work" and debiting it to the cost account or to "General Expense." It is recommended, however, that no attempt be made to separate the cost of soliciting work from other general expense items.

The amounts drawn by the partners are debited to them on the pages devoted to their personal accounts, and credited "Cash."

As fast as remittances are received from clients, the amounts are entered on the credit sides of the clients' accounts and debited to "Cash." The difference between the debit and credit sides of each client's account will therefore show how much money he owes on account of his work.

It has been noted that all money received has been debited to the cash account, and all money withdrawn has been credited to same. It therefore fol-

lows that the difference between the two sides of this account represents the total cash assets of the business, and should, of course, agree with the bank balance, after the cash box fund, say \$20.00, has been added to the latter.*

So far no mention has been made of the "Investment" account or "Furniture and Fixtures." The latter is self-explanatory. The former is only used at the opening of the books, and is credited with the assets brought into the business which are charged to the appropriate accounts. Thus, the value of the office furniture and fixtures is debited to that account and credited to "Investment"; the cash in bank is debited to "Cash" and credited to "Investment"; unpaid balances due from clients are debited to them and credited to "Investment"; debts due are credited to the proper parties and debited to "Investment."

At any time, if entries have been correctly made, the sum of all the totals on the debit side of the ledger will equal the sum of all the totals on the credit side. A list of these totals set opposite the names of the accounts is called a trial balance. Books are made for this purpose which reduce the writing required to the lowest possible minimum. It might be mentioned that a monthly trial balance would be comparatively little trouble, while, if neglected for a year, it would probably consume more than twelve times as much effort.

If it is desired to charge the time of the principals of the business to cost accounts, this can readily be done by fixing some arbitrary rate per hour, and charging this in the "Superintendence" column, crediting the same amounts, of

*If the cash account is conceived to be an account with the bank, a customer who buys money from the reader, the debits and credits to this account will be clear. When money is deposited in the bank, the latter is buying money from the depositor, who therefore charges it to the bank, as a tailor charges a suit of clothes to a customer he trusts. When the reader draws a check, the bank is paying its bill for part of the money it bought a little while before, so the reader must give the bank credit for this payment on the cash account.

course, to the personal account of the principal. The principal's account might thus be conceived to show on the credit side what he has earned, and on the debit side what he has drawn.

If this is done regularly, and the profits on contracts (obtained by deducting the total cost account from the total received from client) are still considerable, it shows that a surplus is being accumulated, and the principal can afford to increase his drawing account, if he so desires. It is to be hoped that the converse will never appear!

The division of the principal's time will not be a nuisance, and will furnish a valuable record in the books. Nearly everybody carries an engagement book or diary. It is a simple matter, when traveling in a train or street car, to make a few notes in the book which will indicate the work to which the previous day was devoted. Probably a half dozen words each day will suffice. Accuracy is impossible and not at all necessary. The purpose would be almost as well served if the division were made each day by the "right-hand-man" of the office, who usually knows fairly well what the principal is doing, or what he was doing yesterday. If the architect does a consider-

able amount of his own superintending, a division of his time is indispensable if he wants to find out what work pays and what work does not.

With a set of books kept in this fashion the ledger itself becomes each month a financial statement; it is unnecessary to wait until the end of the year to see how much money the business is really earning.

A competition should be treated as if it were a contract from a client, and a cost account should be opened for it. Prizes can be entered exactly as if they were remittances from the client. If no prizes are won, the whole cost, showing on the books on the debit side with nothing to balance it on the credit side, will reduce the total earnings of the business by just that amount.

The analysis of the books to obtain the answers to the last four questions propounded at the beginning of this article will not be touched upon at this time, as it is a problem entirely separate from the keeping of the books. It cannot be logically attempted until quite a number of cost accounts have been kept by this method, or a large number of hypothetical cases worked out in considerable detail from reliable data.

THE HOLLOW-TILE FIREPROOF HOUSE

Article VIII—Permanent Tile Forms in Factory Construction

By FREDERICK SQUIRES

THE use of permanent hollow tile forms in pier construction next engages our attention. In this connection it may be well to say something about the method of manufacture which accounts for the physical appearance of the hollow tile block. The thickness of a piece of clay that can be burned successfully is limited to the thickness of the ordinary brick. When a bigger piece of clay is to be burned it must be so divided that the fire can get at more than just the outer surface and the only way to do this is to make it cellular. The only practical way to make a lump of clay cellular is to force it through a die, and this means that the cells must all run one way. After the clay has been forced through the die and has come out in cellular form it must be cut across at right angles to the cells in pieces of convenient length usually about one foot long, and these pieces must be dried out a little and set up on end in kilns and subjected to fire. In the upright position, there is no part of the cellular block which offers any great thickness of clay to the fire and so it is

readily burned to the proper degree of hardness. It is the requirements of this manufacturing process then, and no other causes, which give us a hollow-tile building block with the physical aspect in which we find it at the building. Were it not for the limitations of moulding and burning clay, the block might be any other shape. Given, then, a large building block with cells running in one direction only and open on two of its six sides our problem is to make the best use of it as a building material. It would seem to be the best way to lay these blocks in a wall on their closed sides so as to get a good mortar bed, but on closer observation it is apparent that by so doing only a part of the cross-section of the terracotta is in compression. The block must have its webs vertical in order to make use of all of its cross-section. But when set vertically the mortar bed must be on the webs of the lower block and not on a plane surface and we are therefore confronted with the difficult feat of balancing mortar on a five-eighth-inch web and bedding a forty-pound block on this pre-




THE WHITALL-TATUM CO. FACTORY.




INTERIOR OF THE FULLY FIREPROOFED SECTION.

carious footing. It is apparent that unless this circus feat is successfully performed the blocks will come in contact vertically only at points and not all along the webs and that not all of the cross-section can be counted on to do work. This causes no inconvenience in houses where the wall is far stronger than required by the load, but it becomes a problem to take into account in heavily loaded pier construction.

Although the placing of the blocks in the wall with the cores vertical does not present a very good horizontal mortar bed, yet it invites a far more powerful construction than any mortared unit, namely, the introduction of concrete grouting. Just as the cores must be vertical in the process of manufacture to allow the fire to take its characteristic upward course, so the cores must be vertical in construction work to let the liquid concrete take its characteristic downward flow. This grouting makes it possible to count on every particle of tile in compression. It is, of course, necessary to







THE ROOF AND THE SKYLIGHTS.


design the webs so that when blocks are placed one upon another with the joints broken the webs and cores will correspond and the vertical channels be uninterrupted. I have noted in previous articles the value of the air space in the hollow wall as a non-conductor of changes in temperature, in other words, its furring value. Now it would seem that I am advocating the destruction of this furring in order to obtain greater structural strength. But it is easy to retain both in the same wall, although in general practice, the advocates of each are apt to neglect or omit the other. It is quite practicable to design a block, some of whose cells, either on the inner or outer side of the wall, shall be grouted and the remaining cells left open for furring. Since the floor loads are more easily applied to the inner than to the outer surface of the wall, the furring space may better be designed for the outer surface of the block. Where the construction is that of a bonding wall as in "Texture-Tile," the "Texture-Tile" block forms an ideal furring for a grouted backing, as shown in the illustration. End construction "Texture-Tile," where the cores are horizontal, forms a better insulation than vertical cores, the air in which is apt to be in circulation, owing to the tendency of heated air to rise in the vertical chambers. The bonding course can readily be designed

to tie in with the grouted backing. In designing a block for vertical grouting, it is well to make a double web in the center to provide a bearing for the webs above with an allowance for the joints between the blocks.

The final illustration shows a method of constructing all parts of a factory building in permanent hollow-tile forms. In order not to complicate the drawing the scheme for furring blocks just described has been omitted. The Whitall-Tatum factory employed many of the underlying principles shown in the last drawing. In part of the building, permanent tile floor forms were used, but not of so advanced a type as the beveled block two-way system.

The lintels and girders were of concrete, but not in permanent hollow-tile forms. For this reason they could not be plastered. Piers were originally designed like the piers here shown, but lack of time kept the contractor from making the special die. He was allowed to substitute a permanent tile form built of small blocks surrounding a large central core which was reinforced and poured with concrete. All the curtain wall tile were interlocked by grouting, but this, I believe, to have been a waste of good steel and concrete as these curtain walls will never be called on to take any load.

Stucco and plaster on tile have taken away all the gloom of the average red



THE PERMANENT TILE FORMS BUILT OF SMALL BLOCKS EMPLOYED IN THE CONSTRUCTION OF THE WHITALL-TATUM CO. FACTORY.

brick and mill-constructed factory and have replaced it with brightness and good cheer.

The Whitall-Tatum Company factory had another virtue beside good construction. It was cheap. Built in a brick country, with its footings actually in brick clay, it was built of concrete, in permanent tile forms, at a lower figure

than any of the proposals to do the work in brick.

In concluding this article on permanent hollow tile forms in factory construction, I would say that such forms offer the advantage of a positive surface for plaster and stucco. In the case of floors they give depth to the beam lightness to the construction and the part of the tile above the neutral axis of the beams does actual structural work in compression. As lintel and girder forms they permit speedy work in erection and in the case of the wall girder may be built on before the concrete is set. The strength of the pier may be increased by grouting without wasting material on the curtain walls, or piers may be dispensed with and a wall of uniform thickness, but of varying bearing capacity be readily produced. Also adequate furring spaces may be retained. All this may be done,—strong, light floors, quickly erected girders and lintels, powerful piers, sure plastering surfaces obtained, and in the end the finished product will stand the final test—Economy.



THE CHICAGO TELEPHONE BUILDING, CHICAGO, ILL.

Interior Woodwork: Matthews Bro.'s Mfg. Co. Holabird & Roche, Architects.
 Evans' Crescent Expansion Bolts Used.
 Star Expansion Bolts Used.
 Newman Watchclock System.
 Red Core Insulated Wire: Habirshaw Wire Co.
 Hose Racks (Yale) and Hose: W. D. Allen Mfg. Co.
 Ornamental Iron and Bronze: The Standard Company.

STUDENTS' DETAILS OF CONSTRUCTION

Architectural Department, University of Pennsylvania

THE town hall shown in the first of the students' drawings of the department of architecture of the University of Pennsylvania in this issue illustrates the student's constructional scheme of a portion of this building. The problem in design was for a town hall to be located on one side of a public square around which were to be grouped other municipal buildings. In the program for the design problem the questions of site, the basement, first story, second story and dimensions were all given and the requirements stated in regard to the number of drawings, the scale, the time for completion, etc. In the drawings the elevation of one of the end bays is shown and the remainder of the sheet is given up to detailed drawings of the construction of the various portions of this bay drawn to a scale on the original drawing of $\frac{3}{4}$ -inch to the foot. The drawings show the student's solution of the construction, including the dressed-stone facing and dormer window and balustrades, the fireproof mansard roof, the fireproof floors, the interior finish, the steel supports, etc.


As has been stated before, regarding these drawings illustrating the coordination of design and construction in the scheme of architectural education in our schools, the drawings themselves may show the occasional and unavoidable inaccuracies of students' work; but they are generally correct, acceptable and approved examples of architectural construction—practical in every sense of the word. Of course, the beginners, the first and second-year men in the schools, are unable to undertake problems of this character, which are given to the upper classmen only; but it is observed that


even in these younger men a much greater interest is taken in the most elementary principles of construction, as they see the possibilities of its further development and its practical application later on to their own problems in design.

The second illustration shows a portion of the front elevation of a war museum and details of the construction of portions of the same. In the design problem for this, a portion of the statement of the problem read as follows: "In Richmond, Va., it is proposed to erect a building which is to serve as a repository and exhibition hall for Confederate relics, paintings and sculpture, together with writings and other data relating to the late Confederacy. It is to be on the order of a small museum and art-gallery combined, is intended to be the final place of deposit for collections of Confederate relics and data, and is to serve, in regard to both its exterior and interior, as a memorial building for the placing from time to time of commemorative tablets and statues. The style of the building should be of a dignified, monumental character."

The above quotation will serve to indicate the nature of the problem as far as design is concerned. The program, of course, goes much further into detail in regard to questions of planning, method of lighting, area of the building, etc.

The sheet containing illustrations from this problem by the students taking the course in construction shows one-half elevation to a small scale of the main building and the rest of the sheet is devoted to scale details drawn to $\frac{3}{4}$ -inch to the foot.







Designed by George Dick.



THE PALAIS ROYAL DEPARTMENT STORE, WASHINGTON, D. C. G. P. Hales, Architect.

Electrical Contractors: Carroll Electric Co. Otis Elevators.
 Fireproof Windows: David Lupton's Sons Co.
 Thermostats: Johnson Service Co.
 Painting and Decorating: W. F. Andrews.
 Evans' Crescent Expansion Bolts Used.
 Newman Watchlock System.
 Standard Plunger Passenger Elevators and Dumbwaiter.



RESIDENCE OF J. M. SPARKMAN, SEATTLE, WASHINGTON.

Wilson & Loveless, Architects.



H. W. JOHNS-MANVILLE CO. BUILDING, 41ST ST. AND MADISON AVE., NEW YORK.
 Cement Sidelwalks: Denton & Co.
 Otis Elevators,
 Star Expansion Bolts Used.



H. W. JOHNS-MANVILLE CO. BUILDING, 41ST ST. AND MADISON AVE., NEW YORK.
 Augustus N. Allen, Architect.



H. W. JOHNS-MANVILLE CO. BUILDING. HALL TO EXECUTIVE OFFICES, 11TH FLOOR. RETAIL DEPARTMENT, 1ST FLOOR.

Floors: Denton & Co.

Evans' Crescent Expansion Bolts Used.

Ornamental Plaster and Artificial Decorative Stone: Jacobson & Co.

Metropolitan Push Button Switches Used.

Augustus N. Allen, Architect.



The Johns-Manville building was designed by Augustus N. Allen. The William Crawford Co. were the builders. Throughout the construction the varied products for use in building construction made by the H. W. Johns-Manville Company were employed. Sidewalks and cement floors were laid by Denton & Company. The ornamental plaster and stone decoration were done by Jacobson & Company.

The Manice building was designed by Wallace and Goodwillie. It has been built on a site formerly occupied by four of Madison Avenue's old brown stone residences at the corner of Madison Avenue and 32d Street. The building is twelve-stories in height and is of steel frame construction. The Empire Holding Co. erected the building. The structural steel was erected by the Radley Steel Construction Co. The painting and decorating were done by John P. Bengtson.

This building is protected by an automatic sprinkler system, which was installed by the Rockwood Sprinkler Co.

The Frances building fronts 85 feet on Fifth Avenue and 125 feet on 53d Street.

(Continued on page 18 advertisements.)




THE MANICE BUILDING HALL AND CONSTRUCTION VIEW.

Structural Steel: Radley Steel Construction Co. Wallace & Goodwillie, Architects.
Rockwood Automatic Sprinkler Equipment.
Ornamental Iron: The Madison Iron Works.



THE MANICE BUILDING, 32D STREET AND MADISON AVENUE, NEW YORK.
Painting and Decorating: John P. Bengtson. Wallace & Goodwillie, Architects.
Star Expansion Bolts Used.
Structural Steel: Radley Steel Construction Co.
Ornamental Iron: The Madison Iron Works.



ENTRANCE AND HALLWAY OF THE FRANCES BUILDING.

Corbin Hardware.

American Steel Side Sash Pulleys Used.

Grinnell Automatic Sprinkler Protection.

Bronze Store Fronts and Bronze Grills: The Gorham Co.

C. P. H. Gilbert, Architect.



THE FRANCES BUILDING, 53D STREET AND 5TH AVENUE, NEW YORK.
Fireproof Windows: S. H. Pomeroy Co., Inc. C. P. H. Gilbert, Architect.
Electrical Contractor: J. Livingston & Co.
Copper Work and Cornices: Architectural Metal Works.
Otis Elevators.



CHICAGO, BURLINGTON AND QUINCY RAILROAD CO. BUILDING, CHICAGO, ILL.
Boilers: Murray Iron Works Co. Marshall & Fox, Architects.
Terra-Cotta: Northwestern Terra-Cotta Co.

Otis Elevator Company

Announce their Removal, on or about June 15, 1912
to their New Building
Eleventh Avenue and Twenty-sixth Street
New York



Otis
Elevator
Building

Which, through concentration of the General Offices and Metropolitan District Departments under one roof, provides for the benefit of the users of Otis Elevator Products, the most complete **"Supply" and "Service" Organization of any Elevator Company in the World.**

The achievement of this Company in perfecting the highest type of Elevators has gained for our product recognition as the standard of excellence throughout the civilized world,--- and while the **best built and least in need of "service" and repairs**, users of Otis products are, through this concentration and enlargement of facilities, **protected by a "Service" Organization as perfect as the product itself.**

In addition to housing all the General Offices of the Company there will be kept on hand at all times **a full line of all parts and supplies ready for immediate delivery.** Our "Service" Organization will include factory-trained experts thoroughly familiar with Elevator construction, who, with our **Automobile Service** for expediting the delivery of needed parts, will be on call **at all times**,---Days, Nights, Sundays and Holidays.

(New) Telephone 7500 Chelsea

Private Branch Exchange Connecting All Departments

We build and erect all types of Passenger and Freight Elevators,---for all kinds of power;---including Otis "Traction" and "Drum" type Passenger and Freight Elevators;---Otis Inclined and Horizontal Freight Elevators;---Otis Escalators or Moving Stairways, and Moving Sidewalks;---and Otis Automatic Push-Button Elevators for private residences.

When writing Advertisers, please mention Architecture and Building.

The exterior is of classic design, made up wholly of buff limestone, with a main entrance finished in Hauteville marble. The first story is fitted for high class stores, while the upper floors are arranged for offices. There are five Otis elevators of the traction type. All the upper halls and stairs are finished in Hauteville marble.

The Frances Building, designed by C. P. H. Gilbert, and built by Charles A. Cowen & Co., is equipped with fireproof windows supplied by S. H. Pomeroy Co., Inc. The corner work and cornices were supplied by the Architectural Metal Works. J. Livingston & Company were the electrical contractors, and the hardware was manufactured by P. and F. Corbin. J. J. Spurr & Son furnished the limestone; Sayre & Fisher Co. furnished the brick; the terracotta was supplied by the N. Y. Architectural Terra-Cotta Co., and the bronze work was done by the Gorham Co.

The building is protected by an automatic sprinkler system, installed by the General Fire Extinguisher Co.

The new general office building of the Chicago, Burlington & Quincy Railroad Co. was designed by Marshall & Fox. The design shows a 19-story structure, and the permit calls for a building of such a height, but only 15 stories are now being erected. The exterior is of enameled brick and terracotta supplied by the Northwestern Terra Cotta Co. McNulty Bros. did the plastering. The boiler equipment was put in by the Murray Iron Works Co.

BOOK REVIEWS

REINFORCED CONCRETE BUILDINGS.

By Ernest L. Ransome and Alexis Saurbrey. New York: McGraw-Hill Book Company. Price, \$2.50 net.

This volume presents matters of interest to an experienced engineer concerning reinforced concrete. It is not written for the practical or the untrained man. It is not an encyclopedia of civil and hydraulic engineering. But, on the other hand, it contains much information not elsewhere readily obtainable in its history of reinforced concrete and its reference to basic patents. So much for the first part of the work. The second part deals with the theoretical analysis of structural members. The third part deals with practical construction. Throughout there are to be found well chosen illustrations both of early work and of recent and most approved construction. A short chapter on accidents sounds a warning against careless construction, but even more against careless and ignorant design which, we may safely say, is, in the opinion of most experts in concrete, the underlying cause of failures. In closing the chapter the authors say "Tie all steel bars into the

next span. Use closely spaced hoops in all columns. And see that the concrete is hard before the shores are removed."

CONCRETE AND STUCCO HOUSES. By Oswald Hering, A. I. A. New York: McBride, Nast & Co. Price, \$2 net; postage 20 cents.

This book is even more than its title indicates; or even than is indicated by that title which the author states in his preface was his original conception, but which was too unwieldy for use as a title. The use and abuse of concrete and stucco in their application to the rural and suburban architecture of America. The book is really a delightful essay on suburban residence life and architecture. In the brief text Mr. Hering tells us of the advantage of location or the setting of the house, and shows in splendid illustrations some suburban developments which may be considered successful from the standpoint of their units,—the homes therein,—and the setting as a whole, or the landscape effect of the entire tracts. The first portion, under the title of "country and suburban development," forms an introductory to his conception of the house itself. In the following pages the well chosen and beautiful illustrations supplement the text in a true sense. The book is not technical. Mr. Hering has written it more directly to the man who proposes to build than to the architectural profession, and a perusal of its pages should leave the average reader generally informed as to the various methods of constructing a stucco or concrete house, and constructing it well. Mr. Hering has considered both stucco on a wooden frame and fully fireproof construction. The closing chapter of the essay is entitled the "Dawn of American Architecture." In this Mr. Hering moralizes architecturally and interestingly, pointing out that in reinforced concrete we may develop a new—and lasting—American architecture.

SUBURBAN HOMES WITH CONSTRUCTIVE DETAILS by Numerous Architects.

Second Edition, completely revised. Published by the David Williams Co., New York. Price, \$1.00.

This is the fourth volume of the Building Age series of designs. The designs have been selected with a view to bringing out some particular feature of each that is of more than usual interest. The illustrations show a few brick and stone structures, but the greater number are of frame construction covered with either shingle or stucco, and the costs of the houses range from \$4,000 to \$24,000. There are twenty-three designs in all, the work of reputable architects. While the buildings shown will undoubtedly be adversely criticized

(Continued on page 32)

Barrett Specification Roofs

On the "Concrete City"

IN the illustration below, the Turner Construction Company of New York, has brought together in a scale drawing an accurate representation of most of the important modern concrete buildings which they have erected during the past nine years, at an approximate cost of \$12,000,000.

It is an imposing display of best types of modern construction—"a concrete city" indeed—scientifically designed for maximum service at minimum cost and minimum maintenance.

It is significant that 95 per cent. of the entire roof area is covered with the Barrett Specification type of roofing. The figures are as follows:

Barrett Specification type of roofs	1,490,523 sq. ft.
Plastic Roofings	14,714 sq. ft.
Slate Roofings	21,640 sq. ft.
Tile Roofings	5,619 sq. ft.
Ready Roofings	38,381 sq. ft.
Copper Roofings	6,355 sq. ft.
All other kinds	7,448 sq. ft.

It is important to remember that while all these buildings were constructed by the Turner Construction Company, the speci-

cations were drawn by a large number of architects and Engineers.

Barrett Specification Roofs were almost unanimously selected for one reason only, namely, that they would give *better* service at *lower cost*, than any other roof covering.

Barrett Specification Roofs require no painting or similar attention—in other words, there are no maintenance costs. They will last upwards of 20 years without any care.

The superior economy of Barrett Specification Roofs justifies their adoption not only on big first-class concrete buildings, but on every flat roofed building from a tenement to a skyscraper—from a small mill to a modern manufacturing plant costing millions. But be sure it's a real Barrett Specification Roof. The only way to be sure is to incorporate The Barrett Specification in full in your plans.

Copy of The Barrett Specification free on request. Address our nearest office.

BARRETT MANUFACTURING CO.

New York, Chicago, Philadelphia, Boston, St. Louis, Cleveland, Pittsburgh, Cincinnati, Kansas City, Minneapolis, New Orleans, Seattle, The PATERSON MFG. CO. Ltd. Montreal, Toronto, Winnipeg, Vancouver, St. John, N. B., Halifax, N. S.



When writing Advertisers, please mention Architecture and Building.

Art and Architecture

THE REPEAL OF THE TARSNEY ACT.

As a rider on the Sundry Civil bill we find another objectionable piece of legislation in the repeal of the Tarsney act. This act, passed some fifteen years ago, empowered the Secretary of the Treasury at his discretion to obtain plans in competition from architects in private practice for public buildings erected by the Treasury Department. This included the majority of Federal buildings, and the result of the act has been to bring about a great improvement in the architectural design of our public buildings throughout the country. The New York Custom House as an architectural example far exceeds the Mullet post office, and with the improvement in the standard of our public taste, it will be a source of regret to the public at large as well as to the architectural profession if this reversion to the system which produced the latter building should take place. The repeal of the Tarsney act unless some better provision for the design of public buildings is at once made, would mean that the ability of the architectural talent of the country would no longer be exercised in the production of our public buildings, and that all public buildings would be erected by the supervising architect of the Treasury as sole authority. Provided that the occupant of that position was of the greatest possible personal ability, possessing the broadest conceivable ideas as to the architectural styles and the fitness of them to sites, it is inconceivable that such an individual could in any way equal the results of the present competitive method which attracts the brains and ingenuity of the architectural profession at large to compete in the designing and beautifying of our public buildings which are, in a sense, the monuments of the nation.

The following contribution voices a different opinion of the Tarsney Act:

THE "TARSNEY" ACT.

In some quarters there is heard a wail because Congress plans the abolishing of the "Tarsney" act, that legislation whereby the biggest Government buildings have been given out to private architects via the competition route. That those of the inner circle who have generally secured the plums should wail is understandable, but that the profession generally should protest simply goes to show how abjectly the rank and file follow the lead and uphold the interests of the aforesaid "inner circle." The profession at large has not been benefited by the Tarsney act, nor has it been of advantage to the Government, and therefore to the people generally.

The proposed repeal is in the Sundry Civil Bill, so is more than apt to pass whether the Institute protests or not. That protest, as far as

the rank and file are concerned, is perfunctory, and simply because the act originated in the Institute. A case of upholding a thing because one suggested it, and utterly regardless of whether it did good or harm, what is called a "blind partisan support."

I think I am perfectly safe in saying that the legislation has done no good. The buildings carried on by private architects have been no better than the regular governmental product, and have cost more to produce than those done in the usual way. I have followed the Tarsney Act products rather carefully, have had much to do with some and believe that I am competent to affirm that that legislative effort is a good one—to repeal.

The private architect has to get his information from the Supervising Architect in order to plan the building. The latter office, in the natural course of things, must have forgotten more about the needs of a government building than the private practitioner can learn in a lifetime. Then the supervision of the work is done by the regular Government force anyway; so are the accounts kept by it. It all means endless duplication of work by Department and private practitioner. Really the only thing the latter rules supremely is the artistic part, the exterior design and the interior finish. And I fail to find a solitary instance where the private architect has produced a handsomer, a more artistic structure than those designed by the Supervising Architect's office.

The Tarsney Act was passed because the Government work had been so abominably ugly and because of the endless scandals and crookedness that had existed in handling it. But contemporaneous legislation and new appointments cleaned up that office, and so effectually that for a long time now it has been known that the Tarsney Act was simply a means of giving good fat commissions and extra renown to a few select architects and not the remedial legislation it was originally planned to be.

A much better scheme would seem to be "collaboration" rather than these so-called "Tarsney Competitions." Let the Supervising Architect's office design and carry on and build the Govern-

HOWARD M. INGHAM

MEM. AM. SOC. M. E.

Industrial Engineer

SPECIALIST IN THE
INSTALLATION OF

*Simple, Direct, Effective Methods
of
Office Management*

160 FIFTH AVE., NEW YORK

When writing Advertisers, please mention Architecture and Building.

I. MORITZ, Prop.

Telephone 164 Plaza

Architectural Metal Works**SKYLIGHTS****CORNICES AND ROOFING
CORRUGATED IRON WORK**

1192-1194 SECOND AVENUE

NEW YORK

ment buildings. It is the best equipped and most capable office in the land for that function, anyway. Then appoint and pay a "Collaborating Commission" of private architects to work with the Supervising Architect to secure the best and most artistic structure possible. That is in the big cities only, of course, buildings of \$300,000 or over. Let it be a local commission, three or four of the best local architects, men of ability, men elected for that work by their fellows or local Chapter of the A. I. A.

Such a Board of Commissioners will have local pride enough to really exercise its privileges of criticism and suggestion, and see to it that that building will be one worth while; the knowledge that there is to be such a Board that will go over its work will keep the Supervising Architect's office always keyed up to its best, and the combination of the two bodies, really collaborating and working together, cannot fail but produce infinitely better results than that achieved by an individual who has merely happened to hit the fancy of the best talker of the judges who preside in the more or less farcical competition performance.

The Government competition is pretty sure to be a dead letter ere this is in print, and I would most earnestly advise the architects to clamor for "COLLABORATION" as a new plank in their platform. A trial is the least that could be done. If they want it let them get busy and approve of the scheme to their legislators and representatives to whom it will already have been suggested.

F. W. FITZPATRICK.

Coupled with this proposed legislation, we cannot refrain from commenting upon the fact

FRANCIS W. COLLINSAssoc. Mem. A. S. C. E.
Mem. A. I. M. E.**CONSULTING
ENGINEER****50 CHURCH ST., HUDSON TERMINAL
NEW YORK CITY****Investigations, Valuations,
Scientific Organization and Management**

that Mr. Walter B. Griffin, of Chicago, has just won the first prize of \$8,750 in the international competition for the new capital city of Australia. This prize was won amid an assemblage of the famous architects of the world, it may be said, and the winning design of this great competition will unquestionably make the four-mile square of the new Australian federal territory one of the finest examples of civic and governmental architecture to be found in the world. That other governments appreciate the value of the competitive method there can be no better evidence. The site of this Australian "District of Columbia" is an elevated plateau 165 miles southwest of Sidney, in New South Wales. It is encircled with hills and very well watered, presenting an ideal location for a federal city. The competition won by Mr. Griffin was not for the design of individual buildings, but for the municipal scheme. What L'Enfant did for America, in designing our capital at Washington, we may hope that Mr. Griffin may produce for Australia.

THE ART OF COMBUSTIBLE ARCHITECTURE.

This is the title given by Edward Atkinson to the art, under the practice of which the rule of danger rather than of safety marks nine out of ten of the works, warehouses, hotels, hospitals, churches and other principal buildings of the United States. Referring to college and school-houses, of which 485 were burned in one year, he had "never found a class of building in which heavy damage or complete destruction had been more adequately provided for by the masters of combustible architecture."

Referring to churches and to a proposition for organizing a mutual insurance company for the insurance and prevention of fire in churches, of which about twelve are burned per week, he states that church members "by such a combination might be assured against cremation in this world, if not in the next."

*(Continued on page 34)***OBITUARY**

John Thatcher, Superintendent of Buildings for the Borough of Brooklyn, was accidentally killed by the falling of a scaffold while in the pursuit of his duties of inspecting a building. Previous to his service as Superintendent of Buildings, Mr. Thatcher was Superintendent of Sewers. He was formerly a member of John Thatcher & Son, Builders, and as the head of that firm constructed many important buildings in Brooklyn and Manhattan. Mr. Thatcher was 59 years old, and is survived by his wife, son, and four daughters.

When writing Advertisers, please mention Architecture and Building.

Fireproofing and Fire-Protection

MR. G. H. STEWART

AN ACT TO AMEND THE LABOR LAW, IN RELATION TO AUTOMATIC SPRINKLERS.

Became a law April 15, 1912, with the approval of the Governor. Passed, three-fifths being present.

The People of the State of New York, represented in Senate and Assembly, do enact as follows:

Section 1. Article six of chapter thirty-six of the laws of nineteen hundred and nine, entitled "An act relating to labor, constituting chapter thirty-one of the consolidated laws," is hereby amended by inserting therein a new section, to be section eighty-three-b, to read as follows:

§83-b. Automatic sprinklers. In every factory building over seven stories or over ninety feet in height in which wooden flooring or wooden trim is used and more than two hundred people are regularly employed above the seventh floor or more than ninety feet above the ground level of such building, the owner of the building shall install an automatic sprinkler system approved as to form and manner in the city of New York by the fire commissioner of such city, and elsewhere, by the State fire marshal. Such installation shall be made within one year after this section takes effect, but the fire commissioner of the city of New York in such city and the State fire marshal elsewhere may, for good cause shown, extend such time for an additional year. A failure to comply with this section shall be a misdemeanor as provided by section twelve hundred and seventy-five of the penal law and the provisions hereof shall also be enforced in the city of New York by the fire commissioner of such city in the manner provided by title three of chapter fifteen of the Greater New York charter, and elsewhere by the State fire marshal in the manner provided by article ten-a of the insurance law.

§2. This act shall take effect immediately,

A LESSON THAT WAS NEEDED.

Fire last spring completely destroyed a department store in Reading, Pa., the loss as finally adjusted with the insurance companies being \$269,000. The new building, five stories in height, is of fireproof construction, but to take care of the valuable and burnable contents a complete system of automatic sprinklers has been installed, served by a large gravity tank and a pressure tank on the roof.

The subdivision of the losses as adjusted shows how very important the question of contents is as compared with buildings. The adjusted loss

on the building was \$39,300; on merchandise and fixtures the figure was \$229,700, which is about 85 per cent. of the total. The ordinary concrete or other form of fireproof building is itself proof again burning, but it gives only a very limited protection to its contents. This makes the use of automatic sprinklers almost imperative in cases where large values are brought together, as in department stores or similar establishments.

A NEW SPRINKLER CO.


A new company, known as the United States Automatic Sprinkler Company, has recently been formed to engage in the business of manufacturing and installing fire equipments—pumps, hydrant systems and fire protection appliances. The company has executive offices at 258 Broadway, New York City, and several machine shops and a large warehouse in Brooklyn. The president of the new company is Mr. W. Gerald Hawes, who is a well-known engineer in the fire protection and insurance fields. A. B. and W. A. Crowder, of St. Louis, Mo., inventors and patentees of the Crowder sprinkler head, constitute an advisory board for the United States Automatic Sprinkler Company, and Mr. Milton C. Henley is the company's vice-president and general manager. One of the main products of this company is the Crowder sprinkler head, which has attained an excellent reputation for general efficiency in the fire protection industry in St. Louis and the West.

FIRE PREVENTIVE APPARATUS IN THE BUILDING.

The equipment of a building with apparatus for the extinguishment of fire is so usual nowadays that in a large modern building it would be an occasion for very serious criticism if such equipment were omitted even if according to the municipal regulations of various cities such omission were possible. The requirements of municipal departments and the underwriters specify that apparatus must be up to a certain standard of material, form and efficiency of operation. The installation in a lofty building of a standpipe with hose valves at every floor, connecting with which is a sufficient length of hose and a suitable rack for its support, is a much more serious proposition than might at first be supposed. The greater the height, the greater the pressure at the base of the standpipe, and thus the necessity for heavy piping and properly installed equipment. On the other hand, according to the design of the building, hose racks may be of a great variety of patterns.

The number of designs of the Bowes hose rack on the market make possible a selection

(Continued on page 26)



**"THERE'S NOTHING FOR US TO DO HERE
THEIR GRINNELLS HAVE
DONE THE BUSINESS
THE FIRE'S OUT!"**

GRINNELL
AUTOMATIC SPRINKLERS

attack the fire at the start
They prevent Big Fires
by putting out Small Ones

*Manufactured and the complete
Equipment installed by the*

GENERAL FIRE EXTINGUISHER CO.

EXECUTIVE OFFICES—PROVIDENCE, R.I.
PLANTS, WAREHOUSES AND OFFICES IN THE PRINCIPAL
CITIES OF THE UNITED STATES AND CANADA

Send for
"AUTOMATIC FIRE PROTECTION"



SHOWING SPRINKLER WITH THE TWO HALVES OF THE STRUT SOLDERED TOGETHER.

ROCKWOOD SAFETY LOOP SPRINKLER



SHOWING HOW THE TWO PARTS OF THE SOLDERED STRUT SPRING APART ONLY AFTER THE LUMP OF SOLDER IS MELTED AWAY FROM THE LOOP.

THE ROCKWOOD SPRINKLER IS UNIQUE IN THAT THE TWO PARTS OF THE SOLDERED LINK ARE HELD TOGETHER, NOT MERELY BY A SWEATED SOLDERED JOINT, BUT BY COVERING THE END OF THE LEVER WITH A SMALL PIECE OF SOLDER WHICH IS MECHANICALLY BOUND TO THE STRUT BY A LOOP OF WIRE RIVETED THROUGH ONE PART OF THE LINK.

THE ROCKWOOD SPRINKLER IS THE ONLY APPROVED HEAD THAT IS INCAPABLE OF OPENING ITSELF BY THE BREAKING OF THE SOLDERED JOINT, WHICH MUST ABSOLUTELY MELT TO OPEN. IT IS THUS IN A CLASS BY ITSELF, SUPERIOR TO ALL OTHERS.

ROCKWOOD SPRINKLER CO. OF MASSACHUSETTS

MANUFACTURERS, ENGINEERS AND CONTRACTORS FOR COMPLETE SPRINKLER EQUIPMENTS USING WET OR DRY SYSTEMS.

38 HARLOW STREET

WORCESTER, MASS.

NEW YORK - - 123 WILLIAM STREET
BOSTON - - 141 MILK STREET
BUFFALO - - 300 PRUDENTIAL BUILDING

CHICAGO - - 3604 SOUTH MORGAN STREET
SEATTLE - - 208 COLUMBIA STREET
MONTREAL - - 141 ST. MAURICE STREET

When writing Advertisers, please mention Architecture and Building.



THIS illustration is an interior view of the Adams Gas Light & Power Company's Plant, North Adams, Mass.

AMERICAN ENAMELED BRICK

Used for Interior Lining

in White and Green Colors

Write for New Edition Catalog

American Enameled Brick & Tile Co.

Head Office, 1184 Broadway
New York City

Roman Cities in Italy and Dalmatia

By A. L. FROTHINGHAM, Ph. D.

Professor of Ancient History and Archaeology at Princeton University.

A picture of Ancient Italy and pre-Augustan Rome drawn from her rivals has not yet been made. This book is a first sketch for such a picture in popular form, and the work gives a most interesting account of these ancient cities. It is illustrated by many full page plates showing the various buildings and their decorative features, also interiors and details. Architects and students will find it a most interesting volume to add to their libraries. Sixty-one page plates, Cloth, price net, \$1.75; postpaid, \$1.90.

For sale by

THE WILLIAM T. COMSTOCK COMPANY, Publisher, 23 Warren Street, N. Y.

KALAMEIN

WORK IN

COPPER

BRONZE

AND IRON

Knoburn Company

KALAMEIN DOORS

FIRE
UNDERWRITER
WORK
A SPECIALTY

Office and Factory
365 14th St.
HOBOKEN, N. J.

When writing Advertisers, please mention Architecture and Building.

Fire Protection

Siamese

For Automatic Approved Sprinkler Systems



The SIMMONS LINE of Fire Equipment Specialties embraces everything designed for the protection of life and property.

"Simmons" Siamese Connections

Made in Brass or Iron in accordance with Insurance, Underwriters and Fire Department specifications. Highly efficient and fully guaranteed.

By installing such dependable specialties as are herein shown you offer your clients absolute protection against appalling losses by fire, and a certain decrease in the cost of insurance.

"Simmons" Swinging Hose Reel

Improved design made in iron, bronzed, japanned or electroplated. Made to harmonize with any furnishings. Last word in quality and efficiency.



Fully 75% of heavy losses by fire—daily chronicled in the newspapers—are due to negligence. Should the building be properly equipped with the "SIMMONS" Specialties thousands of dollars and many lives would be saved.

"Josico"

Angle Hose Valves

This is practically the keystone of safety on a standpipe system, yet how little attention is paid to its installation. Eliminate the element of chance by specifying it in the future, which means that you'll have an appliance of the highest efficiency as to quality, finish, etc.



Catalogues, cuts and other data gladly sent on application.

John Simmons Co.

102-110 Centre St., New York

The Hydrant Pump-Proofing & Engineering Co.
Manufacturers of Water-proof Paints, Cements and Compounds.
Engineers and Expert Contractors in Water-proofing
Slag and Composition Roofing
Office, 403 Wabash Building PITTSBURGH, PA.

for almost any purpose. The racks may be fastened to the standpipe, the wall, or a nipple on the valve, making them adaptable to almost any arrangement. The hose is supported on a series of pins which, as the hose is drawn out for service, remain on one arm of the rack where they are securely attached so that they cannot be lost or destroyed. The Yale hose rack operates on a different principle, the hose being supported by a series of clamps so arranged that no pressure is placed upon the folds of the hose. Other devices for carrying hose are the Dewey and the Hartford swinging hose racks in which the hose is laid up fold upon fold and supported entirely from the bottom. The Ryerson swinging hose reel carries the hose in a wound form, as its name would indicate.

These devices described above are made by the W. D. Allen Manufacturing Company, of 2318-2324 Western Avenue, Chicago, with a New York office at 69 Warren Street. They will supply a full catalogue of their line upon request.

A FIVE YEARS' FIGHT AGAINST FIRE.

A good-sized pamphlet by Powell Evans bears the title given above. The pamphlet contains a series of addresses showing the growth of the idea within the five years from 1908 to 1912, inclusive. Its intent is to encourage methods and popular feeling tending towards the control of fire in the United States, and its prevention by protective methods and devices as well as forms of construction.

It may be said that the book is up to the minute. It starts with correspondence as late as May 15, 1912, and deals with subjects as recent as the National Fire Protection Association meeting held last month in Chicago. The book is a commendation of Mr. Powell's interest and activity which has led him in a disinterested way to spend a great deal of his effort in the cause of fire-prevention.

IS IT ALL UP TO THE ELEVATORS?

We make the following quotation from the New York Lumber Trade Journal:—

"No modern skyscraper, even one of modest proportions, could be built with wooden beams, but any modern skyscraper can be trimmed in wood and the fire risk not accentuated a particle if the building is otherwise properly built.

(Continued on page 30)

Consolidated Chandelier Co.

MANUFACTURERS OF

Gas and Electric Fixtures

132-136 W. 14th St.

NEW YORK CITY

When writing Advertisers, please mention Architecture and Building.

The Annual Fire Waste in the U. S. exceeds \$230,000,000. It is estimated that 75% of this loss is preventable and can be saved by the use of

AUTOMATIC SPRINKLER PROTECTION

Our business is the installation of Automatic Sprinkler protection; a complete fire fighting apparatus, operating automatically and only where the fire is located.

"AUTOMATIC" SPRINKLER CO. OF AMERICA

Executive Offices

123 WILLIAM STREET (Underwriter Bldg.), NEW YORK CITY

Department Offices, in Large Cities

COPPER CABLE CHAIN



169 Elm Street,

New York.

Copper Cable
Steel " "
Champion Metal
Steel Champion




SASH CHAINS.

CHAMPION METAL CHAIN



CHAINS For Suspending Heavy Doors, Gates, etc.
ALL of SUPERIOR QUALITY.

MINERAL WOOL
FIRE SOUND VERMIN **PROOF**



CHEAP AND
EASILY APPLIED

United States Mineral Wool Co.

140 CEDAR STREET, NEW YORK

SAMPLES FREE



S. H. POMEROY CO., Inc.

Successor to Voigtmann & Co., of New York

Manufacturers of Fire Windows

427 West 13th Street, New York

Practical demonstration at Washington Square Fire, March 25th, showing the integrity against fire and how utilized by Fire Dept. in fighting fires across alleys.

By virtue of closing automatically the protection is constant and not subject to neglect as is common with Fire Shutters.

When writing Advertisers, please mention Architecture and Building.



The Yale Swinging Hose Rack

Illustrated below is our latest development in hose racks with pendent loops. Note that the hose is supported by a series of brass clips, sliding on an extension arm. The pressure of the clips is sufficient to support the weight of the hose and nozzle, but is not great enough to interfere with its easy withdrawal in case of emergency.

The Yale Rack is simplicity itself. It requires no directions to install, nor extraneous parts to prevent the nozzle from dropping to the floor, as is the case with a great many racks now on the market. There is only one way to attach the hose and that the right way.

The Yale Rack is made either of iron or brass. The normal finish of the iron rack is architectural bronze plate, with brass clips dipped and lacquered. The brass rack is highly polished and lacquered throughout.

The Yale Rack is installed in the Bankers' Trust Building illustrated in this issue on page 232.

Manufactured by the

W.D. ALLEN MFG. CO.

133 W. Lake Street, Chicago, Ill.
69 Warren Street, New York City



YALE RACK



CUYLER BUILDING

119-123 W. 31st St.
116-120 W. 32nd St.

WILLIAM H. GOMPERT, Architect

THE METAL COVERED WINDOWS, NASH
UNDERWRITERS DOORS AND INTERIOR
TRIM FOR THIS BUILDING WERE
MANUFACTURED BY

THE KALAMEIN COMPANY

Office and Factory

10th STREET, NEAR VERNON AVENUE
LONG ISLAND CITY, N. Y.

ALL THE COPPER AND
BRONZE COVERED WIN-
DOWS AND DOORS FOR
THE BANKERS TRUST,
WHITEHALL AND MANY
OTHER PROMINENT
BUILDINGS MANUFAC-
TURED AND ERECTED BY

M. F. WESTERGREN,
INC.

KALAMEINED WINDOWS AND
DOORS, UNDERWRITERS' STAND-
ARD HOLLOW METAL WINDOWS,
SKYLIGHTS, TIN COVERED FIRE-
PROOF DOORS AND SHUTTERS,
CORRUGATED IRON WORK,
CORNICES, ROOFING

213 TO 231 EAST 144th STREET,
NEW YORK

TELEPHONES { 3291 }
 { 3292 } MELROSE
 { 3293 }



BANKERS TRUST CO. BLDG., NEW YORK
 Marc Eidlitz & Sons, Contractors Trowbridge & Livingston, Architects

The Dahlstrom Products in the Bankers Trust Building

"Throughout the building the time-worn combustible idea of trim has been completely obviated. This structure is essentially fireproof, for not a particle of inflammable trim is to be found in it."

"This is another installation of the Dahlstrom Products which can be truthfully given credit for making the first totally fireproof building. Certainly no concern has been more responsible in bringing about the ideal fireproof building than has the Dahlstrom Metallic Door Co."

—*Architecture for May*

Dahlstrom Metallic Door Company

Executive Offices and Factories, 125 Blackstone Avenue, Jamestown, New York

Branch Offices in All Principal Cities



When writing Advertisers, please mention Architecture and Building.

JUST PUBLISHED
BOOKS ON
The MANUAL ARTS
A DESCRIPTIVE CATALOG

A VALUABLE reference book. Lists and describes 260 of the best books on the manual arts; includes all the standard and the best of the recent books.

MAILED FREE ON REQUEST—NO COST TO YOU AND NO OBLIGATION

Check the subjects you are interested in, fill in the blanks, clip and mail, and a copy will be sent to your address.

.....

..Agriculture	..Manual Training
..Building Arts	..Printing Arts
..Drawing, Mechanical	..Wood and Trees
..Household Arts	..Periodicals
..Pattern Making	..Art and Design
..Vocational Training	..Drawing, Architectural
..Art Crafts	..Elementary Handwork
..Decorative Arts	..Metal & Metalworking
..Drawing, Machine	..Plastic Arts
	..Woodworking

Name

Position

Street

City

State

THE MANUAL ARTS PRESS

PUBLISHERS AND DEALERS IN BOOKS ON
 THE MANUAL ARTS AND KINDRED SUBJECTS

PEORIA

ILLINOIS

JUST PUBLISHED
Practical
Cement Work
 By W. B. HENRY
PRICE, 50 CENTS

A book that will be of assistance to you every day in the week, no matter what line of cement-concrete construction you are engaged in.

Neatly Bound in Cloth

112 Pages—4½ x 6½

CONTENTS:

Portland Cement, The Unit of Purchase, Storing Cement, Sand, Aggregates, Mortar, Formulas, Mixing Aggregates, Concrete, Reinforced Concrete, Form Building, Waterproofing, Coloring, Cost Data, Testing Cement, Foundations and Walls, Cement Houses and How they are Built, Cement Plaster and Stucco Houses, Water and Steam Curing, Condition of Seasoning Blocks, Sand Lime Brick, Sidewalks, Floors for Cellars, Basements and Stables.

Address

THE CONCRETE AGE

ATLANTA

GEORGIA

Wanted Salesmen

to sell new toilet fixture. A fine side line. Liberal commissions. Address with references, naming territory desired. COLONIAL SUPPLY CO., Wheeling, West Virginia.


"In the first place, every elevator should run in its own shaft, which shaft should be of fire-proof construction and practically air tight, and so strong that should an elevator drop it would be stopped by the air cushion created by its own momentum.

"No two elevators should run in the same shaft. As it is now, as many as two, and even up to ten or twelve, sometimes run side by side in one large, open shaft, and these shafts connect with every floor in anything but an air-tight way.

"No elevator should connect at all with any floor below the ground floor, and where the shaft goes down below the ground or street level floor, access to it should be from the ground floor as to a well."

The truth of all this is unquestioned, but its application is the misconception. We might draw the conclusion that if all the stairways in the building were built of wood with wooden doors to their hallways, they would present no fire menace. Wooden trim has its place, but its misuse should be recognized and restrained. To make a modern skyscraper fireproof, wood should not enter into it structurally in any way. Hollow metal is so presentable that in its finer finishes it can be told from wood only by an expert and it does not burn. We believe that every time wooden doors and trim or window sash and frames are put into a new loft or office building, it is a step backwards and a flight into the face of Providence. The recommendations for elevator shaft construction are undoubtedly good, but present the extreme refinement of safety, but that they should be used as an argument for trimming the entire interior of the building with wood is a misrepresentation.

GORTON WROUGHT STEEL BOILERS cut down repair and coal bills.



They are built of wrought steel to secure the same durability, safety and economy in fuel consumption as a regular power boiler.

They are self-feeding, and require coaling only twice a day in coldest weather. They are high grade in every sense of the word—none better—they have no equal.

Send for catalog and investigate for yourself their superiority.

Gorton & Lidgerwood Co.

% Liberty Street, NEW YORK
 BOSTON, 182 High St.
 CHICAGO, Fisher Bldg.

AMERICAN RENAISSANCE

A Book on the History of Domestic Colonial Architecture in America

By JOY WHEELER DOW, Architect

This book gives a history of the progress of architecture from the early days of Colonial design in America, down to the present time, and will be found of interest to all desiring to study the subject consecutively. Beautifully illustrated by many full-page plates giving examples of Colonial work. 171 pages, 95 full-page plates. Handsomely bound, gilt top. Price, \$4.00

THE WM. T. COMSTOCK CO., Publishers
23 Warren Street, New York



Put a Damper on the Fire Loss.

"This country's deplorable fire loss must be stopped."
—A quotation from every investigating committee during the last decade.

REMEDY:—The use of Berger's Metal Lumber in buildings makes them absolutely non-combustible.

BERGER'S METAL LUMBER

replaces wood stick for stick and can be erected by ordinary workmen under the direction of any good mechanic.

Is our catalog in your file?


If you are interested in fireproof construction—if you are desirous of building homes that are immune from the ravages of fire—this catalog will materially assist you.

The Berger Mfg. Co.
Canton, Ohio

For the best service address nearest branch
New York Minneapolis
Boston San Francisco
St. Louis Philadelphia

Also manufacturers of Prong Lock Studs and Furring, Rib-Truss, Ferro-Lithic and Multiple Reinforcing Plates, Metal Ceilings, Expanded Metal Lath, Sidewalk Forms, Raydiant Sidewalk Lights, etc.

STANLEY'S Ball Bearing Hinges



Permit the doors to open smoothly and softly without creaking or binding.

The hinges will never wear down or require oiling.

NON-RISING PINS

The whole story is told in our Circular "B."
Write for a copy.

THE STANLEY WORKS
NEW BRITAIN CONN.

Dixon's Silica-Graphite Paint

Protects the structural steel work contained in such important buildings in New York City as the McAdoo Terminal Buildings; American Woolen Company's Building; Gimbel Department Store; Savannah Bank & Trust Company's Building, Savannah, Ga.; the Royal Insurance Company's Building, San Francisco, Cal., and numerous other structures.

Write us for "Notable Building List," and other paint literature

Joseph Dixon Crucible Co., Jersey City, N. J.

When writing Advertisers, please mention Architecture and Building.

TELEPHONE 385 MURRAY HILL

Edwards Electrical Construction Co.**39 EAST 42d STREET, NEW YORK**

FORMERLY CONTRACT DEPARTMENT, EDWARDS & CO. ESTABLISHED 1872

BOOK REVIEWS.*(Continued from page 18)*

by many architectural designers, the book possesses the merit of having many good structural details and drawings which are of simple nature and should be useful in explaining the constructive work to carpenters and builders. The plans of the houses are in the main sensible and of suggestive value. The elevation drawings do not possess the same attraction, and could be for the most part omitted without damage to the appearance or value of the book.

PRACTICAL METHODS OF SEWAGE DISPOSAL. By Henry N. Ogden, M. Am. Soc. C. E., and H. Burdett Cleveland, Assoc. M. Am. Soc. C. E. New York: John Wiley & Sons. Price, \$1.50 net.

This is a very practical book and one that could convey much very valuable information to a very large proportion of our country house owners. It is non-technical in character, but it contains sufficiently detailed descriptions to give the non-technical reader a good working idea of what he needs for practical and efficient sewage disposal. The uses of the septic tank, sewage filter, sub-surface irrigation, broad irrigation, valves, syphons and syphon chambers, and finally estimates of cost, are treated, and installations which would be suitable for a single house or a hotel or institution are described. Throughout the text there are numerous diagrammatic illustrations which give a clear idea of the appliances and materials which may be either purchased or constructed.

AMERICAN COUNTRY HOUSES OF TODAY, 1912. Large quarto, bound in buckram gilt. New York: The Architectural Book Publishing Co. Price, \$12.50 net.

This book, printed on a heavy, coated paper, with pages over 9 by 12 inches, contains 183 plates which are all printed on one side of the page. From the standpoint of illustrative work, the half-tones, which are made from the best of

photographs, are very near perfection in their class. Beyond the captions, there are no descriptions of the houses illustrated. The only text in the book is the preface which was written by Mr. Frank Miles Day, in which he says that "The houses shown in this book are fairly representative of types usual at present along the Atlantic seaboard." The list of contributors contains many of our best-known designers of country houses, and it has been apparently the purpose of the publishers to get the work of prominent architects.

As to the subjects of illustration in the book, there are many beautiful landscape and garden views shown, thus giving an idea of the setting of the houses as well as the houses themselves. The houses are built of all the usual materials, there being perhaps more stucco than any other particular type. The houses are expensive but not pretentious, and seem to be of the type suitable to large country estates where much attention is given to the grounds. One regrettable feature of the book, however, is the very small scale to which the plans have been reduced. Plans are among the most interesting features of a house, and are very often necessary to explain the photographs, and should, therefore, not be slighted in favor of photographic illustrations, however attractive these may be.

COUNTRY AND SUBURBAN HOUSES—

Designed, Published and Copyrighted by Wm. Dewsnap, Architect, 1912. Paper, 9x12. Price, \$2.00.

This book contains over fifty designs of houses ranging in cost from \$5,000 to \$25,000. A majority are illustrated from photographs of erected work. The houses are suitable for suburban and country construction and range in size from those of eight rooms to twelve and fourteen rooms. All modes of construction, stone, stucco and wood, are illustrated. The plans are well considered and well arranged. In the forefront of the work, there are a number of photographic and sketched details of interiors, which may offer suggestions to the home builder.

INTERIOR MARBLE

Material and work the standard for 14 years. Our reputation the best positive evidence as to our superiority.

CORK & ZICHA MARBLE CO., - - 325-327 East 94th St., NEW YORK

When writing Advertisers, please mention Architecture and Building.

Established 1886

DENTON & CO.

**Adamantine
Stone Pavements**

**42 East Twenty-Third St.
NEW YORK**

JOHN P. BENGTON

**Painter
and
Decorator**

25 West 42d Street

Tel. 1059 Bryant NEW YORK CITY

Badger Quality



**Copper Hot Water
BOILERS**

are all that can be de-
sired in a Range Boiler.

**LONG LIFE
CLEAN WATER
Beautiful Appearance**

Every boiler is tinned on
the inside and guaranteed
against leakage or collapse.

Write for Catalog

E. B. Badger & Sons Co.

BOSTON, U. S. A.

Fire Protection

Have you ever seen our Safety Fire
Bucket Tank work?

*It can't freeze even at 20° below.
It's always ready for work.*



40 % of the biggest
concerns in the United
States and Canada
have installed this
most modern fire fight-
ing equipment.

The Safety Fire
Bucket Tank is the
most complete and re-
liable appliance ever
invented.

Let us send you---
entirely without obli-
gation---our new de-
scriptive booklet.

A postal will do---
send it today, and your
booklet will reach you
by return mail.

The Safety Fire Extinguisher Co.

291-293 Seventh Avenue, New York, N. Y.

Telephone. Madison Square 3356




INTERNATIONAL FLOOR MACHINES

WERE USED EXCLUSIVELY FOR SURFAC-
ING THE MARBLE AND MOSAIC FLOORS
IN THE **BANKERS TRUST CO. BUILDING**

International Floor Machine Co.

39-41 West 38th Street, New York



FOLSOM'S
MODEL 1910.

THE SNOW GUARD ALLOWING
NO STRAIN ON THE SLATE

WHY NOT SEE IT?

A postal card will bring sample

Folsom Snow Guard Co. No. 4 Post Office Square
Boston, Mass.

Weather Vanes


Lightning Rods

Church Crosses

Flag Poles

and
Fittings

Etc.



Send for Catalogue

THOS. W. JONES

153 Malden Lane
New York

Telephone Connection

ARTHUR GREENFIELD, Incorporated

REINFORCED CONCRETE FLOORS
IRON FURRING and METAL LATHING

Telephone Connection

204 EAST 26th ST. NEW YORK

PRENTISS

ELECTRIC CLOCKS

CALENDAR
SELF-WINDING

Dept. 11, 92 Chambers St., N. Y.

Art and Architecture

(Continued from page 21)

THE ANNUAL MEETING OF THE SOUTHERN PENNSYLVANIA CHAPTER OF THE AMERICAN INSTITUTE OF ARCHITECTS.

This meeting was held in Harrisburg on May 23, 1912. Mr. D. A. Dempwolf made an informal presidential address referring to the progress of the chapter, and the other officers made their reports. Resolutions were adopted on the death of Mr. C. A. McClure, who was a charter member of the chapter. The officers elected for the following year are as follows: President, J. A. Dempwolf; Vice-President, B. F. Willis; Secretary, M. I. Kast; Treasurer, C. Emlen Urban; Directors, J. B. Hamme and Thomas H. Hamilton.

The chapter banquet was held on the following day, at which Mr. Glenn Brown, Mr. D. K. Boyd, Mr. John Hall Rankin and Mr. Frank C. Baldwin spoke.

THE FOURTH ANNUAL CONVENTION OF THE PENNSYLVANIA STATE ASSOCIATION OF ARCHITECTS.

At this convention, which was held Tuesday, April 9th, and of which the official report has just been distributed, President Boyd gave an address summarizing the activities of the Association since its formation four years ago. The Association has fathered many very important bills for the improvement of architecture and building construction in the State of Pennsylvania, and has been the means of knitting the architectural interests closely together in that State. A resolution was passed to hold the annual meeting every other year in Harrisburg while the Legislature is in session. In the alternate years the meetings will be held where it is deemed advisable by the Association. The officers elected for the following year are as follows: President, Edward Stotz, Pittsburgh; Vice-President, Albert Kelsey, Philadelphia; Secretary, Richard Hooker, Pittsburgh; Treasurer, Reinhardt Dempwolf, New York.


Many important matters were discussed before the convention by different members of the profession, as well as by other men interested in the building industry. Improvements in building regulations furnished a subject of serious discussion.



TETTENBORN
SOLID
PORCELAIN
REFRIGERATOR
CINCINNATI

When writing Advertisers, please mention Architecture and Building.

Architects and Builders should investigate **EVANS "CRESCENT" EXPANSION BOLTS**



WITH DOUBLE END GRIP EXPANSION
Constructed on NEW lines. Grip at BOTH ENDS, and on ALL sides. Cannot work loose.

Send for Catalogue and samples screwed into blocks of wood or stone.

Agencies in all large cities

F. H. EVANS (Patentee and Sole Manufacturer) 31-33-35 Hewes St., Brooklyn, N. Y.

No. 1. Steel Joist Hanger for Wood Header



Van Dorn's Steel Joist Hanger

IS THE BEST OBTAINABLE

Send for Catalogue and refer to this Magazine

THE VAN DORN IRON WORKS CO.
CLEVELAND, OHIO

Steel Buildings, Wrought Iron Fencing, Iron Bridges, Jail and Prison Work, Metallic Office Furniture, etc.



No. 4. Steel Joist Hanger for Brick Walls

BOYD EQUIPMENT COMPANY

CONTRACTING ENGINEERS

HEATING

PLUMBING

ELECTRIC

COMPLETE POWER PLANTS

373 Fourth Avenue, NEW YORK

The A. B. See Electric Elevator Co.

Main Office: 220 Broadway, New York

PHILADELPHIA
Land Title Building
Broad and Chestnut Sts.

BOSTON
India Building
84 State St.

BALTIMORE
Stock Exchange Building
210 East German St.

WASHINGTON
Barrieter Building
635 F St., N. W.

HARTFORD
Connecticut Mutual Life Building
36 Pearl St.

"COLUMBIA" DUMBWAITERS

are adapted for private residences, apartment houses, hotels, restaurants; in fact for every purpose. They are easy running, require little attention and have a powerful automatic brake.

FREIGHT ELEVATORS

CELLAR HOISTS

Catalog and Prices Free

J. G. SPEIDEL, Reading, Pa.



Two Family and Twin Houses

The planning of this class of dwellings has been given special attention; also their heating, lighting and sanitation. The sixty plates show a large variety of designs, and two detailed specifications are given.

Illustrated, boards. Price, \$2.00

THE WM. T. COMSTOCK CO., Publishers
23 Warren Street, New York

HIGGINS'

**DRAWING INKS
ETERNAL WRITING INK
ENGROSSING INK
TAURINE MUCILAGE
PHOTO MOUNTING PASTE
DRAWING BOARD PASTE
LIQUID PASTE
OFFICE PASTE
VEGETABLE GLUE, Etc.**


Are the Finest and Best Inks and Adhesives
Emancipate yourself from the use of corrosive
and ill-smelling inks and adhesives and adopt
the Higgins' Inks and Adhesives. They
will be a revelation to you, they are so sweet,
clean and well put up.

At Dealers Generally

CHAS. M. HIGGINS & CO., Mfrs.
Branches: Chicago, London
271 Ninth Street Brooklyn, N. Y.




WEATHER VANES




Send for
Catalogue

E. G. Washburne & Co.
209 FULTON STREET, NEW YORK



Work Shops



Of wood and metal workers,
without steam power, equipped
with

**BARNES' FOOT POWER
MACHINERY**

allow lower bids on jobs and
give greater profit on the work.
Machines sent on trial if desired.

Catalogue free

W. F. & John Barnes Co.
566 Ruby Street, Rockford, Ill.



PATENT LIGHT WORK OF EVERY DESCRIPTION
Office: 262 Monitor St., Brooklyn, N. Y.

When writing Advertisers, please mention Architecture and Building.

Industrial Progress

VITROLITE FOR A SANITARY KITCHEN.

On the opposite page we call your attention to a photograph of what we call a "Sanitary Kitchen." The floor is tiled and the walls are lined with a product known as "Vitrolite."

This product is absolutely impervious to all stains, as it has the composites of glass with the strength of mineral products. Chemists have tested it and shown that it is absolutely impervious to any acids excepting hydrofluoric. With a little soap and water, this kitchen wall can be cleaned as quickly and as perfectly as the table which is also shown in the photograph, the top of which is also of "Vitrolite."

The "Vitrolite" is of a creamy white color, which will not change or vary. It is non-deteriorating with age, and does not craze. It is particularly adaptable to structural work for wainscoting, closet partitions, door trim, etc.

Any information about "Vitrolite" can be obtained from George A. O'Connor, who is located in the Fifth Avenue Building, 200 Fifth Avenue, or from the Vitrolite Company of Parkersburg, West Virginia.

Elbert Hubbard, the sage of East Aurora, has compiled a list of the world's twenty greatest men about which he has built an essay.

Mr. Hubbard's essay is done into book form by the Roycrofters, and the title is "Joseph Dixon, One of the World Makers."

Mr. Hubbard refers to Joseph Dixon as "a man whose work has profoundly influenced civilization, yet strangely enough, a man of whom the world at large knows little."

This tribute to the founder of the Dixon Company is well worth reading, especially by those who wish to learn more of the character of this truly great genius or by those who admire Mr. Hubbard's vigorous pen.

Owing to a limited edition of this booklet, copies cannot be distributed except by request. The Joseph Dixon Crucible Company, Jersey City, N. J., will be pleased to honor such requests.

(Continued on page 42)

CONSTRUCTION NEWS

Contractors, Material Men, Builders, Manufacturers, in fact Anybody interested in Construction News of all kinds, obtain from our daily reports **Quick Reliable Information.** Our special correspondents all over the country enable us to give our patrons the news in advance of their competitors and before it has become common property. Let us know what you want and we will send you samples and quote you prices.

PRESS CLIPPINGS

Press Clippings on any subject from all the leading current newspapers, magazines, trade and technical journals of the United States and Canada. **Public Speakers, Writers, Students and Club Women,** can secure reliable data for speeches, essays, debates, etc. Special facilities for serving Trade and Class Journals, Railroads and large industrial corporations.

The United States Press Clipping Bureau
1326-1334 Republic Building
State and Adams Sts., Chicago, Ill.

Vitrolite for the Kitchen and Bath Room



Two views of the Kitchen in the Residence of Mr. J. L. McCloud, Montclair, N. J., showing the use of VITROLITE for SANITARY walls and hood for kitchen range.



Bathroom in a private residence lined with VITROLITE Wainscoting adds a very small cost and will last as long as the building.

Manufactured and Furnished by

THE VITROLITE COMPANY, Parkersburg, W. Va.

Eastern Representative, GEORGE A. O'CONNOR, Fifth Ave. Bldg., New York

Simplicity of the Index is Vital to You

The usefulness of a large catalogue depends mainly upon the completeness and simplicity of its index.

Architects "find it" in SWEET'S in a minute—either by products, by firms, or by locations. Its index is both complete and simple.

Mr. Manufacturer, when YOUR catalogue is in SWEET'S, you may be sure it can be found easily and quickly.

Sweet's Catalogue Guarantees 11,000 Copies



SWEET'S Catalogue of Building Construction is a co-operative catalogue of nearly 900 firms. Size, 10 x 14 inches, and over 3 inches thick. Contains nearly 2,000 pages. Its distribution is guaranteed, and its daily use is a matter of proven record.

The 1913 edition (eighth year) is now being compiled.

Your catalogue in
**SWEET'S Catalogue
of Building Construc-
tion, is guaranteed to
reach**

All Practicing Architects
Important Engineers
General Contractors
Purchasing Agents
Railroads

City, State and Government Officials

**and it will be KEPT
ON ACTIVE DUTY.**


We would like to surprise you with
the very low cost of this service.

SWEET'S CATALOGUE

11 East Twenty-fourth Street, New York City

**CHICAGO, Monadnock Building
PITTSBURGH, Bessemer Building**

**BOSTON, 114 Federal Street
PHILADELPHIA, 603 Chestnut Street**



Cross Section of Elevator Shaft and Bulkhead.

ELEVATOR SHAFT CONSTRUCTION

By **H. ROBERT CULLMER**

Assisted by **ALBERT BAUER**

Practical Suggestions for the Installation of Elevators in Buildings

A treatise for the architect and builder covering the surveying and preparing of detail drawings for elevator shafts; machine rooms; elevator bulkheads; tables and formulae for calculating the size and capacity of elevators; freight elevators; sidewalk elevators; dumb-waiters; specification writing for elevator installation; elevator shaft doors and appliances; building regulations covering elevator installation.

Elevator shaft construction in buildings has never before been technically treated.

This book supplies the demand for information on this subject, and it has been the effort of the author to supply the necessary data for the use of the architect in placing an elevator equipment in any building. New York practice is followed, and the Building Department laws and regulations of New York are made the standard. The author has also made a careful study of the regulations in use elsewhere, giving the deviations from New York requirements. Specification writing for elevator equipment has been covered by two forms; one a simple specification for a single elevator, the other a more elaborate equipment embracing several styles of cars suitable for an office building.

The book contains most practical information and it is the hope of the author that he has omitted no important point. Every phase of the shaft problem in building construction has been covered, and the method of presentation is such that ready reference is possible to any detail of the subject.

The book is in companion size with the **Building Construction and Superintendence Series**, by Mr. F. E. Kidder.

Cloth bound, 170 pages, Frontispiece, 47 diagrammatic plates, 15 illustrative plates


Price \$3.00

Publishers

The Wm. T. Comstock Co.

23 Warren Street,

NEW YORK



Plan of a Machine Room.

When writing Advertisers, please mention **Architecture and Building**.



Carter, Black & Ayers

FRONT ENAMELED **BRICK** HARVARD VELOUR
HOLLOW TILE

For Stucco and Brick Veneer Houses

VITRIFIED AND HARD BURNED BLOCKS

Phones { 7613 } Madison Square
 { 7614 }

Vanderbilt Hotel, N. Y.

1182 Broadway, New York

All front brick furnished by us



Residence W. C. Sanderson, South Orange, N. J.

Monument Plaster Co.

Manufacturers of

**WALL PLASTER and
ORIENTAL STUCCO**

Brick Mortars and any Color Sand Finish for
Interior Work

WRITE FOR BOOKLET

Office and Factory, HARRISON, N. J.

The Literature of Structures

Theory of Structures

By C. M. Spofford. Aug., 1911. 432 pp., \$4.00 (17s). Covers fundamental principles in a thorough, logical manner. Has valuable data and tables.

Framed Structures and Girders

By Edgar Marburg. Vol. I.—Stresses.—Part I., Oct., 1911. 540 pp., \$4.00 (17s). Distinctive for its interpretation and application, in full detail, of the theory of stresses for practical purposes.

Kinetic Theory of Engineering Structures

By David A. Molitor. 366 pp., \$5.00 (21s). A complete analysis of "higher structures."

Walls, Bins and Grain Elevators

By Milo S. Ketchum. II ed., Nov., 1911. 556 pp., \$4.00 (17s). A new book. It is again the standard work on design and construction.

Steel Mill Buildings

By the Same Author. 464 pp., \$4.00 (17s). Covers methods, materials and calculations of stresses.

Highway Bridges

By the Same Author. 550 pp., \$4.00 (17s). Covers stresses in steel and wooden bridges.

Simple Steel Structures

By C. T. Morris. II ed., 201 pp., \$2.25 (9/6). It teaches the art of producing "details which are in accord with the stresses they have to transmit."

Bridge and Structural Design

By W. Chase Thomson. II ed., 192 pp., \$2.00 (8/6). A simple, practical treatise on the elements of bridge and structural design.

Steel Railway Bridges

By W. Chase Thomson. 178 pp., \$2.00 (8/6). Covers the fundamentals of design, using typical structures for illustration.

FOR SALE BY

THE WILLIAM T. COMSTOCK CO., 23 Warren St., New York

LATE BOOKS

THE HALF-TIMBER HOUSE.

By Allen W. Jackson. Its origin, design, modern plan and construction. Illustrated with photographs of old examples and American adaptations of the style. Fully illustrated (postage 20 cts.); net\$2.00

CONCRETE AND STUCCO HOUSES.

By Oswald C. Herling, Architect. The subject of building a fire-proof or fire-resisting house is here set forth, from the wide experience of the author, in an entertaining as well as informing manner. Profusely illustrated (postage 20 cts.); net\$2.00

HOW TO PLAN A LIBRARY BUILDING FOR LIBRARY WORK.

By Charles G. Soule, A. B. A practical and suggestive book for architects, librarians and building committees. 403 pages. Cloth, net.....\$2.00

CONCRETE COSTS.

By F. W. Taylor & S. E. Thompson. Giving tables and recommendations for estimating the time and cost of labor operations in concrete construction, etc. 709 pages; 82 figures. Cloth, net\$5.00

PRACTICAL METHODS OF SEWAGE DISPOSAL.

By H. N. Ogden and H. Burdett Cleveland. For residences, hotels and institutions. The book will serve as a guide in the construction of a sewage-disposal plant that will operate effectively and without nuisance. 132 pages; 52 figures. Cloth, net\$1.50

HISTORY OF BRIDGE ENGINEERING.

By Henry Grattan Tyrrell, C. E. The book gives not only a history, but information as to construction, cost, etc., and serves the practical uses of the engineer, designer and student. 480 pages; 330 illustrations. Cloth,\$4.00

COUNTRY AND SUBURBAN HOUSES.

By William Dewsnap, Architect. A collection of exterior and interior sketches with floor plans for houses in the Colonial, artistic, half-timber, stucco cement and other styles of architecture, with estimates of cost. 53 pages. Paper\$2.00

AMERICAN COUNTRY HOUSES OF TO-DAY, 1912.

With introduction by Frank Miles Day, Past President A. I. A. The houses shown in this book are fairly representative of types usual at the present time along the Atlantic seaboard. The four hundred illustrations are from original photographs of exteriors and interiors, first and second floor plans, also garden plans and layouts. Both the architect and layman will find the book of much value to them. 183 full page plates. Cloth\$12.50

KNOTS, SPLICES AND ROPE WORK

By A. Hyatt Verrell. A practical book, giving complete and simple directions for making all the most useful and ornamental knots in common use. 150 original engravings, 128 pages.....\$0.60

HOUSE WIRING.

By Thomas W. Poppe, E. E. A treatise on the up-to-date methods of installing electric light wiring. It contains just the information needed for the successful wiring of a building. Illustrated. Paper\$0.50

BRAZING AND SOLDERING.

By James F. Hobart. The book shows you just how to handle any job of brazing or soldering—tells what mixtures to use etc. Fourth ed. Paper.\$0.25

A PRACTICAL MANUAL OF STEAM AND HOT-WATER HEATING.

By Edward Richmond Pierce. In this work the author has endeavored to bring out the fundamental principles involved in the science of heating and the architect, engineer, and those who carry out their plans, will find the book of great assistance in every respect. Illustrated by tables and diagrams. Cloth.....\$2.50

THE WM. T. COMSTOCK CO.

23 Warren Street

NEW YORK

SUMMER CLEARANCE SALE of ARCHITECTURAL BOOKS

Many Good Titles at Reduced Prices.
SEND FOR OUR LIST NOW.

THE WM. T. COMSTOCK COMPANY

23 Warren Street

New York

Marshall J. Smith and Warren C. Powell have formed a partnership to conduct the practice of architecture, under the firm name of Marshall J. Smith & Warren C. Powell, architects, 567 Candler Bldg. Annex, Atlanta Ga. Catalogues and samples from the allied arts, sciences and trades are requested.

AN INDESTRUCTIBLE FLOOR COVERING.

The problem of finding a satisfactory floor covering for stairways, elevators, corridors, lobbies, depots, etc., has always proved a difficult one, and ingenious minds have provided many devices to meet the requirements of this character of service. The floorings which have been tried have run the gamut from natural products of intense hardness and resisting qualities, such as stone, carborundum, etc., to manufactured compositions of wide variety. It would seem that a thoroughly satisfactory floor covering has been found in the invention of a rubber rug or mat which is manufactured and sold by the Essex Rubber Company, Inc., Trenton, N. J.

These rubber rugs consist of a perfect sectional perforated mat, bound together with brass links and worked out in a number of very attractive patterns. The common qualities of rubber are too well known to require comment, but something may be said of some of the points of merit possessed by this floor covering that do not so readily suggest themselves. Thus, they are handsomely designed in a corrugated pattern, are reversible, manufactured either in a plain gray or with a two-inch ornamental border without extra cost; and numbers, initials or names can be inserted at a small expense. These rugs can be easily rolled up and removed. They can be repaired in case of injury for an insignificant sum, and a mistake in size can be remedied without loss of material. They possess the features of being non-slippery, almost unburnable, and being of rubber throughout, they look well until completely worn out. They are an ideal covering for steamship passenger gangways, vestibules or hotel and hospital floors, public waiting and reception rooms and all other places where traffic is heavy.

C. A. Amari, architect, announces that he has opened an office in Palatka, Florida, and wishes to receive manufacturers' catalogues and samples.

Heraldry Illustrated

By WM. H. ABBOTT

Being a short account of the

Origin and History of Heraldry
and an explanation of its nature, with practical
directions for drawing and

Painting Coats of Arms

to which is added a Glossary of the terms used in the Science of Heraldry. There is also a chapter on the drawing and painting of Coats of Arms, which will prove of great assistance to those unaccustomed to the work. The glossary contains about fifteen hundred definitions of heraldic terms, many in French and Latin.

To Architects, Designers and others who desire to acquire a knowledge of this interesting art, it will prove of invaluable service.

700 Explanatory Engravings, 127 pages, bound in red cloth; price, \$2.00.

THE WM. T. COMSTOCK CO.

PUBLISHER

23 Warren Street

NEW YORK

HIGH CLASS
WALL DECORATION
HOUSE PAINTING
WOOD FINISHING

W. F. ANDREWS

Painter and Decorator

1804 14th St. N. W.

Washington, D. C.

SEND NOW

for our new Catalogue of
**Architectural, Scientific
and Technical Books.**

*The Only Complete Catalogue
of Architectural Books*

The Wm. T. Comstock Co.

23 WARREN ST., NEW YORK



Murray Iron Works Company

COMPLETE
POWER PLANTS
CORLISS ENGINES
BOILERS OF ALL TYPES

BURLINGTON
IOWA

The accompanying cut is the new Chicago, Burlington & Quincy R.R. Co.'s office building at Chicago, illustrated in this issue, for which we are furnishing the BOILERS.

The Standard Company

Designers and Manufacturers
Ornamental Iron & Bronze

CHICAGO,
ILLINOIS



Elevator Cars
Elevator
Enclosures
Entrances
Stairways
Railings
Marquise
Lamps
Bank Interiors
Grille Work
Store Fronts
Memorial
Tablets
Nameplates
Mausoleum
Doors
Mausoleum
Furnishings

Solid bronze passenger elevator enclosures, Chicago Telephone Building, Chicago. Holabird & Roche, Architects. All the ornamental iron and bronze work in this building made by The Standard Company.



Radley Steel Construction Co.

Successors to
JOHN J. RADLEY & CO., Inc.

Engineers and Contractors
Structural and Ornamental Iron

WORKS

18th to 19th Sts. and East River

OFFICE

624 East 19th Street

NEW YORK



The accompanying cut shows structural steel view of the Manice Bldg., 32nd Street and Madison Ave., illustrated in this issue.

CRAFTSMAN FIRE-PLACE

Burns Wood, Coal or Coke



A Complete Heating and Ventilating System

IF you are intending to build a new home or remodel an old one, and would be interested in HEATING THE ENTIRE HOUSE WITH WARM AIR, OR HOT WATER, FROM AN OPEN FIRE-PLACE, write to me for full information. It is guaranteed.

GUSTAV STICKLEY


Inventor and Manufacturer

41 West 34th St., N. Y. City



"FLEXIFOLD"

ROLLING PARTITIONS



For
Churches
Schools
Parish Houses
Lodge Buildings

Grant Pulley and Hardware Co.

3 West 29th St., New York City

Descriptive Circular and Estimates Upon Application

THE NORTHWESTERN TERRA-COTTA COMPANY

M A N U F A C T U R E R S O F

ARCHITECTURAL TERRA-COTTA

**GLAZED AND ENAMELED
WORK IN ALL VARIETIES**

ESTIMATES GIVEN ON APPLICATION

MAIN OFFICE AND WORKS: 1000 CLYBOURN AVENUE
BRANCH OFFICE: 1415 RAILWAY EXCHANGE

CHICAGO
ILLINOIS

LAFARGE CEMENT

WILL NOT
STAIN
LIMESTONE
GRANITE
OR MARBLE



NEW BUILDING FOR BANKERS TRUST CO., NEW YORK
Marc Eidlitz & Son, Gen. Contractors. Trowbridge &
Livingston, Arch'ts. "Lafarge" Used Exclusively
for Setting and Pointing all Stonework.

The Cement of Quality for the Finer Uses
NON-STAINING CEMENT CO.
156 FIFTH AVE. NEW YORK CITY.



THE ARCHITECTURAL TERRA COTTA

IN THE
NEW ADAMS EXPRESS BUILDING
Grand Central Station



Manufactured by
Federal Terra Cotta Co.
111 Broadway, New York City

Jacobson & Company

Are specialists in all kinds of Cement and Artificial Stone Work. Their organization is trained to a high degree of excellence. Architects and Owners may safely entrust them with their most cherished work.

An example of their Artificial Caen Stone Work may be seen at The Johns-Manville Building, 41st Street and Madison Avenue, 1st and 11th stories.

JACOBSON AND COMPANY

241 East 44th Street,
New York City, U. S. A.

When writing Advertisers, please mention Architecture and Building.

General Specifications for Concrete Work

As Applied to Building Construction

By WILBUR J. WATSON, C. E.

A book of great assistance to Architects and Engineers in preparing specifications for reinforced concrete buildings, and it will be found especially useful in the preparation of competitive designs.

Paper, price, \$0.50

General Specifications for Concrete Bridges

By WILBUR J. WATSON, C. E.

These specifications will meet an actual need of the profession, and most of the ideas represented were gained by actual experience of the author, to which he has added suggestions of other engineers. Those preparing such specifications will find the book most helpful.

Paper, price, \$1.00

**The Wm. T. Comstock Co., Publisher
23 WARREN ST., NEW YORK**

Sanitary Engineering of Buildings

A Standard Book on Sanitation

By Wm. Paul Gerhard, C. E.

Consulting Engineer for Sanitary Work

THIS practical work takes up the subject of sanitation of buildings, devoting considerable space to the traps and systems of trapping, to the drainage and sewerage of buildings, different classes of plumbing fixtures, the sanitary work in tenement houses, improved methods of house drainage and public buildings. Also the sanitation in factories and workshops. The work is fully illustrated and will be found of value both to architects and engineers. The chapter devoted to **SIMPLIFIED PLUMBING METHODS** is considered by many one of the best in the book.

*454 pages, 103 illustrations and
six plates. Buckram, \$5.00.*

**The Wm. T. Comstock Company
Publishers
23 Warren Street, New York**

JUST PUBLISHED

The Principles of Architectural Design

By PERCY L. MARKS, ARCHITECT

Author of "The Principles of Planning," etc.

Containing 165 full-page and other text illustrations.

This work is very fully illustrated and will be found a great aid to the architect or student of architectural design.

One large 8vo volume. Cloth, price \$4.50.

THE WILLIAM T. COMSTOCK COMPANY, Publisher, 23 Warren Street, New York

SWITCHBOARDS and PANELS Marked "Metropolitan"

Are the Best that Can be Produced

Architects, Engineers and Owners specify Metropolitan Detachable Mechanism Flush Switches and Receptacles for their high class buildings. The most up to date appliances.

**METROPOLITAN
ELECTRIC MFG CO.**

14th Street and East Avenue, L. I. City

STANDARD PLUNGER ELEVATOR COMPANY

115 Broadway, New York

Washington

Montreal

Chicago

Worcester

Philadelphia

OUR ENGINEERS ARE AT YOUR SERVICE

Booklet on request

ORNAMENTAL CONCRETE WITHOUT MOLDS

By A. A. HOUGHTON

Author of "Clay Models and Plaster Molds for Ornamental Concrete," "Concrete from Sand Molds," "Practical Use of Concrete," etc.

This is the only work issued which explains a simple, practical method whereby the concrete worker is enabled, by employing wood and metal templates of different designs, to mold or model in concrete any Cornice, Archivolte, Column, Pedestal, Base, Cap, Urn or Pier in a monolithic form—right upon the job. These may be modeled in units or blocks and then built up to suit the specifications demanded.

Full directions are given for making the templates, at a very slight cost of time and labor. In fact everything that a concrete worker needs to know to perfect the many styles of ornamental concrete work without the purchase of expensive molds is fully explained and illustrated.

12mo. Cloth. 128 pages. With Original Illustrations. Price \$2.00.

Concrete From Sand Molds

By A. A. HOUGHTON.

The process of molding concrete with sand molds is of the utmost practical value, possessing the manifold advantages of a low cost of molds, the ease and rapidity of operation, perfect details to all ornamental designs, density and increased strength of the concrete, perfect curing of the work without attention and the easy removal of the molds regardless of any undercutting the design may have. This process, which has always been held a trade secret, will successfully mold every class of ornamental concrete work.

192 pages. Fully illustrated. Price, \$2.50.

THE WILLIAM T. COMSTOCK COMPANY, Publisher, 23 Warren Street. N. Y.

ELKS

SOUVENIR NUMBER

New York Lodge No. 1

Send twenty cents for a copy NOW

ARCHITECTURE AND BUILDING
23 Warren Street, New York

LOOMIS FILTERS

ESTABLISHED 1890

Improved System

Simple and Effective

LOOMIS-MANNING FILTER DISTRIBUTING CO.

Main Office: 828 Land Title Building, PHILADELPHIA
Boston New York Baltimore Washington

Complete Architectural Catalogue
Sent on request

THE WILLIAM T. COMSTOCK CO.

Publishers

23 Warren Street

New York

ARCHITECTURE AND BUILDING

July 1912

Vol. 44 No. 7



NOV 16 1967

SHORTAGE

Published by THE WILLIAM T. COMSTOCK COMPANY New York

**"Globe" Ventilator and
"Globe Ventilating Ridging"**



The "Globe" is built on
honor and sold on merit

In Copper or Galvanized Iron

**Simple Stormproof
Symmetrical Satisfactory**
**Send for Brown Print
Catalogue or Model**

MANUFACTURED BY
Globe Ventilator Company
TROY, N. Y.

**SILVER LAKE A SASH CORD
THE STANDARD**

Our name is stamped on every foot of our cord.

Estimate the greatest possible saving in the first cost of a building by using cheap cord. If there is any saving can you afford to take it? The best cord will wear over twenty years and you are saved the annoyance and expense of replacing broken cord. For the cheapest sash cord service specify **SILVER LAKE A.**

The Original Solid Braided Sash Cord

THE BEST IS THE CHEAPEST

SILVER LAKE CO., Boston

**Send for New Catalogue of Archi-
tecture & Building Construction**

W. T. COMSTOCK COMPANY

23 Warren St., New York



The one leading note of "F-S"
Success is *Quality*.


There's nothing quite the equal of our Model
Liquid Filler for a close grain, soft wood
job. Try it next time and you'll see why.

FELTON, SIBLEY & CO., Inc.

Mfrs. of Colors, Paints, Varnishes

136-140 N. 4th St.,

Philadelphia



THE CORBIN CYLINDER LOCK

has two features distinctly its own and that mark its superiority to any other.

1. The Corbin Master Ring which gives all the advantages of two distinct locks in a single shell and but one key-way.

2. The balls which make the wear negligible.

In addition it has all the merits that are claimed for others. The safe key-way, unlimited number of changes, small, flat key and easy action.

The dealer never has to call a Corbin lock by any other name to sell it.

P. & F. CORBIN

Division

The American Hardware Corporation
NEW BRITAIN, CONN.

P. & F. CORBIN of Chicago,

P. & F. CORBIN of New York

P. & F. CORBIN DIV., Philadelphia

When writing Advertisers, please mention Architecture and Building.



The Chicago "Relax" Spring Hinge has an EXCLUSIVE FEATURE of spring action release, allowing the door



to be placed open at any desired position. It is readily applied and attractive in appearance.

Chicago Spring Bull Company,

CHICAGO



NEW YORK

CATALOGUE E 26 ON REQUEST



Detail of Centre Panel in Staircase,
Symphony Auditorium, Newark, N. J.

Executed by

DOMINIC A. WALSH

Architectural Sculptor
Ornamental Plaster

Cement and Imitation Caen Stone

461 CORTLAND ST., BELLEVILLE, N. J.

'PHONE CONNECTION

Makers of the
Glass Mosaic
Ceilings



Central Library
Building
St. Louis, Mo.

PARIS
ROME



NEW YORK
705
Fifth Avenue

When writing Advertisers, please mention Architecture and Building.

Architecture and Building

Established 1882

*A continuation of the
Architect's and Builder's Magazine, 1899-1911*

Continued 1911

PUBLISHED MONTHLY BY

THE WILLIAM T. COMSTOCK COMPANY

23 Warren Street, New York

WM. PHILLIPS COMSTOCK, President

CONTENTS FOR JULY

City Hall Park	269
By J. L.	
Failures in Building Construction and Their Lessons—I	271
By Edward Godfrey.	
Students' Working Drawings	276
Daniel Hudson Burnham	281
By Theodore Starrett.	
Public Library Buildings	284
The Public Library, St. Louis, Mo.	
Cass Gilbert, Architect.	
Free Public Library, New Haven, Conn.	
Cass Gilbert, Architect.	
City Library Building, Springfield, Mass.	
Edward L. Tilton, Architect.	
Essex County National Bank, Newark, N. J.	295
Clinton and Russell, Architects.	
The Standpipe and Hose System in Buildings	300
Michigan Central Railway Station, Detroit, Mich.	304
Warren and Wetmore, Reed and Stem, Associated Architects.	
Loft Building at 114-116 E. 16th Street, New York City	305
Squires and Wynkoop, Architects.	
Building at Fifth Avenue and 12th Street, New York City	306
Maynicke and Franke, Architects.	

ADVERTISING REPRESENTATIVES

D. R. Gimbel
Geo. H. Stewart (Dept. of Fireproofing and Fire Protection)

EDITORIAL DEPARTMENT

Wm. P. Comstock, Managing Editor
Charles Warren Hastings, Assistant Editor
Frederick Squires, Contributing Editor

Subscription Terms \$2.00 a year in advance for United States and Possessions, Mexico and Cuba. Canada, \$2.50, and other countries, \$3.00. Postage prepaid.
Subscribers when changing their address must state both old and new address.

Remitting Money All remittance of money should be in the form of U. S. Postal Money Orders (payable to THE WM. T. COMSTOCK CO., at New York Office). When these are not available, send money by registered letter, or send drafts on New York banks, made payable to order of THE WM. T. COMSTOCK CO. Personal checks on local banks cannot be received in payment.

TRADE SUPPLIED BY THE AMERICAN NEWS COMPANY AND ITS BRANCHES

LONDON AGENTS—Wm. Dawson & Sons (Ltd.), Cannon House, Bream's Buildings, London, England.

Copyright, 1912, by The Wm. T. Comstock Co.

Entered as second-class matter, April 4, 911, at the Post Office at New York, N. Y.,
under the Act of March 3, 1879.

FRONT



UNION STATION, MICHIGAN CENTRAL RAILROAD, DETROIT, MICHIGAN

Warren & Wetmore } Associate Architects
Reed & Stem

Builders—George A. Fuller Co.

2,500,000 Front Brick for this Building
 being furnished by

Harbison-Walker Refractories Company

PITTSBURGH, PA.

1133 BROADWAY, NEW YORK CITY

When writing Advertisers, please mention Architecture and Building.

BRICK

This large order for front brick, necessary in the erection of the mammoth station here illustrated, was placed with us in face of the keenest competition. Quality of material, and the fact that prompt shipments were needed to complete this building on time, were the magnets that appealed to the buyers and won for this Company the largest individual order for high grade front brick on record

Millions of High Grade Front Brick in stock at all times

QUALITY UNQUESTIONED

We never have to offer you excuses for non-delivery.

WRITE FOR SAMPLES AND PRICES

Harbison-Walker Refractories
Company 1133 BROADWAY NEW YORK CITY
PITTSBURGH, PA.



THE PUBLIC CORRIDOR. ENTERED FROM WALL STREET AND CONNECTING INTO THE
HANOVER BANK BUILDING. PANELED WITH MARBLE.
Trowbridge & Livingston, Architects

BATTERSON & EISELE

Importers and Workers of Marble, Stone and Granite

Roman & Venetian Mosaics for Floors, Walls, Mantels, etc.

Office: Times Building, New York

Works: Edgewater, N. J.

When writing Advertisers, please mention Architecture and Building.

11

KEYSTONE FLAT FINISH

Classified Advertisements

NOTE.—Every classified advertiser is entitled to insertion under one heading. Under extra headings, \$5.00 a year each

ARCHITECTURAL BRONZE.

Bagues Freres Co....705 Fifth Ave., New York
Polachek Bronze & Iron Co., John,
480-494 Hancock St. and 577-591 Boulevard,
Long Island City.

ARCHITECTURAL SCULPTORS.

Donnelly & Ricci, 451 W. 54th St., New York.

AWNINGS, BLINDS, ETC.

Wilson Mfg. Co., Jas. G.
5 W. 29th St., New York City

BOILERS.

Badger & Sons Co., E. B., Boston, Mass.
Gorton & Lidgerwood Co.,
96 Liberty St., New York

BOLTS—Expansion, Machine Expansion, Sebco Mooring, Sebco Twin, Toggle.

Evans, F. H...31-35 Hewes St., Brooklyn, N. Y.
Star Expansion Bolt Co., 147-149 Cedar St., N. Y.

BRICK—Enameled Front. Hollow.

American Enamel Brick & Tile Co.,
1184 Broadway, N. Y.
Carter, Black & Ayers...1182 Broadway, N. Y.
Harblson-Walker Refractories Co.,
30 Church St., New York

BRIDGES.

Van Dera Iron Works Co.....Cleveland, O.

BRONZE.

Bagues, Freres Co., 705 Fifth Ave., New York.
Gorham Co., The, 5th Ave. & 36th St., N. Y.
Polachek Bronze and Iron Co., John,
480-494 Hancock St. and 577-591 Boulevard,
Long Island City.

BUILDING CONTRACTORS.

Fuller Co., Geo. A., Marquette Bldg., Chicago.
Starrett Company, Theodore, 103 Park Ave., N. Y.

BUILDING DIRECTORY.

U. S. Changeable Sign Co...3-7 W. 29th St., N. Y.

BUTTS, BALL-BEARING.

Stanley Works, The.....New Britain, Conn.

CLOCKS—Synchronised, Watchman's.

Newman Clock Co., The...178 Fulton St., N. Y.
Prentiss Clock Improvement Co.,
Dept. 11, 92 Chambers St., N. Y.
Thomas Clock Co., Seth, New York, London,
Chicago.

CONCRETE SIDEWALK FORMS.

Berger Mfg. Co., The.....Canton, O.

CORDAGE.

Silver Lake Co.....Boston, Mass.

DESIGN BOOKS.

Dewsnap, William D., 150 Nassau St., N. Y.

DAMP-PROOFING.

Hydra Damp-proofing & Engineering Co., The,
403 Wabash Building, Pittsburgh, Pa.

DOOR HANGERS.

Lane Bros. Co.....Poughkeepsie, N. Y.

DRAWER SLIDE.

Grant Pulley & Hardware Co.,
35 Warren St., N. Y.

DRAWING INKS—(Higgins).

Higgins & Co., Chas. M.,
271 9th St., Brooklyn, N. Y.

DUMB WAITERS.

Otis Elevator Co.....17 Battery Place, N. Y.
Spedel, J. G.....Reading, Pa.

ELECTRICAL CONTRACTORS.

Boyd Equipment Co.....373 4th Ave., N. Y.
Edwards Electrical Construction Co.,
39 E. 42d St., New York

ELEVATORS.

A. B. See Electric Elevator Co., The,
220 Broadway, New York
Otis Elevator Co.....17 Battery Place, N. Y.
Spedel, J. G.....Reading, Pa.
Standard Plunger Elevator Co.,
115 Broadway, New York

ENGINEERS, ELECTRICAL, CONSULTING, BANK VAULT, ETC.

Boyd, Thomas Bruce, 286 Fifth Ave., New York.
Collins, Francis W...50 Church St., New York
Holmes, Frederick S., 2 Rector St., New York.
Ingham, Howard M....180 5th Ave., New York

EXPANSION BOLTS.

Evans, F. H...31-35 Hewes St., Brooklyn, N. Y.
Star Expansion Bolt Co....147 Cedar St., N. Y.

EXTERIOR PLASTER.

Monumental Plaster Company....Harrison, N. J.

FENCING AND RAILINGS.

Van Dera Iron Works Co.....Cleveland, O.

FILTERS.

Loomis-Manning Filter Distributing Co.,
323 Land Title Bldg., Philadelphia, Pa.

FIRE BUCKET TANKS.

Safety Fire Extinguisher Co., The,
291-293 Seventh Ave., New York

FIRE DOOR EQUIPMENT.

Lane Bros. Co.....Poughkeepsie, N. Y.

FIRE EQUIPMENT, GENERAL.

Simmons Co., John.....102-110 Centre St., N. Y.

FIRE EXTINGUISHING APPARATUS.

General Fire Extinguisher Co., Providence, R. I.

FIRE PLACES, CRAFTSMAN, ETC.


Stickley, Gustav.....41 W. 34th St., New York

FIREPROOF DOORS AND SHUTTERS.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Grant Pulley & Hardware Co.,
3 West 29th St., New York
Kalamein Co., The, Long Island City, N. Y.
Knoburn Company, 365 14th St., Hoboken, N. J.
Pomeroy Co., Inc., S. H.,
427 W. 18th St., New York City

KEYSTONE
FLAT FINISH

The SWISS CHALET BOOK



IN the series of articles which have appeared in ARCHITECTURE AND BUILDING, Mr. W. S. B. Dana has given an epitome of his researches on Châlet Architecture. In this book, which will be issued shortly, the subject is much elaborated, and both the volume of text and number of illustrations are doubled. There are ten valuable chapters in this new book, one of which treats of the châlet as adapted to American uses. This chapter is well illustrated.

Cloth, 7½ x 10. Price, \$2.50

The Wm. T. Comstock Co., 23 Warren St., New York

When writing Advertisers, please mention Architecture and Building.

Classified Advertisements—Continued

FIREPROOF WINDOWS.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
 Kalamein Company, The, Long Island City, N. Y.
 Knoburn Company,
 359-363 14th St., Hoboken, N. J.
 Pomeroy Co. (Inc.), S. H., 427 W. 18th St., N. Y.
 Voigtmann & Co., 427 W. 18th St., New York.

FIXTURES, GAS AND ELECTRIC.

Consolidated Chandelier Co.,
 132-136 W. 14th St., N. Y.

FLOOR AND WOODWORK POLISH.

Felton, Sibley & Co., 136 N. 4th St., Phila., Pa.

FLOORING MACHINERY.

International Floor Machine Co., 39 West 38th St., New York.

GAS AND ELECTRIC FIXTURES.

Consolidated Chandelier Co.,
 132-136 W. 14th St., N. Y.
 Simes Co., The, 18 Rose St., New York.

GLASS, ORNAMENTAL, MOSAIC, ETC.

Heinigke & Bowen, 24-26 E. 13th St., New York.

GRAPHITE PAINT.

Dixon Crucible Co., Jos., Jersey City, N. J.

HANGERS—House, Barn Door.

Lane Bros. Co., Poughkeepsie, N. Y.

HARDWARE.

American Hardware Corporation, The,
 New Britain, Conn.
 Chicago Spring Butt Co., Chicago, Ill., New York
 Corbin, P. & F., New Britain, Conn.
 Stanley Works, The, Dept. B,
 New Britain, Conn., and 79 Chambers St., N. Y.

HEATING APPLIANCES. (Also see Boilers.)

Boyd Equipment Co., 373 Fourth Ave., N. Y.
 Gorton & Lidgerwood Co., 96 Liberty St., N. Y.

HINGES—Spring, Ballbearing, Etc.

Bommer Bros., 257 Classon Av., Brooklyn, N. Y.
 Chicago Spring Butt Co.,
 Chicago, Ill.; New York.
 Stanley Works, The., New Britain, Conn.

HOLLOW TILE.

Carter, Black & Ayers, 1182 Broadway, N. Y.

HOT-WATER BOILERS—Copper.

Badger & Sons Co., E. E.,
 63-75 Pitt St., Boston, Mass.

IRON WORK—Ornamental and Structural.

Bagues Freres Co., 705 Fifth Ave., New York
 Polachek Bronze and Iron Co., John
 480-494 Hancock St. and 577-591 Boulevard,
 Long Island City.

JAIL AND PRISON WORK.

Van Dorn Iron Works Co., Cleveland, O.

JOIST HANGERS—(Steel).

Lane Bros. Co., Poughkeepsie, N. Y.
 Van Dorn Iron Works Co., Cleveland, O.

LIGHTING FIXTURES—Gas and Electric.

Bagues Freres Co., 705 Fifth Ave., New York
 Consolidated Chandelier Co.,
 132-136 W. 14th St., N. Y.

LIGHTNING RODS.

Jones, T. W., 22 Burling Slip, N. Y.
 Washburne & Co., E. G., 209 Fulton St., N. Y.

LOCKS, ETC.

American Hardware Corporation,
 New Britain, Conn.
 Corbin, P. & F., New Britain, Conn.

MANTELS, FIREPLACES, ETC.

Jackson Co., Wm. H., 2 W. 47th St., N. Y.

MARBLE WORKERS.

Batterson & Elsele, Times Building, New York
 Cork & Zicha Marble Co.,
 325-327 E. 94th St., New York

MATS, RUBBER.

Essex Rubber Co.,
 238 Broadway, New York & Trenton, N. J.

METAL CEILINGS.

Berger Mfg. Co., The., Canton, O.

METAL DOORS AND TRIM.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
 Knoburn Company,
 359-363 14th St., Hoboken, N. J.

METAL LATHING.

Greenfield, Inc., Arthur., 204 E. 26th St., N. Y.

METAL LUMBER.

Berger Mfg. Co., The., Canton, O.

METALLIC OFFICE FURNITURE.

Berger Mfg. Co., The., Canton, O.
 Van Dorn Iron Works Co., Cleveland, O.

METAL SASH AND FRAMES.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
 Kalamein Company, The, Long Island City, N. Y.
 Knoburn Company, 240 11th Ave., N. Y.
 Pomeroy Co. (Inc.), S. H., 427 W. 18th St., N. Y.

METAL WINDOWS.

Pomeroy Co., (Inc.), T. H., 427 W. 18th St., N. Y.
 Voigtmann & Co., 427 W. 18th St., New York.

MINERAL WOOL.

U. S. Mineral Wool Co., 140 Cedar St., N. Y.

PAINTING CONTRACTORS.

Grimmer & Son, Charles., 290 E. 37th St., N. Y.

PAINTS FOR COATING AND PRESERVING IRON AND STEEL.

Dixon Crucible Co., Jos., Jersey City, N. J.

PAINTS, OILS, VARNISHES, WOOD FILLING, etc.

Dixon Crucible Co., Jos., Jersey City, N. J.
 Felton, Sibley & Co.,
 136 N. 4th St., Philadelphia, Pa.

KEYSTONE
 PLATE FINISH
KEYSTONE


For thirty years the firm of Charles Grimmer & Son has been known to you as Painters. Recently we have acquired the business of the W. Ludwig Schultze Co., the well known Decorators. In our three new buildings we now have facilities for doing the same high class Cabinet Wood-Work and Upholstery as we have for Painting.

A line of inquiry brings a representative, or we should be glad to welcome you at our extensive factories and our beautiful, new showrooms, where we carry the largest and most select stock in New York, of Wall Papers, Mantels, Andirons, Electric Fixtures, Fabrics, Furniture, Mirrors, Antiques, Clocks, Candlesticks, Lamps and Pillows.

Charles Grimmer & Son

Telephones, 7557-7558 Madison Square.

230-234 East 37th Street, NEW YORK



THE
Essex Rubber Rug

Sectional, Reversible
Repairable. All Colors and
Color Combinations

Write for Sample and Prices

ESSEX RUBBER CO., Inc.
TRENTON, N. J.



ST. LOUIS PUBLIC LIBRARY, ST. LOUIS, MISSOURI

Entire Clock System Manufactured and Installed by

Seth Thomas Clock Company

Makers of

SECONDARY SYSTEMS AND TOWER CLOCKS

For Public Buildings, Factories and Churches

NEW YORK

LONDON

CHICAGO

When writing Advertisers, please mention Architecture and Building.

Classified Advertisements—Continued

PLASTER WORK—Plain, Ornamental Models.
Jacobson & Co., 241 E 44th St., New York.
Monument Plaster Co.....Harrison, N. J.
Walsh, Dominic A., Belleville, N. J.

PLUMBERS.

Boyd Equipment Co...373 Fourth Ave., N. Y.

PRONG LOCK, STUDS AND FURRING.

Berger Mfg. Co., The.....Canton, O.

PUBLISHERS.

Commstock Co., The W. T...23 Warren St., N. Y.
Concrete Age, The.....Atlanta, Georgia
Manual Arts Press, The,
600 German Fire Insur. Bldg., Peoria, Ill.

PULLMYS.

Grant Pulley & Hardware Co.,
8 W. 29th St., N. Y.

REFRIGERATORS, PORCELAIN, ETC.

Tettenborn Refrigerator Co.....Cincinnati, O.

RINGS—Bridle, Corner Brace (Bridle), Sebco Aerial.

Star Expansion Bolt Co...147-149 Cedar St., N. Y.

ROLLING DOORS AND SHUTTERS—Steel.

Grant Pulley and Hardware Co.,
8 W. 29th St., New York City.
Wilson Mfg. Co., James G.,
8 W. 29th St., New York

ROOFING AND ROOFING MATERIALS.

Architectural Metal Works, 1192-4 Second Ave.,
New York.
Barrett Mfg. Co.....New York, N. Y.

RUBBER SPECIALTIES.

Essex Rubber Co.,
Trenton, N. J. & New York, N. Y.

SANITARY SPECIALTIES.

Vitrolite Co., The.....Parkersburg, W. Va.

SASH CHAINS.

Morton, Thomas.....169 Elm St., N. Y.

SASH CORDS.

Silver Lake Co.....Boston, Mass.

SASH PULLEYS—Iron, Brass, Bronze.

Grant Pulley & Hardware Co.,
8 W. 29th St., N. Y.

SIDEWALK LIFTS.

Speldel, J. G.....Reading, Pa.

SIDEWALK LIGHTS.

The Berger Mfg. Co.....Canton, O.

SIGNS, CHANGEABLE, ETC.

U. S. Changeable Sign Co.,
3 W. 29th St., New York

SKYLIGHTS.

Architectural Metal Works,
1192-1194 2d Ave., New York.

SNOW GUARD

Folsom Snow Guard Co.,
Roslindale (Boston), Mass.

SPRING HINGES.

Bemmer Bros....257 Classon Ave., Bklyn, N. Y.
Chicago Spring Butt Co.,
Chicago, Ill.; New York.

SPRINKLER SYSTEMS.

Automatic Sprinkler Co. of America,
123 William St., New York City.
General Fire Extinguisher Co.,
Providence, R. I.
Rockwood Sprinkler Co...123 William St., N. Y.

STEEL BUILDINGS.

Van Dorn Iron Works Co.....Cleveland, O.

STEEL JOIST HANGERS.

Lane Bros. Co.....Poughkeepsie, N. Y.
Van Dorn Iron Works Co.....Cleveland, O.

STEEL SHUTTERS, ROLLING, ETC.

Wilson Mfg. Co., James G.,
5 W. 29th St., New York

STUCCO.

Monument Plaster Co.....Harrison, N. J.

SWITCHBOARDS, PANELS, ETC.

Metropolitan Electric Mfg. Co.,
14th St. & East Ave., Long Island City

TACKLE BLOCKS (Automatic).

Lane Bros. Co.....Poughkeepsie, N. Y.

TERRA COTTA.

Federal Terra Cotta Co., 111 Broadway, N. Y.
Northwestern Terra Cotta Co.,
1000 Clybourn Ave., Chicago.

VAULT LIGHTS.

Berger Mfg. Co.....Canton, O.
Brooklyn Vault Light Co.,
262 Monitor St., Brooklyn, N. Y.

VENETIAN BLINDS.

Wilson Mfg. Co., Jas. G.,
3 1/4 W. 29th St., New York.

VENTILATING RIDGING.

Globe Ventilator Co.....Troy, N. Y.

VENTILATORS.

Globe Ventilator Co.....Troy, N. Y.
Washburne & Co., E. G...206 Fulton St., N. Y.

WALL FINISHES—FLAT, ETC.

Keystone Varnish Co.,
71 Otsego St., Brooklyn, N. Y.

WALL PLASTER.

Monument Plaster Co.....Harrison, N. J.

WATER FILTERS.

Loomis-Manning Filter Co.,
828 Land Title Bldg., Philadelphia, Pa.

WEATHER VANES.

Jones, Thos. W.....153 Maiden Lane, N. Y.
Washburne & Co., E. G.,
206 Fulton St., N. Y.

WIRE WORKERS.

Cheney Bigelow Wire Works, Springfield, Mass.

WOOD-WORKING MACHINERY.

Barnes Co., W. F. & John,
506 Ruby St., Rockford, Ill.

KEYSTONE
—FLAT FINISH—
KEYSTONE



BRONZE GRILLES IN MAIN ENTRANCE ST. LOUIS PUBLIC LIBRARY

CASS GILBERT, Architect



THE GORHAM CO. ARCHITECTURAL BRONZE

FIFTH AVENUE, NEW YORK

When writing Advertisers, please mention Architecture and Building.



ST. LOUIS PUBLIC LIBRARY, ST. LOUIS, MO.

Cass Gilbert, Architect

*Interior and Exterior Carving and Modelling by***DONNELLY & RICCI****Architectural Sculptors**

451 West 54th Street

NEW YORK

ORNAMENTAL CONCRETE WITHOUT MOLDS

By A. A. HOUGHTON

Author of "Clay Models and Plaster Molds for Ornamental Concrete," "Concrete from Sand Molds," "Practical Use of Concrete," etc.

This is the only work issued which explains a simple, practical method whereby the concrete worker is enabled, by employing wood and metal templates of different designs, to mold or model in concrete any Cornice, Archivolte, Column, Pedestal, Base, Cap, Urn or Pier in a monolithic form—right upon the job. These may be modeled in units or blocks and then built up to suit the specifications demanded.

Full directions are given for making the templates, at a very slight cost of time and labor. In fact everything that a concrete worker needs to know to perfect the many styles of ornamental concrete work without the purchase of expensive molds is fully explained and illustrated.

12mo. Cloth. 128 pages. With Original Illustrations. Price \$2.00.

Concrete From Sand Molds

By A. A. HOUGHTON.

The process of molding concrete with sand molds is of the utmost practical value, possessing the manifold advantages of a low cost of molds, the ease and rapidity of operation, perfect details to all ornamental designs, density and increased strength of the concrete, perfect curing of the work without attention and the easy removal of the molds regardless of any undercutting the design may have. This process, which has always been held a trade secret, will successfully mold every class of ornamental concrete work.

102 pages. Fully illustrated. Price, \$2.50.

THE WILLIAM T. COMSTOCK COMPANY, Publisher, 23 Warren Street. N. Y.

When writing Advertisers, please mention Architecture and Building.



BRONZE FACADE, GRILLES, GATES, ETC., ESSEX COUNTY NAT. BANK, NEWARK, N. J.

CLINTON & RUSSELL, Architects

All Exterior and Interior Bronze and Iron Work for this Building Executed by

John Polachek Bronze & Iron Co.

Architectural Bronze and Iron Work

Interior Bank Construction a Specialty

Office and Works

480-494 HANCOCK STREET and 577-591 BOULEVARD

LONG
ISLAND
CITY,
N. Y.

When writing Advertisers, please mention Architecture and Building.

Wilson's Venetian Blinds



The following hotels are equipped with Wilson's Venetian Blinds:

The
Emerson Hotel,
Baltimore, Md.

The
Taft Hotel,
New Haven, Conn.

The
Vanderbilt Hotel,
New York

The accompanying cut shows one of the windows in the new Vanderbilt Hotel, New York.

Models on view at salesroom

Jas. G. Wilson Mfg. Co.

3½ West 29th St., New York

Also manufacturers of Rolling Steel Shutters and Wood and Steel Rolling Doors and Partitions.



SEBCO EXPANSION BOLTS

Up-to-date mechanics, electricians, plumbers and carpenters know that they can always rely upon the Sebco Expansion Bolts as the safest method of fastening fences, fire escapes, balconies and fixtures of all kinds to walls and floors of stone, brick, concrete, etc.

SEND FOR FREE SAMPLES AND
OUR CATALOGUE NO. 41

STAR EXPANSION BOLT COMPANY

147-149 CEDAR ST., NEW YORK

A NEW AUTHORITATIVE WORK

Ransome & Saurbrey's

Pub. April, 1912

Reinforced Concrete Buildings

By ERNEST L. RANSOME and ALEXIS SAURBREY

235 p., 6 x 9, illus., \$2.50 (10/6) net, postpaid

Mr. Ransome is probably the best known concrete specialist in the country. He was the great pioneer in its introduction. Mr. Saurbrey, now associated with him, has had unusual facilities for investigation and study. The book is written for engineers.

It does not rehash the standard data. It is full of unusual material on patents, design and practical details of construction.

CONTENTS

Part I. Chapter I—Personal Reminiscences. II—Basic Patents and a Short Survey of the Early History of the Art.

Part II. Chapter III—Introduction. IV—Adhesion. V—Compression and Lateral Expansion. VI—Bending. VII—Transverse Stresses. VIII—Applications of the Bending Theory. IX—Initial and Allowable Stresses.

Part III. Chapter X—Materials of Construction. XI—Floor Systems. XII—Foundations. XIII—Finishing Operations. XIV—Fireproofing and Fires. XV—Repairs to Existing Buildings. XVI—Accidents. XVII—Superintendents Specifications. XVIII—The Engineer. XIX—The Theory of the Beams as Illustrated by Tests.

FOR SALE BY

THE WM. T. COMSTOCK CO.

23 Warren Street, New York

BOMMER SPRING HINGES

ARE QUALITY GOODS

But cost no more than inferior kinds



DON'T ERR IN JUDGMENT when specifying spring hinges, which of all hardware perform the hardest work. Bommer Spring Hinges never fail to give satisfaction, and have withstood the test of time. The springs never go lame. "Practically Unbreakable," says the World's Fair Award, Chicago, 1893.

GOLD MEDALS: Paris, 1900; Buffalo, 1901; St. Louis, 1904.

**All Who Figure on Hardware
Contracts Can Supply Them**

BOMMER BROS., Mfrs., Brooklyn, N. Y.

Est. 1876

When writing Advertisers, please mention Architecture and Building.

ARCHITECTURE AND BUILDING

A Magazine Devoted to Contemporary Architectural Construction

VOLUME XLIV.

JULY, 1912

NUMBER 7

CITY HALL PARK

By J. L.

I WONDER if the saying that the prophet is not without honor except in his own country is not being exemplified these days in the case of the little park which lies between Broadway, Park Row and Chambers Street in the city of New York.

Here are sights to cause the citizen, male or female (I believe in Women's Rights), to pause in the mad rush for gold and contemplate the works that men are doing. And how few of them do pause; how few of the thousands ever give it a thought. But it isn't the mad rush for dollars nor even, calling it by its right name, the fierce struggle for existence—no, it's sheer indifference that keeps folks moving as they pass in thousands upon thousands, swarming upon the bridge, pouring in streams into the subway and out of it, dodging the trolley cars, blocking the horse cars,—for the horse car is still seen in all its ancient panoply in this most modern spot in the whole world.

As I cross this park from time to time I wonder why the crowd doesn't stop for a minute and gaze on the wonders

that are to be seen, for instance, in the two monster buildings now being finished there.

Possibly the police might take a hand and make them move on, and well they should, for the park is none too large.

Fortunately for me, when I am gazing in awe at the sights there's no one to make me move on. So long as I "mind my eye" and keep from being run over I can rubber to my heart's content.

Two monster buildings, two of those skyscrapers that narrow-minded reactionaries would have laws to prevent. Two kinds—so different that one is almost surprised to see them there so near one another, one tall and Gothic, like a great Sequoia, the other widespread and American, like a mighty oak—two different species in the same soil and



therefore perfectly proper and natural. The Woolworth building, higher by two hundred odd feet than the Cologne Cathedral, which was for ages (wasn't it ages?) the tallest building in the world and took centuries to build, looks down on you in awesome grandeur. Yes, it is grandeur and it is awesome.



even though the evidence is so plain that it's a shell enclosing a myriad of cells or rooms in which the little tiny men who built the great thing will carry on their affairs, in other words "do business."

And the Municipal Building, seemingly growing to be the worthy house of the great city. What luck for Americans that the job of being architect of this building should have fallen into hands that could do it so well. I

say Americans advisedly for New York belongs to America, to the whole country. Washington is the Capital, but New York is the Metropolis, and the work of unifying this great nation is helped, nay, made possible by such a thing as this magnificent town.

Soon the skeletons of these two struc-

tures will be covered, the moving picture show of building will end and the presentment, as far as they are concerned, will become quiescent. Then will come other shows. No doubt the Divinity that shapes the city's ends will cause the removal of the court houses and the Federal Building which now crowd and deface the park, and the landscape setting of the precious little City Hall, monument of early promise, can and will be improved as it should be.

More work for the undertaker, as they say in Princeton; more tearing down and more building up. New York has a chance of being finished in the far distant future, maybe, but, finished or unfinished, the City Hall Park is a delight forever.



FAILURES IN BUILDING CONSTRUCTION AND THEIR LESSONS

ARTICLE I.

BY EDWARD GODFREY, M. Am. Soc. C. E.

IT is the writer's plan to include in this series the five following articles:

- (1) Foundations, Walls and Piers.
- (2) Columns.
- (3) Beams and Slabs.
- (4) Bracing.
- (5) Materials, Processes and Details.

It is his aim to gather from the facts of wrecks and partial failures the lessons that are most useful to the structural designer and the architect.

There are two principal ways in which lessons concerning structures are learned; these are by analysis and synthesis—the taking of things apart and the putting of things together. And there are two ways in which analysis and synthesis are exhibited; these are mental and physical. The mental has its expression on paper and in books, the discussions and plans of authors and designers, the physical has its expression in brick and stone and wood and steel and concrete.

The author takes apart the components of a piece of construction and discusses the needed size for the work these several parts have to perform. The designer puts together these several parts and on paper constructs a building. Here we have mental analysis and synthesis, and the lessons that can be learned from these are limited. Too often this limit is not appreciated, and when the builder performs the physical synthesis, nature comes in with her inexorable laws and proceeds to do a little analytic work.

It is the lessons that can be drawn from this fruitful but neglected field that will be emphasized in this series of articles. A large number of lessons can be learned

from just this source, lessons that in many cases reverse the teachings of standard text books. They are not lessons that discredit theory but that show the blindness of some theorizers.

When a wreck occurs there is usually an alleged investigation. The average investigation is the last place in the world to look for the real cause of the wreck, unless one can read between the lines and discover by what is suppressed the real nature of the weakness. There is always a lawyer present and someone's interests to look after and accommodating "experts" are never hard to find; also imperfections in workmanship or materials can be detected in any job that was ever done.

It can be set down as a general rule, with scarcely an exception, that when there is a wreck of any large extent, there can be found enough faults in the design to make a wreck the most natural thing to look for. The writer is a designer himself and makes this statement most deliberately and emphatically. In his experience of more than twenty years of designing and checking designs he has found a surprising number of errors—dangerous errors—in the standard methods of designing. He has made a special study of wrecks and failures and has repeatedly put forth the proposition that, excepting minor failures, *wrecks do not occur because of imperfections in workmanship or materials, but they do occur because of improper design.*

These errors in design are not merely miscalculations, assumptions of too high unit stresses and pressures (within small limits); they are neglect of great over-

shadowing principles of engineering. And again, addition of material does not necessarily mean additional strength; large increase of strength can often be effected by mere rearrangement of the same amount of material.

A steel truss does not fall down because a designer used 18,000 lbs. in place of 16,000 lbs. per sq. in. in his steel. A roof does not collapse because the computer neglected to count in the weight of the sheathing. A floor will not go down because the architect omitted to include the weight of the cinder fill. All of these things tend to weakness and lack of rigidity in a structure: they might show up in excessive deflection, cracked ceilings, etc., but the causes of extensive wrecks are deeper seated than this.

A column will not sink and wreck the building of which it is a part, if the architect assumes a safe pressure on the soil of $2\frac{3}{4}$ tons in place of $2\frac{1}{4}$ tons per sq. ft., if the design of the building is otherwise correct.

The burden of this series of articles will be that a designer has no right to put forth a set of plans for a structure, that do not show a proper factor of safety in every part, and then blame the contractor when wreck results. Emphasis is not lacking in literature, and properly so, of the importance of good materials and workmanship, but emphasis is sadly lacking of the still greater importance of proper design.

Foundations, Walls, and Piers.

A frequent cause of failure in foundations is the lateral flowing of the soil beneath a footing. This may be the result of footings being an insufficient depth below the surface, or it may result from excavation in the neighborhood of a building. The walls of the Homeopathic Hospital in Pittsburgh (see Engineering News, June 11, 1908) sank because of three reasons. First, the pressure on the soil was too great; second, the footings

extended but a short depth below the cellar floor; third, the clay soil on which the footings rested was allowed to be water-soaked and thus its bearing power greatly diminished. The moisture in the clay aided very materially in allowing lateral flow.

The lateral flowing of quicksand is especially to be guarded against. Retaining walls and embankments sometimes cave in with great destructive force by reason of dredging operations many feet away. The quicksand flows in as it is dredged out, the foundation is undermined, and finally a cave-in results. When a dredged hole continues to fill up in this manner, operations should be suspended, if there are any structures or embankments near. Some buildings in Chicago sank because of excavation for the freight tunnels in the neighborhood of their foundations.

One means of preventing the flow of soil when neighboring excavation jeopardizes the foundation of a building is to drive sheet piling around the footings to be protected.

In design the base of a footing should be several feet below the ground level or the cellar-floor level, particularly when heavy pressures are to be provided for and when such soils as clay are met with. Lateral flow of the soil can take place more readily when the pressure is exerted near the surface than when it is in the bottom of a ditch several feet deep.

Partial failure is sometimes exhibited in buildings by cracking of walls or plastering. This may be due to unequal settlement in walls and columns. Usually some settlement is to be expected in a building. This need not occasion any concern, if the settlement is uniform. In order that the settlement be uniform it is necessary to design the footings so that the area in contact with the soil will be in proportion to the load carried, provided the soil is of equal bearing power



FIGURE 1.

over the entire foundation. If soft spots are found in making the excavation, the footings should be increased in area accordingly, or piles should be driven in, or the soil should be compacted by some means.

Monolithic concrete walls are greatly superior to rubble walls in that they induce equal settlement of a foundation by distributing the pressure.

In a system where piles are used the full load should generally be counted upon as resting on the piles alone. This is particularly true where the piles are driven to a firm bearing and where the soil is yielding.

In one large building a column which was originally intended to carry a comparatively small load was, by a change in the plans, compelled to take a very heavy load. The piles had been driven, and this column had but one concrete pile under it. A large spread footing was placed on the head of this single pile, and this rested on filled

ground. A spread footing on yielding soil is expected to settle somewhat before it can carry its full load; a concrete pile driven down to solid bearing is not expected to settle to any appreciable extent. It is evident, then, that the combination is a poor one: the spread footing but adds burden to the already heavily overburdened pile. This column should have had six or seven piles under it. The thing that should have been anticipated took place in this building. The column settled more than an inch and in fact set off the highly overstressed structure, a large portion of which collapsed.

A frequent cause of failures in rubble and brick walls and piers supporting columns is the absence of spreaders for the concentrated load of the columns.

A building in Pittsburgh collapsed because the first story division wall had been removed and the columns supporting the upper stories in the place of this wall were placed on the rubble cellar wall without spreading beams. The investigators, of course, attributed the failure to "poor foundations," though attention was specifically called to this structural blunder. The foundation was not shown to have settled a particle; these columns, however, were seen to be jammed into the wall.

Another building in Pittsburgh showed



FIGURE 2.

incipient failure by cracking of the basement wall. The steel columns of this building, a good sized office building, had been started at the first floor level without spreading beams on the basement walls. Of course, they should have run down to the basement floor and should have had individual foundations. Steel columns had to be substituted in the basement story after the building was practically complete.

The cast-iron bases in a number of columns in a brewery building in St. Marys, Pa., cracked because they were laid on rubble piers and failed to receive a uniform bearing. Spreading beams or concrete piers would have prevented this failure.

In *Engineering Record*, Dec. 17, 1898, there is a description of some building columns which crushed into brick piers because the load was not properly spread over the surface of the pier. It is manifest that a brick pier should not be loaded with a heavy concentrated load, without ample provision for spreading the load over sufficient surface to reduce the pressure to safe limits.

In *Engineering News*, Oct. 19, 1911, p. 489, there is a description of a building failure that occurred in Boston. A column supporting 40 tons crushed into a brick and rubble pier which was intended to support it. The large stones of the rubble portion of the pier were placed on the outside for appearance, and the middle part, where the strength was needed, was filled with small stones.

A high basement wall in a long building in Pittsburgh caved in laterally because of fill that had been placed against it. The wall was a substantial concrete wall, but was not suitable to act as a retaining wall to sustain the pressure of the earth fill against it. The first floor beams had not been placed. This would have helped it materially. In addition to this there were cross walls to be built, and

these had not been built. The fill was removed, and the wall was jacked back into place and the building completed without further trouble, after the cross walls had been built.

Several instances have come to the writer's notice where veneer on walls or piers has failed.

In one case a brick wall had a cast stone veneer 4 inches thick. This cracked and spalled in a way that showed that it was heavily loaded. In another case a concrete column or pier had a cast stone veneer. In another case a rubble stone wall had a cut stone veneer. In another case a brick wall had a terra cotta veneer.

The cause of these failures is a simple one to explain. The main wall or column or pier, which is or should be designed to carry the full load, shrinks in setting; this throws the load on the veneer, and failure results. The reason the veneer and the backing do not shrink in the same amounts is because the veneer is in high blocks with thin mortar joints, whereas the brick or rubble wall has many more joints and much more mortar in its make-up. Concrete and mortar both shrink in setting.

There are several ways of overcoming the difficulty. A course of veneer blocks may be left out (wooden blocks being temporarily used) and subsequently inserted when the wall has set. Or the mortar may be all raked out of some of the joints and these pointed after the wall has set.

Hard, glassy brick used for veneer sometimes crack from the effect of temperature changes, especially when laid in strong cement mortar. The remedy is to use a lime and cement mortar.

A frequent cause of failure or disfigurement in walls is excessive thrust of arches. The arch is one of the most useful as well as one of the most abused forms of construction. One of the essential parts of an arch is the abutment,

and an arch that has no abutment or an insufficient abutment is seriously weak. An arch that is supported by two slender piers or posts violates not only the principles of good engineering, but also violates the sense of proper architectural proportions, because it gives the idea of instability. The flatter the arch, that is, the wider the span in proportion to the rise, the greater the thrust. Hence flat arches are specially apt to force out a wall and open up the joints at the crown of the arch. When the opening in a wall occurs close to the corner of the wall, leaving only a narrow pier, there is not sufficient abutment to take the thrust of an arch over this opening.

The accompanying photographs show examples of arches of this sort. Fig. 1 is given because the arch in this case has actually failed. It is cracked and the pier is pushed out. Figs. 2 and 3 are given because they are in dwellings of considerable architectural pretensions. These flat arches on posts violate the principles of good construction.

There are two ways to remedy this class of failure or disfigurement. One is to

use a horizontal lintel over the opening in place of an arch: this gives a better appearance than an arch without sufficient abutment, and does not violate the principles of stability. The other remedy is to embed a horizontal beam or girder in the wall, at or above the crown of the arch, allowing the arch to take only its own weight and relieving it of the burden of the superimposed weight of wall.

Lintels in walls are usually designed by a sort of rule-of-thumb method that considers only a certain triangle of weight of wall as resting upon the lintel regardless of the details of the wall. This may lead to erroneous construction and sagging lintels. If a wall above a lintel spanning a wide opening is pierced by openings so that a pier is located over this lintel, the load of this pier, and consequently much more than a small triangle of wall, must be carried by the lintel.

In one building a floor girder rested in a wall a short distance above a lintel. The lintel was not designed to carry this load. Failure could readily result from lack of care in this particular.



FIGURE 3.

STUDENTS' WORKING DRAWINGS

Cornell University, College of Architecture



IT is readily admitted—if not demanded—that the education of the architect of today should be something more than mere training in the technique and details of the profession. The architect must be a man of broad interests and liberal culture as well as technical training; and four years in a university, even the modern American university with all its push and hard work, is entirely too little time to give even to the ablest of men the complete training requisite. For that reason the school of architecture must leave undone many of the things that should be done, and must lay particular stress upon the things that are broader, larger and more fundamental than mere details. Nevertheless, we could hardly hope to develop the real architect without giving at least some attention to the commonplace details of his profession even in the preliminary stages of his education. The history, science and esthetics of architecture are then the things with which we concern ourselves first of all, the details entering as incidental facts, though in the end essential. With this training as a foundation the young man is in a position to develop in a wholesome way after leaving the university.

It is quite true that too great insistence upon technical details in the early stages of the student's growth is a pedagogical error, likely to lead to confusion, lack of understanding, consequent lack of careful elaboration and lack of seriousness because of the lack of definite responsibility. The student can and must learn details in an office later, and will learn them there more quickly and more effectively because he


is on real work and his mistakes mean much more than a slight reduction in his term's mark or an admonition to be more careful next time. However, we have not gone to the extreme with some of our contemporaries, who hold that the teaching of details has no place at all in the college curriculum. We believe it has a place and a definite place, even though it be a minor one; hence the course in working drawings herein illustrated.

This course is given in the first half of the third year after the student has some perception of architecture and sufficient technical knowledge to appreciate its meaning, and because its introduction here tends to secure a reasonable application of practical details in the later courses in design.


Preparatory to the course in "Working Drawings," the student has already had a considerable training in archaeology, elementary design and freehand drawing in addition to his general historical and scientific studies. In particular, as more directly bearing on this work, he has had a brief course in the planning of small buildings, including a series of residential problems. The more advanced work in the planning of monumental buildings comes later. The course in "Working Drawings" varies from year to year, but as herein illustrated it consisted of a preliminary sketch of a small house (really a sketch problem in design) following a written program as in the regular work in design. The sketches were required at a scale of $\frac{1}{8}$ inch to the foot, and from these were developed the $\frac{1}{4}$ inch scale working drawings as shown. The fin-



A RESIDENCE FOR MR. C. D. KRUSE, DAVENPORT, IOWA.
Walter O. Kruse, Architect.



Third Floor Plan.



Second Floor Plan.

A RESIDENCE FOR MR. C. D. KRUSE.



East Elevation.

A RESIDENCE FOR MR. C. D. KRUSE.

ished drawings required were cloth tracings of all floor plans, all elevations and at least one section. In addition to this, certain periods were set aside for the making of full size typical details such as windows, doors, cornices, etc. These details were made in pencil only and used for reference in developing the $\frac{1}{4}$ -inch scale drawings, the result being¹ that although no full size details were developed as finished drawings many details were studied in their application to the problem, the purpose being to give the student himself a maximum of profit in the understanding of his work.


Not the least interesting thing about this course in "Working Drawings" is the comparatively small amount of time given to it. Figured out on a strictly pro rata basis with other courses given

at the same time we find that the pupil is allowed two days for his preliminary sketches and twenty-five and one-half days for making and finishing the $\frac{1}{4}$ -inch scale working drawings and pencil studies of typical details, or slightly less than four weeks of office time for the entire work. Whether the results are adequate or otherwise must be for the reader to judge, bearing in mind that the pupil has designed his own house from a written program without other definite suggestion, and usually without previous experience in this line of work.

In subsequent issues other examples of the work in the course in "Working Drawings" at the Cornell University College of Architecture will be presented. The designs chosen are the work of several students.



South Elevation.



Sections and Details.
A RESIDENCE FOR MR. C. D. KRUSE.

DANIEL HUDSON BURNHAM

By THEODORE STARRETT

I FIRST saw Daniel Burnham when he was in the flush of his early business success in 1884. He had just started to get his gait. With his partner, John W. Root, and a great lieutenant, Frank Sickels, and a water color genius, Paul Lautrup, to make perspective drawings, he had formed a combination that was sweeping everything before it, as the crop of commissions proved. The Montauk Block, the first of the skyscrapers, a little fellow about eighty feet square and nine stories high, was under construction, and The Rookery, Phenix Building and Insurance Exchange were on the boards. I was office boy and student at the time for W. W. Boyington, who had been, and still was, Chicago's greatest architect of the old régime. I was a bashful youngster carrying a letter from my employer to the "future great." I handed it to him in person as he sat in his little private office hardly big enough to hold his desk and himself. Burnham was a great believer in the small private office. His planning faculty and his economical instinct showed even in those days in the way in which he would lay out an office to hold a roll top desk and three chairs—one for the office holder, one for the visitor and one for a stenographer, with a chance for two visitors if the stenographer would vacate. The Grannis Block was one of Burnham & Root's buildings then recently finished, and their office was laid out well and properly. Everything was done right. There was an outer office, but the guardian, if there was one, was off duty, so I wandered into the presence of the great man without any formality. I remember him as he sat at his desk—a large

man, not so well shaped as he grew to be in his later life, reddish brown hair and a big drooping red moustache, a wide-opening eye that swept me with its glance as he held the letter in his hand. I was detained a moment to see if there was an answer and then dismissed.

The next time I saw him was a year later in Burnham & Root's offices in the Montauk Block, where growing business and the need for expansion had carried them. I was hiring out to the firm on a month's trial, the pay to be what I was worth. I had been ushered into Sickels' office, where Burnham was standing. I noticed then his erect and commanding figure,—that front and poise of Jove himself,—for Burnham was one of the grandest looking men that ever lived, and much of his success was due to his presence. I will spare an account of what he said, although I remember every word and every gesture as he turned me over to Sickels, foreman of the office and at that time forming with Burnham and Root one of the architectural Big Three in the city of Chicago. The job with Burnham & Root lasted for six years, or until I left to go into business for myself. During those six years I saw and was a small part of many interesting things.

Those were the days and that was the place of the beginnings of steel skeleton construction—not the origination of it, because it grew in many offices. Mr. Jenney, for instance, who had been Burnham and Root's employer and preceptor, had a large practice, though even then it was overshadowed by the work of the younger firm. Mr. Jenney was an engineer-architect and as such approached his work from the engineering point of

view; Root was an artist draftsman; Burnham just a plain business man. As Burnham's was the dominant nature, the new firm was doing business in a business way, though with great ambition and great pretensions as to what I will call pure architecture namely, the beautification of the outward skin of the building. The business of the firm grew apace. They won the Stock Exchange competition in Kansas City, having as competitors some of the best architects of the East. A whole swarm of commissions came into the office, and before The Rookery was finished the Kansas City Stock Exchange, the Midland Hotel in Kansas City and two other large buildings there, together with more business in Chicago, made it necessary for them to move to larger quarters. These were established in The Rookery, where again a suite of offices was laid out according to the favorite plan—a large office for consultations, an enormous drafting room, with tiny private offices for the members of the firm.

The untimely death of John Root was a great blow to Burnham, for he had fairly idolized him. Part of the success of the firm was due to the abiding admiration that Burnham felt for his partner. When he would go after business he would brag about Root as an architectural genius in a way that was wonderful to behold. It was a case of David and Jonathan over again. Whether Root's genius was as great as Burnham thought it in those days I used to doubt, but in the light of present knowledge comparing his work with that of his contemporaries, it is a question in my mind whether he was not as great an architect as Louis Sullivan and whether he might not, if he had lived to round out his years as his partner did, have done as great things in his way as did Burnham.

An incident which happened in the

early days in The Rookery is interesting. A disaster occurred on the Midland Hotel in Kansas City as it was being topped out. Several of the trusses supporting the roof of the dining room, which was at the top of the building, had crushed their supporting piers and had fallen to the floor below, causing the death of one or two men. The news came to the office that the building had fallen down. It looked as if the end had come. Burnham went into Root's office and threw his arm around him and said, "John, we have stuck together in prosperity, we will stick together in failure." But it was not to be failure. Later reports came which showed that the disaster was not as great as had been supposed. Burnham rushed to Kansas City, and the way he pulled his firm out of that scrape in the succeeding days was not the least of the magnificent things of his career.

The World's Fair and the untimely death of Root, incompatible as the two things may seem had well nigh ended the professional career of Burnham, at least so his enemies thought. I am not sure whether the loss of Root had anything to do with the employment of the eastern architects on the important buildings of the Fair or not. I am under the impression that the general scheme had been laid out and that the parceling out of the great buildings to Richard M. Hunt, McKim, Mead & White, Peabody & Stearns, George B. Post and others was decided upon with Root's concurrence. When Root died Burnham threw himself into the work of the Fair and allowed his private practice to go to pieces. He had an eye to the future even then.

"O, days and nights, your work is this,
To keep me from my proper place;
A little while from his embrace
For fuller gain of after bliss."

Through all the work of the World's

Fair the great offices in The Rookery were kept up, although sometimes there were not a corporal's guard in the whole establishment. After the Fair was all over and the work of removing the old buildings had been finished, Burnham returned to his old place. The little private office was not used very much. The big reception room was Burnham's office. Standing in front of the fireplace overlooking him as he worked stood a bronze bust, life size, of John Root, which had been made by Johannes Gelert. There it stood watching the surviving partner as he took up the white man's burden and moved on to affairs that completely eclipsed those of the old days.

When increasing business again compelled the removal to larger quarters in the Railway Exchange Building, Burnham's office was built again in the southeast corner of the building, larger, much larger, than the big reception room in The Rookery; simple in its design, preserving the warm brown colors of the old room, only larger; the rug, specially woven, was of the same fabric

as the old rug, only larger; and the table which occupied the center of the room was big enough to spread upon it the enormous drawings of the Lake Front Improvement, one of Burnham's occupations during the old idle days of the interim. The same uncovered desk which had stood in the reception room in The Rookery and which Burnham had used after he had left the small office, stood at one end of the new office, and overlooking him as he worked stood the bust of his beloved partner.

The last time I saw Burnham was three years ago. As I entered his office he was standing silhouetted against the bright light of the windows. His imposing height and his magnificent carriage were again impressed upon me. My first words were, "How are you, Mr. Burnham?" and his reply that he was getting old seemed to belie his looks. He was then only sixty-three.

It is hard for me to think of Burnham without thinking of Root. Root died in 1891; Burnham's death on June 1, 1912, at the age of sixty-five was untimely even as had been his partner's.





THE PUBLIC LIBRARY, ST. LOUIS, MO.

Cass Gilbert, Architect.

PUBLIC LIBRARY BUILDINGS

SOME comparisons are illuminating. The central library of a great American city is the head of a system. The building that houses it, it may be said, takes on a certain definite form. The library system suitable for a large population consists of one central building with branch buildings distributed over the territory which make the literature readily accessible to the people. If we compare the plan of the St. Louis library with that of the New York public library we will find that the difference is mainly one of size and that the elementary principle of each plan is about the same. The greatest difference to be noted is in the working of the library. In New York the catalogue room and main reading room are at the top of the building; in St. Louis the delivery room and reference reading room are on the first floor. But, all things considered, the principle

of the planning is the same in the two buildings. Both plans contain a central pavilion with courts to either side. This pavilion in a sense ties the whole building together both in its plan and in its operation.


In the St. Louis library there is a monumental approach with a vestibule, entrance hall and stair hall, the flights leading to the upper story being to either side. There is a direct passage through from the front entrance into the delivery and catalogue room which forms the central pavilion of the first floor. Left and right from this delivery room are the reference reading room and the open shelf room. To the rear of the delivery room, passing through a small wing which contains working quarters, is the main stack room which occupies the rear of the building. The left and right wings at the front contain the art col-




ST. LOUIS PUBLIC LIBRARY. TWO READING ROOMS.

General Contractor: John Peirce Co.
Painting: W. P. Nelson Company.
Clock System: Seth Thomas Clock Co.
Grant Overhead Pulleys Used.

Cass Gilbert, Architect.



Cass Gilbert, Architect.



ST. LOUIS PUBLIC LIBRARY. ENTRANCE HALL AND DELIVERY ROOM DETAILS.

The Gorham Co.; Bronze.
 Glass Mosaic Ceiling: Heinicke & Bowen.
 Painting: W. F. Nelson Company.
 Carved Stone: and Models: Donnelly & Nicol.
 Clock System: Smith Thomas Clock Co.




Cass Gilbert, Architect.




ST. LOUIS PUBLIC LIBRARY. CORNER PAVILION AND VESTIBULE.


Glass Mosaic Ceiling: Heinigke & Bowen.
Carved Stone and Models: Donnelly & Ricel.
The Gorham Co.: Bronze.
Chicago Triplex Bolts Used.
Evans' Crescent Expansion Bolts Used.



Cass Gilbert, Architect.



ST. LOUIS PUBLIC LIBRARY. BRONZE GATES AND DOORS.



The Gorham Co.: Bronze.



FREE PUBLIC LIBRARY, NEW HAVEN, CONN.

Engineers: Samuel M. Green Co.

Cass Gilbert, Architect.

lection room and the periodical room, both entered from the main entrance hall and connecting through into the two side wings. Thus all the principal rooms are interconnected and there are no corridors, entrance to the reading rooms being obtained through the main entrance and delivery room.

The second floor of the St. Louis library is divided into smaller special libraries and the business departments of the library. The court surrounds three sides of the central pavilion at this level.

The St. Louis library cost about one and one-half millions of dollars. It is a monumental building, as it should be, and it has appropriate mass and proportion. In the detail of its interior it has a wealth of beautiful and well-designed architectural adornment. Doorways, mouldings, cornices, appropriate bronze gates and doors, ornamental lamps and

decorated ceilings are all well thought out and perform their part in the decorative scheme of the whole.

The City Library of Springfield presents in another form a plan which on a smaller scale accomplishes the same purpose as the St. Louis library. There is the main entrance and stair hall in one, opening directly into the combined delivery and catalogue room. One stack is behind this and in the basement is the principal stack space. To the left of the delivery room is the main book room, which combines a reference reading room and an open shelf room in one. To the right of the delivery room is the fine arts room, and the periodical room occupies a space just to the right of the entrance on the front. The second story contains small rooms devoted to various libraries. Two open wells which illuminate the main book room and the fine arts room pass through this story.



NEW HAVEN FREE LIBRARY. THE ENTRANCE.
Sebeco Expansion Bolts Used. Otis Elevators. Cass Gilbert, Architect.



Cass Gilbert, Architect.



NEW HAVEN FREE LIBRARY. A READING ROOM AND DOORWAY.

Newman Watch Clock System.

The architect of the St. Louis Public Library was Cass Gilbert. The John Pierce Co. were the general contractors. Donnelly and Ricci did the stone carving and produced the models for all the carved work and relief ornamentation. The exterior is of white Vermont marble. The W. P. Nelson Co. did the painting and Heinigke and Bowen produced the mosaic glass

ceilings of the vestibule and halls. The bronze entrance gates, bronze doors and screens were cast by The Gorham Co. The clock system of the building was installed by the Seth Thomas Clock Co.

In the Springfield Library, the Cheney Bigelow Wire Works erected the elevator enclosures. Cass Gilbert was the architect and the Samuel M. Green Co. were the engineers in charge of construction.



SPRINGFIELD CITY LIBRARY. THE DELIVERY DESK.

Edward L. Tilton, Architect.



CITY LIBRARY BUILDING, SPRINGFIELD, MASS. PERSPECTIVE AND PHOTOGRAPH.
Otis Elevators. Edward L. Tilton, Architect.
Corbin Hardware.



SPRINGFIELD CITY LIBRARY. TWO READING ROOMS.
Elevator Enclosure Erected by Cheney Bigelow Wire Works. Edward L. Tilton, Architect.
Grant Overhead Pulleys Used.

ESSEX COUNTY NATIONAL BANK

NEWARK, N. J.

CLINTON & RUSSELL, Architects

PLACED just beside the Public Service Building, which was finished about a year ago, and which forms part of the Prudential group on Broad Street, Newark, the Essex County National Bank is a building with a three-story façade built up of white marble with a great bronze screen sixty feet in height which contains all the window area of the front. The portal is also of marble and frames the bronze entrance doors.


Within, the floors and counters are of marble, the screens above the counters of bronze, the sidewalls of Caen stone and the ceiling of ornamental design in white plaster. The marble of the flooring is Tennessee and the marble for the counter bases is Botticino. Besides the windows at the rear, there is a series of square ceiling lights which furnish an even illumination for the interior.

The bank directors originally contemplated a fifteen-story building and had in view a much wider plot. However, the problem finally presented was to place a banking equipment on a plot some 39 feet in width, and this was the problem which was worked out by Clinton

and Russell, architects, and Thomas Bruce Boyd, the bank engineer. The primary scheme was a one-sided bank with a front entrance to one side, but Mr. Boyd developed the horse-shoe plan with a center door. This gave good accommodation for present needs and sufficient room for expansion. The bank is planned on a unit principle and is well schemed for the efficient conduct of a banking business in the future.

In arrangement the central space is for public use, while the banking area is arranged about the walls with the office of the president immediately at the side of the entrance vestibule in front. One side is practically not used at present and provides for future expansion. The rear mezzanine furnishes a commodious space for the working force, and on the mezzanine at the front space is afforded for the directors' room, which has a balcony overlooking the interior.

The second floor occupies the whole lot area except for a central well above the skylight of the main banking room. It is reached by stairs and elevators both front and rear. This space is in-



FIRST FLOOR PLAN, ESSEX COUNTY NATIONAL BANK.

Thomas Bruce Boyd, Equipment Specialist.

Clinton & Russell, Architects.



ESSEX COUNTY NATIONAL BANK, 753 BROAD ST., NEWARK, N. J.

Builders: The Hedden Construction Co.

Clinton & Russell, Architects.

Gorton Wrought Steel Boilers.

Bronze Façade and Doors: John Polachek Bronze & Iron Co.

Bank Vault Engineer: Frederick S. Holmes.



THE RICHLY ORNAMENTAL PLASTER CEILING, ESSEX COUNTY NATIONAL BANK.
Ornamental and Plain Plastering; Dominic A. Walsh. Clinton & Russell, Architects.



MARBLE FLOOR AND COUNTERS, BRONZE COUNTER SCREENS. ESSEX COUNTY NATIONAL BANK.

Grant Overhead Pulleys.
 Lighting Fixtures: The Browe Co.
 Sebco Expansion Bolts Used.
 Interior Bronze: John Polachek Bronze & Iron Co.
 Chicago Spring Butts Used.

Clinton & Russell, Architects.
 Equipment and Furniture Designed By
 Thomas Bruce Boyd.



COUNTER DETAIL AND VIEW TOWARD THE ENTRANCE. ESSEX COUNTY NATIONAL BANK.

Lighting Fixtures: The Browe Co. Clinton & Russell, Architects.
 Evans' Crescent Expansion Bolts Used.
 Interior Bronze: John Polachek Bronze & Iron Co. Equipment and Furniture Designed By
 Corbin Hardware. Thomas Bruce Boyd.
 Interior Marble: George Brown & Co.

tended for the working force of the bank.

In the basement there is a safe deposit vault of which Mr. Frederick S. Holmes is the engineer. It is so built and illuminated that the watchman on guard can inspect all sides and the bottom by means of mirrors.

The Hedden Construction Co. were the general contractors. The interior marble work was done by George Brown & Co., and the ornamental plaster ceiling was carried out by Dominic A. Walsh. The screens for the banking room and the grills and rails for the

elevator front and balconies are of bronze cast by the John Polachek Bronze and Iron Co. This firm also produced the bronze window frame work of the exterior. The Browe Co. made the lighting fixtures. Besides being instrumental in the planning of the bank, Mr. Boyd also designed the furniture and banking equipment.

The heating plant consists of two Gorton wrought steel boilers set in twin connection so that they can be run separately or together. Each boiler has a capacity for heating 3,950 square feet of direct radiating surface.

STANDPIPE AND HOSE SYSTEM IN BUILDINGS

Being Portions of the Report of the Committee on Standards
of the National Fire Protection Association.

W. C. ROBINSON, Chairman

MR. ROBINSON'S report is valuable in that it presents a concise statement of the requirements of standpipe and hose equipments. The matter published herewith comprises about one-third of the report and contains much valuable general information which should be useful to the structural engineer.

STANDPIPE AND HOSE SYSTEMS

Your Committee on Standards has given consideration to the subject of standpipe and hose systems during the past year, with a view of formulating rules and requirements sufficiently comprehensive to warrant their adoption as a standard for all classes of buildings.

Next to the automatic sprinkler equipment a well-designed, properly equipped and reliably maintained stand-pipe system constitutes the best means for the extinguishment of fire in buildings. Each of these equipments is capable of furnishing a class of service of which the other is incapable, and in most instances they may be made to serve as components of each other.

At the outset the preparation of a standard for standpipes was found to be much more complex and difficult than anticipated. The subject is somewhat complicated by the great difference in municipal requirements, and in the opinions relative to the value of standpipe and hose systems as a means of fire extinguishment, but the existing requirements are usually so general in character that a comprehensive standard can probably be made to include all of their good features.

The Committee has confined its efforts to the consideration of inside standpipe and hose systems in which the water pressures can be maintained at all times. Standpipes for installation on the exterior of buildings and standpipes subject to freezing and in which the water cannot be maintained will also require careful consideration. As a result of the investigations made, the subject has been divided into the subdivisions indicated by the general headings in this report. An attempt has been made to include under each division all of the more essential features which require special consideration, particularly those relating to installation, use and maintenance. No attempt has thus far been made to formulate definite requirements or specifications, but it is hoped that the various items have been

presented in such a way that full discussion will be brought out and a good start secured toward requirements which will meet approval in all sections of the country.

GENERAL INFORMATION.

PREPARATION OF BUILDINGS.—Little preparation is necessary for the installation of standpipe and hose systems under ordinary conditions. The fixed part of the system can usually be conveniently located, and, by reason of the flexibility provided by the hose, without seriously affecting the protection furnished.

In buildings elaborately finished on the interior, where concealed piping is desired, special preparation for the installation of the standpipes in walls and partitions is often necessary. Closets or cabinets are sometimes desirable for the hose equipment, to render it less conspicuous and objectionable from the æsthetic point of view. Such closets or cabinets should be so designed as not to interfere with the handling of the hose and should be provided with signs calling attention to the fact that they contain the fire hose. Fire extinguishers and extra equipment, in the form of axes, crowbars and lanterns, can also be placed in such enclosures. Watchmen's stations and fire alarm boxes may be located to advantage in such closets or cabinets in some cases.

Ventilated metal clad hose houses on roofs are necessary where roof hydrants are provided and where the hydrant cannot be conveniently placed in existing enclosures on roofs. Special provision must often be made in the walls of buildings at the first story for the accommodation of the connections for the city steamers.

PLANS AND SPECIFICATIONS.—Detailed plans showing the location, sizes and connections of the fixed portion of standpipe systems should be provided, particularly where the building or plant is large and where numerous partitions or obstructions must be taken into consideration in the layout. These drawings should be drawn to scale and should consist of such floor plans and sections as may be necessary to clearly indicate all of the apparatus to be installed and its location. The plans should be accompanied by specifications covering the character of the material, and features relating to the installation in detail.

EXPERIENCED WORKMEN.—Standpipe systems should be entrusted to none but fully experienced and responsible workmen. Their installation should not be made incidental to other contracts of a similar nature unless full detailed specifications are employed in which the apparatus

and materials to be used and the character of the installation work required is made clear.

SIZE OF STANDPIPES AND CONNECTIONS.

The size of the standpipes and connections is governed by the size and number of effective fire streams it is necessary to economically provide at any point or number of points in the building simultaneously. In other words, the size of the piping is dependent on the maximum quantity of water it is necessary to deliver at any point in the building in a given interval of time without introducing excessive losses by friction or placing an undue burden on the pumping apparatus.

After the size and location of the fire streams necessary for the proper protection of the building, both on the inside and on the exterior, and the number of these streams which it will be necessary to operate simultaneously have been ascertained, the size of the standpipes and connections necessary to supply them can be accurately determined, as the amount of water discharged by standard streams and the friction losses in hose and piping at various rates of flow is known and the problem is one in hydraulics.

In well-designed buildings where fire cannot readily communicate from story to story and where exterior streams are unnecessary, one standard 1½ inch stream on each story, from each standpipe equipped for Fire Department use, will ordinarily be all the heavy hose service required. In some cases, however, where the conditions are such that streams from two stories may be readily brought to bear, it may be advisable to make the standpipes large enough for two standard streams at each story.

Where the building is so designed that fire can readily spread from story to story and where roof hydrants and exterior streams are necessary, the size of the standpipes should be increased to supply the number of streams which the conditions indicate will be called for at the same time.

In buildings where the exterior exposures are such that monitor nozzles or roof hydrants are desirable and the simultaneous use of fairly large streams is likely to be necessary at several stories, the standpipes and connections must be large, possibly in excess of eight inches. The number and size of the streams required for effective service of this character, particularly in high buildings where it may be only possible to fight fire from the nearby buildings, are the largest factors influencing the size of the standpipes intended for use by public Fire Departments and trained private fire departments. The necessity for

large standpipes was clearly evidenced during the burning of the Equitable building in New York last winter. The part played by standpipe and hose equipments at this fire is prominently mentioned and analyzed in some detail in the very comprehensive report issued by the New York Board of Fire Underwriters.

The standpipes used solely to supply the first aid streams operated by the occupants of buildings may be comparatively small, as those streams do not require water in much volume and will ordinarily only be employed in the story where the fire originates. The amount of water required for such streams would not be a factor in determining the size of standpipes where they are supplied by the larger standpipes equipped for Fire Department use.

Connections to the standpipes should have as few changes in direction as the construction of the building and the circumstances will permit, and should be provided with long bend fittings. The connections from tank supplies should be made to the top of the standpipes, and where several standpipes are employed they should be cross connected at top and bottom and each source of water supply properly checked against the others.

The connection from each source of water supply should be independent, direct and as large as the class of service requires, or large enough to deliver its maximum volume of water per minute without undue loss by friction. Particular attention should be given to the size of the connections through which the standpipes are supplied by City Fire Departments, as it is from this source that water in the greatest volume must often be secured for the longest periods of time.

NUMBER OF STANDPIPES.

The number of standpipes necessary for proper protection is governed by the area and design of the building, the obstructions affecting accessibility, the exterior exposures, the length of hose which can be effectively handled, the facilities for fire extinguishment otherwise provided, and in some measure by the occupancy and the character of the construction of the building.

There should be one or more standpipes in each building and in each section of a building divided by fire walls.

All portions of each story of the building should be within the reach of at least one effective first-aid fire stream supplied through hose not exceeding 50 feet in length, and also within the reach of at least one standard 1½-inch stream supplied through hose not exceeding 100 feet in length. Proper allowance should be made

for all obstructions interfering with laying the hose or the application of the streams. Partitions, stock, machinery and fixed obstructions incidental to the occupancy constitute the most common obstructions likely to have an influence on the number of standpipes required.

Long lengths of hose should be avoided as they are difficult to handle, liable to kink and interfere with the effectiveness of the stream and cause the loss of time when it is most valuable. It is important, therefore, that the standpipes supplying the smaller first aid streams be in sufficient number to permit their prompt and effective application. Where the occupancy is specially hazardous, a number of short lengths of the smaller hose at very frequent intervals may sometimes be supplied by lateral pipe connections from one standpipe. Extra hose stations or hose stations necessarily located to one side of the standpipe may also be supplied by lateral connections to the standpipe.

The standpipes equipped for use by Public Fire Departments and those trained in handling the larger fire streams may be fewer in number and provided with longer lengths of hose. The larger streams will usually be brought into play after the fire has gained some headway, employed as a protection against exposing fires, or in fighting fire in adjoining buildings. The greater power of the larger streams and their ability to reach the seat of fire from greater distances has an important influence on the number of larger standpipes required. These standpipes may also be used to supply the smaller first-aid streams for the areas in which they are located. When the area of the building is small, standpipes provided with large and small hose equipment may be all that is necessary for full protection.

In buildings where the first-aid fire streams can properly be supplied from a system of automatic sprinklers, the number of standpipes can be confined to those supplying the larger streams for Fire Department use.

LOCATION OF STANDPIPES.

Questions relating to the design of the building, the accessibility of all portions of the interior, the safety of those on whom dependance must be placed for the operation of the system, and the exterior exposures, are the most important factors influencing the location of the standpipes.

For mercantile and manufacturing buildings, and buildings which are not divided by numerous partitions, standpipes from which the first-aid fire streams are supplied are best located next to columns in

or near the middle of the building, particularly where the area is large and the building is of considerable width. Where the building is narrow and where the area can be properly covered by standpipes on each side, the side central location may be found most suitable. The standpipes should be so located that the hose stations are unobstructed by stock, machinery or obstructions incidental to the occupancy.

For hotels, office buildings, and buildings which are divided by numerous partitions, the standpipes should be located in the passages and corridors and so spaced that fire in any room can be quickly reached by at least one first-aid fire stream.

The exterior exposures should be taken into consideration in the location of the standpipes from which the larger fire streams are taken, particularly where the buildings are high and not separated by wide streets or open spaces. Under such conditions streams from nearby buildings may be the only available means of fighting fire.

Standpipes are most commonly located near stairways or within enclosures containing the stairs and elevators. Where such shafts are well designed to keep out

fire and smoke and provide safe entrance and exit, they form a desirable location for some of the larger standpipes. Where the stairs are not enclosed and particularly where several are provided, it may, in some instances, be more desirable to locate the standpipes between the stairways.

Stairways are usually few in number, widely separated and frequently unenclosed. Such conditions afford little sense of security against fire, and effective service from inside fire streams in the hands of the occupants can, at the most, only be expected during the incipient stages of fire. On this account great care should be taken to locate in convenient and conspicuous places, the standpipes from which first-aid streams are to be taken.


As the safety of the occupants of buildings, as well as the safety of those on whom dependance must be placed for the operation of the fire-fighting apparatus, is dependant to the greatest extent on the enclosures of the stairways, elevators and vertical openings through buildings, the erection of new buildings and the continued occupation of existing buildings should be conditional on the proper safeguarding of the vertical hazard.



MICHIGAN CENTRAL RAILWAY STATION, DETROIT, MICH.

Front Brick: Harbison-Walker Refractories Co
Terra Cotta: Federal Terra Cotta Co.
Sebco Expansion Bolts Used.
Evans' Crescent Expansion Bolts Used.

Warren & Wetmore, } Associated Architects.
Reed and Stern,



LOFT BUILDING 114-116 E. 16TH STREET, NEW YORK.
 Vault Lights: Berger Mfg. Co. Squires & Wynkoop, Architects.
 Sprinkler System: Automatic Sprinkler Co., of America.
 Electrical Contractors: Forsth Electric Co.
 Stanley Ball Bearing Hinges Used.



LOFT BUILDING ON 16TH STREET. THE ELEVATION IN DETAIL.
Squires & Wynkoop, Architects.



LOFT BUILDING ON 16TH STREET. TERRA COTTA DETAILS.
Squires & Wynkoop, Architects.



BUILDING AT 5TH AVENUE AND 12TH STREET, NEW YORK.

Grant Overhead Pulleys.
Kalamein Windows: The Kalamein Co.
Switchboards: Metropolitan Electric Mfg. Co.
Painting: W. P. Nelson Co.
Stanley's Metal Door Butts used.

Maynicke & Franke, Architects.

Questions That Every Architect Must Ultimately Answer For His Client

"How can the **wasted** effort in my plant be eliminated?"

"How can I cut down the Time and Cost in Merchandise, Freight, and Passenger handling,---and in the performance of work of various kinds?"

"How can I equip my Store, Factory, Warehouse, Shipping Platform, Railway Freight Station, Steamship Dock, etc., so as to effect the **Little Savings** in each operation, and provide for the utilization of every ounce of my employees' energy and every second of their time?"

These are the questions that are being asked by every progressive business man today. They are **Vital Problems** that you will be called upon to answer.

Of all scientific methods and inventions for the *saving of time, the conserving of human energy, and for economizing in cost* nothing has proved so wonderful or so effective in the enormity of its savings as has the

Otis Inclined Elevators

For Merchandise and Freight Handling

— AND —

Escalators (or Moving Stairways)

For Passenger Service

**By the Use of which 60 per cent. to 80 per cent. of the Time and Cost
is Saved Over Old-Time Methods of Freight and Passenger Handling**

If you have not seen these types of elevators in operation, or studied the greater efficiency which they effect, you can hardly imagine the incomputable advantage such apparatus will give to your clients in their new buildings and their old where apparatus is required for the handling of great volumes of merchandise or freight, or of passengers en-masse.

Let us get closer together in the study of this type of elevators for your and your clients' benefit. We will be pleased to confer with you at any time and explain the apparatus in detail, and take you to places where such apparatus is already in successful operation. Without obligation our Engineering Department will supply full information to meet specific requirements. Your inquiries and appointments are earnestly solicited.

Otis Elevator Company

Eleventh Avenue and Twenty-sixth Street, New York

Offices in All Principal Cities of the World

When writing Advertisers, please mention Architecture and Building.

BOOK REVIEWS

BRAZING AND SOLDERING. By James F. Hobart. Fifth Edition revised and enlarged. New York: Norman W. Henley Publishing Co. Price, 25 cents.

This pamphlet which appears in a fifth edition is a short, practical treatise on the subject of brazing and the appliances used in that process, including as well an article on soldering, and the tools and materials. There are special portions on methods of soldering for electrical work, tin plate and special solders. There are numerous diagrammatic illustrations and formulas for compounding solders.

MY TOWN, or Community Patriotism, by George Blackstone Irving. The Ryerson Press, Chicago, Publishers. Price, 50 cents.

How often do we hear the phrase from the citizens thereof: "This is a rotten little town." And mostly they speak the truth. The town is rotten, politically, structurally and actually. Yet many little towns are waking up, and also many big towns, to better things. This book, with its sub-title of "Community Patriotism," is a good deed and its author, Mr. Irving, has a worthy enterprise. He deserves to succeed in his special line of engineering, which is the instruction of towns in better ways to be towns.

THE HALF-TIMBER HOUSE: Its Origin, Design, Modern Plan and Construction. By Allen W. Jackson. New York: McBride, Nast & Company. Price, \$2.00, and 20 cents postage.

This book, which is written essentially in a popular style, aims to fill the wants of the layman who is interested in the subject, who is looking around for a style which will suit his taste in which to build his home. It is not intended for the professional man except as it may appeal to him as an artistic production. The illustrations are very largely drawn from English examples, the number of American examples being quite limited. Little sketches here and there throughout the text explain in a simple way the minor details of construction. Naturally a style which has its home in England needs some adaptation to meet American needs. In two chapters of the book, entitled "Is the half-timber style suited to our needs to-day?" and "English and American house plans," the author shows that the practicability of the style is a mere matter of adaptation which, in the hands of a skillful architect, is a matter of easy accomplishment.

CONCRETE WORKERS' REFERENCE BOOKS. No. 10, Moulding concrete flower pots, boxes, jardinières, etc. No. 11, Moulding concrete fountains and lawn ornaments. By A. A. Houghton. New York: The Norman W. Henley Publishing Co. Paper. Price, 50 cents each.

These two little books by Mr. Houghton continue the series with which our readers are undoubtedly more or less familiar. It is the purpose of the writer to give methods of construction of simple moulds to produce the various objects defined by the titles. He refers to patent systems of mould construction, but in the main confines himself to styles of mould and methods which can be pursued by any amateur worker. The books are practical in their subject matter and the sketches presented, though rough, give a good working idea of the appliances and methods pursued.

The NATCO HOUSE published for the National Fire Proofing Company by Rogers & Manson, Boston. Paper, 8x10½ inches. Price, 50 cents.

Building a fireproof house is the right kind of a mania for a man to have. The principal trouble has been that not enough men had the mania, and those that did have it had difficulty in satisfying their wants. This little book about small houses built of Natco hollow tile gives the prospective builder an opportunity to make selection from a splendid collection of designs. There are forty or more of these which can be built for a cost of approximately \$6,000, some with fireproof floor systems even. All have stuccoed exteriors. Another collection of designs, the work of clever house designers, occupies the remaining pages. These houses are illustrated by photographs with the plans given in sufficient size to be clear. A description accompanies each house, and with some of them cost data is presented.

KING'S SERIES IN WOODWORK AND CARPENTRY. Vol. 1, Elements of Woodwork; Vol. 2, Elements of Construction; Vol. 3, Constructive Carpentry; Vol. 4, Inside Finishing; Vol. 5, Handbook for Teachers. By Charles A. King. New York: The American Book Co. Cloth. Price, —

This series of five volumes consists of two books of elementary nature suitable for pupils in manual training schools where elementary woodwork is taught; two volumes are intended for technical, industrial or trade schools and for the use of those students who have passed through the work defined in the first two volumes, or an equivalent; the fifth book is intended for the teacher using the previous four.

(Continued on page 21.)

Barrett Specification Roofs

How to Inspect Barrett Specification Roofs

FOR the protection of Architects, Engineers, Roofers and Owners of buildings we direct attention to the fact that a roof is NOT a Barrett Specification Roof unless the materials are applied as directed in The Barrett Specification, and unless each roll of Tarred Felt and each barrel of Pitch bears the labels, facsimiles of which are shown herewith.



Fac-simile of Labels.

To comply with the Barrett Specification, the materials necessary for each one hundred (100) square feet of completed roof are approximately as follows:—

Over Boards

108 square feet	Sheathing Paper
80 to 85 lbs.	Specification Tarred Felt
120 to 160 lbs.	Specification Pitch
400 lbs.	Gravel
or	
300 lbs.	Slag

Over Concrete

80 to 85 lbs.	Specification Tarred Felt
180 to 225 lbs.	Specification Pitch
400 lbs.	Gravel
or	
300 lbs.	Slag

In estimating Felt the average weight is practically fifteen (15) pounds per hundred (100) square feet, single thickness, and about ten (10) per cent. additional is required for laps.

In estimating Pitch the weather conditions and expertness of the workmen will affect the amount necessary for the moppings and to properly embed Gravel or Slag.

The only practical way of determining that Felt and Pitch have been applied as specified is to cut the roof, and as a protection to the responsible roofing contractor, the National Association Master Gravel & Slag Roofers of America recommend cutting a slit into the roof not less than three (3) feet long at right angles to the way the Felt is laid, before the Gravel or Slag is applied. The cut can be repaired by sticking five (5) thicknesses of Felt over it, and the spot will then be as strong as any part of the roof.

The contract price for a Barrett Specification Roof should not be less than the cost of the materials specified, plus the cost of laying, and a reasonable amount for profit. Thorough inspection of materials and workmanship is recommended.

BARRETT MANUFACTURING COMPANY

New York Chicago Philadelphia Boston St. Louis Kansas City Cleveland
Cincinnati Minneapolis Pittsburgh New Orleans Seattle London, Eng.
The Paterson Mfg. Co., Ltd. Montreal Toronto Winnipeg Vancouver St. John, N. B. Halifax, N. S.



When writing Advertisers, please mention Architecture and Building.

Art and Architecture

The Year Book of the Merchants' Association of New York contains a frontispiece which is an illustration of the Woolworth Building. This is shown in connection with the announcement that after February 1, 1913, the association will occupy the southerly half of the ninth floor in this building.

Among the activities of the association during the last year which have borne fruit was the effort of the association's insurance committee in drafting and securing the passage of a law for creating in New York City a Bureau of Fire Prevention. The Hoey fire prevention law, which was finally passed, although somewhat modified from the association's original draft, is an effort to be proud of, and the future will tell us more of its benefits.

Mr. Charles William Eldridge desires to announce that Mr. Veredon William Upham has become junior member of the firm. Henceforth the firm will be known as Eldridge & Upham, and will continue the practice of architecture at the present address, 1227-1229 Granite Building, Rochester, New York.

The American Society of Engineering Draftsmen elected Miss Marie Oberlander a junior member at their meeting of May 16th, the first woman to be elected to membership. She is a student of architectural drawing at Teachers' College, Columbia University. At this meeting Mr. F. F. Nickel, M. E., delivered a lecture on "Practical application of the slide rule" and Mr. R. E. Boehck delivered a paper on the "Development of Logging Machinery," which has been printed for distribution.

THE SAN FRANCISCO CHAPTER A. I. A. JUNE MEETING.

The San Francisco Chapter met at the Palace Hotel on Thursday evening, June 20, with a large attendance of members and several guests. The business of the meeting was rapidly passed and the reports of the committees were in the main brief. Mr. Howard, as chairman of the San Francisco Sub-Committee on Competitions of the A. I. A., reported that the City Hall Competition had been completed and judged, with the result that Messrs. Bakewell and Brown had been awarded the first prize. He also added that the competition had been most gratifying in its showing of talent, care and skill and resulted in what he believed to be the selection of the best of many excellent designs. An important matter that was brought before the meeting was a motion by Mr. Polk which was seconded and carried, that the chapter recommends that Con-

gress take no further action toward repealing the Tarsney act and that in the reconsideration of the present action it call in the A. I. A. into consultation to find out if the Tarsney act could be improved towards the betterment of architecture and the efficiency of government work, and also that the chapter transmit immediate word to Glen Brown and California's representatives in Congress.

Resolutions on the death of Mr. Daniel H. Burnham were passed. The guest of the evening was Mr. Walter Cook, president of the A. I. A., who addressed the chapter at some length.

The Department of the Interior, Bureau of Mines, has made a reprint of Bulletin No. 39, the smoke problem at boiler plants, a preliminary report, by D. T. Randall. 31 pages. Reprint of United States Geological Survey Bulletin 334, revised by S. B. Flagg.

The Bureau of Mines has copies of this publication for free distribution, but cannot give more than one copy of it to one person. Requests for all papers cannot be granted without satisfactory reason. Applications should be addressed to the Director of the Bureau of Mines, Washington, D. C., and the publication ordered by number and title.

THE STANDARD BUILDING CODE.

We have previously commented on the work of the National Board of Fire Underwriters in formulating building codes. Their standard code together with their offer of advice and suggestion has met with favor apparently in several localities. Springfield, Mass., Amsterdam, N. Y., Birmingham, Ala., and San Diego, Cal., have all adopted codes approximating the standard set by the National Board. Others are in line, and when the full roll call of the results is obtained it will be a large one. The National Board will send a copy of their model code to those in authority anywhere, and if the results meet with wide success, as they deserve to, there should be a great improvement in protective conditions and much done to prevent fires.

HOWARD M. INGHAM

MEM. AM. SOC. M. E.

Industrial Engineer

SPECIALIST IN THE
INSTALLATION OF

*Simple, Direct, Effective Methods
of
Office Management*

160 FIFTH AVE., NEW YORK

I. MORITZ, Prop.

Telephone 164 Plaza

Architectural Metal Works SKYLIGHTS

CORNICES AND ROOFING
CORRUGATED IRON WORK

1192-1194 SECOND AVENUE

NEW YORK

LAKE COMMERCE DURING MAY, 1912. IRON ORE SHIPMENTS.

The volume of domestic commerce on the Great Lakes during May of the present year shows a marked improvement when compared with that of May, 1911, according to reports received by the Bureau of Statistics of the Department of Commerce and Labor. The freight shipments during the month aggregated 10,891,220 short tons, an increase of 24 per cent. over the shipments a year ago. This increase was due mainly to the larger iron ore shipments, the shipments of other leading articles except lumber, namely, flour, grain and coal, having declined.

The May, 1912, iron ore shipments from Lake Superior and Lake Michigan ports amounted to 5,801,449 long tons, an increase of 57 per cent. when compared with the shipments in May, 1911. The shipments from Duluth-Superior amounted to 3,237,559 long tons, an increase of 48 per cent., and from Escanaba, 652,483 long tons, an increase of 55 per cent. over May, 1911.

CONSTRUCTION DETAILS.

We have opportunity to welcome into the field of architecture a new publication which bears the title of this notice. The first issue of its second volume has appeared with the issue of July. The particular specialty of the paper is detail drawing and the combination of good photographic illustrations with valuable scale details of the work shown, is something that will be highly appreciated by the architectural designer. The paper is published in St. Paul, Minn. Its subscription price is \$6 per year in the United States, or 50 cents per copy.

FRANCIS W. COLLINS

Assoc. Mem. A. S. C. E.
Mem. A. I. M. E.

CONSULTING ENGINEER

50 CHURCH ST., HUDSON TERMINAL
NEW YORK CITY

Investigations, Valuations,
Scientific Organization and Management

BOOK REVIEWS

(Continued from page 18)

or for students in normal schools who expect to teach.

Elements of woodwork is the first of the series. It begins with a short chapter on the growth of woods and continues with a well illustrated chapter on lumbering, cutting of lumber and the care and storage of it. Following this is a chapter on the use of tools which is fully illustrated. Of primary importance to the woodworker is the care and preservation of his tools. The purchase of tools and materials, their care and maintenance, is an important idea to instill into the mind of the young workman. To do good work good tools are necessary, and to have good tools the knowledge of their proper use is co-ordinate with the knowledge of re-sharpening and maintaining them in good condition. There are two short chapters on glue and sandpaper, and wood finishing.

Elements of construction is the second book. It contains a repetition of the care and use of tools presented in the first volume and proceeds to give in the following chapters instruction for the making of working drawings, which are followed by constructive exercises. This chapter gives instruction in elementary woodworking and includes mitering and simple joinery. The next chapter continues to more advanced woodworking and the building of simple furniture. A series of arithmetical questions concerning woodworking closes the volume.

The fifth volume, or Teachers' Handbook, contains hints for instruction in manual training, carpentry and joinery, data for supplies and the outfit for instruction. A chapter on suggestive courses gives various lines of study. The latter half of the volume contains a lot of designs which may be suggested for construction by the students. These, where opportunity offers, vary the courses and serve to maintain the interest of the students.

Thomas Bruce Boyd

Bank Equipment Specialist

286 Fifth Avenue
New York

Telephone Madison Square 6681

FREDERICK S. HOLMES

Bank Vault Engineer

2 Rector Street, New York

When writing Advertisers, please mention Architecture and Building.

Fireproofing and Fire-Protection

MR. G. H. STEWART

ANOTHER SPRINKLER TRIUMPH.

A representative of *Architecture and Building* accompanied an insurance inspector through the new building of the Masonic Lodge at 6th Avenue and 23d Street the other day, and while there had the unusual good fortune to witness the extinguishment of a fire by an automatic sprinkler.

A tenant occupying a room on the 10th floor as an office, and with a few cases of piece woolens (the forerunner of a larger stock which is to follow) had engaged mechanics to install partitions for his office. Oil-soaked waste or rags were stowed away by a careless workman with a box of wood shavings behind some cases in a corner of the room and apparently ignited spontaneously. Practically the first notice of the fire came through the operation of a single automatic sprinkler head, almost directly over the fire, resulting in a deluge of water which promptly checked the flames but caused so large a volume of smoke that the building employees hastily summoned felt called upon to use the building standpipe hose. The entire incident was over in a jiffy and no call sent to the public department.

In fact, few in the building were aware of the fire.

The management very foolishly, in our opinion, refuses to permit a photograph to be taken. No discredit can attach to either the building or its tenant through the occurrence of this fire, since no amount of supervision, however rigid, may reasonably be expected to cover the removal of every bit of rubbish in an establishment as large as this one, especially where portions are still in an unfinished condition. The tenant had only a very small part of his stock on the premises, and being without insurance could hardly be accused of connivance. On the contrary, the ease with which the fire was controlled, if not actually extinguished, is one of the strongest points the rental agents might urge upon prospective tenants as illustrating the almost absolute security furnished by the automatic sprinkler equipment.

This happened to be a day fire. Had it been at night, the result would have been in no way different. Such trifling damage as there was is due to water—the sides of the

(Continued on page 26.)

Where Quality Alone Counts



The best of everything has made that white marble palace, the Pan-American Building at Washington, D. C., the finest edifice in the United States.

This new home of the Pan-American Union, donated by Andrew Carnegie several years ago, cost one and a quarter millions. The material, decorations and furnishings are the best. The per cubic foot cost was greater than that of any other structure of any nature in America.

And when it came to selecting a watchman's time detector that would be in keeping with the structure itself, the best was sought. An investigation, not of prices, but of efficiency and durability, resulted in an order for a **Newman Watchman's Clock**. The request to the Newman Clock Company was to properly equip the building—no competitive trial was asked, no bids sought.


The same old reason—**Quality**.

Newman Clock Company, Makers of Watchman's Time Detectors for Forty Years
NEW YORK CHICAGO

Foreign Representatives: The Newman Clock Co., Ltd., London, Eng. The Newman-Munderloh Clock Co., Ltd., Montreal, Canada.

When writing Advertisers, please mention Architecture and Building.

*"Fire's Out—Boys!
Their Grinnells
worked like a charm"*



GRINNELL
AUTOMATIC SPRINKLERS

put out the fire
when it is small—
before it has a chance to grow.
They are quicker than
the spread of the fire—
quicker than the man with
the bucket — *as soon as the*
temperature reaches 155°
they ring the alarm and
proceed to drown the fire

Manufactured and the complete system installed by the
GENERAL FIRE EXTINGUISHER CO.
EXECUTIVE OFFICES — PROVIDENCE, R.I.
Plants — Warehouses and Offices in the Principal
Cities of the UNITED STATES and CANADA
Send for *The AUTOMATIC SPRINKLER BULLETIN*

40-50



SHOWING SPRINKLER WITH THE TWO HALVES OF THE STRUT SOLDERED TOGETHER.

ROCKWOOD SAFETY LOOP SPRINKLER



SHOWING HOW THE TWO PARTS OF THE SOLDERED STRUT SPRING APART ONLY AFTER THE LUMP OF SOLDER IS MELTED AWAY FROM THE LOOP.

THE ROCKWOOD SPRINKLER IS UNIQUE IN THAT THE TWO PARTS OF THE SOLDERED LINK ARE HELD TOGETHER, NOT MERELY BY A SWEATED SOLDERED JOINT, BUT BY COVERING THE END OF THE LEVER WITH A SMALL PIECE OF SOLDER WHICH IS MECHANICALLY BOUND TO THE STRUT BY A LOOP OF WIRE RIVETED THROUGH ONE PART OF THE LINK.

THE ROCKWOOD SPRINKLER IS THE ONLY APPROVED HEAD THAT IS INCAPABLE OF OPENING ITSELF BY THE BREAKING OF THE SOLDERED JOINT, WHICH MUST ABSOLUTELY MELT TO OPEN. IT IS THUS IN A CLASS BY ITSELF, SUPERIOR TO ALL OTHERS.

ROCKWOOD SPRINKLER CO. OF MASSACHUSETTS

MANUFACTURERS, ENGINEERS AND CONTRACTORS FOR COMPLETE SPRINKLER EQUIPMENTS USING WET OR DRY SYSTEMS.

38 HARLOW STREET

WORCESTER, MASS.

NEW YORK - - - 123 WILLIAM STREET
BOSTON - - - 141 MILK STREET
BUFFALO - - - 300 PRUDENTIAL BUILDING

CHICAGO - - 3084 SOUTH MORGAN STREET
SEATTLE - - - 208 COLUMBIA STREET
MONTREAL - - 141 ST. MAURICE STREET

When writing Advertisers, please mention Architecture and Building.

BEAUTY AND ADAPTABILITY COMBINED



D. B. Martin Company's
Meat Packing House,
Philadelphia, Pa.

INTERIOR LINED
WITH
"AMERICAN"
ENAMELED
BRICK

35,000 English Size
White
First Quality

New edition catalog sent upon request

American Enameled Brick & Tile Co., 1182 Broadway, New York City

HEAD OFFICE

SAMUEL M. GREEN COMPANY

Engineers and Architects

SPRINGFIELD, - - - - - MASS.

HOTEL, OFFICE BUILDING, LIBRARY AND MILL ARCHITECTURE,
POWER PLANT DESIGN—STEAM, HYDRO-ELECTRIC AND GAS,
PLANT APPRAISALS AND INVENTORIES.

American Society of Mechanical Engineers
Canadian Society of Civil Engineers

American Society Civil Engineers
National Association of Cotton Manufacturers

KALAMEIN
WORK IN
COPPER
BRONZE
AND IRON

**Knoburn
Company**

**KALAMEIN
DOORS**

FIRE
UNDERWRITER
WORK
A SPECIALTY

Office and Factory
365 14th St.
HOBOKEN, N. J.

Fire Protection

Siamese

For Automatic Approved Sprinkler Systems




The SIMMONS LINE of Fire Equipment Specialties embraces everything designed for the protection of life and property.

"Simmons" Siamese Connections

Made in Brass or Iron in accordance with Insurance, Underwriters and Fire Department specifications. Highly efficient and fully guaranteed.

By installing such dependable specialties as are herein shown you offer your clients absolute protection against appalling losses by fire, and a certain decrease in the cost of insurance.

"Simmons" Swinging Hose Reel



Improved design made in iron, bronzed, japanned or electroplated. Made to harmonize with any furnishings. Last word in quality and efficiency.

Fully 75% of heavy losses by fire—daily chronicled in the newspapers—are due to negligence. Should the building be properly equipped with the "SIMMONS" Specialties thousands of dollars and many lives would be saved.

"Josico" Angle Hose Valves



This is practically the keystone of safety on a standpipe system, yet how little attention is paid to its installation. Eliminate the element of chance by specifying it in the future, which means that you'll have an appliance of the highest efficiency as to quality, finish, etc.

Catalogues, cuts and other data gladly sent on application.

John Simmons Co.

102-110 Centre St., New York

packing cases are scorched, but not burned. The promptness of the building employees in bringing into play the hose from one of the standpipes is so commendable that we cannot repress our surprise that its value as an advertisement for the building should have been missed. Altogether the case is one of the finest illustrations of the value of the automatic sprinkler, when properly installed, that has come to our notice, which seems sufficient excuse for this extended reference.

Again, it is a pleasure to see the results of good construction. The concrete floors of the Masonic Building held the water and no damage was caused on the floors below when the Grinnell automatic sprinkler operated and the house hose stream was brought into play.

A MILE OF BARRETT SPECIFICATION ROOFS.

An interesting perspective sketch of the Bush Terminal buildings in Brooklyn has been prepared by the Barrett Manufacturing Company, showing the extensive use of the Barrett Specification roof in that large and busy center. A letter which they publish shows that the Bush Terminal Company is well satisfied.

The total roof area of these buildings is 3,100,000 square feet, which is more than 70 acres. There are 181 different buildings and they stretch for a mile along the shore of South Brooklyn. A summary of the advantages of the roofing is as follows:

1. Low first cost.
2. No maintenance expense such as painting, etc.
3. They are not injured by steam, gases and acid fumes.
4. They are fire retardant and take the base rate of insurance.
5. The net unit cost, that is, the cost per foot per year of service is lower than any other type.

A NEW CATALOGUE ON METAL LUMBER

The Berger Manufacturing Company has recently issued a very elaborate and extensive treatise on the subject of metal lumber, a substitute for wood.

It has isometrical drawings, sectional views showing the application, together with illustrations showing the erection of different types of buildings with metal lumber and fire tests of the construction.

The material is a sheet metal product which
(Continued on page 28)

Consolidated Chandelier Co.

MANUFACTURERS OF

Gas and Electric Fixtures

132-136 W. 14th St.

NEW YORK CITY

When writing Advertisers, please mention Architecture and Building.

The Annual Fire Waste in the U. S. exceeds \$230,000,000. It is estimated that 75% of this loss is preventable and can be saved by the use of

AUTOMATIC SPRINKLER PROTECTION

Our business is the installation of Automatic Sprinkler protection; a complete fire fighting apparatus, operating automatically and only where the fire is located.

"AUTOMATIC" SPRINKLER CO. OF AMERICA

Executive Offices

123 WILLIAM STREET (Underwriter Bldg.), NEW YORK CITY

Department Offices, in Large Cities



COPPER CABLE CHAIN

Thomas Morton,

169 Elm Street,

New York.

Copper Cable
Steel
Champion Metal
Steel Champion


SASH CHAINS.



CHAMPION METAL CHAIN

CHAINS For Suspending Heavy Doors, Gates, etc.
ALL of SUPERIOR QUALITY.

MINERAL WOOL
FIRE
SOUND
VERMIN **PROOF**



CHEAP AND
EASILY APPLIED

United States Mineral Wool Co.

140 CEDAR STREET, NEW YORK

SAMPLES FREE



S. H. POMEROY CO., Inc.

Successor to Voigtmann & Co., of New York

Manufacturers of Fire Windows

427 West 13th Street, New York

Practical demonstration at Washington Square Fire, March 23th, showing the integrity against fire and how utilized by Fire Dept. in fighting fires across alleys.

By virtue of closing automatically the protection is constant and not subject to neglect as is common with Fire Shutters.

Fire Protection

Have you ever seen our Safety Fire Bucket Tank work?

*It can't freeze even at 20° below.
It's always ready for work.*



40% of the biggest concerns in the United States and Canada have installed this most modern fire fighting equipment.

The Safety Fire Bucket Tank is the most complete and reliable appliance ever invented.

Let us send you---entirely without obligation---our new descriptive booklet.

A postal will do---send it today, and your booklet will reach you by return mail.

The Safety Fire Extinguisher Co.

291-293 Seventh Avenue, New York, N. Y.

Telephone, Madison Square 3356



FIFTH AVENUE AND TWELFTH STREET

MAYNICKE AND FRANKE, Architects

**THE METAL COVERED WINDOWS AND
NASH TYPE UNDERWRITERS DOORS FOR
THIS BUILDING WERE FURNISHED AND
INSTALLED BY**

THE KALAMEIN COMPANY

Office and Factory

10th STREET, NEAR VERNON AVENUE
LONG ISLAND CITY, N. Y.

replaces wood stick for stick, but it does not replace structural steel.

We understand that by writing direct to The Berger Manufacturing Company, general offices, Canton, Ohio, a copy can be secured gratis.

BUILDING TECHNICALITIES.

The Canton Manufacturing Company, of Canton, Ohio, has issued a mass of technical information concerning their products under the title above. Further, in a sub-title, it is stated that they present useful information for specifications for fireproof, adjustable windows, fireproof doors, ventilators, skylights, architectural sheet metal work and metal ceilings. The form in which this has been presented is that of the ordinary, typewritten specification, but it contains throughout many line drawings, showing details of the construction of metal windows, metal doors, etc. The presentation is a novel one, and its usefulness particularly commends it, as it gives in concise form just the information that the specification man needs in drafting the specification of a building.

FIRE UNDERWRITERS' LEGISLATIVE BUREAU.

The fire underwriters of the country, speaking through the action of the National Board of Fire Underwriters at its annual convention held May 23, 1912, unanimously decided in favor of the establishment of a legislative bureau for the purpose of dealing with legislative matters in the various States which may have any material bearing upon the business of fire underwriting, and especially such measures as are inimical to fire insurance companies' interests. The plan for the proposed bureau provides for an organization which will be operated under a high-grade management which will relieve the various underwriters' committees of the work which has heretofore been imposed upon them in the looking after legislation in the various States affecting fire insurance.

The National Board, at the meeting which was held at the Waldorf-Astoria Hotel, also adopted measures to provide for a continuation of all the important fire prevention measures which it has undertaken during several years past, such as the maintenance of the Underwriters' Laboratories, the support of the National Fire Prevention Association and the work of securing a standard building code for all large cities. The means for carrying out all these measures were provided for by the levying of assessments upon the premium income of the members.

The conditions prevailing in fire underwriting as a whole during the year 1911 were shown to have been far from satisfactory in the point of profit. The figures presented by the president of the board in his annual address gave the total premiums of 180 joint

(Continued on page 30.)


ELEVATOR SHAFT CONSTRUCTION

By H. ROBERT CULLMER

Assisted by ALBERT BAUER

Practical Suggestions for the Installation of Elevators in Buildings

A treatise for the architect and builder covering the surveying and preparing of detail drawings for elevator shafts; machine rooms; elevator bulkheads; tables and formulae for calculating the size and capacity of elevators; freight elevators; sidewalk elevators; dumb-waiters; specification writing for elevator installation; elevator shaft doors and appliances; building regulations covering elevator installation.



Cross Section of Elevator Shaft and Bulkhead.

Elevator shaft construction in buildings has never before been technically treated. This book supplies the demand for information on this subject, and it has been the effort of the author to supply the necessary data for the use of the architect in placing an elevator equipment in any building. New York practice is followed, and the Building Department laws and regulations of New York are made the standard. The author has also made a careful study of the regulations in use elsewhere, giving the deviations from New York requirements. Specification writing for elevator equipment has been covered by two forms; one a simple specification for a single elevator, the other a more elaborate equipment embracing several styles of cars suitable for an office building.

The book contains most practical information and it is the hope of the author that he has omitted no important point. Every phase of the shaft problem in building construction has been covered, and the method of presentation is such that ready reference is possible to any detail of the subject.


The book is in companion size with the **Building Construction and Superintendence** Series, by Mr. F. E. Kidder.

Cloth bound, 170 pages, Frontispiece, 47 diagrammatic plates, 16 illustrative plates

Price \$3.00

Publishers

The Wm. T. Comstock Co.
23 Warren Street, NEW YORK



Plan of a Machine Room.

JUST PUBLISHED
BOOKS ON
The MANUAL ARTS
A DESCRIPTIVE CATALOG

A VALUABLE reference book. Lists and describes 260 of the best books on the manual arts; includes all the standard and the best of the recent books.

MAILED FREE ON REQUEST—NO COST TO YOU AND NO OBLIGATION

Check the subjects you are interested in, fill in the blanks, clip and mail, and a copy will be sent to your address.

.....

- | | |
|-----------------------|--------------------------|
| ..Agriculture | ..Manual Training |
| ..Building Arts | ..Printing Arts |
| ..Drawing, Mechanical | ..Wood and Trees |
| ..Household Arts | ..Periodicals |
| ..Pattern Making | ..Art and Design |
| ..Vocational Training | ..Drawing, Architectural |
| ..Art Crafts | ..Elementary Handwork |
| ..Decorative Arts | ..Metal & Metalworking |
| ..Drawing, Machine | ..Plastic Arts |
| | ..Woodworking |

Name
 Position
 Street
 City
 State

THE MANUAL ARTS PRESS

PUBLISHERS AND DEALERS IN BOOKS ON
 THE MANUAL ARTS AND KINDRED SUBJECTS

PEORIA

ILLINOIS

JUST PUBLISHED
Practical
Cement Work
 By W. B. HENRY
PRICE, 50 CENTS

A book that will be of assistance to you every day in the week, no matter what line of cement-concrete construction you are engaged in.

Neatly Bound in Cloth

112 Pages—4½ x 6½

CONTENTS:

Portland Cement, The Unit of Purchase, Storing Cement, Sand, Aggregates, Mortar, Formulas, Mixing Aggregates, Concrete, Reinforced Concrete, Form Building, Waterproofing, Coloring, Cost Data, Testing Cement, Foundations and Walls, Cement Houses and How they are Built, Cement Plaster and Stucco Houses, Water and Steam Curing, Condition of Seasoning Blocks, Sand Lime Brick, Sidewalks, Floors for Cellars, Basements and Stables.

Address

THE CONCRETE AGE

ATLANTA

GEORGIA

stock fire insurance companies as \$294,071,982, out of which losses paid amounted to \$158,392,630. The liabilities on account of unearned premiums were increased by \$16,840,733, and the expenses of operation absorbed \$116,900,483, thus leaving an apparent underwriting profit on the year's business of \$1,938,136, or an equivalent of .006 per cent of the total premiums. The record of ten years' fire underwriting showed even less favorably. The total premiums during the period 1902 to 1911, inclusive, were \$2,428,497,862, the losses paid were \$1,363,247,836, the increase in liability for unearned premiums was \$150,394,185 and the expenses of operation were \$927,256,324. This resulted in an apparent underwriting loss of \$12,400,483, equivalent to .0051 per cent of the total premiums during the period.

The new Bureau of Fire Prevention, which has jurisdiction over exits, fire escapes, stairways and fire preventive appliances in approximately 65,000 buildings in Greater New York City, has a staff of about ninety men who are employed as inspectors to look after these buildings. Thus each man has about 725 buildings for his personal inspection. According to report, the number of fires in Greater New York City has decreased about 20 per cent. since October 15, 1911. This has resulted in a considerable saving to the insurance companies and will eventually mean a lowering of insurance rates, which, it is needless to say, will be greatly appreciated by the property owners in the greater city.

The Master Builders' Association has been making an investigation of the Fire Prevention Bureau, which is under the direction of Fire Commissioner Joseph J. Johnson, and Mr. Frank M. Patterson, president of the association, strongly commends the department and gives Mr. Johnson credit for the reduction in the number of fires which have occurred during the period of his incumbency. It is estimated in the Master Builders' Association report that in a few years' time this Bureau should be able to cut down the number of
 (Continued on page 32.)

GOING TO BUILD
OR REMODEL ?

Our Booklet

"Modern House Heating"

**Is Sure to Be of
 Great Value to You**


Booklet Mailed Free on Application

Shall we send YOU a copy!

GORTON & LIDGERWOOD CO.

96 Liberty Street,

NEW YORK



LANE'S TROLLEY

Parlor Door Hangers & Track

Ball Bearings machined from solid steel and hardened.

The only Trolley Track having a lateral as well as a vertical adjustment.

Send for Catalog.

LANE BROTHERS CO.

Railroad Ave.,

Poughkeepsie, N. Y.

Build
with
Berger's

Metal Lumber

It replaces wood stick for stick in the superstructures of residences and medium-sized buildings—is used successfully in conjunction with structural steel in larger buildings.

Metal Joists can be used with any exterior wall construction and provide a shock-proof and non-combustible superstructure that is practically indestructible.

Write for "METAL LUMBER"
It gives details. Free on request.

New York
Boston
Philadelphia
Atlanta

THE
Berger Mfg. Co.
CANTON, OHIO

Chicago
St. Louis
Minneapolis
San Francisco

We also manufacture Metal
Ceilings, Sidewalk Forms,
Sidewalk Lights, Multiplex,
Rib-Truss and Ferro-Lithic
Plates, Metal Lath, etc.

STANLEY'S Ball Bearing Hinges



Permit the doors to open smoothly and softly without creaking or binding.

The hinges will never wear down or require oiling.

NON-RISING PINS

The whole story is told in our Circular "B."
Write for a copy.

THE STANLEY WORKS
NEW BRITAIN

CONN.

Dixon's Silica-Graphite Paint

Protects the structural steel work contained in such important buildings in New York City as the McAdoo Terminal Buildings; American Woolen Company's Building; Gimbel Department Store; Savannah Bank & Trust Company's Building, Savannah, Ga.; the Royal Insurance Company's Building, San Francisco, Cal., and numerous other structures.

Write us for "Notable Building List," and other paint literature

Joseph Dixon Crucible Co., Jersey City, N. J.

fires at least 40 per cent. Thus far, 762 buildings have been equipped with fire escapes, in 327 buildings alterations to stairways and exits have been made in compliance with the new law, and fire preventive appliances have been installed in 436 buildings. In 973 other buildings a general cleaning up has been ordered and effected, rubbish and other inflammable material being removed from them.

INCREASE IN BUILDING.

It is gratifying to note that there has been a general increase in the amount of building as gauged by the permits, and as reported in "Dun's Review." The gain for the month of May this year over last year is 11.8 per cent. in fifty of the leading cities of the United States, the total aggregate being \$59,285,201, as against \$53,029,500 last year. The gain in New York City for the various boroughs shows an increase of 29 per cent., the largest increase of all. For the other forty-nine cities the gain amounts to only 3.2 per cent. For the first five months of this year the building permits totaled \$268,128,868, as against \$248,975,558 last year.

For the month of June building in Greater New York shows a slight falling off over the figures of last year, a decrease of 9 per cent. This is due to a pronounced contraction in Brooklyn, which counteracts the effect of the increased building in Manhattan and the Bronx. Elsewhere in the East, taking the aggregate for all cities included by "Dun's Review" in that section, there is an increase of 18.7 per cent. At some centers, such as Buffalo, Hartford, Rochester, Springfield and Worcester, the gain is large. In the South in general there is a decrease to the extent of 15.2 per cent. less than last year. The West shows considerable activity, very large gains being made in several of the Middle-Western cities. On the Pacific Coast building operations continue at about the same rate as last year.

The total aggregate of \$70,064,153 is an increase of 10.2 per cent. over the figures of \$63,585,717 of last year. The total for the first six months of 1912 is well above that of 1911, the figures being \$355,709,067 for 1912 and \$324,162,024 for 1911.

According to present indications in the building field, the outlook is favorable for a continued increase throughout the summer and fall.

If we refer to "Bradstreet's," we find reports from 121 cities of the United States for June showing a total expenditure of \$84,023,271, as against \$83,668,036 in May, 1912, and \$78,308,951

in June, 1911. This shows a 7.2 per cent. increase over the month of June last year. "Bradstreet's" calculations for the six months' period gives a total expenditure of \$451,297,895, or a gain of 9.1 per cent. over the same period last year.

These two reports bear each other out in an interesting way and, compiled from independent sources, give an accurate gauge on the building industry of the country.

AUTOMATIC SPRINKLERS AND FIRE-PROOF BUILDINGS.

In a recent address before the New York Insurance Society the following statement was made: "There is one requirement not along structural lines which is absolutely essential for the safety of the contents of a fireproof building and should, in fact, be considered part of any fireproof mercantile or manufacturing house, namely, the automatic sprinkler equipment. No building is fireproof unless it is so arranged and equipped as to make itself and contents safe. This cannot be done in cases of mercantile or manufacturing buildings of the areas and heights now required, in any other way as surely and successfully as by automatic sprinkler protection.

"Let us give full credit to the buildings of so-called fireproof construction which we now have. Such buildings as they, contribute very greatly to the safety of our cities from conflagration. With all their faults they are much less likely to start and spread a serious fire than any sort of wooden construction, but in order to properly show what fireproof construction ought to be it is necessary to point out their present weaknesses. It is perfectly plain that no matter how incombustible the walls, floors, roof and similar details of a building may be, if it is all one room or is not protected with automatic sprinklers, the contents may be burned out just about as easily as though they were in a wooden building. The building value represents usually less than half and sometimes not more than one-tenth of the total value of the plant, and the chief consideration should be given to the safety of the contents."

Lockwood, Greene & Co., architects and engineers for industrial plans, 93 Federal street, Boston, will occupy the seventh, eighth and ninth floors of the First National Bank Building, 60 Federal street, Boston, as soon as the building is completed. The new quarters have been made necessary by their increased volume of business and the need of more commodious arrangement of departments.

INTERIOR MARBLE

Material and work the standard for 14 years. Our reputation the best positive evidence as to our superiority.

CORK & ZICHA MARBLE CO., - - 325-327 East 94th St., NEW YORK

When writing Advertisers, please mention Architecture and Building.

Sanitary Engineering of Buildings

A Standard Book on Sanitation
By Wm. Paul Gerhard, C. E.
Consulting Engineer for Sanitary Work

THIS practical work takes up the subject of sanitation of buildings, devoting considerable space to the traps and systems of trapping, to the drainage and sewerage of buildings, different classes of plumbing fixtures, the sanitary work in tenement houses, improved methods of house drainage and public buildings. Also the sanitation in factories and workshops. The work is fully illustrated and will be found of value both to architects and engineers. The chapter devoted to **SIMPLIFIED PLUMBING METHODS** is considered by many one of the best in the book.

454 pages, 103 illustrations and six plates. Buckram, \$5.00.

The Wm. T. Comstock Company
Publishers
23 Warren Street, New York

Badger Quality



Copper Hot Water BOILERS

are all that can be desired in a Range Boiler.

**LONG LIFE
CLEAN WATER
Beautiful Appearance**

Every boiler is tinned on the inside and guaranteed against leakage or collapse.

Write for Catalog

E. B. Badger & Sons Co.
BOSTON, U. S. A.

General Specifications for Concrete Work

As Applied to Building Construction
By WILBUR J. WATSON, C. E.

A book of great assistance to Architects and Engineers in preparing specifications for reinforced concrete buildings, and it will be found especially useful in the preparation of competitive designs.

Paper, price, \$0.50

General Specifications for Concrete Bridges

By WILBUR J. WATSON, C. E.

These specifications will meet an actual need of the profession, and most of the ideas represented were gained by actual experience of the author, to which he has added suggestions of other engineers. Those preparing such specifications will find the book most helpful.

Paper, price, \$1.00

The Wm. T. Comstock Co., Publisher
23 WARREN ST., NEW YORK




INTERNATIONAL FLOOR MACHINES

WERE USED EXCLUSIVELY FOR SURFACING THE MARBLE AND MOSAIC FLOORS IN THE **BANKERS TRUST CO. BUILDING**

International Floor Machine Co.

39-41 West 38th Street, New York



FOLSOM'S
MODEL 1910.

THE SNOW GUARD ALLOWING
NO STRAIN ON THE SLATE
WHY NOT SEE IT?

A postal card will bring sample

Folsom Snow Guard Co. No. 4 Post Office Square
Boston, Mass.


Weather Vanes

Lightning Rods

Church Crosses

Flag Poles

and
Fittings
Etc.



Send for Catalogue

THOS. W. JONES

153 Maiden Lane
New York

Telephone Connection

ARTHUR GREENFIELD, Incorporated

REINFORCED CONCRETE FLOORS
IRON FURRING and METAL LATHING

Telephone Connection

204 EAST 26th ST. NEW YORK

PRENTISS

ELECTRIC CLOCKS

CALENDAR

SELF-WINDING

Dept. 11, 92 Chambers St., N. Y.

Industrial Progress

WHAT THE PASSAGE OF THE BOURNE BILL WOULD MEAN TO THE MAN- UFACTURER OF BUILDING MATERIALS.

The Bourne bill claims "to establish a parcel post system and to fix rates of postage on certain classes of mail." To welcome this bill as the much-sought-for parcels post system is a delusion, for it will mean for the most part an increase in the present rates and an added cost of postage to the average manufacturer of building materials, and all manufacturers of appliances used in the building trades, who issue circulars and catalogues.

The average catalogue issued by building material men is a valuable and useful article, containing technical information and of more or less educational value to the reader.

Most catalogues come under the weight of four ounces, and the cent-an-ounce rate, proposed in the Bourne bill, doubles the present rate and makes an average 75 per cent. increase in charge.

Further, the cost for shipping small samples, cuts for illustrative and advertising purposes would be considerably increased.

Further, because of the proposed zone system which forms part of the bill, all firms doing business in localities along the sea coasts are discriminated against in favor of those manufacturers who are located in the central portions of the United States. There is no question but that the passage of the Bourne bill would mean an increase in postage of several thousand dollars a year to even the small manufacturer who distributes catalogues, technical matter and samples.

Further, if it is the purpose of the bill to benefit the farmer, as it has been claimed in some sources, this benefit is not at all evident. The direct sale from farmer to consumer is in no way nearer fulfilment than ever. It would be a very small sack of potatoes that would come under the eleven-pound limit.

Every manufacturer who issues a catalogue should inform himself as to the conditions of this bill and make it his business to write in protest to the United States senators from his state and to those United States senators who form the committee on post offices and post roads.

(Continued on page 36)


TETTENBORN



SOLID PORCELAIN REFRIGERATOR

CINCINNATI

Architects and Builders should investigate **EVANS "CRESCENT" EXPANSION BOLTS**



WITH DOUBLE END GRIP EXPANSION
Constructed on NEW lines. Grip at BOTH ENDS, and on ALL sides. Cannot work loose.

Send for Catalogue and samples screwed into blocks of wood or stone.

Agencies in all large cities **F. H. EVANS** (Patentee and Sole Manufacturer) 31-33-35 Hewes St., Brooklyn, N. Y.

No. 1. Steel Joist Hanger for Wood Header



Van Dorn's Steel Joist Hanger

IS THE BEST OBTAINABLE

Send for Catalogue and refer to this Magazine

THE VAN DORN IRON WORKS CO.
CLEVELAND, OHIO

Steel Buildings, Wrought Iron Fencing, Iron Bridges, Jail and Prison Work, Metallic Office Furniture, etc.



No. 4. Steel Joist Hanger for Brick Walls

BOYD EQUIPMENT COMPANY

CONTRACTING ENGINEERS

HEATING

PLUMBING

ELECTRIC

COMPLETE POWER PLANTS

373 Fourth Avenue, NEW YORK

The A. B. See Electric Elevator Co.

Main Office: 220 Broadway, New York

PHILADELPHIA
Land Title Building
Broad and Chestnut Sts.

BOSTON
India Building
84 State St.

BALTIMORE
Stock Exchange Building
210 East German St.

WASHINGTON
Barrister Building
635 F St., N. W.

HARTFORD
Connecticut Mutual Life Building
36 Pearl St.

ELECTRIC ELEVATORS

with machines having Ball Thrust Bearings that reduce friction and increase power, and made strong and durable, is my specialty. They have filled the bill for many years and will solve the vertical transportation problem for you.

DUMBWAITERS

CELLAR HOISTS

Write for Catalog and Prices

J. G. SPEIDEL, Reading, Pa.



"COUNTRY AND SUBURBAN HOUSES"

A Book Designed to Solve Your Building Proposition. 1912 Edition 9 x 12 inches, 150 Illustrations.

Colonial, Artistic, Stucco, Half Timber, Bungalow, Mission and other styles of Architecture. General specifications, interior suggestions and practical information for the intending builder. Estimates of cost. Exterior and interior views, first and second floor plans with all dimensions. Books are handsomely printed with half-tone illustrations, and all designs carefully selected.

Designs costing \$3,500 to \$30,000. Price \$2.00 prepaid.

Detailed plans prepared for new work or for remodeling old buildings.

W. DEWSNAP, Architect

150 Nassau St., New York City

BOOKS

AT REDUCED PRICES

Special Sale. List Sent on Request

THE WM. T. COMSTOCK CO., 23 Warren St., New York

When writing Advertisers, please mention Architecture and Building.

HIGGINS'

**DRAWING INKS
ETERNAL WRITING INK
ENGROSSING INK
TAURINE MUCILAGE
PHOTO MOUNTER PASTE
DRAWING BOARD PASTE
LIQUID PASTE
OFFICE PASTE
VEGETABLE GLUE, Etc.**



Are the Finest and Best Inks and Adhesives
Emancipate yourself from the use of corrosive and ill-smelling inks and adhesives and adopt the Higgins' Inks and Adhesives. They will be a revelation to you, they are so sweet, clean and well put up.

At Dealers Generally

CHAS. M. HIGGINS & CO., Mfrs.

Branches: Chicago, London

271 Ninth Street Brooklyn, N. Y.



SELF-LUBRICATING Rotary Screw VENTILATORS

**Which Produce a
VACUUM BY ROTATION**

The only positive cure for Smoky Chimneys, Poor Drafts and Ventilation. Adopted and used successfully on Private Residences, Greenhouses, Hotels, Breweries, Public Buildings, etc., etc.

**E. G. WASHBURN & CO.
MANUFACTURERS**

209 FULTON ST., NEW YORK

Telephone, 3125 Cortland
Send for Illustrated Circular

Work Shops



Of wood and metal workers, without steam power, equipped with

BARNES' FOOT POWER MACHINERY

allow lower bids on jobs and give greater profit on the work. Machines sent on trial if desired.

Catalogue free

**W. F. & John Barnes Co.
566 Ruby Street, Rockford, Ill.**

SEND NOW

**for our new Catalogue of
Architectural, Scientific
and Technical Books.**


*The Only Complete Catalogue
of Architectural Books*

The Wm. T. Comstock Co.

23 WARREN ST., NEW YORK

SOLID PORCELAIN REFRIGERATORS.

Only by building every food compartment of one piece of solid porcelain ware an inch or more thick, without joints or cracks, and with rounded edges and corners, the perfection of cleanliness is reached in refrigerator construction. Thus are Tettenborn refrigerators built. It makes your refrigerator just one great big china dish, though one that is practically unbreakable. The insulation which surrounds the lining or porcelain compartment consists of one and one-half inches of granulated cork rammed tightly between the porcelain and a wall of $\frac{7}{8}$ -inch tongued and grooved lumber. Outside of this there are two courses of insulating paper and $\frac{7}{8}$ inch of solid mineral wool. Another lining of insulated paper separates the mineral wool from the outside case of oak which is handsomely finished. The doors are built up in the same way with an inner lining of solid porcelain.



Another important refrigerator point is the ice chamber. This is solid within, with $\frac{7}{8}$ -inch tongued and grooved lumber covered with insulating paper and lined with galvanized steel. Within many styles of chamber there is a special rack provided which holds the ice high in the chest and allows a space below for placing bottles so that they get the cold drip from the ice and are chilled to the lowest possible extent. The drip from the ice falls through upon the solid porcelain cover of the food compartment, thus chilling this to the utmost. The drain and drip pipes are of solid nicked brass, easily removable, and there are no loose parts to get out of order or become lost.

The circulation in Tettenborn refrigerators is most perfectly provided for, the air having free passage from the ice down through the food chambers and up again to the top, where the ice is located and the air becomes again chilled.

Full particulars may be obtained from the Tettenborn Company of Cincinnati, O., and a handsome catalogue will be sent describing the construction and all the styles of refrigerators that they manufacture.

(Continued on page 38.)



Carter, Black & Ayers

FRONT ENAMELED BRICK HARVARD VELOUR

HOLLOW TILE

For Stucco and Brick Veneer Houses

VITRIFIED AND HARD BURNED BLOCKS

Phones { 7613 } Madison Sq.
 { 7614 }

1182 Broadway, New York

—Ritz-Carlton Hotel, N. Y.

All front brick furnished by us.



Residence W. C. Sanderson, South Orange, N. J.

Monument Plaster Co.

Manufacturers of

WALL PLASTER and ORIENTAL STUCCO

Brick Mortars and any Color Sand Finish for
Interior Work

WRITE FOR BOOKLET

Office and Factory, HARRISON, N. J.

The Literature of Structures

Theory of Structures

By C. M. Spofford. Aug., 1911. 432 pp., \$4.00 (17s). Covers fundamental principles in a thorough, logical manner. Has valuable data and tables.

Framed Structures and Girders

By Edgar Marburg. Vol. I.—Stresses.—Part I., Oct., 1911. 540 pp., \$4.00 (17s). Distinctive for its interpretation and application, in full detail, of the theory of stresses for practical purposes.

Kinetic Theory of Engineering Structures

By David A. Molitor. 366 pp., \$5.00 (21s). A complete analysis of "higher structures."

Walls, Bins and Grain Elevators

By Milo S. Ketchum. II ed., Nov., 1911. 556 pp., \$4.00 (17s). A new book. It is again the standard work on design and construction.

Steel Mill Buildings

By the Same Author. 464 pp., \$4.00 (17s). Covers methods, materials and calculations of stresses.

Highway Bridges

By the Same Author. 550 pp., \$4.00 (17s). Covers stresses in steel and wooden bridges.

Simple Steel Structures

By C. T. Morris. II ed., 201 pp., \$2.25 (9/6). It teaches the art of producing "details which are in accord with the stresses they have to transmit."

Bridge and Structural Design

By W. Chase Thomson. II ed., 192 pp., \$2.00 (8/6). A simple, practical treatise on the elements of bridge and structural design.

Steel Railway Bridges

By W. Chase Thomson. 178 pp., \$2.00 (8/6). Covers the fundamentals of design, using typical structures for illustration.

FOR SALE BY

THE WILLIAM T. COMSTOCK CO., 23 Warren St., New York

LATE BOOKS

ELEVATOR SHAFT CONSTRUCTION.

By H. Robert Cullmer, assisted by Albert Bauer. Practical suggestions for the installation of elevators in buildings. A treatise for the architect and builder, covering the surveying and preparing of detail drawings for elevator shafts, machine rooms, elevator bulkheads, etc., and building regulations covering elevator installation. Cloth, 192 pages, 47 diagrammatic plates, 17 illustrative plates.....\$3.00

ARCHITECTURAL STYLES FOR COUNTRY HOUSES.

Edited by Henry H. Saylor. Ten prominent architects present the characteristics and applicability of ten architectural styles employed for country houses. 124 pages, many full page plates with floor plans in text; illustrated cloth binding (postage 20 cts.); net.....\$2.00

MODERN ILLUMINATION: THEORY AND PRACTICE.

By Horstmann & Tousley. A handbook of practical information for the users of electric light, architects, contractors and electricians. 273 pages; illustrated; leather.....\$2.00

THE HALF-TIMBER HOUSE.

By Allen W. Jackson. Its origin, design, modern plan and construction. Illustrated with photographs of old examples and American adaptations of the style. Fully illustrated (postage 20 cts.); net\$2.00

CONCRETE AND STUCCO HOUSES.

By Oswald C. Hering, Architect. The subject of building a fire-proof or fire-resisting house is here set forth, from the wide experience of the author, in an entertaining as well as informing manner. Profusely illustrated (postage 20 cts.); net\$2.00

HOW TO PLAN A LIBRARY BUILDING FOR LIBRARY WORK.

By Charles G. Soule, A. B. A practical and suggestive book for architects, librarians and building committees. 403 pages. Cloth, net.....\$2.00

CONCRETE COSTS.

By F. W. Taylor & S. E. Thompson. Giving tables and recommendations for estimating the time and cost of labor operations in concrete construction, etc. 709 pages; 82 figures. Cloth, net\$5.00

PRACTICAL METHODS OF SEWAGE DISPOSAL.

By H. N. Ogden and H. Burdett Cleveland. For residences, hotels and institutions. The book will serve as a guide in the construction of a sewage-disposal plant that will operate effectively and without nuisance. 132 pages; 52 figures. Cloth, net\$1.50

HISTORY OF BRIDGE ENGINEERING.

By Henry Grattan Tyrrell, C. E. The book gives not only a history, but information as to construction, cost, etc., and serves the practical uses of the engineer, designer and student. 480 pages; 330 illustrations. Cloth,\$4.00

COUNTRY AND SUBURBAN HOUSES.

By William Dewsnap, Architect. A collection of exterior and interior sketches with floor plans for houses in the Colonial, artistic, half-timber, stucco cement and other styles of architecture, with estimates of cost. 53 pages. Paper\$2.00

AMERICAN COUNTRY HOUSES OF TO-DAY, 1912.

With introduction by Frank Miles Day, Past President A. I. A. The houses shown in this book are fairly representative of types usual at the present time along the Atlantic seaboard. The four hundred illustrations are from original photographs of exteriors and interiors, first and second floor plans, also garden plans and layouts. Both the architect and layman will find the book of much value to them. 183 full page plates. Cloth\$12.50

THE WM. T. COMSTOCK CO.

23 Warren Street

NEW YORK

When writing Advertisers, please mention Architecture and Building.

SUMMER CLEARANCE SALE of ARCHITECTURAL BOOKS

Many Good Titles at Reduced Prices.
SEND FOR OUR LIST NOW.

THE WM. T. COMSTOCK COMPANY

23 Warren Street

New York

In the Essex County Bank, the solid brass cuspidors with adjustable bowls were manufactured by the Cuspidor Mfg. Company. These cuspidors are made of spun brass, polished or dull finish and the manufacturers make a specialty of supplying them in forms that are suitable for any interior, as well as in finishes that correspond with the interior metal work.

Estimates may be obtained and samples may be seen at 40 Lawrence Street, Newark, N. J.

Among makers of plumbers' brass goods few enjoy a more enviable reputation than the Haydenville Company of Haydenville, Mass. Continuously engaged in the manufacture of such goods since 1845, this company has become well known to two generations of architects as makers of a thoroughly reliable line. We have just been informed that the company is about to open a new department of sales promotion at their New York office, 150 Nassau Street. The new department will be conducted by Mr. William R. Pertak, who has been in close touch with New York building interests for some years. Mr. Pertak informs us that he will primarily aim at closer relations between his firm and the various factors in the building trades, whose interests demand the installation of reliable brass goods. Evidently this move is in recognition of the ever-growing tendency on part of architects and their clients to the most painstaking care in the specification of every detail of construction and equipment.

A catalogue, No. 410, has been issued by the H. W. Johns-Manville Company on the subject of modern store illumination. Recently the Johns-Manville Company has become sole selling agent for the Frink products, and they have issued this new catalogue to explain and place before the public the Frink reflector and illuminating devices. The Frink show case reflector used for the J.M. Linolite, is particularly adapted for store windows, counter cases and other display cases where it is necessary to bring the sources of light within a restricted area. A copy of the catalogue may be obtained by addressing the H. W. Johns-Manville Company, New York City.

A new company with a capital of \$100,000 has been formed under the name of the Eureka White Marble Quarries. Their intention is to develop an eighty-acre tract of marble land which is situated in Coosa County, Alabama.



Two Family and Twin Houses

The planning of this class of dwellings has been given special attention; also their heating, lighting and sanitation. The sixty plates show a large variety of designs, and two detailed specifications are given.

Illustrated, boards. Price, \$2.00

THE WM. T. COMSTOCK CO., Publishers
23 Warren Street, New York

AMERICAN RENAISSANCE

A Book on the History of Domestic Colonial Architecture in America

By JOY WHEELER DOW, Architect

This book gives a history of the progress of architecture from the early days of Colonial design in America, down to the present time, and will be found of interest to all desiring to study the subject consecutively. Beautifully illustrated by many full-page plates giving examples of Colonial work. 171 pages, 95 full-page plates. Handsomely bound, gilt top. Price, \$4.00

THE WM. T. COMSTOCK CO., Publishers
23 Warren Street, New York



CRAFTSMAN FIRE-PLACE

Burns Wood, Coal or Coke



A Complete Heating and Ventilating System

If you are intending to build a new home or remodel an old one, and would be interested in HEATING THE ENTIRE HOUSE WITH WARM AIR, OR HOT WATER, FROM AN OPEN FIRE-PLACE, write to me for full information. It is guaranteed.

GUSTAV STICKLEY


Inventor and Manufacturer

41 West 34th St., N. Y. City



"FLEXIFOLD"

ROLLING PARTITIONS



For
Churches
Schools
Parish Houses
Lodge Buildings

Grant Pulley and Hardware Co.
 3 West 29th St., New York City

Descriptive Circular and Estimates Upon Application

THE NORTHWESTERN TERRA-COTTA COMPANY

M A N U F A C T U R E R S O F

ARCHITECTURAL TERRA-COTTA

**GLAZED AND ENAMELED
WORK IN ALL VARIETIES**

ESTIMATES GIVEN ON APPLICATION

MAIN OFFICE AND WORKS: 1000 CLYBOURN AVENUE
 BRANCH OFFICE: 1415 RAILWAY EXCHANGE

CHICAGO
 ILLINOIS

When writing Advertisers, please mention Architecture and Building.

The Federal Terra Cotta Company

111 Broadway, New York

Factory: Woodbridge, N. J.

By Reason of

Organization
New Plant
Modern Equipment
Up-to-date Methods

Is Manufacturing a Superior Grade of

Architectural Terra Cotta

As evidenced by its representative work

JUST PUBLISHED

The Principles of Architectural Design

By PERCY L. MARKS, ARCHITECT

Author of "The Principles of Planning," etc.

Containing 165 full-page and other text illustrations.

This work is very fully illustrated and will be found a great aid to the architect or student of architectural design.

One large 8vo volume. Cloth, price \$4.50.

THE WILLIAM T. COMSTOCK COMPANY, Publisher, 23 Warren Street, New York

SWITCHBOARDS *and* PANELS Marked "Metropolitan"

Are the Best that Can be Produced

Architects, Engineers and Owners specify Metropolitan Detachable Mechanism Flush Switches and Receptacles for their high class buildings. The most up to date appliances.

METROPOLITAN
ELECTRIC MFG CO.

14th Street and East Avenue, L. I. City

STANDARD PLUNGER ELEVATOR COMPANY

115 Broadway, New York

Washington

Montreal

Chicago

Worcester

Philadelphia

OUR ENGINEERS ARE AT YOUR SERVICE

Booklet on request

CHENEY BIGELOW WIRE WORKS

MANUFACTURERS OF

Bank and Office Railings

Elevator Enclosures

Elevator Cabs

Choir and Gallery Rails, Window Guards, Etc.

SEND FOR CATALOGUE

S P R I N G F I E L D , M A S S .

ELKS

SOUVENIR NUMBER

New York Lodge No. 1

Send twenty cents for a copy NOW

ARCHITECTURE AND BUILDING

23 Warren Street, New York

LOOMIS FILTERS

ESTABLISHED 1890

Improved System

Simple and Effective

LOOMIS-MANNING FILTER DISTRIBUTING CO.

Main Office: 828 Land Title Building, PHILADELPHIA
Boston New York Baltimore Washington

Complete Architectural Catalogue
Sent on request

THE WILLIAM T. COMSTOCK CO.

Publishers

23 Warren Street

New York

ARCHITECTURE *Architecture* NA | A68 v. 44 no. 8 AND BUILDING

A Magazine
Devoted to Contemporary
Architectural Construction

Vol. 44 August No. 8
1912

Fireproofing and Fire-Protection

NOV 16 1967

SHORTAGE

Published by

THE WILLIAM T. COMSTOCK COMPANY

23 Warren Street New York

\$2.00 a Year

20¢ a Copy

Copyright, 1912, by The Wm. T. Comstock Co.

Printed at the Book Office at New York N. Y.

**"Globe" Ventilator and
"Globe Ventilating Ridging"**



The "Globe" is built on honor and sold on merit

In Copper or Galvanized Iron

Simple
Stormproof
Symmetrical
Satisfactory

Send for
Brown Print
Catalogue or Model

MANUFACTURED BY

**Globe Ventilator Company
TROY, N. Y.**

**SILVER LAKE A SASH CORD
THE STANDARD**

Our name is stamped on every foot of our cord.

Estimate the greatest possible saving in the first cost of a building by using cheap cord. If there is any saving can you afford to take it? The best cord will wear over twenty years and you are saved the annoyance and expense of replacing broken cord. For the cheapest sash cord service specify SILVER LAKE A.

The Original Solid Braided Sash Cord

THE BEST IS THE CHEAPEST

SILVER LAKE CO., Boston

Send for New Catalogue of Architecture & Building Construction

W. T. COMSTOCK COMPANY

23 Warren St., New York



**The Safe Signal for Satisfaction and
Quality is "F-S"**

Any of the many shades of Paradox Household Enamels cover well, dry without brush marks and give a high lustre. They are quality Enamels with an enviable reputation.

FELTON, SIBLEY & CO., Inc.

Mfrs. of Colors, Paints, Varnishes

136-140 N. 4th STREET, PHILADELPHIA



P. & F. CORBIN OF NEW YORK

supplied the hardware used upon the residence of O. H. P. Belmont, as well as a host of others of the palatial homes on the Riverside Drive. The Contract Department at 39 West 38th Street has fully equipped display rooms which are at the service of architects and their clients, and every facility for caring for their wants.

When writing Advertisers, please mention Architecture and Building.

GEORGE A. FULLER CO.

Building Construction

111 BROADWAY NEW YORK

PHILADELPHIA
CHICAGO
DETROIT

WASHINGTON
BOSTON
KANSAS CITY
TORONTO

ATLANTA
RICHMOND
MILWAUKEE
OTTAWA

BALTIMORE
MONTREAL
WINNIPEG

Roman Cities in Italy and Dalmatia

By A. L. FROTHINGHAM, Ph. D.

Professor of Ancient History and Archaeology at Princeton University.

A picture of Ancient Italy and pre-Augustan Rome drawn from her rivals has not yet been made. This book is a first sketch for such a picture in popular form, and the work gives a most interesting account of these ancient cities. It is illustrated by many full page plates showing the various buildings and their decorative features, also interiors and details. Architects and students will find it a most interesting volume to add to their libraries. Sixty-one page plates, Cloth, price net, \$1.75; postpaid, \$1.90.

For sale by

THE WILLIAM T. COMSTOCK COMPANY, Publisher, 23 Warren Street, N. Y.

PARIS
ROME



NEW YORK
705
Fifth Avenue

Architecture and Building

Established 1882

*A continuation of the
Architect's and Builder's Magazine, 1899-1911*

Continued 1911

PUBLISHED MONTHLY BY

THE WILLIAM T. COMSTOCK COMPANY

23 Warren Street, New York

WM. PHILLIPS COMSTOCK, President

CONTENTS FOR AUGUST

THE HOLLOW-TILE FIREPROOF HOUSE—IX	309
By Frederick Squires .	
SENECA BUILDING, BUFFALO, N. Y.	316
McKenzie, Voorhees and Gmelin, Architects.	
FAILURES IN BUILDING CONSTRUCTION AND THEIR LESSONS—II. 317	
By Edward Godfrey.	
MARSHALL NATIONAL BANK, MARSHALL, TEXAS	321
Theodore C. Visscher, Architect.	
THE 86TH STREET THEATRE, NEAR THIRD AVENUE, NEW YORK CITY	322
Thomas W. Lamb, Architect.	
STUDENTS' DETAILS OF CONSTRUCTION.	323
SCHNEIDER-ANDERSON BUILDING, NEW YORK CITY	326
Hazzard, Erskine and Blagden, Architects.	
STAND PIPE AND HOSE SYSTEMS IN BUILDINGS, II.	327
ADAMS EXPRESS COMPANY BUILDING, NEW YORK CITY	330
Warren and Wetmore, Reed and Stem, Associated Architects.	
THE MASONIC HALL BUILDING, NEW YORK CITY	331
H. P. Knowles, Architect.	
APARTMENT HOUSE, 36 CENTRAL PARK SOUTH, NEW YORK CITY. 337	
C. W. Buckham, Architect.	
ELM STREET APARTMENTS, CHICAGO, ILL.	338
Howard Van Doren Shaw, Architect.	
NUMBER 23 LAKE SHORE DRIVE, CHICAGO, ILL.	338
Marshall and Fox, Architects.	
MUNSEY BUILDING, BALTIMORE, MD.	339
McKim, Mead and White, Architects.	
ST. ANTHONY'S CHURCH, VAN NEST, NEW YORK.	340
N. Serracino, Architect.	
A CALIFORNIA DWELLING.	342
C. W. McCall, Architect.	
THE LOFTY AUTOMATIC SPRINKLER EQUIPMENT OF THE BANKERS' TRUST CO.	343
AN INTERESTING CHIMNEY PROBLEM	345
THE AUTOMAT RESTAURANT.	347
Stuckert & Sloan, Architects.	

ADVERTISING REPRESENTATIVES

D. R. Gimbel
Geo. H. Stewart (Dept. of Fireproofing and Fire Protection)

EDITORIAL DEPARTMENT

Wm. P. Comstock, Managing Editor
Charles Warren Hastings, Assistant Editor
Frederick Squires, Contributing Editor

Subscription Terms \$2.00 a year in advance for United States and Possessions, Mexico and Cuba. Canada, \$2.50, and other countries, \$3.00. Postage prepaid.
Subscribers when changing their address must state both old and new address.

Remitting Money All remittance of money should be in the form of U. S. Postal Money Orders (payable to THE WM. T. COMSTOCK CO., at New York Office). When these are not available, send money by registered letter, or send drafts on New York banks, made payable to order of THE WM. T. COMSTOCK CO. Personal checks on local banks cannot be received in payment.

TRADE SUPPLIED BY THE AMERICAN NEWS COMPANY AND ITS BRANCHES

LONDON AGENTS—Wm. Dawson & Sons (Ltd.), Cannon House, Bream's Buildings, London, England.

Copyright, 1912, by The Wm. T. Comstock Co.

Entered as second-class matter, April 4, 911, at the Post Office at New York, N. Y., under the Act of March 3, 1879

Send for Our
New Catalogue

**It is the Only One Strictly Devoted to
Books for Architects and Builders.**

**It Contains a Complete List of Books
on the Subjects of**

**Architecture
Building Construction
Concrete, Plain and Reinforced
Structural Engineering**

**Bungalows — Country and Suburban Houses
Drawing — Architectural and Mechanical
Carpentry — Masonry Construction
Sanitation — Plumbing and Allied Topics**

**Our Clubbing Rates For Books and "Architecture
and Building" Sent on Request**

Published by

The Wm. T. Comstock Co.
23 Warren Street New York

Building Construction and Superintendence

By **FRANK E. KIDDER, C. E., Ph. D., Architect**

Part I.—MASON'S WORK, Ninth Edition.

New and enlarged, thoroughly revised and rewritten by THOMAS NOLAN, M. S. A. M., Prof. Arch., University Pennsylvania. New chapters on FIREPROOFING, CONCRETE, both reinforced and plain. Foundations showing most approved work in recent structures, etc. 965 pp., 628 illustrations, cloth. Price, **\$6.00**

Part II.—CARPENTER'S WORK, Eighth Edition.

Treating on Wood Framing—sheathing, windows, outside door frames, interior woodwork, rough work, finish, floors, heavy framing, builders' hardware, and the large variety of detail that the subject covers. 544 pp., 525 illustrations, cloth. Price, **\$4.00**

Part III.—TRUSSED ROOFS and ROOF TRUSSES—Second Edition.

This part describes nearly every type of roof construction commonly met with in buildings, pointing out the advantages of different types of wooden and steel trusses for different spans and building requirements. Special attention is given to description of wooden trusses and steel trusses, in order to make the work of practical value to the architect, draughtsman and builder. 294 pp., 306 illustrations, cloth. Price, **\$3.00**

THE
WILLIAM T. COMSTOCK COMPANY

23 Warren Street

New York

When writing Advertisers, please mention Architecture and Building.



MARBLE STAIRWAY, BANKERS TRUST CO.'S BUILDING, NEW YORK
Trowbridge & Livingston, Architects

BATTERSON & EISELE

Importers and Workers of

Marble, Stone and Granite

Roman and Venetian Mosaics for Floors, Walls, Mantels, etc.

Office: Times Building, New York

Works: Edgewater, N. J.

When writing Advertisers, please mention Architecture and Building.

Alphabetical List of Advertisers

	Page		Page		Page
American Enameled Brick & Tile Co., The.....	25	Fuller Construction Company, George A.	2	Northwestern Terra-Cotta Co., The	38
American Hardware Corporation, The	1				
Architectural Metal Works....	21	General Fire Extinguisher Co.	23	Otis Elevator Company.....	17
Automatic Sprinkler Co. of America.	27	Globe Ventilator Co....II Cover			
		Gorton & Lidgerwood Co.....	30	Polachek Bronze & Iron Co., John	—
Badger & Sons Co., E. B.....	33	Grant Pulley & Hardware Co.	38	Pomeroy Co., Inc., S. H.....	27
Bagues Freres Co.....	2	Greenfield, Inc., Arthur.....	34	Prentiss Clock Improvement Co.	34
Barnes Co., W. F. & John....	36	Grimmer & Son, Charles.....	11		
Barrett Mfg. Co., The.....	19			Rockwood Sprinkler Co.....	24
Batterson & Elsele.....	6	Heinigke & Bowen.....	2		
Berger Mfg. Co., The.....	31	Herrmann & Grace Co.....	30	Safety Fire Extinguisher Co., The	22
Bommer Bros.	16	Higgins & Co., Chas. M.....	36	See Electric Elevator Co., The A. B.	35
Boyd Equipment Company....	35	Holmes, Frederick S.....	21	Silver Lake Co.....II Cover	
Boyd, John.....	35	Hydra Damp-Proofing & Engineering Co.	26	Simmons Co., John.....	26
Boyd, Thomas Bruce.....	21			Spidel, J. G.....	35
Brunswick Refrigerating Co., The	30	Ingham, Howard M.....	20	Standard Plunger Elevator Co.	IV Cover
		International Floor Machine Co.	33	Stanley Works, The.....	31
Carter, Black & Ayers.....	37	Jones, Thomas W.....	34	Star Expansion Bolt Co.....	16
Chicago Spring Butt Co	—			Steen Co., Thomas J.....	15
Collins, Francis W.....	21	Kalamein Co., The.....	28	Stickley, Gustav	40
Concrete Age, The.....	30	Kinney Co., C. M.	14		
Consolidated Chandler Co....	26	Knoburn Co., The.....	25	Tettenborn Refrigerators.....	34
Corbin, P. & F.....	1				
Cork & Zicha Marble Co.....	32	Lane Bros. Co.....	31	U. S. Changeable Sign Company	14
		Leonard Sheet Metal Works..	25	United States Mineral Wool Co.	27
Dahlstrom Metallic Door Company	—	Loomis Manning Filter Distributing Co.	IV Cover	United States Press Clipping Bureau	31
Dewsnap, William D.....	35				
Dixon Crucible Co., Jos.....	31	Manual Arts Press, The.....	33	Van Dorn Iron Works Co., The	35
		McKay, Inc., Peter.....	31	Voigtmann & Co.....	27
Edwards Electrical Construction Co.	32	Metropolitan Electric Mfg. Co.	III Cover		
Elias & Bro., George.....	11	Monument Plaster Co.....	37	Washburne & Co., E. G.....	36
Evans, F. H.....	35	Morton, Thomas	27	Wilson Mfg. Co., James G....	16
				Winslow Bros. Company, The..	14
Federal Terra Cotta Co.....	40	Nelson Co., W. P.....	—		
Felton, Sibley & Co.....II Cover		Newman Clock Co	—		
Fire Exposition	13				
Folsom Snow Guard Co.....	34				

KEVSTON
FLAT FINISH
KEVSTON

Classified Advertisements

NOTE.—Every classified advertiser is entitled to insertion under one heading. Under extra headings, \$5.00 a year each

ARCHITECTURAL BRONZE.

Bagues Freres Co....705 Fifth Ave., New York
Polachek Bronze & Iron Co., John,
480-494 Hancock St. and 577-591 Boulevard,
Long Island City.

AWNINGS, BLINDS, ETC.

Wilson Mfg. Co., Jas. G.
5 W. 29th St., New York City

BOILERS.

Badger & Sons Co., E. B., Boston, Mass.
Gorton & Lidgerwood Co.
96 Liberty St., New York

BOLTS—Expansion, Machine Expansion, Sebco

Mooring, Sebco Twin Toggle.
Evans, F. H...31-35 Hewes St., Brooklyn, N. Y.
Star Expansion Bolt Co., 147-149 Cedar St., N. Y.

BRICK—Enameled Front. Hollow.

American Enamel Brick & Tile Co.,
1184 Broadway, N. Y.
Carter, Black & Ayers....1182 Broadway, N. Y.

BRIDGES.

Van Dera Iron Works Co.....Cleveland, O.

BRONZE.

Bagues, Freres Co., 705 Fifth Ave., New York.
Polachek Bronze and Iron Co., John,
480-494 Hancock St. and 577-591 Boulevard,
Long Island City.
Winslow Bros. Co., The, New York and Chicago.

BUILDING CONTRACTORS.

Fuller Co., Geo. A., Chicago, New York, Boston,
Washington.
Starrett Company, Theodore, 108 Park Ave., N. Y.
Steen Co., Thomas J., 80 Church St., New York.

BUILDING DIRECTORY.

U. S. Changeable Sign Co..3-7 W. 29th St., N. Y.

BUTTS, BALL-BEARING.

Stanley Works, The.....New Britain, Conn.

CLOCKS—Synchronized, Watchman's.

Newman Clock Co., The...178 Fulton St., N. Y.
Prentiss Clock Improvement Co.,
Dept. 11, 92 Chambers St., N. Y.

CONCRETE SIDEWALK FORMS.

Berger Mfg. Co., The.....Canton, O.

CORDAGE.

Silver Lake Co.....Boston, Mass.

DESIGN BOOKS.

Dewsnap, William D., 150 Nassau St., N. Y.

DAMP-PROOFING.

Hydra Damp-proofing & Engineering Co., The,
408 Wabash Building, Pittsburgh, Pa.

DOOR HANGERS.

Lane Bros. Co.....Poughkeepsie, N. Y.

DRAWER SLIDE.

Grant Pulley & Hardware Co..
35 Warren St., N. Y.

DRAWING INKS—(Higgins).

Higgins & Co., Chas. M.,
271 9th St., Brooklyn, N. Y.

DUMB WAITERS.

Otis Elevator Co.....17 Battery Place, N. Y.
Speidel, J. G.....Reading, Pa.

ELECTRICAL CONTRACTORS.

Boyd Equipment Co.....373 4th Ave., N. Y.
Edwards Electrical Construction Co.,
39 E. 42d St., New York

ELEVATORS.

A. B. See Electric Elevator Co., The,
220 Broadway, New York
Otis Elevator Co.....17 Battery Place, N. Y.
Speidel, J. G.....Reading, Pa.
Standard Plunger Elevator Co.,
115 Broadway, New York

ENGINEERS, ELECTRICAL, CONSULTING, BANK VAULT, ETC.

Boyd, Thomas Bruce, 286 Fifth Ave., New York.
Collins, Francis W...50 Church St., New York
Holmes, Frederick S., 2 Rector St., New York.
Ingham, Howard M....160 5th Ave., New York

EXPANSION BOLTS.

Evans, F. H...31-35 Hewes St., Brooklyn, N. Y.
Star Expansion Bolt Co....147 Cedar St., N. Y.

EXTERIOR PLASTER.

Monumental Plaster Company....Harrison, N. J.

FENCING AND RAILINGS.

Van Dera Iron Works Co.....Cleveland, O.

FILTERS.

Loomis-Manning Filter Distributing Co.,
828 Land Title Bldg., Philadelphia, Pa.

FIRE BUCKET TANKS.

Safety Fire Extinguisher Co., The,
291-293 Seventh Ave., New York

FIRE DOOR EQUIPMENT.

Lane Bros. Co.....Poughkeepsie, N. Y.

FIRE EQUIPMENT, GENERAL.

Simmons Co., John.....102-110 Centre St., N. Y.

FIRE EXTINGUISHING APPARATUS.

General Fire Extinguisher Co., Providence, R. I.

FIRE PLACES, CRAFTSMAN, ETC.


Stickley, Gustav.....41 W. 34th St., New York

FIREPROOF DOORS AND SHUTTERS.

Dahlstrom Metallic Door Co..Jamestown, N. Y.
Grant Pulley & Hardware Co.,
8 West 29th St., New York
Kalamein Co., The, Long Island City, N. Y.
Knoburn Company, 365 14th St., Hoboken, N. J.
Pomeroy Co., Inc., S. H.,
427 W. 18th St., New York City

KEYSTONE
FLAT FINISH

The SWISS CHALET BOOK



IN the series of articles which have appeared in ARCHITECTURE AND BUILDING, Mr. W. S. B. Dana has given an epitome of his researches on Châlet Architecture. In this book, which will be issued shortly, the subject is much elaborated, and both the volume of text and number of illustrations are doubled. There are ten valuable chapters in this new book, one of which treats of the chalet as adapted to American uses. This chapter is well illustrated.

Cloth, 7½ x 10. Price, \$2.50

The Wm. T. Comstock Co., 23 Warren St., New York

When writing Advertisers, please mention Architecture and Building.

Classified Advertisements—Continued

FIREPROOF WINDOWS.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Kalamain Company, The, Long Island City, N. Y.
Knoburn Company,
359-363 14th St., Hoboken, N. J.
Pomeroy Co. (Inc.), S. H., 427 W. 13th St., N. Y.
Voigtmann & Co., 427 W. 13th St., New York.

FIXTURES, GAS AND ELECTRIC.

Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.

FLOOR AND WOODWORK POLISH.

Felton, Sibley & Co., 186 N. 4th St., Phila., Pa.

FLOORING MACHINERY.

International Floor Machine Co., 39 West 38th St., New York.

GAS AND ELECTRIC FIXTURES.

Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.
Simms Co., The, 18 Rose St., New York.

GRAPHITE PAINT.

Dixon Crucible Co., Jos., Jersey City, N. J.

HANGERS—House, Barn Door.

Lane Bros. Co., Poughkeepsie, N. Y.

HARDWARE.

American Hardware Corporation, The,
New Britain, Conn.
Chicago Spring Butt Co., Chicago, Ill., New York
Corbin, P. & F., New Britain, Conn.
Stanley Works, The, Dept. E,
New Britain, Conn., and 79 Chambers St., N. Y.

HEATING APPLIANCES. (Also see Boilers.)

Boyd Equipment Co., 373 Fourth Ave., N. Y.
Gorton & Lidgerwood Co., 96 Liberty St., N. Y.

HINGES—Spring, Ballbearing, Etc.

Bommer Bros., 257 Clason Av., Brooklyn, N. Y.
Chicago Spring Butt Co.,
Chicago, Ill., New York.
Stanley Works, The., New Britain, Conn.

HOLLOW TILE.

Carter, Black & Ayers., 1182 Broadway, N. Y.

HOT-WATER BOILERS—Copper.

Badger & Sons Co., E. B.,
63-75 Pitt St., Boston, Mass.

ICE MACHINES.

Brunswick Refrigerating Co.,
New Brunswick, N. J.

INTERIOR TRIM.

Elias & Bro., George, Buffalo, N. Y.

IRON WORK—Ornamental and Structural.

Bagues Freres Co., 705 Fifth Ave., New York
Polachek Bronze and Iron Co., John
480-494 Hancock St. and 577-591 Boulevard,
Long Island City.

JAIL AND PRISON WORK.

Van Dorn Iron Works Co., Cleveland, O.

JOIST HANGERS—(Steel).

Lane Bros. Co., Poughkeepsie, N. Y.
Van Dorn Iron Works Co., Cleveland, O.

LIGHTING FIXTURES—Gas and Electric.

Bagues Freres Co., 705 Fifth Ave., New York
Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.

LIGHTNING RODS.

Jones, T. W., 22 Burling Slip, N. Y.
Washburne & Co., E. G., 209 Fulton St., N. Y.

LOCKS, ETC.

American Hardware Corporation,
New Britain, Conn.
Corbin, P. & F., New Britain, Conn.

MANTELS, FIREPLACES, ETC.

Jackson Co., Wm. H., 2 W. 47th St., N. Y.

MARBLE WORKERS.

Batterson & Elsele, Times Building, New York.
Cork & Zicha Marble Co.,
323-327 E. 94th St., New York

METAL CEILINGS.

Berger Mfg. Co., The., Canton, O.

METAL DOORS AND TRIM.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Knoburn Company,
359-363 14th St., Hoboken, N. J.

METAL LATHING.

Greenfield, Inc., Arthur., 204 E. 26th St., N. Y.

METAL LUMBER.

Berger Mfg. Co., The., Canton, O.

METALLIC OFFICE FURNITURE.

Berger Mfg. Co., The., Canton, O.
Van Dorn Iron Works Co., Cleveland, O.

METAL SASH AND FRAMES.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Herrmann & Grace,
671-687 Bergen St., Brooklyn, N. Y.
Kalamain Company, The, Long Island City, N. Y.
Knoburn Company., 240 11th Ave., N. Y.
Leonard Sheet Metal Works., Hoboken, N. J.
Pomeroy Co. (Inc.), S. H., 427 W. 13th St., N. Y.

METAL WINDOWS.

Pomeroy Co., (Inc.), T. H., 427 W. 13th St., N. Y.
Voigtmann & Co., 427 W. 13th St., New York.

MINERAL WOOL.

U. S. Mineral Wool Co., 140 Cedar St., N. Y.

PAINTING CONTRACTORS.

Grimmer & Son, Charles., 230 E. 37th St., N. Y.
McKay, Inc., Peter, 167 E. 60th St., New York.

PAINTS FOR COATING AND PRESERVING IRON AND STEEL.

Dixon Crucible Co., Jos., Jersey City, N. J.

KEYSTONE
FLAT FINISH
KEYSTONE

For thirty years the firm of Charles Grimmer & Son has been known to you as Painters. Recently we have acquired the business of the W. Ludwig Schultze Co., the well known Decorators. In our three new buildings we now have facilities for doing the same high class Cabinet Wood-Work and Upholstery as we have for Painting.

A line of inquiry brings a representative, or we should be glad to welcome you at our extensive factories and our beautiful, new showrooms, where we carry the largest and most select stock in New York, of Wall Papers, Mantels, Andirons, Electric Fixtures, Fabrics, Furniture, Mirrors, Antiques, Clocks, Candlesticks, Lamps and Pillows.

Charles Grimmer & Son

Telephones, 7557-7558 Madison Square.

230-234 East 37th Street, NEW YORK

NOW READY—A HOME STUDY BOOK

Reinforced Concrete Construction


VOLUME 1—FUNDAMENTALS

By GEORGE A. HOOL, S. B., Assoc. Prof., Structural Engineering, University of Wisconsin

260 pp., 6x9, 88 illustrations. \$2.50 (10/6) net, postpaid

This book is part of the series of texts of the University of Wisconsin Extension Department. A full, clear treatment—avoidance of difficult mathematics—problems for study—are some of its distinctive features. Published in loose-leaf, as well as book form, it should be of distinct value to any ambitious worker. This volume covers Properties of the Material and the Theory and Design of Slabs, Beams and Columns.

FOR SALE BY **THE WM. T. COMSTOCK CO., 23 Warren St., New York**



G. ELIAS

G. ELIAS & BROTHER

A. J. ELIAS

**KILNDRIED HARDWOOD FLOORING AND SMALL DIMENSION STUFF A SPECIALTY
TIMBER BILLS SAWN TO ORDER PROMPTLY. FINE INTERIOR WOODWORK**

SAW MILLS DRY KILNS PLANING MILL BOX FACTORY

A Full Assortment of Seasoned Lumber. White Pine, Norway Pine, Yellow Pine, Hemlock, Plain Oak, Quartered Oak, Maple, White Ash, Bass Wood, Poplar, Cypress, Birch, Quartered Sycamore, Hickory, Black Ash, Elm, Beech, Cottonwood, Cherry, Walnut, Mahogany, Chestnut, Hazel, Cedar, Constantly on Hand. Headquarters for Hardwood, Pine and Hemlock Lumber.

General Office, 965 Elk Street,

BUFFALO, N. Y.

We use A. B. C. Atlantic Cable and Telecode Cable Address, "Elias, Buffalo." Telephone, Howard 646

When writing Advertisers, please mention Architecture and Building.

Classified Advertisements—Continued

PAINTS, OILS, VARNISHES, WOOD FILLING, etc.
 Dixon Crucible Co., Jos.....Jersey City, N. J.
 Felton, Sibley & Co.,
 186 N. 4th St., Philadelphia, Pa.

PLASTER WORK—Plain, Ornamental Models.
 Monument Plaster Co.....Harrison, N. J.

PLUMBERS.
 Boyd Equipment Co...373 Fourth Ave., N. Y.
 Boyd, John.....284 Columbus Ave., New York.

PRONG LOCK, STUDS AND FURRING.
 Berger Mfg. Co., The.....Canton, O.

PUBLISHERS.
 Censstock Co., The W. T. 28 Warren St., N. Y.
 Concrete Age, The.....Atlanta, Georgia
 Manual Arts Press, The,
 600 German Fire Insur. Bldg., Peoria, Ill.

PULLEYS.
 Grant Pulley & Hardware Co.,
 8 W. 29th St., N. Y.

REFRIGERATORS, PORCELAIN, ETC.
 Tettenborn Refrigerator Co.....Cincinnati, O.

RINGS—Bridle, Corner Brace (Bridle), Sebco Aerial.
 Star Expansion Bolt Co..147-149 Cedar St., N. Y.

ROLLING DOORS AND SHUTTERS—Steel.
 Grant Pulley and Hardware Co.,
 8 W. 29th St., New York City.
 Wilson Mfg. Co., James G.,
 8 W. 29th St., New York

ROOFING AND ROOFING MATERIALS.
 Architectural Metal Works, 1192-4 Second Ave.,
 New York.
 Barrett Mfg. Co.....New York, N. Y.

SASH CHAINS.
 Morton, Thomas.....100 Elm St., N. Y.

SASH CORDS.
 Silver Lake Co.....Boston, Mass.

SASH PULLEYS—Iron, Brass, Bronze.
 Grant Pulley & Hardware Co.,
 8 W. 29th St., N. Y.

SIDEWALK LIFTS.
 Speddel, J. G.....Reading, Pa.

SIDEWALK LIGHTS.
 The Berger Mfg. Co.....Canton, O.

SIGNS, CHANGEABLE, ETC.
 Kinney Co., C. M...3 W. 29th St., New York.
 U. S. Changeable Sign Co.,
 3 W. 29th St., New York

SNOW GUARD
 Folsom Snow Guard Co.,
 Roslindale (Boston), Mass.

SPRING HINGES.
 Bemmer Bros....257 Classon Ave., Bklyn, N. Y.
 Chicago Spring Butt Co.,
 Chicago, Ill.; New York.

SPRINKLER SYSTEMS.
 Automatic Sprinkler Co. of America,
 123 William St., New York City.
 General Fire Extinguisher Co.,
 Providence, R. I.
 Rockwood Sprinkler Co...123 William St., N. Y.

STEEL BUILDINGS.
 Van Dorn Iron Works Co.....Cleveland, O.

STEEL JOIST HANGERS.
 Lane Bros. Co.....Poughkeepsie, N. Y.
 Van Dorn Iron Works Co.....Cleveland, O.

STEEL SHUTTERS, ROLLING, ETC.
 Wilson Mfg. Co., James G.,
 5 W. 29th St., New York

STUCCO.
 Monument Plaster Co.....Harrison, N. J.

SWITCHBOARDS, PANELS, ETC.
 Metropolitan Electric Mfg. Co.,
 14th St. & East Ave., Long Island City

TACKLE BLOCKS (Automatic).
 Lane Bros. Co.....Poughkeepsie, N. Y.

TERRA COTTA.
 Federal Terra Cotta Co., 111 Broadway, N. Y.
 Northwestern Terra Cotta Co.,
 1000 Clybourn Ave., Chicago.

VAULT LIGHTS.
 Berger Mfg. Co.....Canton, O.
 Brooklyn Vault Light Co.,
 262 Monitor St., Brooklyn, N. Y.

VENETIAN BLINDS.
 Wilson Mfg. Co., Jas. G.,
 3½ W. 29th St., New York.

VENTILATING RIDGING.
 Globe Ventilator Co.....Troy, N. Y.

VENTILATORS.
 Globe Ventilator Co.....Troy, N. Y.
 Washburne & Co., E. G...209 Fulton St., N. Y.

WALL FINISHES—FLAT, ETC.
 Keystone Varnish Co.,
 71 Otsego St., Brooklyn, N. Y.

WALL PLASTER.
 Monument Plaster Co.....Harrison, N. J.

WATER FILTERS.
 Loomis-Manning Filter Co.,
 828 Land Title Bldg., Philadelphia, Pa.

WEATHER VANES.
 Jones, Thos. W.....158 Maiden Lane, N. Y.
 Washburne & Co., E. G.,
 209 Fulton St., N. Y.

WOOD-WORKING MACHINERY.
 Barnes Co., W. F. & John,
 596 Ruby St., Rockford, Ill.

KEYSTONE
 FLAT FINISH
KEYSTONE

Fireproof Building Construction *and*
Equipment will be an Important Department
OF THE

FIRE EXPOSITION

AND INTERNATIONAL CONFERENCE OF FIRE PRE-
VENTION, PROTECTION AND EXTINGUISHMENT

To be held in MADISON SQUARE GARDEN
OCTOBER 2d to 12th, 1912, 1 to 11 P.M. DAILY

[INCLUDING NEW YORK STATE FIRE PREVENTION DAY,]
OCTOBER 9th; AND COLUMBUS DAY, OCTOBER 12th.]

IMPORTANT CONFERENCE A Conference in which organi-
zations and individuals will par-
ticipate will be held daily in the Assembly Hall.

PUBLIC EDUCATION A most important feature will
be a campaign of public educa-
tion—a department of Fire Prevention.

EXHIBITION DEPARTMENT An Exhibition Department will
contain the NEW, the VALU-
ABLE and the BEST achievements of Invent-
ors and Manufacturers, including a Depart-
ment of Fireproof Construction and the Safety
Equipment of Buildings. Awards will be
made for new and meritorious inventions in
the various fields embraced within the scope
of the Conference.

LIFE SAVING EXHIBITIONS To insure the interest and at-
tendance of the public—life
saving and other exhibitions will be given daily.

**Exhibition Space is rapidly being taken for displays of Fire-
proof Building Construction, Extinguishers, Fire Apparatus
and Equipment, Etc.**

NEW YORK FIRE EXPOSITION

Telephone, Madison Square 9364

1269 BROADWAY, NEW YORK



**We Are Imitated
But Unequaled.**

OUR System of Changeable Individual Letters is more easily operated, much superior in appearance, and lower in entire cost than any other.

For *Building Directories, Bulletins, Announcements Boards*, and every other purpose wherein rapid changes are required to be made.

The Letters stand out prominently from a dull background, and thus are more legible than a flat letter of greater size.

We Sell Outright—No Running Expense—First Cost Only Outlay.

Ours is the Original Changeable Letter System, and **IS THE BEST**, as is proven by thousands now in use everywhere.

Send for Catalogue and Descriptive Matter

C. M. KINNEY CO.
Successor to U. S. CHANGEABLE SIGN CO.
3 West 29th Street, NEW YORK



Entrance Gates, Masonic Building, New York
H. P. Knowles, Architect

The WINSLOW BROS. COMPANY
Ornamental Iron and Bronze
New York Chicago Los Angeles
Agencies in all principal cities of United States

ORNAMENTAL CONCRETE WITHOUT MOLDS

By A. A. HOUGHTON

Author of "Clay Models and Plaster Molds for Ornamental Concrete," "Concrete from Sand Molds," "Practical Use of Concrete," etc.

This is the only work issued which explains a simple, practical method whereby the concrete worker is enabled, by employing wood and metal templates of different designs, to mold or model in concrete any Cornice, Archivolte, Column, Pedestal, Base, Cap, Urn or Pier in a monolithic form—right upon the job. These may be modeled in units or blocks and then built up to suit the specifications demanded.

Full directions are given for making the templates, at a very slight cost of time and labor. In fact everything that a concrete worker needs to know to perfect the many styles of ornamental concrete work without the purchase of expensive molds is fully explained and illustrated.

12mo. Cloth. 128 pages. With Original Illustrations. Price \$2.00.

Concrete From Sand Molds

By A. A. HOUGHTON.

The process of molding concrete with sand molds is of the utmost practical value, possessing the manifold advantages of a low cost of molds, the ease and rapidity of operation, perfect details to all ornamental designs, density and increased strength of the concrete, perfect curing of the work without attention and the easy removal of the molds regardless of any undercutting the design may have. This process, which has always been held a trade secret, will successfully mold every class of ornamental concrete work.

192 pages. Fully illustrated. Price, \$2.50.

THE WILLIAM T. COMSTOCK COMPANY, Publisher, 23 Warren Street. N. Y.

When writing Advertisers, please mention Architecture and Building.

A Primer of Architectural Drawing

For Young Students

By **Wm. S. B. Dana, B.S.**
(Mass. Inst. of Technology)

Being a progressive series of DRAWING BOARD PROBLEMS, the embodiment of the author's teaching in the Mechanics' Institute of New York City.

Intensely practical in that theory is obliterated by the author's system of CONSTRUCTION ON PAPER. This book makes a strong appeal, because it is interesting and the shortest course to a practical knowledge of the elements of architectural structural drawing yet evolved.

There are twenty-five problems, each illustrated by a plate and with 161 explanatory detail figures.

The Problems cover the following subjects:

Floors and Walls of Brick, Stone and Wood.

Framing of Floors, Walls and Roofs.

Development of Roof Forms.

Section of a Frame House.

Bricklaying and Bonding.

Brick Walls: Doors: Windows and their Casings.

Stairs, Wood and Iron.

Construction of Fireplace or Chimney.

154 pages, cloth, pocket size. Price \$1.25

PUBLISHER

The Wm. T. Comstock Co.
23 Warren St., New York



SCHNEIDER-ANDERSON BUILDING

16-18 WEST 46th STREET, NEW YORK

Hazzard, Erskine & Biagden, Archts.

THOMAS J. STEEN CO.

BUILDERS

**30 CHURCH STREET
NEW YORK**

Wilson's Venetian Blinds



The following hotels are equipped with Wilson's Venetian Blinds:

The
Emerson Hotel,
Baltimore, Md.

The
Taft Hotel,
New Haven, Conn.

The
Vanderbilt Hotel,
New York

The accompanying cut shows one of the windows in the new Vanderbilt Hotel, New York.

Models on view at salesroom

Jas. G. Wilson Mfg. Co.
3½ West 29th St., New York

Also manufacturers of Rolling Steel Shutters and Wood and Steel Rolling Doors and Partitions.

SEBCO EXPANSION BOLTS

The Strongest and Most Economical Expansion Bolt on the market. We



have sent out thousands of samples in order that mechanics and other users of Expansion Bolts could be convinced

SEND FOR FREE SAMPLES
AND OUR CATALOGUE No. 41

STAR EXPANSION BOLT COMPANY

147-149 Cedar Street
NEW YORK

A NEW AUTHORITATIVE WORK *Ransome & Saurbrey's* Pub. April, 1912 **Reinforced Concrete Buildings**

By ERNEST L. RANSOME and ALEXIS SAURBREY
235 p., 6 x 9, illus., \$2.50 (10/6) net, postpaid

Mr. Ransome is probably the best known concrete specialist in the country. He was the great pioneer in its introduction. Mr. Saurbrey, now associated with him, has had unusual facilities for investigation and study. The book is written for engineers.

It does not rehash the standard data. It is full of unusual material on patents, design and practical details of construction.

CONTENTS

Part I. Chapter I—Personal Reminiscences. II—Basic Patents and a Short Survey of the Early History of the Art.

Part II. Chapter III—Introduction. IV—Adhesion. V—Compression and Lateral Expansion. VI—Bending. VII—Transverse Stresses. VIII—Applications of the Bending Theory. IX—Initial and Allowable Stresses.

Part III. Chapter X—Materials of Construction. XI—Floor Systems. XII—Foundations. XIII—Finishing Operations. XIV—Fireproofing and Fires. XV—Repairs to Existing Buildings. XVI—Accidents. XVII—Superintendents Specifications. XVIII—The Engineer. XIX—The Theory of the Beams as Illustrated by Tests.

FOR SALE BY

THE WM. T. COMSTOCK CO.

23 Warren Street, New York

BOMMER SPRING HINGES

ARE QUALITY GOODS

But cost no more than inferior kinds



DON'T ERR IN JUDGMENT when specifying spring hinges, which of all hardware perform the hardest work. Bommer Spring Hinges never fail to give satisfaction, and have withstood the test of time. The springs never go lame. "Practically Unbreakable," says the World's Fair Award, Chicago, 1893.

GOLD MEDALS: Paris, 1900; Buffalo, 1901; St. Louis, 1904.

**All Who Figure on Hardware
Contracts Can Supply Them**

BOMMER BROS., Mfrs., Brooklyn, N. Y.

Est. 1876

ARCHITECTURE AND BUILDING

A Magazine Devoted to Contemporary Architectural Construction

VOLUME XLIV.

AUGUST, 1912

NUMBER 8

THE HOLLOW-TILE FIREPROOF HOUSE

Article IX.—Two Way Concrete Floors

By FREDERICK SQUIRES

A NOTED inventor of airships was recently heard to say that if he ever had to give up the conquest of the air, he would devote his inventive faculties to concrete as the next greatest realm of promise. The greatest American inventor has often forsaken electrical research for the intense delight of delving into the far-seen, yet still unmeasured, possibilities of this fluid birth of stone. Is it not significant that these two great men of the brain have hit on the same thing as their second choice? They feel that in the conquest of concrete is the breeding of giants.

In spite of the fact that its study absorbs great minds, concrete itself is but a homely thing, and it is not with the work of an Edison, but with the simple scheme of a builder, that this article most concerns itself.


Carpenters have used for many a year the principle of two-way floors. They knew that wood floor joists, running from wall to wall, could be greatly strengthened by the use of solid pieces fitted snugly between them and forming a continuous line at right angles to the direction of the beams. This they called cross-bridging.


In a concrete slab, reinforced with wire mesh, the same principle is operative. The slab may be considered as a series of beams side by side and touching, and each beam reinforced with a


continuous strand of the wire mesh. Thus, if the mesh were made of wires crossed at right angles, the slab would consist of beams crossed at right angles.


Since the strength of a slab depends directly on its thickness, it was found desirable to resort to beam methods, just as the carpenter does not build a floor of thick planks but of thin boards resting on beams. The formation of a floor of concrete beams with a slab on top (analogous to the wood floor construction) caused difficulty in form work and did not provide a level plaster surface. These difficulties were overcome by using hollow terra-cotta blocks as fillers between the beams, which formed with the bottom of the beams a level ceiling for plastering. But this floor did not provide for the cross-bridging which the carpenter had found so essential to the strength of his wood construction, so the next step was to devise cross-bridging for concrete construction.

I think it was Faber, a German, who first showed us how to cross-bridge a tile and concrete floor. He knew that hollow tile blocks had to be cellular and open on two ends, but nothing daunted by the physical obstacle, he poked paper cylinders into the open ends and spaced his tile fillers as far from each other on their open ends as they were









from each other on their closed sides. He laid his reinforcement in each set of grooves, which, of course, made it cross at right angles, and poured these intersecting grooves full of concrete, and, presto! we have a gridiron of concrete—a perfect cross-bridging.

Then his protégé, Ferdinand Burkhart, went him one better by devising various ingenious schemes for presenting, not paper, but tile, to the concrete at the open ends of the block. His first scheme was a curious series of squares of tile, each formed of four pie-shaped pieces with the pie-crusts forming the outer edges of the square and the confines of the beam. Having no one else to beat, Mr. Burkhart then beat himself, and his best record is now as follows: the floor unit consists of a standard-sized tile with flanges on the lower edges of its closed sides and which has its open ends closed with channels, each as long as the block. This results when the units are assembled in a nearly all-tile ceiling, a very desirable feature, because untiled concrete beams have a vexatious way of condensing moisture from the atmosphere which collects on the plaster below them and makes their outlines plainly visible in the ceiling. This Burkhart had obviated. A clever young engineer named Schuster meantime had produced his "Union System" which is as simple as rolling off a log. Schuster, however, seems to have been the first to roll off this particular log. His idea was obtained by observation of the actual conditions which arose in pouring concrete. He noticed that it didn't run excessively far into the open ends of a hollow tile, due probably to the fact that the tile absorbed the water of the concrete and checked its flow, just as a blotter will check the flow of ink. He used standard blocks and spaced them just as Burkhart spaced his, but he omitted Burkhart's channels and flanges.

Nolan, in Chicago, and another engineer in Washington, closed the open ends with metal and have had a considerable success. A beveled block is also in use and was illustrated in the last issue of this magazine.

Meanwhile a builder had been thinking, while he poured his concrete, and he devised a concrete beam in section like a T, formed by tile blocks sectioned like an inverted T and he adapted this to beams running in one way and in two ways. I guess, as a child, he had been taught to cross his T's for that is the very way he made his two-way system from his one-way system. The builder's name was Harry Vought, Jr.

A glance at the drawings which illustrate this article will suffice to show the reader that his scheme has many of the advantages before described for the other scheme and a good many of its own. I have noted these, as its most obvious good qualities.

The T-shape is a good section for a concrete beam, be it one-way or two-ways, because it puts the emphasis where it belongs. Look at your New York building code. You get a good value for concrete in compression, but how many pounds per square inch in tension? Not an ounce per square mile. In other words concrete below the neutral axis of a beam is valuable only to fireproof the rod and to take care of shear. All tension, if we follow our code, must be provided for in the steel reinforcement. It is true, then, that this T-section provides concrete where concrete is needed and cuts it down to a practical minimum where it has no value.

Mr. Vought's block is an inverted T on the closed sides and the same section is provided in the other sides by placing a loose member similar to the flange of the T along the lower half of the open sides of the block. (See the drawings.) When the beams are

poured, the concrete comes into permanent contact with all sides of the block above the neutral axis in the compression area, even entering the open ends to some extent. There are no dry tile joints to make the value of the compression uncertain owing to the necessarily imperfect contact between slightly warped and curved tile faces, where contact may only be considered as occurring at points. Such imperfect contact occurs, it is true, below the neutral axis, but here the tile and concrete are merely fillers and subjected to tension (if such force is not entirely taken by the steel) which would tend to separate not compress the tile. A glance at section A-A shows all concrete excluded from the open ends below the neutral axis by the filler where it would be a dead load and allowed to run into the open end, even forced in, in general practice, above the neutral axis where it aids by adding to the compressive section. It will be readily seen that the whole top of this block must join the concrete in the compressive area, so that the whole top of the slab is in compression. This scheme of closing the right part of the open end of the block seems to me to be one of the strongest recommendations of the Vought system.


Some of the two-way schemes which I have described have novel ways of providing an all-tile or nearly all-tile ceiling. All-tile ceilings are easily made by Mr. Vought's system, as is shown in the second illustration.

Section A-A in the illustration of the second method shows a block where the leg of the T converges to a point. The filler shown in section B-B has a similar section and is cut off on a bevel so that when set alongside of the big block it

forms with the legs of the T a bevel all around the unit. These beveled units when placed edge to edge, as is done to form the beams, present from below an all-tile ceiling. It is noteworthy that this method of the Vought system does not require tight centering. It is seen then that this system presents the advantages of a section which is in conformity to the physical powers and limitations of concrete, that it makes the tile do actual work in the slab, induces concrete into the compressive and excludes it from the tension part of the section of the slab, permits open centering and produces an all-tile ceiling for plastering. Not such a bad showing for a builder's invention.

In concluding this article, I would draw attention to the great number of clever men who have worked on two-way tile and concrete floor construction, and the many good and workable schemes that they have devised. One may bring his idea from Germany, another may get it from thinking while he works, another from close observation of the physical attributes of tile and concrete, and another may conceive his scheme by the geometrical turn of his mind. But all together, consciously or unconsciously, willingly or unwillingly, are aiding the march of building progress headed by "King Concrete." If you are cocksure that you and your system have won, you are only sure to see a neglected warrior rise up on your battlefield with the cry, "I have just begun to fight."

Do not despise your fellow worker, for you may be sowing dragons' teeth. So let no one claim the victory, for victory means the end of the fight, and the end is not yet, for the end is perfection.



SENECA BUILDING, BUFFALO, N. Y.

Wood Doors and Trim: G. Elias & Bro.

McKenzie, Voorhees & Gmelin, Architects.

Otis Elevators.

Fireproof Windows: S. H. Pomeroy Co., Inc.

Grant Overhead Pulleys Used.

Star Expansion Bolts Used.

Chicago Triplex Butts and Hinges.

Cable Hardware

FAILURES IN BUILDING CONSTRUCTION AND THEIR LESSONS.—II.

COLUMNS

By EDWARD GODFREY

COLUMN failures are numerous and are the result of several causes. Some of the chief causes can be laid at the door of engineering books and afford examples of too much mathematics and too little common sense.

A column to be strong must be made of a material having good tensile strength. Or, if the material used has not much tensile strength, it must either be reinforced for tension or given a very low unit stress in the design.

A column may fail in two distinct ways, namely, (1) as a bow or spring altogether independent of the ultimate compressive strength or elastic limit of the metal, (2) as a member in compression, crushing the fibers.

These simple and easily demonstrated facts are practically totally absent in engineering books dealing with the subject of columns. The result is absurd and weak designs of columns.

Instead of recognizing the two distinct phases in the strength of a column, the two are combined in the Gordon-Rankine formula, and absurd results are attained. It is true that there is a range (in columns of intermediate lengths) where there is a combination of the effects of spring and crushing of metal. There is also a range (in short columns) where a column could not fail by springing or bowing, but only by crushing the metal; as well as a range (in slender columns) where crushing of the metal cannot take place until the column has failed by springing. Failure to recognize these distinct phases of the strength of columns and to separate and differentiate

them has led to many gross errors and many failures.

As the writer has pointed out, in "Railway Age Gazette," July 2, 1909, and more fully in his book, "Steel Designing" (at present in manuscript), the Euler load is the absolute maximum load that any column can sustain, irrespective of the ultimate strength or elastic limit of the steel, in spite of the fact that the Gordon-Rankine formula shows for slender columns ultimate strengths several times the Euler load. And the Gordon-Rankine formula is the one that architects and engineers very commonly use to design their columns. Books say of the Euler load that "under this load the column just begins to deflect, and will under a constant load retain any deflection which may be given to it, within the elastic limit of the material." The elastic limit does not enter in the formula or its derivation, and there is no proof of any such thing in the common derivation of the Euler formula. Such statements as the one above quoted are misleading, as they give designers the notion that there is still some reserve strength in a column after the Euler load is reached.

The Gordon-Rankine formula has no application whatever to slender columns, and, on the other hand, the Euler formula has no practical application to short columns. These facts are of more real value to a designer than pages or volumes of intricate mathematical formulas. If they are known to book writers, they have been carefully suppressed. Hand books give the supposed ultimate strength

of a pin-ended column in medium steel whose ratio of slenderness (length divided by least radius of gyration) is 240, as nearly 12,000 lbs. per sq. in., by the Gordon-Rankine formula, whereas the absolute ultimate strength of such a column, even if it were made of steel having an elastic limit of 200,000 lbs. per sq. in. or more, is actually only 5,000 lbs. per sq. in. They give the ultimate strength of a column whose ratio of slenderness is 40 at about 47,000 lbs. per sq. in., whereas such columns under test will not show much more than two-thirds of this ultimate strength.

A straight line formula for safe loads in columns is the most reliable for several reasons. First, it agrees more closely with experiments than any other. Second, the values lie wholly within the Euler curve. Third, it shows less values for slender columns and thus discourages their use. Fourth, it agrees closely with the theoretical strength of columns on the assumption of proportional shop imperfections. The latter is shown by the writer's paper in "Railway Age Gazette."

The other basic and suppressed fact referred to in the beginning of this article is that a column, to be strong, must be of a material having good tensile strength. This is so rare a piece of information that when recently at a meeting of engineers a well-known investigator stated that high tensile strength in the concrete of a reinforced-concrete column increased the compressive strength of the column, one of the principal engineering papers of the country made a special news item of it. The writer has been emphasizing this fact in his articles and books since 1907, when he pointed out, in an article in "Concrete Engineering," the fact that cast-iron columns, made of a material having an ultimate crushing strength of about 100,000 lbs. per sq. in., are designed (when prop-

erly designed) by a formula the base unit of which is 7,600 lbs.: only 7.6 per cent. of the ultimate strength—and this because of the weakness of cast iron in toughness or tension. He also emphasized the blatant error of designing so-called reinforced-concrete columns of practically plain concrete, on a formula the base unit of which is 7.50 lbs.—a material one-fiftieth as strong in compression and one-hundredth as strong in tension with a supposed "safe" unit one-tenth as great.

There have been many failures of slender columns. Some of them have been deliberate designs by specialists not aware of their weakness by reason of the misleading character of the information imparted through books. The slenderness is sometimes in the column as a whole and sometimes the result of inadequate means of uniting the component parts of the column.

An experienced designer, proportioning a column by the Gordon-Rankine formula, the ratio of slenderness of the column being about 240, could not understand why such columns showed weakness and why the ultimate strength was not about 20,000 lbs. per sq. in., as the formula showed. The writer had difficulty in convincing him that the ultimate strength of his column was about one-fourth that which he assumed, not only because it was too slender to be in the range of the Gordon-Rankine formula, but also because it was not fixed ended, but more nearly pin ended. The end connection was to gusset plates in the plane of the web of the light channels of which the compression member was made. This is practically a pin-ended connection, for such gusset plates cannot maintain fixedness of the axis of the member at the ends.

Fig. 1 shows this compression member and its connection. The dotted lines in-




Fig. 1.

indicate how this member could bow in failing and show very clearly the futility of the end gusset plates in holding the axis of these channels rigidly in line, as they would have to do if the member were fixed ended or square ended in fact. The member had no lattice, the channels being merely held in line by the batten plates.

Another feature of this column was the use of batten plates with the idea that these shortened the unsupported length of the individual channels; as though one weak member could support another equally weak member by being connected thereto by a batten plate, which would allow both to deflect sideways without interference. Here is another exceedingly vital point of design upon which books are silent. A compression member must be capable of taking transverse

shear. It is an elementary engineering principle that a rectangular system, such as the battens and channels, cannot take shear. Lattice bars and the channels form a triangular system, which can act as a truss to carry the transverse shear of a column.

In *Engineering News*, July 6, 1911, there is a description of a gasholder post which failed in Hamburg, Germany. This post was made up of two little 5-in. channels and a few pairs of little tie plates or battens that could be carried in a man's coat pocket, and it was expected to carry a load of 133,000 lbs. A leading European authority who investigated the wreck and the design reported that "the use of the tie-plated columns, when the section is assumed to be integral may

lead to constructions which do not afford adequate security under loading of unusual character."

Fig. 2 shows a sketch of this column and how and why it could bow under endwise compression. In a letter in "*Engineering News*," July 27, 1911, the writer pointed out the fact that the probable ultimate strength of the column, worked out theoretically, is just about the amount of the load under which it failed—the load that was supposed to be the safe load. But this ultimate load, as the writer worked it out, was not figured on the basis of the standard book method of designing posts.




Fig. 2.

The writer points out, in this letter, the fallacy of applying Euler's formula to short columns, as the designing engineers had done; for they supposed the pair of channels would be united as an integral column by the tie plates, thus making the column a short one. He also points out the error in depending on tie plates to unite the parts of a column. The Euler formula gives the ultimate load of a column—the load which could not possibly be exceeded by any column, no matter how great the compressive strength may be; but in short columns, that is, columns having a ratio of slenderness of 100 or less, structural steel will fail in compression or crushing before the springing or bowing action can come into play. Tie plates do not hinder the bowing action of a column such as this one except in an inconsiderable degree. Because of the absence of lattice these two channels can bow together, and the ratio of slenderness of the column is the full length of the column divided by the least radius of gyration of a single channel. In this post that ratio was 180.

The writer's contention in the letter above referred to was disputed by a German engineer, in a letter published in "Engineering News," Sept. 28, 1911, and this was answered by the writer in the same issue. The claim is there made that because the tie plates would have to take the shape of oblique parallelograms by the bowing of the column as shown in Fig. 2, these tie plates would resist such bowing. The argument of the writer's reply will be repeated here.

These small two-rivet plates can scarcely add any rigidity to a column carrying more than 100,000 lbs. except in the immediate vicinity of the plate. Of course, in a greatly exaggerated sketch the parallelogram formed by the four rivets of the tie plates would appear to be greatly distorted. The same might be argued if

only one rivet connected the tie plate and channel, since friction would resist rotation. Rivets are subject to slip, sometimes under small stress, and an exceedingly minute slip would allow all the rotation necessary for the column to assume the dotted position of Fig. 2, for a slender column has reached the point of ultimate failure at the first measurable deflection, if it be originally straight.

A slender column whose parts are perfectly straight may reach its ultimate load when it has deflected 1/16-in., or less, whereas a similar column with an original bow of 1/8-in. will stand an additional deflection of 1/8-in. before it fails, both columns failing at the same load. These are facts very easy to demonstrate mathematically on the theory of flexure, but very difficult to find in literature on the subject. It is such facts as these that ought to be written into the literature of engineering to displace a lot of mathematical nonsense in the way of complex and meaningless column formulas, based on impossible assumptions, which totally ignore the practical work of manufacturing a column. Such facts as these would go a long ways toward intelligent design of columns. Such emphasis of the importance and magnitude of slight deflection or bowing in a column has more weight than an abstract dissertation on the impossibility of a rectangle, assuming the shape of an oblique parallelogram.

There is a great difference between holding 40 inches of a column straight with a leverage of 3 inches (the distance assumed between two rivets of a tie plate) and holding that length of a column straight by a triangular system of lattice. In the column under consideration, in 40 inches of length (the space between tie plates) one tie plate has the work to perform that in a latticed column would be done by 10 or 15 lattice bars. All of these lattice bars would be acting

to resist the bowing of the column, and all of the 20 or 30 rivets aid in relieving the individual channels of the bending which they would have to take, in addition to direct stress, in the tie-plated column.

The failure of a sprinkler tank support is described in "Engineering Record," Aug. 13, 1910. On four columns

consisting each of 4-4"x3", 9.3-lb. Tees, held at intervals of 21 inches by 6"x3"x $\frac{3}{8}$ " tie plates, a load of 22,000 gallons of water and two tanks was carried. The columns were 13'-9" high. The ratio of slenderness is nearly 200, and this load is not far from the ultimate load of the columns. Failure is, of course, a natural consequence of such construction.



MARSHALL NATIONAL BANK, MARSHALL, TEXAS.
 Architectural Terra-Cotta: Federal Terra Cotta Co. Theodore C. Visscher, Architect.



THE 86TH STREET THEATRE, NEAR 3RD AVENUE, NEW YORK CITY.

Electric Contractors; Edwards Electric Construction Co. Thomas W. Lamb, Architect.
 Switch Board and Panels; Metropolitan Electric Mfg. Co.
 Star Expansion Bolts Used.
 Rockwood Automatic Sprinkler Equipment.
 Von Duprin Exit Fire Devices.
 Evans' "Crescent" Expansion Bolts Used.
 Newman Watch Clock System

STUDENTS' DETAILS OF CONSTRUCTION

Architectural Department, University of Pennsylvania


SUPPLEMENTING the illustrations already published in recent issues, the drawings reproduced in the following two pages are selected from many examples of students' work in architectural construction in the School of Architecture of the University of Pennsylvania. The scales to which they were made were decided upon when the general plans, elevations and sections were determined. The problem involved, in general, all scale and detail drawings necessary to fully show the construction, and all calculations necessary to determine structural strengths and details.

The first drawing shown in this issue illustrating students' work in architectural construction as it is related to design problems, shows a small bank building with a one-half transverse section from the footings to the roof truss and a larger detailed section through the front façade of the building. The problem in design called for a bank to be erected on a plot of ground facing a public square and bounded on the sides by streets of minor importance. Another building adjoins the bank on the rear. The dimensions of the plot of ground are 40 feet facing the square and 80 feet on the sides, the plot being rectangular. The rooms which the bank is to contain were then enumerated in the program and the usual details for the problems in design explained to the students of the course.


The detailed drawings connected with the problem of constructing this building and belonging to the course in architectural construction co-ordinated

with the course in design, show the various materials, their supports, anchors and ties, the outside and inside finish, the front entrance door and steps from grade, front window, the truss work, the solid-balustrade coping, the heavy stone entablature and its method of support and tying, the fireproof flooring, the decorative ceiling, etc.

The second illustration is a portion of the design of the façade of a fraternity-house, with the details for the same. This problem comprised the designing of a fraternity house for a college society at a great university. The building was to be located on a plot 200 by 300 feet, level, and having one side only bordering on an avenue. The materials and style were left entirely to the choice of the students. The drawings show the portion of the plan, drawn originally to 3/16-inch scale, and just above it the elevation of a portion of the façade with one of the bays in the first story, the triple window in the second and the curved-roof feature above. The larger drawings showing the details are drawn to 3/4-inch to the foot. This student submitting this solution has chosen brick for the body of the building, with stone and concrete trimmings, a key to the materials being given on the drawing. The outside and interior finish are shown in detail, and also the construction of window sills, jambs, heads and mullions, the special design of fireproof flooring, the terrace in front of the bay, the roof copings and a portion of the roof construction.



Designed by E. J. Cass & Co.



Designed by Fred. L. Townley.



**'PERSPECTIVE OF SCHNEIDER-ANDERSON BUILDING, 16-18 EAST 46TH STREET.
NEW YORK CITY.**

**Builders: Thomas J. Steen Co.
Corbin Hardware.**

Hazzard, Erskine & Blagden, Architects.

STANDPIPE AND HOSE SYSTEM IN BUILDINGS

Being Portions of the Report of the Committee on Standards
of the National Fire Protection Association.

PART II.

W. C. ROBINSON, Chairman

THIS second portion of Mr. Robinson's report dealing with the equipment of hose stations follows in direct sequence to the portion previously published in our July issue.

EQUIPMENT OF HOSE STATIONS.

The character of the equipment at hose stations is governed by the class of service to be supplied, and in some measure by the class of building in which the standpipe and hose system is to be installed.

HOSE.

Generally speaking, all fire hose stored inside buildings should be approved unlined linen hose, on account of its greater durability and reliability in such localities. Linen hose also has the advantage of being lower in cost than good hose containing rubber. Its chief disadvantages consist of the relatively high friction losses due to the rough interior, its greater tendency to kink when handled, and the fact that it is not absolutely water tight when water is first turned on. These disadvantages are more than offset by its lightness and the comparative ease with which it can be handled, the fact that it can be stored in small compass, and, most of all, by its very materially greater durability as compared with rubber or rubber-lined fire hose in the heated dry atmosphere usual inside buildings.

Cotton rubber-lined hose may be advisable in some localities, but only where moist atmospheric conditions prevail and at roof hydrants and outside stations forming part of the standpipe system. Rubber hose should only be used in localities where hose fabrics are quickly destroyed by the action of chemicals.

Hose stations provided with equipment to be used by the occupants of the buildings should each be equipped with $1\frac{1}{2}$ -inch hose not exceeding 50 ft. in length, and with a conspicuous permanent sign calling attention to the purpose for which this hose is provided. At upper stories and where the initial water pressures are low, the use of 2-inch in place of $1\frac{1}{2}$ -inch hose may prove advisable.

Hose stations intended for use by Fire Departments or those trained in handling heavy fire streams should each be equipped

with a $2\frac{1}{2}$ -inch hose not exceeding 100 feet in length. A conspicuous permanent sign should be placed at each station, calling attention to the fact that the $2\frac{1}{2}$ -inch hose is only to be used by the Fire Department or several persons trained in handling it, and that smaller hose is provided for use by occupants of the building. The present general practice of equipping standpipes with $2\frac{1}{2}$ -inch hose only is often a menace to life on account of the inability of inexperienced persons to handle it, and in most cases; affords no protection during the incipient stages of fire for the same reason.

In most cases it will probably be found convenient and advisable to provide both sizes of hose at the stations supplied by the larger standpipes.

HOSE RACKS.

All hose should be attached to valves at the standpipe and stored on approved racks of substantial construction securely fastened in position. Hose racks of the swinging type are the most reliable under ordinary conditions, although special claims are made for other types which are apparently in some measure justified. For $2\frac{1}{2}$ -inch hose, which can only be effectively handled by several persons, there does not appear to be any necessity for racks which are automatic or partially automatic in operation. Racks for such hose should be so designed that the hose can be quickly laid by those at the nozzle, without danger of its dropping to the floor in a tangle as it is pulled from the rack. Water should not be turned into $2\frac{1}{2}$ -inch hose until it is laid and the signal is received from those at the nozzle.

The $1\frac{1}{2}$ -inch hose should be stored on racks of the same general type, so designed that the water can be turned on without disturbing the hose or preventing it from being pulled off and laid without further attention to the controlling valve. Racks of this character have the advantage of being easily operated by one person and are sufficiently automatic in their action. If properly designed and constructed, they are reliably operative under pressures somewhat in excess of 125 pounds, and when the water is turned on before or after the hose

has been removed from the rack. The valve difficulties almost always accompanying the automatic reel or rack are eliminated in these racks.

HOSE VALVES.

Particular attention should be given to the selection of the hose valves located at the standpipes. A variety of such valves is available, but it is probably difficult to obtain in one valve all of the features which may be desirable for the various conditions of service. A hose valve should have a straight, full, unobstructed waterway through it, should open easily and quickly to the full open position, should be absolutely tight against high pressures when closed, should be difficult to accidentally disturb and cause leakage, should be provided with an open drip to take away slight leakage and prevent water from entering the hose, should be compact and neat in design and appearance, substantial in construction, and capable of withstanding without leakage all reasonable stresses to which it is subjected.

It is questionable whether any hose valve now available fulfills all of these requirements to a sufficient degree to warrant its unqualified approval for all classes of service. It is also possible that all of the above qualifications are not essential under some conditions, particularly where the water pressures are comparatively low. Hose valves are expected to prevent leakage into the most perishable part of the equipment and remain in a reliable condition for indefinite periods of time without excessive maintenance, costs or trouble in localities where they are liable to be molested. All things considered, the best valve obtainable will probably prove to be the most economical.

Hose valves should be placed below the hose which is attached to them and within easy reach. If they are liable to be molested they should be provided with guards which are sufficiently secure to prevent tampering but which will not prevent access to them in case of fire. The 2½-inch valves, together with the hose couplings, should be provided with hose threads interchangeable with those of the Fire Department.

PLAY PIPES AND NOZZLES.

All 2½-inch hose should be provided with approved Underwriters' play pipes having a nozzle with 1⅝-inch discharge orifice. As this hose is for the use of those trained in handling heavy streams, each system should be supplied with a number of extra nozzles of larger diameter so that heavier streams can be obtained if desired. The

extra nozzles should fit the Underwriters' play pipe, but the size of the larger streams likely to be required will depend on circumstances and should be determined by the Fire Department officials. One or more special nozzle holders should also be supplied where the heavier streams are to be employed.

A standard 1⅝-inch nozzle will discharge approximately 250 gallons of water per minute if provided with a constant water pressure of 45 pounds to the square inch. Streams from such nozzles have an effective reach of approximately 70 feet horizontally and 77 feet vertically in still air. On the interior of most buildings the effective reach of such streams is probably materially less than the distance given on account of obstructions and the inability to elevate the stream without striking the ceiling. The distances given will be materially reduced by the presence of wind when the streams are used on the exterior of buildings.

1½-inch hose should be provided with composition metal play pipes having a discharge orifice not less than ½-inch nor more than ¾-inch in diameter. The play pipe should be at least eight inches in length, tapered, machined to a smooth finish on the interior and provided with a heavy outside bead at the discharge tip to prevent injury in service and consequent disturbance of the stream. A short, well-made play pipe without swivel handles can be safely handled when used with 1½-inch hose. The small streams are not accompanied by a heavy reaction and the hose can be easily held and managed by any able-bodied person even at fairly high pressures.

A ½-inch nozzle will discharge approximately 32, 51 and 72 gallons of water per minute at 20, 50 and 100 pounds pressure at the base of the nozzle, respectively, but the effective horizontal and vertical reach of such streams has not been determined so far as could be ascertained. A ¾-inch stream will discharge 73, 116 and 164 gallons per minute, respectively, at the above pressures, and has an effective reach of 32 feet horizontally and 37 feet vertically in still air at 20 pounds nozzle pressure.

The vast majority of the play pipes now used for the equipment of standpipes are cheap, inferior and poorly suited for the purpose. They are most always highly polished on the exterior and rough and unfinished on the interior. Those used in connection with 2½-inch hose are often provided with small discharge tips and furnish streams easily furnished by smaller hose.

Inferior play pipes furnish inferior fire streams and have considerable influence on

the attitude of Public Fire Departments toward private standpipe systems.

PRESSURE REGULATORS.

One of the most serious problems in the design of standpipe systems for high buildings is that of reducing the pressures in the lower stories to a point where the hose streams can be safely and efficiently handled. Nozzle pressures in excess of 65 pounds render the larger streams difficult and dangerous to handle, even by trained men, and nozzle pressures in excess of 100 pounds make it practically impossible to use such streams for this service. While it is probably possible to handle the smaller first-aid streams at somewhat higher pressures than the larger streams, the pressures should not exceed certain limits if the best results are to be expected from those untrained in handling fire streams.

A number of methods of accomplishing the desired reduction of the pressures in the fire hose have been tried with indifferent success. One method involves the use of several tanks at different elevations in the building, the standpipe being so connected that each tank will supply the hose on a limited number of stories only, and excessive gravity pressures thus avoided. This method necessitates the use of considerable valuable floor space, is expensive on account of the duplication of tanks, and loads, and necessitates complicated pipe connections to the water supplies. It fails to accomplish the desired results at lower stories, when the pumps or auxiliary sources of water supply are in use.

The use of special pressure reducing or regulating valves at each hose station has been attempted, but it is understood that the valves thus far tried have not been wholly successful. This method involves the use of numerous mechanical devices, the operation of which is more or less uncertain, complicates the pipe connections and is expensive on account of the cost of the valves.

It is well known that excessive pressures in fire hose attached to high-pressure water supplies can be avoided by only partly opening the hose valve and limiting the amount of water which enters the hose; in other words, by establishing the ratio between the size of the inlet and outlet which will result in the reduction of the pressure to a point where the stream can be safely and effectively handled. Unfortunately, it is impracticable and unsafe for those who operate standpipe systems to try and obtain the proper reduction in the hose pressures by the manual adjustment of hose valves at time of fire, and some reliable means of automatically accomplishing the desired result must be provided. Your

committee is advised that recent experiments in New York have shown that the use of a metal disk placed in the coupling at the inlet side of the hose, and having the proper size of orifice through it, will probably give satisfactory results for the smaller streams.

The experiments have been made with disks having orifices from 9-16 to 1 inch in diameter, under standpipe pressures as high as 165 pounds, and with 50 and 100-foot lengths of 1½-inch linen hose provided with a ⅝-inch smooth-bore nozzle. It is highly probable that by this or similar means the desired results can be obtained for all sizes of hose streams under all conditions of service.

DRAINS.

Each hose valve should be provided with an open petcock arranged to discharge any leakage past the valve into an open drain pipe. The system of drain pipes should be large enough to carry off the water while the petcocks are discharging under pressure, should be rigidly installed and connected to the sewer or other convenient place for the disposal of the water. The discharge of water from the larger drains with which roof hydrants or monitor nozzles are provided should be taken into consideration in determining the size of the main drain pipes.

ROOF HYDRANTS AND MONITOR NOZZLES.

Roof hydrants should be equipped with 2½-inch hose and Underwriters' play pipes having 1½-inch discharge. When the hydrants are located in roof houses where there is no danger from frost, the usual hose valves can be employed. When they extend through the roof and cannot be protected from frost, the water should be controlled by gate valves under the roof, and the hose stored in ventilated metal or metal-clad hose houses. The gate valves should be operated by rods extending through the roof and provided with drains so arranged that they will automatically drain the hydrants when the water is shut off.

Monitor nozzles will usually be exposed to freezing and the water should be controlled by gate valves located under the roof, similar to those described for roof hydrants which are subject to frost. As these nozzles are usually employed to furnish heavy streams in commanding positions and are intended for use by trained firemen, and as the size of the stream is largely governed by conditions of exposure, Fire Department officials should be consulted before their installation.



ADAMS EXPRESS COMPANY BUILDING, A PORTION OF THE GRAND CENTRAL
IMPROVEMENT AT 49TH TO 50TH STREETS AND LEXINGTON AVENUE,
NEW YORK CITY.

Architectural Terra-Cotta: Federal Terra-Cotta Co.
Painting and Decorating: Peter McKay, Inc.
Chicago Triplex Butts and Hinges.
Evans' "Crescent" Expansion Bolts Used.
Grant Overhead Sash Pulleys Used.

Warren & Wetmore } Associated
Reed & Stem } Architects

THE MASONIC HALL BUILDING, NEW YORK

OF FIREPROOF AND FOOLPROOF CONSTRUCTION

H. P. KNOWLES, Architect

A BUILDING in itself non-combustible and figured to prevent the combustion of its contents from whatever source as fully as possible, as well as being so designed as to be nearly foolproof in case of a panic among numerous employees, has been erected on the corner of 23rd Street and Sixth Avenue the site long occupied by the old Masonic Temple. The building is known as the Masonic Hall Building and it adjoins and is connected with the Masonic Hall which faces on 24th Street. That it is a part of this building is felt more than seen, as we view it from the street. While it is distinctly a loft building in its appearance, its materials reveal its relation to its more elaborate and beautiful sister. To express the purpose of the Fraternity building, Mr. Knowles has given us on 24th Street an elaborate façade which tells us, in a way, of the arrangements within and defines the purpose of the building.

Using the same blood and bone, limestone, tapestry brick and terra-cotta, on the 23rd Street corner, we behold the plainer if more stalwart structure. In construction the building is steel framed with a floor system of 12-inch terra-cotta arches of about 5-foot span. The trim throughout the building is fire-resistant, and it may be said that the only piece of wood that entered into the construction was the hand-rail of the main stairs. All doors are hollow steel and all the court and side facing windows are hollow metal glazed with wire glass. The street facing windows are kalamined, glazed with plain glass. The floors are concrete surfaced, and the in-

terior wall finish throughout is plain plaster.

A comparison of the two plans which show divided and undivided stories, shows that the elevator and stair halls are accessible readily from all portions of the floor. There are four passenger elevators and five freight elevators, and there are four flights of stairs, all of which are enclosed in fireproof halls shut off from each floor by a swinging fire door. There are 19 stories to the building. The ceiling heights are 11 feet in the clear and the floor areas approximate 14,000 square feet.


The inner court which is lined with light-face brick, contains a stairway of interesting construction. It is entirely built of iron and is enclosed in an iron and wire-glass partition. It is entirely



**BULLETIN BOARD FOR THE LODGE ROOMS
IN THE 23RD STREET ENTRANCE.**
Bulletin Board: U. S. Changeable Sign Co.



THE ENTRANCE ON 23RD STREET.
H. P. Knowles, Architect.



TYPICAL OPEN AND DIVIDED FLOOR.
Builders: George A. Fuller Company.
Fireproof Doors and Windows: Leonard Sheet Metal Works, Inc.
Star Expansion Joints Used.
Newman Watch Clock System.
Ornamental Iron and Bronze: The Winslow Bros. Co.



MASONIC HALL BUILDING, NORTHEAST CORNER OF 23D STREET AND 6TH AVENUE, NEW YORK.

Builders: George A. Fuller Company.
Copper Cornices and Roofing: Herrmann & Grace Co.
Grinnell Automatic Sprinkler Equipment.
Architectural Terra-Cotta: Federal Terra-Cotta Co.
Otis Elevators.

H. P. Knowles, Architect.



THE WIDE HALLWAY FROM 23D STREET AND
 Marble: R. C. Fisher Co.
 Elevator Doors: Leonard Sheet Metal Works, Inc.
 Evans' "Crescent" Expansion Bolts Used.
 Chicago Triplex Butts and Hinges.
 Otis Elevators.
 Ornamental Iron: The Winslow Bros. Co.
 Corbin Hardware.



THE BLACK FINISHED ORNAMENTAL IRON STAIRWAY NEAR THE ENTRANCE TO THE
 24TH STREET BUILDING.

H. P. Knowles, Architect.



THE EXCELSIOR BANK OCCUPYING THE CORNER OF THE MASONIC HALL BUILDING.

Marble; Cork & Zicha Marble Co.
Grinnell Automatic Sprinkler Equipment.
Grant Overhead Pulleys Used.

H. P. Knowles, Architect.

outside of the building and is entered from each floor by a swinging fire door which is opened by a push bar door lock so that the door is never closed from the inside. All other hallway doors are of the same swing type kept closed by spring door checks. The entrance between this new building and the previously built portion on 24th Street is through a public hall.

On every story there is a double set of fire doors, one sliding door and a pair of swinging doors, all held open on fusible links so that in case of fire they will immediately close, isolating the two buildings. This requirement was made so as to obtain the best rates of insurance on the new wing which is protected by an automatic sprinkler equipment.

Every portion of the new building is protected by automatic sprinklers, and this system which was put in by the General Fire Extinguisher Company, complies with the requirements of the Building Department and those of the Board of Fire Underwriters so that this building has the lowest possible rate of insurance for a building of its class. This sprinkler system is entirely fed by pressure tanks with provision for connection to the street service. There are no gravity tanks.


The entrance hallway is somewhat elaborately treated with panels of Skyros marble framed in grey Sienna. The walls are cream tinted above the marble

wainscot, the elevator fronts are of bronze and the stair rail is of ornamental black iron. This hall has through connection to the 24th Street building and is exceptionally commodious for the type of building.

The corner of the ground floor of the building is occupied by the Excelsior Savings Bank which has a brightly designed banking room which is extremely attractive. The banking counter is of Breche Violette and Botticino marble with grills of bright bronze. The floor is of marble mosaic, a finish which is used throughout the principal hallways of the building. The walls and ceiling of the bank are white with a banded decoration in gold.

The builders of the Masonic Hall Building were the George A. Fuller Company. The exterior architectural terra-cotta was supplied by the Federal Terra Cotta Company. The Herrmann & Grace Company did the copper cornices and roofing. The Leonard Sheet Metal Works, Inc., supplied the fire-proof doors and windows.

In the main part of the building the marble was supplied by the R. C. Fisher Company, but in the bank the Cork & Zicha Marble Company did the marble work. The bulletin boards were installed by the U. S. Changeable Sign Co. The ornamental iron work was done by The Winslow Bros. Company. The total cost of construction slightly exceeded \$1,000,000.



Mezzanine Floor




Main Floor


APARTMENT HOUSE, 36 CENTRAL PARK SOUTH, NEW YORK.

Painting and Decorating: Peter McKay, Inc.
Corbin Hardware.


C. W. Buckham, Architect.




NUMBER 23 LAKE SHORE DRIVE, CHICAGO, ILL.
Marshall & Fox, Architects.



ELM STREET APARTMENTS ON LAKE SHORE DRIVE, CHICAGO, ILL.
Howard Shaw, Architect.



McKim, Mead & White, Architects.



THE MUNSEY BUILDING, BALTIMORE, MD.

Builders: Geo. A. Fuller Co.
 Bulletin Board: U. S. Changeable Sign Co.
 Otis Elevators.
 Plumbing Connections: W. C. ...

Star Expansion Bolts Used.
 Evans' "Crescent" Expansion Bolts Used.
 Chicago Triplex Butts and Hinges.



THE INTERIOR AND A DETAIL OF THE ALTAR, SAINT ANTHONY'S CHURCH, VAN NEST, NEW YORK.
N. Serradho, Architect.






SAINT ANTHONY'S CHURCH, VAN NEST, NEW YORK.
N. Serracino, Architect.

A CALIFORNIA DWELLING

THE adaptation of the Swiss type of cottage is not uncommon in California at the present day, and in this building we see a very broad generalization of the Swiss *châlet*. Mr. C. W. McCall, the architect, has preserved only the general outlines. His treatment is very free, yet the spirit of the *châlet* seems present.

The house is of frame construction, covered with steel lath which carries three coats of cement plaster. The timbered effect is produced with undressed

wooden battens stained a Van Dyke brown. The plan of the first floor is an open one adapted to a warm climate. The living room and hall have beamed ceilings and in the living room, opposite the opening from the hall, there is a great fireplace with ingle nooks. In the dining room there are built-in buffets and in the library there are built-in book-cases. It is stated by the architect that this house could be erected at the present cost of material for about \$7,000 in southern California.



RESIDENCE IN OAKLAND, CALIFORNIA
FOR MR. OSGOOD.
C. W. McCall, Architect.


The Lofty Automatic Sprinkler Equipment of the Bankers' Trust Company

THE pyramidal top of the Bankers' Trust Company is fast becoming a familiar sight, and is passed over by the layman with the comment that it is intended as an architectural adornment and probably isn't used for anything. Such, however, is not the case. The entire interior of this surmounting pyramid is made use of and to the fire-protectionist it is one of the most interesting parts of the whole building.

The top level of the building rises 525 feet above the sidewalk and its basements extend 50 feet below. The building contains 38 stories above the street and 4 stories below. Throughout

the construction the most recent developments of correct fireproofing have been employed, and everything that could be considered as a safeguard against fire in such a building has been made use of.

Within the pyramid at the top are included the 32nd to 37th stories, and these stories consist of a series of vaults wherein there are stored valuable papers and records of the Bankers' Trust Company. As to the vaults themselves, there is little to say, for in their construction there is no combustible material. However, the inflammable contents of papers and records might easily be destroyed within a vault at a very great loss,



BANKERS' TRUST CO.
Plan of the 33rd Story with the Exception of the Upper Right Hand Corner Where the Plan Is of the 32nd Story to Show the Sources of Water Supply.

and to provide against this contingency an automatic sprinkler system has been installed in the six stories mentioned.

This sprinkler equipment is unusual in that it is undoubtedly situated at the highest point in any building in the world. It furnishes protection to property at a height at which the fire department would be absolutely helpless working from any external source. The plan given shows the sprinkler system as installed on the 33rd story. As the stories ascend they decrease in area because of the pyramidal form of the structure which consequently reduces extensively the area in square feet per floor as we reach the top. The following list gives the number of Grinnell automatic sprinkler heads on each story.

32nd floor	35
33rd "	49
34th "	40
35th "	20
36th "	13
37th "	6
—	
Total	163

The installation of the pipes and the placing of the heads follows the usual regulations for such work, and the interest centers more in the source of supply, as it is no small problem to maintain and continue a sufficient supply of water at a point around 500 feet above the surface level. The supply may be said to come from three separate sources. First, there are two 1,250-gallon, steel pressure tanks, one of which is located on the 32nd floor and the other on the 37th floor. In the upper right hand

corner of the plan given is shown a portion of the 32nd story which contains one of the pressure tanks. There is also shown in the plan the riser which furnishes the supply from the surface levels. These two pressure tanks will exert a pressure on the sprinklers of at least 75 lbs. to the square inch.

The second source of water supply to the sprinkler system comes from the high pressure pumps of 250 gallons per minute capacity each, which are located in the sub-basement and take their supply directly from the city mains.

The third source of supply may be said to be an auxiliary emergency source and consists of a Siamese fire department steamer connection outside the building at the street level, to which the fire department can connect a steamer and pump from an outside hydrant connection a sufficient volume of water to directly supply this lofty sprinkler system.

This is to our knowledge the first time that an automatic sprinkler equipment has been installed in a building for the primary purpose of protecting valuable papers and records stored at so great a height, and it is a proof of the growing reliance placed in sprinkler systems for the checking of a fire at its inception that this system has been installed. The General Fire Extinguisher Company, who installed this system, believe that an automatic sprinkler system will give the best possible protection for such purposes and that the initiative of the Bankers' Trust Company in thus equipping their building will be followed by other builders in the future.

AN INTERESTING CHIMNEY PROBLEM

IN the study for the new Engineering Hall of the Carnegie Institute of Technology which is situated in Schenley Park, Pittsburg, a very interesting solution of an architectural problem is presented. The architect, Mr. Henry F. Hornbostel, realized that the large stack which is a necessary requisite of a power house, would be extremely offensive amid the surroundings of a fine group of well-designed buildings and the picturesque scenery of the park itself. To avoid this incongruity the solution shown by the model was developed. This building includes a power house and the Departments of Mechanical and Electrical Engineering of the School of Applied Sciences. The topography of the site

necessitated the placing of the front entrance of the building two stories above its lowest level, and this is shown by the model. This building is of great importance in the group architecturally, as it is placed at the lower end of the main axis of the central court. It is, moreover, the first building to be seen from the entrance to the park, and in a sense it forms a façade at this point for the whole group.

The development of the chimney into a huge central tower with a conical top, which is flanked on either side by the wings occupied by the two technical departments, gives a monumental silhouette. An inside steel stack goes down through the center of the tower opening directly



DESIGN FOR THE NEW MACHINERY HALL, CARNEGIE INSTITUTE OF TECHNOLOGY, PITTSBURGH, PA.


Henry F. Hornbostel, Architect.

above the boilers, and about the stack the main stairways have been developed.

The Mechanical and Electrical Departments of the School of Applied Science were combined with this building because of the facilities for study which the power house itself afforded to the students.

The question of vibration from the

engines affecting the delicate machines of the Electrical Department arose, but this was overcome by going down with their foundations to a lower stratum of rock and packing them around with sand, so that there should be no more vibration in the upper part of this building than would be occasioned by engines in any buildings in the vicinity.



THE AUTOMAT RESTAURANT

THIS new restaurant which is located on Broadway, near 47th Street, has a very interesting façade of terra-cotta and ornamental glass. There are three floors, basement and sub-basement. The basement, first story and the upper stories are all used as restaurants. The plan shown of the ground floor is more or less typical of the arrangements elsewhere. In explanation of the operation of the restaurant, the interior is open, there being only a central column up through the building to break the floor space. Tables are furnished about the interior and the automatic serving machines are located along the back and

one side wall. The customer on entering, goes to the cashier if he wishes to make change, and then proceeds to the machine. For ordinary viands the proper coin is deposited in the slot and a turn of the knob throws open a little door and within the compartment which is exposed the food is found. Spaced about the interior are small tables. The only waiters in sight are those who clear the tables of dishes and keep them clean. Behind the automatic machine is a space for serving and refilling the machines. Dumb waiters connect from this space to the basement kitchens.



AUTOMAT RESTAURANT, BROADWAY, NEAR 47TH STREET.

Plumbing Contractor: John Boyd Plumbing & Heating Co.
Evans' "Crescent" Expansion Bolts Used.
Corbin Hardware.


Stuckert & Sloan, Architects.

In construction, the building has brick exterior walls with structural steel framing for the support of the floors. The supporting columns are shown in the plan, and are of Bethlehem H. sections. The dotted lines in the plan show the girder and beam framing which consists of Bethlehem girder beams. The transverse girders consists of 30-inch, 180 lb. Bethlehem sections, while the longitudinal beams consist of 28-inch, 165 lb. sections.

There are three entrances, a centre one and one to each side. A stairway leads to the basement near the centre entrance, and a stairway leads to the upper floors

near one of the side entrances. There is a stairway for service in the rear, and a large ventilating shaft in which the smoke stack is included.

The general contractor on the Automat Restaurant Building was Cramp & Company. The terra-cotta on the exterior was supplied by the Conkling-Armstrong Terra-Cotta Company. The ornamental glass of the front was supplied by D'Ascenzo Studios and the plumbing contractors were the John Boyd Plumbing and Heating Company. The refrigerating plant was put in by the Brunswick Refrigerating Company. Victor Goetz was the engineer.



FIRST STORY PLAN OF THE AUTOMAT RESTAURANT.

(Advertisement Continued from July Issue)

Irrefutable Proof That Otis Inclined Elevators

**Cut Down the Time and Cost of
Merchandise and Freight Handling**

Read this letter:—it shows that Railway Freight Stations, Warehouses, Factories, Stores, Steamship Docks, Piers, etc., equipped with Otis Inclined Elevators save enormously in the Time and Cost over other methods of Merchandise and Freight Handling.



Because

ONE Otis Inclined Elevator will move MORE Merchandise or Freight in a given time than it can be moved mechanically in any other way;—or ONE MAN using the Otis Inclined Elevator can move MORE Merchandise or Freight in far less time and at far less cost than TEN or TWELVE MEN with trucks alone can handle it;—thereby lessening the cost of handling and greatly increasing the Company's capacity, business, and income.



Steamship Dock, Railway Freight Station,
and Warehouse Type

When writing Advertisers, please mention Architecture and Building.

*Metropolitan Steamship Company,
Union Wharf*

Boston

Dec. 13/11

Otis Elevator Company

New York City, N.Y.

Gentlemen:—

In compliance with your letter of the 12th inst. relative to three Otis Inclined Elevators installed for us at Union Wharf in July last, I would say without hesitation that these Inclined Elevators have not only been the means of a considerable saving in the cost of handling cargo but they have made a vast improvement in the time consumed in discharging the steamers. I should say that without the Otis Inclined Elevators it would take at least 25% more time to discharge our steamers. Therefore, the difference in cost can readily be appreciated.

Yours truly

Albert Smith
Agent.

Using the Otis Inclined Elevator, the man has only to load the truck, push it over to the ramp, and the Otis Inclined Elevator does the rest. The men with trucks and heavy loads are brought from level to level quickly, safely, and without physical effort. No time is wasted—no stops—no straining at the grade—no congestion—the work goes on continuously. Then as quickly as unloaded the Otis Inclined Elevator carries both men and trucks back for more freight. An electric motor is all that is required for operation and the current cost, results considered, is relatively small.

We make inclined and horizontal types adapted to every condition. You should be interested in this better, faster and cheaper method. An investigation of the type adapted to particular requirements and the money and time-saving advantages effected will surprise you. Without obligation our Engineering Department will submit plans and furnish estimate on equipment and operating cost. Write to us. Let us show you how to largely INCREASE capacity at DECREASED cost.

Otis Elevator Company

Eleventh Ave. and Twenty-Sixth St., New York

Offices in all Principal Cities of the World

BOOK REVIEWS

ONE HUNDRED BUNGALOWS—Published for the Brick Association of America, by Rogers & Manson, Boston. Paper, 8x11 inches. Price, 50 cents.

This book consists of one hundred designs selected from 666 drawings submitted by architects and draughtsmen from all parts of the country in a competition recently conducted by the Brickbuilder. The cost of the brick bungalow was limited to \$3,000 for the building. The illustrations show that there is no lack of competent draughtsmen to be found in this country, and the sketches are most pleasing to the eye as well as fulfilling the requirements of good construction.

The prize and honorable mention designs have been shown and it is the opinion of competent authority that all the designs presented can be built for the figure set, supposedly, however, within certain localities.

HOUSE WIRING—By Thomas W. Poppe, New York, Norman W. Henley Company. Price, 50 cents.

This little hand book contains 74 diagrammatical illustrations and descriptive text. It is a book for the practical workman, and shows wiring plans for a small house and illustrations of the various appliances and devices used in installing wiring for electric lighting in the dwelling. The book is of special value to apprentices, helpers and electricians.

HISTORY OF BRIDGE ENGINEERING, by Henry Grattan Tyrrell, C. E., published by the author. Cloth. Price, \$4 postpaid.

This attractive subject has been treated exhaustively by the author. He has taken up the bridges of Egypt, Babylonia and Persia, the fine Roman arches of which some are still in service today, the Medieval bridges, some of which, in connection with their fortifications, required considerable engineering skill in their solution, Renaissance bridges which closed the ancient period and bring the reader up, in the author's classification, to the modern stone bridges beginning about 1750. In this chapter he treats of Blackfriar's Bridge, London Bridge, High Bridge and Cabin John Bridge, as well as others of equal renown.

The illustrations of these bridges are some of the most pleasing of the book and one cannot help but feel that the product would have been greatly improved if the plates had been printed on wood-cut paper.

The succeeding chapters deal with pontoon, aqueduct, wooden and cast-iron bridges. These are followed by simple truss, tubular and plate

girder bridges, suspension bridges, cantilever bridges, wrought iron and steel arch trestles and viaducts, solid concrete and reinforced concrete bridges.

Throughout many line drawings of the forms of construction are given, and also a considerable number of reproductions from photographs. In the chapter on cantilever bridges, the author does not confine himself to actual structures, but tells us of some of the mighty projects that have been conceived, such as the English Channel bridge designed to span the 21 miles that separate France from England, and others. The book throughout is certainly very entertaining, and will make an appeal to the layman as much as to the engineer. There is a fascination about a big bridge that few people can resist, and we believe that to many people Mr. Tyrrell's work will be as fascinating as a novel.

ARCHITECTURAL STYLES FOR COUNTRY HOUSES. Edited by Henry H. Saylor, New York. McBride, Nast & Co. Cloth. Price, \$2 net.

The symposium gathered under the title of "Architectural Styles" consists of contributions which have appeared from time to time in "House and Garden." The book is prepared in the usual form of the publishers—a light but bulky book with broad margins, large type and good illustrations interleaved between. The series of little essays is written by some of our very well-known house designers, men whose names have become closely associated with the American home and its development. The styles considered in the book embrace most everything that we are apt to find in America and the book is one that should be most useful to a man or woman who desires to build a home. An architectural style that is in harmony with one's ideas is a most restful thing and is greatly conducive to one's peace of mind. We believe that this book should help the prospective home builder to choose well and with the conviction that when the home is built it will be satisfactory. The list of contents is worth while, for each little essay by a separate author is of equal merit and they should not be obscured under the general title. We give the list: The Colonial House, by Frank E. Wallis; Modern English Plaster Houses, by J. Lovell Little, Jr.; The Swiss Chalet Type, by Louis J. Stellman; Italian Adaptations, by Louis Boynton; Tudor Houses, by R. Clipston Sturgis; The Spanish Mission Type, by George C. Baum; The Half Timber House, by Allen W. Jackson; The Dutch Colonial House, by Aymar Embury, II; A Style of the Western Plains, by Hugh M. G. Garden; The Northern Tradition, by Alfred Morton Githens.

Barrett Specification Roofs

The Place to Break the Pen!

*The building shall be covered
with a Barrett Specification
Roof or*

IN writing your roofing specifications it is especially important not to add "or equal thereto."

You need precision in dealing with a roof **more** than with any other part of the structure for the reason that in laying a roof there are many opportunities for "skinning the job."

Further, you put the honest, reliable contractor at a great disadvantage when you ask him to bid on an indefinite or vague specification. And such specifications usually mean poor workmanship and cheap materials, with subsequent leaks and trouble.

There are various ways of constructing gravel and slag roofs, but if The Barrett Specification is followed, there is no chance for mistakes or slipshod workmanship.

It describes in a practical way how to use Specification Felt and Specification Pitch to make a first-class roof—one that will **always** give maximum service.

The Barrett Specification embodies the best experience of the roofing industry and is designed for the benefit of architects, engineers and owners.

Incorporate it in full into your own building specification and you will be ordering a roof that has shown a **lower cost** per foot per year of service than any other type of roofing ever made.

We know that if all buildings were covered with Barrett Specification Roofs, roof troubles would be practically nil.



Special Note

We advise incorporating in plans the full wording of The Barrett Specification, in order to avoid any misunderstanding.

If an abbreviated form is desired, however, the following is suggested:

ROOFING—Shall be a Barrett Specification Roof laid as directed in printed Specification, revised August 15, 1911, using the materials specified, and subject to the inspection requirement.

Copy of the Barrett Specification ready for incorporation into building specifications free on request.

BARRETT MANUFACTURING COMPANY

New York Chicago Philadelphia Boston St. Louis Kansas City Cleveland
Cincinnati Minneapolis Pittsburgh New Orleans Seattle London, Eng.
The Paterson Mfg. Co. Ltd. Montreal Toronto Winnipeg Vancouver St. John, N. B. Halifax, N. S.



When writing Advertisers, please mention Architecture and Building.

Art and Architecture



NEW PRESIDENT OF UNITED STATES REALTY & IMPROVEMENT CO.

Wilson Sherman Kinnear, the new president of the United States Realty & Improvement Co., comes to New York with a reputation for doing big things. Mr. Kinnear in his new position is the successor of H. S. Black, who, although retired from the presidency, is chairman of the board of directors and of the executive committee.

Mr. Kinnear was born May 25, 1864, at Circleville, Ohio, the son of Richard and Mary (Crow) Kinnear. He attended the public schools, afterward entering the Kansas State University, where he remained from 1881 to 1883, later receiving the C. E. degree from the Board of Regents.

After leaving college, he entered the service of the Atchison, Topeka & Santa Fe Railroad as an axman on construction work and after that period served consecutively as rodman and draughtsman on construction, and levelman and transitman on location, for the Southern Kansas Railway. From 1884 to 1885 he was rodman and assistant engineer on construction for the Kansas City, Clinton &

Springfield Railroad, and in 1885 and 1886 was assistant engineer, maintenance of way, of the Missouri Pacific Railway at Kansas City, Mo., and succeeding this was, until August, 1887, division engineer and office engineer of the Gulf, Colorado & Santa Fe Railway.

From this period until January, 1889, Mr. Kinnear was in private practice in civil and hydraulic engineering at Los Angeles, Cal. Early in 1889 he was made office engineer, assistant engineer and acting chief engineer of the North & South American Construction Company, at Santiago, Chili, S. A., and a year later became assistant engineer, maintenance of way, of the Michigan Central Railroad, and retained this position until April, 1895, when he was made supervising engineer on construction for the Toronto, Buffalo & Hamilton Railway at Toronto, Ont. Following this work he was, from January, 1896, to September, 1901, principal assistant engineer of the Michigan Central Railroad; until June, 1902, assistant superintendent, Canada division; July to September of the same year was assistant general superintendent; from September, 1902 to April, 1905, chief engineer, and was then made assistant general manager of the road. He was also chief engineer of the Detroit River Tunnel Company and vice president of the Indiana Harbor Railroad.

In September, 1910, Mr. Kinnear moved to Kansas City, to become president of the Kansas City Terminal Railway Company, which position he retained until May 1, 1912, when he was elected president of the United States Realty & Improvement Company.

He is a member of the Whitehall Lawyers' and Sleepy Hollow Country Clubs of New York, the University Club of Chicago, University, Kansas City and Kansas City Country Clubs of Kansas City. He is also a member of the American Society of Civil Engineers and the Association of American Railway Engineers. He was married in 1887 to Caroline M. Nichols and has one son and a daughter.

HOWARD M. INGHAM

MEM. AM. SOC. M. E.

Industrial Engineer

SPECIALIST IN THE
INSTALLATION OF

Simple, Direct, Effective Methods
of
Office Management

160 FIFTH AVE., NEW YORK

I. MORITZ, Prop.

Telephone 164 Plaza

Architectural Metal Works SKYLIGHTS

CORNICES AND ROOFING
CORRUGATED IRON WORK

1192-1194 SECOND AVENUE

NEW YORK

In the report of the Art Commission of the City of New York for the year 1910, which is of but recent appearance, aside from the worthy efforts of that body in approving monuments of municipal significance, we find a very interesting little article on the restoration of the Borough President's office, which shows the restored room and some old engravings of it as it appeared in 1831 and 1868. The article gives a very interesting little bit of history and makes very entertaining reading.

CITY PLANNING CONGRESS AT DUESSELDORF, GERMANY, 1912.

Duesseldorf, the most beautiful and modern city in Western Germany, known as the "Park City," is at present holding an exhibition on City Planning, City Operation and City Administrative Functions, which will continue until October 31st.

The first group of exhibitions consists of general ground plans, traffic systems, such as railways, local and express facilities, elevated subway, suspension and street railways, aviation stations, city embellishment, bridges, docks, parks, lawns, forests, and real estate projects.

Under City Operation are grouped: Gas works, water works, electric central stations, sewage systems, street cleaning, refuse disposal, cemeteries and crematories.

Under the third group, Administrative Functions, are exhibited plans and models of hospitals, rescue homes, poor houses, lodging houses, orphan asylums, homes for widows and the aged and infirm, schools, churches, museums, art galleries, libraries, concert halls, etc.

FRANCIS W. COLLINS

Assoc. Mem. A. S. C. E.
Mem. A. I. M. E.

CONSULTING ENGINEER

50 CHURCH ST., HUDSON TERMINAL
NEW YORK CITY

Investigations, Valuations,
Scientific Organization and Management

It will be noticed from the foregoing items that this exhibition is planned with the well-known German thoroughness so that hardly any subject is omitted that is of importance in City Planning, City Operation and Administration.

OBITUARY.

Edmund M. Wheelwright.

After suffering for two years from a mental breakdown which developed in connection with his work as designer of the Hartford Bridge over the Connecticut River, Edmund M. Wheelwright, senior member of the architectural firm of Wheelwright, Haven & Hoyt, of Boston, died on August 15 at a sanitarium in Thompsonville, Conn.

Besides the Hartford Bridge, which cost \$2,000,000, Mr. Wheelwright leaves behind as monuments of his architectural skill the Boston Museum of Fine Arts, the Cleveland Museum of Art, and the new West Boston Bridge in Boston. He was 57 years old. Mr. Wheelwright served two terms as Director of the American Institute of Architects.

ERRATUM.

In the July issue of Architecture and Building illustrations were shown of the Free Public Library in New Haven, Conn., Cass Gilbert, architect, and the City Library in Springfield, Mass., Edward L. Tilton, architect. In the text on page 292 a mistake occurred in the statement that Cass Gilbert was the architect, whereas Edward L. Tilton's name should have been given. Further, the name of William M. Green Company as engineers should have appeared under the illustration of the City Library building in Springfield and not below that of the Free Public Library in New Haven, Conn.

The William M. Green Company are engineers and architects, and are located in the Hitchcock Building, 318 Main St., Springfield, Mass. They were the engineers on the heating and ventilating of the Springfield Library.

Thomas Bruce Boyd

Bank Equipment Specialist

286 Fifth Avenue
New York

Telephone Madison Square 6681

FREDERICK S. HOLMES

Bank Vault Engineer

2 Rector Street, New York

Fireproofing and Fire-Protection

MR. G. H. STEWART

STILL BURNING.

According to the Journal of Commerce and Commercial Bulletin the loss by fire for the month of June, 1912, amounts to \$16,103,450, which is a substantial reduction from the losses of \$20,691,950 for the same month in 1911. The total loss for the first three months of 1912 was \$80,905,950 which was a considerable increase over the figures for 1911 for the same period which were \$69,907,250. The losses for the half year period of 1912 have reached the total of \$134,417,750 which is higher than last year's figures for the same period which were \$129,691,750. Still, the losses for April, May and June show a general decrease and the losses for the half year are not far in excess of the same period last year. It can hardly be called a step in the right direction, however, and there is vast room for improvement.

The secret of reducing the national fire loss is not alone in the better building of new structures, but in the fireproofing and protection of the old ones. The possibilities of improving the condition of old buildings are far greater than might be supposed. The opportunity here offered for the enterprising architect in sensible alteration work is a large one and should offer a field through which he should be able to extensively increase his commissions.

THE NEWMAN CLOCK COMPANY AT HOME AND ABROAD.

The Newman-Munderloh Clock Company, Ltd., of No. 51 Victoria Square, Montreal, Canada, has recently been incorporated, succeeding to the business heretofore conducted by the Newman Clock Company in Canada and also to the business in watchmen's clocks conducted by Munderloh & Co., Ltd., of Montreal. There has further been organized the

Newman Clock Company, Ltd., of No. 2 Whitechapel Road, London, E.C., and No. 55 Station Street, Birmingham, England, which will take care of the rapidly increasing demand for watch-clocks in Great Britain. These two new firms will maintain the standard of the products that are manufactured by the Newman Clock Company, of 178 Fulton Street, New York City, and 1526 Wabash Avenue, Chicago, who have been manufacturers of watchman's clocks for forty years.

FIRE WASTE AND ITS PREVENTION.

An article by Edward F. Croker, late fire chief of New York City, in the "Scientific American," contains the following self-explanatory statement:

"Every skyscraper and large city building must furnish its own fire protection, and all tools and appliances for city firemen, whose portable apparatus is useless above six or eight stories. There should be a complete system of automatic alarms and automatic sprinklers. The installation of an alarm system would have prevented the delay which cost the Equitable Building dear. Sprinkler systems, by which water is released automatically and an alarm given, are an invaluable aid and are essential where goods are stored.

"Building owners must be forced to supply all possible means of fire protection. Tenants should demand proper sprinklers and alarm systems. The extension of local alarms and sprinkler systems should be made compulsory, and greater restriction put on conditions of maintenance, with inspections more frequent and rigorous."

(Continued on page 26.)



WHEN you need *Fire Protection* write to us for prices and we will save you money

The Safety Fire Extinguisher Co.

291-293 Seventh Ave., NEW YORK

Telephone Madison Square 3356-3357

MANUFACTURERS OF THE SAFETY FIRE BUCKET TANK SAFETY FIRE EXTINGUISHER



When writing Advertisers, please mention Architecture and Building.

The Device That Revolutionized Modern Fire Fighting

YOUR great grandfather fought fire just as the ancient Romans did. He formed a line—passing buckets of water from man to man—up a ladder and onto the roof. Half the water was spilled on the way, and half of the rest didn't hit the fire at all. The fire usually won.

YOUR grandfather fought it with a garden hose; your father with a heavier hose; and both had a fair measure of success. But here again half the water was spilled on the way—spilled against brick walls and chimneys. And lots more was used to break windows, in an attempt to search out the fire at long range.

YOU don't fight fire that way—not if you are up-to-date.
You use



YOU don't spill any water on the way—it all reaches the heart of the fire—and it puts the fire out. There are no windows to break—no chimneys or brick walls to drench—no passing of water from man to man. It all comes out of the sprinkler head and right where it is needed. There is no waste of water—and no waste by fire—for the fire always succumbs.

YOUR fathers paid large insurance premiums. You don't—if you have GRINNELLS. You pay only half as much as the other fellow. This difference pays for your sprinklers in four or five years—then it's all "velvet."

THAT'S why we said that GRINNELLS had revolutionized fire fighting—because they are fire fighters which put the fire out, instead of being put out by it—and because at the same time they form an investment returning 20 percent or more on their cost. Soft, isn't it?

Our latest publication

Automatic Fire Protection

shows how the sprinkler system takes care of a fire—makes it commit suicide, in fact, by turning on the water which puts itself out. It shows how the sprinkler *prevents* large fires by putting out small ones. Write today for your copy.

General Fire Extinguisher Company

EXECUTIVE OFFICES: PROVIDENCE, R. I.

Plants, Warehouses and Agencies in All Principal Cities of the United States and Canada

Steam and Hot Water Heating and Power Piping Systems Laid Out and Installed

40-97



SHOWING SPRINKLER WITH THE TWO HALVES OF THE STRUT SOLDERED TOGETHER.

ROCKWOOD SAFETY LOOP SPRINKLER



SHOWING HOW THE TWO PARTS OF THE SOLDERED STRUT SPRING APART ONLY AFTER THE LUMP OF SOLDER IS MELTED AWAY FROM THE LOOP.

THE ROCKWOOD SPRINKLER IS UNIQUE IN THAT THE TWO PARTS OF THE SOLDERED LINK ARE HELD TOGETHER, NOT MERELY BY A SWEATED SOLDERED JOINT, BUT BY COVERING THE END OF THE LEVER WITH A SMALL PIECE OF SOLDER WHICH IS MECHANICALLY BOUND TO THE STRUT BY A LOOP OF WIRE RIVETED THROUGH ONE PART OF THE LINK.

THE ROCKWOOD SPRINKLER IS THE ONLY APPROVED HEAD THAT IS INCAPABLE OF OPENING ITSELF BY THE BREAKING OF THE SOLDERED JOINT, WHICH MUST ABSOLUTELY MELT TO OPEN. IT IS THUS IN A CLASS BY ITSELF, SUPERIOR TO ALL OTHERS.

ROCKWOOD SPRINKLER CO.

OF MASSACHUSETTS

MANUFACTURERS, ENGINEERS AND CONTRACTORS FOR COMPLETE SPRINKLER EQUIPMENTS USING WET OR DRY SYSTEMS.


38 HARLOW STREET

WORCESTER, MASS.

NEW YORK - - - 123 WILLIAM STREET
BOSTON - - - 141 MILK STREET
BUFFALO - - - 300 PRUDENTIAL BUILDING

CHICAGO - - - 3604 SOUTH MORGAN STREET
SEATTLE - - - 206 COLUMBIA STREET
MONTREAL - - - 141 ST. MAURICE STREET

When writing Advertisers, please mention Architecture and Building.



"American" Enameled Brick

**Fireproof
and
Sanitary**

Abattoir, New York Dressed Beef Association, New York City

This Abattoir was referred to by ex-President Roosevelt, during the Meat Trust Investigation of 1906, as a model of **SANITARY PERFECTION**. The various Departments of this Abattoir are lined throughout with our Enameled Brick.

New Edition Catalogue and Booklets sent upon request.

American Enameled Brick & Tile Co.
Head Office, 1182 Broadway, New York City



Office and Factory of Leonard Sheet Metal Works

Leonard Sheet Metal Works

Manufacturers of

**Bronze, Copper and Iron Clad Kalamein Work
Roofing and Sheet Metal Work in all its Branches**

Underwriters Doors and Windows Approved
by the National Board of Fire Underwriters

Main Office and Works

Head of Ferry Street

HOBOKEN, N. J.

New York Office

1123 Broadway

Newark Office

45 Clinton Street

**KALAMEIN
WORK IN
COPPER
BRONZE
AND IRON**

**Knoburn
Company**
**KALAMEIN
DOORS**

**FIRE
UNDERWRITER
WORK
A SPECIALTY**

Office and Factory
365 14th St.
HOBOKEN, N. J.

Fire Protection

Siamese

For Automatic Approved Sprinkler Systems



The SIMMONS LINE of Fire Equipment Specialties embraces everything designed for the protection of life and property.

"Simmons" Siamese Connections

Made in Brass or Iron in accordance with Insurance, Underwriters and Fire Department specifications. Highly efficient and fully guaranteed.

By installing such dependable specialties as are herein shown you offer your clients absolute protection against appalling losses by fire, and a certain decrease in the cost of insurance.

"Simmons" Swinging Hose Reel

Improved design made in iron, bronzed, japanned or electroplated. Made to harmonize with any furnishings. Last word in quality and efficiency.



Fully 75% of heavy losses by fire—daily chronicled in the newspapers—are due to negligence. Should the building be properly equipped with the "SIMMONS" Specialties thousands of dollars and many lives would be saved.

"Josico" Angle Hose Valves

This is practically the keystone of safety on a standpipe system, yet how little attention is paid to its installation. Eliminate the element of chance by specifying it in the future, which means that you'll have an appliance of the highest efficiency as to quality, finish, etc.



Catalogues, cuts and other data gladly sent on application.

John Simmons Co.

102-110 Centre St.,

New York

The Hydro Damp-Proofing & Engineering Co.
Manufacturers of Water-proof Paints, Cements and Compounds.
Engineers and Expert Contractors in Water-proofing
Slag and Composition Roofing
Office, 403 Wabash Building PITTSBURGH, PA.

A FIRE IN THE BANKERS' TRUST CO. BUILDING.

In the basements of the Bankers' Trust Company Building there are two vaults which are at present equipped with automatic sprinklers. These vaults are intended for the purpose of storing waste paper, of which there is a large accumulation at the end of each day gathered from the bank. The purpose of these vaults was defeated in a rather unusual way by a fire which occurred in the evening of June 7 in a bale of waste paper in sub-basement C of the building.

Employees of the building, anxious to conclude their work for the day, failed to place several bales of waste paper in the vaults provided for the purpose and left them stored in the hallways before the elevators. The paper fire that was anticipated when the storage vaults were sprinkled occurred when the paper was elsewhere, with the result that the fire, spreading to several other bales of paper, caused such volumes of smoke to rise through the building that a fire of serious nature was anticipated and an alarm was sent in. The fire department made short work of it, however, with the use of the building standpipe system. We understand that a sprinkler equipment is now contemplated for these hallways in front of the elevators.

THE USUAL FIRE.

On August 17th, a fire occurred in a seven-story building at 731 Bleecker Street, New York City. The building was occupied by manufacturing firms and filled with merchandise, and the fire burned furiously, producing volumes of thick black smoke which made the fire difficult to fight and imperilled the lives of three firemen. Despite the high pressure system, little could be done in checking the flames, and the building is entirely wrecked with a loss estimated at \$200,000.

If we must have fires, why not have a record like the following. We are publishing a letter which is quite self-explanatory.

January 12, 1912.

The Automatic Sprinkler Co. of America,
123 William Street, N. Y.

Gentlemen:—It may be of interest to you to know of the successful operation of our Automatic Sprinkler System.

(Continued on page 28.)

Consolidated Chandelier Co.

MANUFACTURERS OF

Gas and Electric Fixtures

132-136 W. 14th St.

NEW YORK CITY

When writing Advertisers, please mention Architecture and Building.

The Annual Fire Waste in the U. S. exceeds \$230,000,000. It is estimated that 75% of this loss is preventable and can be saved by the use of

AUTOMATIC SPRINKLER PROTECTION

Our business is the installation of Automatic Sprinkler protection; a complete fire fighting apparatus, operating automatically and only where the fire is located.

"AUTOMATIC" SPRINKLER CO. OF AMERICA

Executive Offices

123 WILLIAM STREET (Underwriter Bldg.), NEW YORK CITY

Department Offices, in Large Cities



COPPER CABLE CHAIN

Thomas Morton,

169 Elm Street,

New York.

Copper Cable
Steel
Champion Metal
Steel Champion




SASH CHAINS.



CHAMPION METAL CHAIN

CHAINS For Suspending Heavy Doors, Gates, etc.
ALL of SUPERIOR QUALITY.

MINERAL WOOL
FIRE
SOUND
VERMIN **PROOF**



CHEAP AND
EASILY APPLIED

United States Mineral Wool Co.

140 CEDAR STREET, NEW YORK

SAMPLES FREE



S. H. POMEROY CO., Inc.

Successor to Voigtman & Co., of New York

Manufacturers of Fire Windows

427 West 13th Street, New York

Practical demonstration at Washington Square Fire, March 25th, showing the integrity against fire and how utilized by Fire Dept. in fighting fires across alleys.

By virtue of closing automatically the protection is constant and not subject to neglect as is common with Fire Shutters.



FIFTH AVENUE AND TWELFTH STREET
MAYNICKE AND FRANKE, Architects

THE METAL COVERED WINDOWS AND
NASH TYPE UNDERWRITERS DOORS FOR
THIS BUILDING WERE FURNISHED AND
INSTALLED BY

THE KALAMEIN COMPANY

Office and Factory
10th STREET, NEAR VERNON AVENUE
LONG ISLAND CITY, N. Y.

DETAILS OF BUILDING CONSTRUCTION

BY

CLARENCE A. MARTIN, Archt.

A collection of thirty-three plates, 10 x 12½ inches, giving over 300 separate details, covering all the ordinary methods of building, and in many cases showing alternative methods. The plates are models of detailed drawing and the text is in the forms of notes lettered on the drawings. *Buckram. Price, \$2.00.*

WM. T. COMSTOCK CO.

Publisher

23 WARREN ST., NEW YORK CITY

tomatic Sprinkler Equipment this A. M., when a fire broke out in American Docks Store No. 11 protected by 200 sprinklers. This store contained over 4,000 bales of cotton, valued at about \$200,000.

Now the advantage of the Automatic Sprinkler System is that only five of the 200 sprinkler heads went off, and although the building has a wooden roof, there was no damage to the building and no interruption of business, and I should say the entire damage is under \$1,000.

Our entire plant is protected by about 12,000 automatic sprinklers, and this is the second successful demonstration of the effectiveness of your equipment. It is certainly gratifying to feel that our property is so well protected and I am very glad we were compelled some four years since to install automatic sprinkler protection. Yours truly,

AMERICAN DOCK & TRUST COMPANY,
A. B. Pouch, Vice-President.

FIRE BUCKETS AND FIRE BUCKET TANKS.

As great oaks from little acorns grow, so many a tiny blaze becomes a conflagration which, had there been a little forethought used and some small advance precautionary measures adopted, need never have attained serious proportions.


It would seem an absurdly simple proposition that every theatre, school, factory, shop and like places of public assemblage should be provided with fire buckets and plenty of them, and experiences have been many where the presence of a fire bucket at the right moment has resulted in a saving of many dollars and, what is infinitely more important, many lives.

The Safety Fire Extinguisher, a neat, compact tank containing a chemical solution which cannot freeze even at 20 degrees below zero, is extremely effective for this purpose. It is manufactured by the Safety Fire Extinguisher Company of 291-293 Seventh Avenue, New York City, which has attained a high place by the excellence of the product which their factories turn out. This firm manufactures also a superior type of fire bucket, and an attractive and very practicable Safety Fire Bucket Tank, or container.

It is said that 40 per cent. of the biggest concerns in the United States and Canada have installed Safety Fire Bucket Tanks, and that these devices are to be found in such important buildings as the Bankers' Trust Company Building in New York, the Christian Science Publishing Company, Boston, American Telegraph and Telephone Building, in Boston, the Lincoln Safe Deposit Company in New York and the Western Telegraph Building in New York.

An interesting descriptive booklet showing cuts of the various types of Safety Fire Ex-

(Continued on page 30.)



Cross Section of Elevator Shaft and Bulkhead.

ELEVATOR SHAFT CONSTRUCTION

By **H. ROBERT CULLMER**

Assisted by **ALBERT BAUER**

Practical Suggestions for the Installation of Elevators in Buildings

A treatise for the architect and builder covering the surveying and preparing of detail drawings for elevator shafts; machine rooms; elevator bulkheads; tables and formulae for calculating the size and capacity of elevators; freight elevators; sidewalk elevators; dumb-waiters; specification writing for elevator installation; elevator shaft doors and appliances; building regulations covering elevator installation.

Elevator shaft construction in buildings has never before been technically treated.

This book supplies the demand for information on this subject, and it has been the effort of the author to supply the necessary data for the use of the architect in placing an elevator equipment in any building. New York practice is followed, and the Building Department laws and regulations of New York are made the standard. The author has also made a careful study of the regulations in use elsewhere, giving the deviations from New York requirements. Specification writing for elevator equipment has been covered by two forms; one a simple specification for a single elevator, the other a more elaborate equipment embracing several styles of cars suitable for an office building.

The book contains most practical information and it is the hope of the author that he has omitted no important point. Every phase of the shaft problem in building construction has been covered, and the method of presentation is such that ready reference is possible to any detail of the subject.

The book is in companion size with the **Building Construction and Superintendence** Series, by Mr. F. E. Kidder.

Cloth bound, 170 pages, Frontispiece, 47 diagrammatic plates, 16 illustrative plates


Price \$3.00

Publishers

The Wm. T. Comstock Co.

23 Warren Street,

NEW YORK



Plan of a Machine Room.



Copyright 1911 by F. W. Woolworth
WOOLWORTH BUILDING, NEW YORK
55 Stories High

**Copper Cornices and Roofing by
HERRMANN & GRACE CO.**

**Fireproof Doors and Windows
Cornices, Skylights, Roofing**

671-689 BERGEN STREET

Established 1876

BROOKLYN, N. Y.

JUST PUBLISHED Practical Cement Work

By W. B. HENRY

PRICE, 50 CENTS

A book that will be of assistance to you every day in the week, no matter what line of cement-concrete construction you are engaged in.

Neatly Bound in Cloth

112 Pages—4½ x 6½

CONTENTS:

Portland Cement, The Unit of Purchase, Storing Cement, Sand, Aggregates, Mortar, Formulas, Mixing Aggregates, Concrete, Reinforced Concrete, Form Building, Waterproofing, Coloring, Cost Data, Testing Cement, Foundations and Walls, Cement Houses and How they are Built, Cement Plaster and Stucco Houses, Water and Steam Curing, Condition of Seasoning Blocks, Sand Lime Brick, Sidewalks, Floors for Cellars, Basements and Stables.

Address

THE CONCRETE AGE
ATLANTA GEORGIA

tinguishers, Safety Fire Buckets and Safety Fire Bucket Tanks may be freely obtained by directing a postal to the Safety Fire Extinguisher Company, 291-293 Seventh Avenue, New York City.

The Globe Automatic Sprinkler Company, which is well known for their automatic sprinkler heads and the installation of automatic sprinkler equipments in buildings in the West, have recently opened a New York office at 47 W. 34th Street. Mr. S. F. Weston is the Eastern manager. He is a well-known man in the sprinkler business in New York City and there is no question of his success. The works and general offices of the Globe Automatic Sprinkler Company are located at 1610-1620 Reading Road, Cincinnati, O.

THE ARCHITECT AND THE FIRE WASTE.

In an address before the Boston Society of Architects, C. M. Goddard lays particular stress upon the good work in bettering fire conditions which has been done and can be done by architects, working either individually or through their associations. He points out that the whole problem is based on the carelessness of the American people in taking a chance, and the love entertained by many for the almighty dollar. Only a few years after the Collinwood School disaster, Boston decided to change the school building requirements of strictly fireproof to sub-standard fireproof, because it cost too much to give absolute protection to the school children!

If we are to prevent conflagrations we must have better fire resistive construction. We must build so that fire departments may confine the fire to the building in which it starts. Inflammable roofs breed conflagrations through flying sparks and embers. Unprotected window openings allow the spread of fire from building to building. Frame sheds and outbuildings on otherwise fairly good structures carry the fire from one building into another.

To offset these various features the best internal protection, such as is afforded by automatic sprinklers, is a powerful adjunct, not

(Continued on page 36.)

THE GORTON WROUGHT STEEL BOILERS



BESIDES the advantages of long life and the highest economy in fuel consumption, the boilers have a self feeding coal reservoir, which performs the duty of an experienced fireman in supplying coal to the fire, and will maintain a steady fire and a constant heat for twelve hours without attention.

Send for catalog and investigate for yourself their superiority.

Gorton & Lidgerwood Co.

96 Liberty Street, NEW YORK
BOSTON, 182 High St.
CHICAGO, Fisher Bldg.

Peter McKay, Inc.

Painting and Decorating Hardwood Finishing

167 East 60th Street :: NEW YORK
East of Lexington Avenue

Telephone 3110 Plaza



*Residence of Col. E. A. Wall, Salt Lake City, Utah
R. Kletting, Architect*

Fireproofing a Residence

as ornate as that shown above requires great adaptability on the part of the material. This requirement was met by

Berger's
Metal Lumber

which replaces wood stick for stick, and can be erected by ordinary workmen under the direction of a good mechanic.

Write Nearest Branch for Catalogue

The Berger Mfg. Co., Canton, O.

New York
Boston
Philadelphia

St. Louis
San Francisco
Minneapolis

CONSTRUCTION NEWS

Contractors, Material Men, Builders, Manufacturers, in fact Anybody interested in Construction News of all kinds, obtain from our daily reports **Quick Reliable Information**. Our special correspondents all over the country enable us to give our patrons the news in advance of their competitors and before it has become common property.


Let us know what you want and we will send you samples and quote you prices.

PRESS CLIPPINGS

Press Clippings on any subject from all the leading current newspapers, magazines, trade and technical journals of the United States and Canada. Public Speakers, Writers, Students and Club Women, can secure reliable data for speeches, essays, debates, etc. Special facilities for serving Trade and Glass Journals, Railroads and large industrial corporations.

The United States Press Clipping Bureau
1326-1334 Republic Building
State and Adams Sts., Chicago, Ill.

STANLEY'S Ball Bearing Hinges



Permit the doors to open smoothly and softly without creaking or binding.

The hinges will never wear down or require oiling.

NON-RISING PINS

The whole story is told in our Circular "B."
Write for a copy.

THE STANLEY WORKS
NEW BRITAIN CONN.

Dixon's Silica-Graphite Paint

Protects the structural steel work contained in such important buildings in New York City as the McAdoo Terminal Buildings; American Woolen Company's Building; Gimbel Department Store; Savannah Bank & Trust Company's Building, Savannah, Ga.; the Royal Insurance Company's Building, San Francisco, Cal., and numerous other structures.

Write us for "Notable Building List," and other paint literature

Joseph Dixon Crucible Co., Jersey City, N. J.

TELEPHONE 385 MURRAY HILL

Edwards Electrical Construction Co.**39 EAST 42d STREET, NEW YORK**

FORMERLY CONTRACT DEPARTMENT, EDWARDS & CO. ESTABLISHED 1872

Industrial Progress**THE INTERNATIONAL FLOOR MACHINE.**

Perhaps no greater aid in the overcoming of numerous obstacles and small annoying details has come to the builder and building manager than that which came with the invention of the floor machine.

Prior to its invention, the surfacing and cleaning of all kinds of floors was extremely laborious and expensive from the standpoint of both time and money. With the invention of the floor machine a marked improvement was noticeable, but in the earlier types far from satisfactory results were obtained. As type after type of machine was invented, improvements of different kinds were attained, until the floor machine reached practical perfection in the invention of the type produced by the International Floor Machine Company and known as the International Floor Machine.

The International Floor Machine is a compact piece of mechanism, weighing 75 pounds, and capable of grinding 200 square feet per eight hour day. It is so constructed as to render easy of adjustment a wide variety of tools which enable it to perform very far reaching service. This machine is equipped with attachments for grinding, terrazzo marble, marble-mosaics and composition floors. Also an attachment for cleaning and scraping all classes of flooring. It renders fine service in removing old finish, sand papering and cleaning dance halls, bowling alleys and gymnasiums. It is equally effective in wax polishing and resurfacing marble and composition floors in hotels, clubs, municipal buildings, depots and apartment buildings. These facts will show the high character of service which can be obtained from the use of this machine.

Some very interesting literature, descriptive of the construction of this machine, the uses to which it can be put, and the economical and satisfactory results which can be obtained from its use, may be freely had by directing a postal of inquiry to the International Floor Machine Company, 39-41 West 38th Street, New York.

ARBITRATION RATHER THAN SUIT.

A recent editorial in the New York Times contains valuable information which we believe would be of advantage often in building disputes between any two of the three parties, the owner, architect and contractor.

"Do all business men who hire lawyers to settle their disputes know that the Chamber of Commerce of this city has a better method—better in every way, short, cheap, and fair? Mr. Sereno S. Pratt, Secretary of the Chamber, asked the National Association of Credit Men at their meeting in Boston the other day to inquire whether their clients had protracted suits at law, and whether their liquid funds were shortened on that account. Of course, every credit man should ask whether a person seeking credit is engaged in litigation, and, if so, why he does not try the more speedy and less expensive method of arbitration suggested by the Chamber.

"The Chamber of Commerce offers to every business man in this country, or doing business with it abroad, the facilities of its Committee on Arbitration, of which Mr. Charles L. Bernheimer is Chairman. The Chamber itself commands respect, the men composing its committee are picked men, judicial and practical, with large business experience. The fee paid to the arbitrators is purposely restricted to that of a referee, ten dollars a day. The hearings may be in private, and a dispute that the courts would protract for months or even years may be settled within a few hours.

"The voluntary arbitration, which becomes legal and binding, deprives the controversy of heat. Two of the biggest merchants of this city this year selected an arbitrator of the Chamber and submitted papers. Before the action could come to an issue they found that the points of difference were not great, and settled the dispute themselves. In this case the Committee on Arbitration served really as a Committee of Conciliation. Above all, resort to it overcame a disagreeable incident quickly, and at practically no expense."

(Continued on page 34.)

INTERIOR MARBLE

Material and work the standard for 14 years. Our reputation the best positive evidence as to our superiority.

CORK & ZICHA MARBLE CO., - - 325-327 East 94th St., NEW YORK

When writing Advertisers, please mention Architecture and Building.

JUST PUBLISHED
BOOKS ON
The MANUAL ARTS
A DESCRIPTIVE CATALOG

A VALUABLE reference book. Lists and describes 260 of the best books on the manual arts; includes all the standard and the best of the recent books.

MAILED FREE ON REQUEST—NO COST TO YOU AND NO OBLIGATION

Check the subjects you are interested in, fill in the blanks, clip and mail, and a copy will be sent to your address.

.....

- | | |
|-----------------------|--------------------------|
| ..Agriculture | ..Manual Training |
| ..Building Arts | ..Printing Arts |
| ..Drawing, Mechanical | ..Wood and Trees |
| ..Household Arts | ..Periodicals |
| ..Pattern Making | ..Art and Design |
| ..Vocational Training | ..Drawing, Architectural |
| ..Art Crafts | ..Elementary Handwork |
| ..Decorative Arts | ..Metal & Metalworking |
| ..Drawing, Machine | ..Plastic Arts |
| | ..Woodworking |

Name

Position

Street

City

State

THE MANUAL ARTS PRESS

PUBLISHERS AND DEALERS IN BOOKS ON
THE MANUAL ARTS AND KINDRED SUBJECTS

PEORIA

ILLINOIS

Badger Quality



Copper Hot Water
BOILERS

are all that can be desired in a Range Boiler.

LONG LIFE
CLEAN WATER
Beautiful Appearance

Every boiler is tinned on the inside and guaranteed against leakage or collapse.

Write for Catalog

E. B. Badger & Sons Co.

BOSTON, U. S. A.

General Specifications for
Concrete Work

As Applied to Building Construction

By **WILBUR J. WATSON, C. E.**

A book of great assistance to Architects and Engineers in preparing specifications for reinforced concrete buildings, and it will be found especially useful in the preparation of competitive designs.

Paper, price, \$0.50

General Specifications for
Concrete Bridges

By **WILBUR J. WATSON, C. E.**

These specifications will meet an actual need of the profession, and most of the ideas represented were gained by actual experience of the author, to which he has added suggestions of other engineers. Those preparing such specifications will find the book most helpful.

Paper, price, \$1.00

The Wm. T. Comstock Co., Publisher
23 WARREN ST., NEW YORK




INTERNATIONAL
FLOOR MACHINES

WERE USED EXCLUSIVELY FOR SURFACING THE MARBLE AND MOSAIC FLOORS IN THE **BANKERS TRUST CO. BUILDING**

International Floor Machine Co.

39-41 West 38th Street, New York



FOLSOM'S
MODEL 1910.

THE SNOW GUARD ALLOWING
NO STRAIN ON THE SLATE

WHY NOT SEE IT?

A postal card will bring sample

Folsom Snow Guard Co. No. 4 Post Office Square
Boston, Mass.

Weather Vanes


Lightning Rods

Church Crosses

Flag Poles

and
Fittings

Etc.



Send for Catalogue

THOS. W. JONES

153 Maiden Lane
New York

Telephone Connection

ARTHUR GREENFIELD, Incorporated

REINFORCED CONCRETE FLOORS
IRON FURRING and METAL LATHING

Telephone Connection

204 EAST 26th ST. NEW YORK

PRENTISS

ELECTRIC PROGRAM CLOCKS

CALENDAR SELF-WINDING

Dept. 11, 92 Chambers St., N. Y.

An examination will be held on September 11th and 12th to secure eligibles from which to make certifications to fill vacancies as they may occur in the position of engineering draftsman in the supervising architects' office, Treasury Department. Particulars and the places at which the examinations will be held may be obtained from the United States Civil Service Commission, Washington, D. C.


We note with interest that the tide is turning in building conditions in the city of Seattle. Last year to date showed only \$4,513,935, while this year shows nearly a million more, or \$5,498,315. These figures are inclusive of the month of July, and while the totals will not reach the high years of 1906 to 1910, the year's figures will undoubtedly be an improvement over those of 1911.

Germany has appointed some twenty technical assistants to her consular service. Three of these men are working at present in the United States. It is their business to give German manufacturers timely notice of business opportunities and to answer questions relating to manufacturing and export trade. This enables the German manufacturers to put in bids for work, send samples and establish agencies in an intelligent way without the large cost of exploring the territory themselves. It would seem that the United States might equally well equip its consular service with similar technical assistants who would do a similar service for American manufacturers and exporters.



The Merchants' Association of New York has again arranged for reduced fares, the last series of which on September 7th to 10th inclusive, may be taken advantage of by merchants and their representatives. The particulars of this reduced rate may be obtained by addressing the Merchants' Association. Briefly, it consists of purchasing a first class single trip ticket to New York on the dates given and obtaining from the ticket agent at the same time a return trip certificate which must be signed in the presence of the agent and countersigned by him. This certificate, with proper identification from a resident member of the Merchants' Association, entitles the holder to one-half return fare.



Architects and Builders should investigate EVANS "CRESCENT" EXPANSION BOLTS
WITH DOUBLE END GRIP EXPANSION
 Constructed on NEW lines. Grip at BOTH ENDS, and on ALL sides. Cannot work loose.
 Send for Catalogue and samples screwed into blocks of wood or stone.
 Agencies in all large cities **F. H. EVANS** (Patentee and Sole Manufacturer) 31-33-35 Hewes St., Brooklyn, N. Y.



Van Dorn's Steel Joist Hanger
IS THE BEST OBTAINABLE
 Send for Catalogue and refer to this Magazine
THE VAN DORN IRON WORKS CO.
CLEVELAND, OHIO
 Steel Buildings, Wrought Iron Fencing, Iron Bridges, Jail and Prison Work, Metallic Office Furniture, etc.

No. 1 Steel Joist Hanger for Wood Header

O. 4 Steel Joist Hanger for Brick Walls

BOYD EQUIPMENT COMPANY
 CONTRACTING ENGINEERS
HEATING PLUMBING ELECTRIC
COMPLETE POWER PLANTS 373 Fourth Avenue, NEW YORK

The A. B. See Electric Elevator Co.

Main Office: 220 Broadway, New York

PHILADELPHIA
Land Title Building
Broad and Chestnut Sts.

BOSTON
India Building
84 State St.

BALTIMORE
Stock Exchange Building
210 East German St.

WASHINGTON
Barrister Building
635 F St., N. W.

HARTFORD
Connecticut Mutual Life Building
36 Pearl St.

ELECTRIC ELEVATORS
 with machines having Ball Thrust Bearings that reduce friction and increase power, and made strong and durable, is my specialty. They have filled the bill for many years and will solve the vertical transportation problem for you.
DUMBWAITERS CELLAR HOISTS
 Write for Catalog and Prices **J. G. SPEIDEL, Reading, Pa.**



"COUNTRY AND SUBURBAN HOUSES"

A Book Designed to Solve Your Building Proposition. 1912 Edition 9 x 12 inches, 150 Illustrations. Colonial, Artistic, Stucco, Half Timber, Bungalow, Mission and other styles of Architecture. General specifications, interior suggestions and practical information for the intending builder. Estimates of cost. Exterior and interior views, first and second floor plans with all dimensions. Books are handsomely printed with half-tone illustrations, and all designs carefully selected.

Designs costing \$3,500 to \$30,000. Price \$2.00 prepaid.
 Detailed plans prepared for new work or for remodeling old buildings.
W. DEWSNAP, Architect 150 Nassau St., New York City

Telephone 2501 Columbus

JOHN BOYD
Plumbing and Heating Company
 284 Columbus Avenue, New York

When writing Advertisers, please mention Architecture and Building.

HIGGINS'

**DRAWING INKS
ETERNAL WRITING INK
ENGROSSING INK
TAURINE MUCILAGE
PHOTO MOUNT PASTE
DRAWING BOARD PASTE
LIQUID PASTE
OFFICE PASTE
VEGETABLE GLUE, Etc.**


Are the Finest and Best Inks and Adhesives
Emancipate yourself from the use of corrosive
and ill-smelling inks and adhesives and adopt
the Higgins' Inks and Adhesives. They
will be a revelation to you, they are so sweet,
clean and well put up.

At Dealers Generally

CHAS. M. HIGGINS & CO., Mfrs.
Branches: Chicago, London
271 Ninth Street Brooklyn, N. Y.




WEATHER VANES




Send for
Catalogue

E. G. Washburne & Co.
209 FULTON STREET, NEW YORK



Work Shops



Of wood and metal workers,
without steam power, equipped
with

**BARNES' FOOT POWER
MACHINERY**

allow lower bids on jobs and
give greater profit on the work.
Machines sent on trial if desired.

Catalogue free

W. F. & John Barnes Co.
566 Ruby Street, Rockford, Ill.

SEND NOW

**for our new Catalogue of
Architectural, Scientific
and Technical Books.**

*The Only Complete Catalogue
of Architectural Books*

The Wm. T. Comstock Co.
23 WARREN ST., NEW YORK

(Continued from page 30.)

only in confining fires to the buildings in which they originate, but also in keeping them out of buildings having sprinklers, when they originate elsewhere. Reasonably small floor areas and protected vertical openings in floors are a great advantage.

No body of men is in better position than the architects to assist in the education of the public along the lines of better building construction. Many architects go abroad to study architecture in beautiful cities; on their return many of them use wood and shingles on buildings they design from what they have gathered abroad, in spite of the fact that such materials (as well as destructive fires) are practically unknown in the places they have visited.

LUMBER AND THE SOUTH.

At the recent forestry conference held in Nashville, Mr. Henry S. Graves, Chief Forester of the United States Department of Agriculture, spoke as follows:

"In any consideration of the industrial development of the South, the problems which stand out as most important are those connected with agriculture and forestry. The South is favored with climate and soil especially advantageous both for agriculture and for the production of forests. Its cut of lumber aggregates some twenty-four billion feet a year, or over half of that used in the entire nation. Other industries bring the value of the products of the forests to-day to upwards of 550 million dollars.

"Louisiana now stands second only to the State of Washington in the production of lumber, while Mississippi, North Carolina, Arkansas, Virginia and Texas are all ahead of any other State. The lumber industry of the South employs some 217,000 persons, and the allied industries require over 200,000 more. We are dealing with a problem of gigantic proportions and one which touches the welfare of the entire nation.

"There is no region except the far Northwest where forestry is so simple and the results so sure as in the South. It is entirely practical to secure from the area which should be permanently in forest from twenty to thirty billion feet in the long run, by annual growth, if the forest is properly handled. Much of this area is in the mountains and the very management for timber production will secure the indirect benefits of the forest.

"The desired end cannot be accomplished at once. Our efforts must be organized. We must with all our forces, National, State and private, endeavor to overcome the fire menace. The public must aid in the matter of a uniform, consistent and sane system of taxation, while private owners must accept their responsibilities and handle their property in a way which will build up and not injure the interests of the State."



Carter, Black & Ayers

FRONT ENAMELED BRICK HARVARD VELOUR

HOLLOW TILE

For Stucco and Brick Veneer Houses

VITRIFIED AND HARD BURNED BLOCKS

Phones { 7613 } Madison Sq. 1182 Broadway, New York
 { 7614 }
 Ritz-Carlton Hotel, N. Y. All front brick furnished by us.



Residence W. C. Sanderson, South Orange, N. J.

Monument Plaster Co.

Manufacturers of

WALL PLASTER and ORIENTAL STUCCO

Brick Mortars and any Color Sand Finish for Interior Work

WRITE FOR BOOKLET

Office and Factory, HARRISON, N. J.

The Literature of Structures

Theory of Structures

By C. M. Spofford. Aug., 1911. 432 pp., \$4.00 (17s). Covers fundamental principles in a thorough, logical manner. Has valuable data and tables.

Framed Structures and Girders

By Edgar Marburg. Vol. I.—Stresses.—Part I., Oct., 1911. 540 pp., \$4.00 (17s). Distinctive for its interpretation and application, in full detail, of the theory of stresses for practical purposes.

Kinetic Theory of Engineering Structures

By David A. Molitor. 366 pp., \$5.00 (21s). A complete analysis of "higher structures."

Walls, Bins and Grain Elevators

By Milo S. Ketchum. II ed., Nov., 1911. 556 pp., \$4.00 (17s). A new book. It is again the standard work on design and construction.

Steel Mill Buildings

By the Same Author. 464 pp., \$4.00 (17s). Covers methods, materials and calculations of stresses.

Highway Bridges

By the Same Author. 550 pp., \$4.00 (17s). Covers stresses in steel and wooden bridges.

Simple Steel Structures

By C. T. Morris. II ed., 201 pp., \$2.25 (9/6). It teaches the art of producing "details which are in accord with the stresses they have to transmit."

Bridge and Structural Design

By W. Chase Thomson. II ed., 192 pp., \$2.00 (8/6). A simple, practical treatise on the elements of bridge and structural design.

Steel Railway Bridges


By W. Chase Thomson. 178 pp., \$2.00 (8/6). Covers the fundamentals of design, using typical structures for illustration.

FOR SALE BY

THE WILLIAM T. COMSTOCK CO., 23 Warren St., New York

"FLEXIFOLD"

ROLLING PARTITIONS



For
Churches
Schools
Parish Houses
Lodge Buildings

Grant Pulley and Hardware Co.

3 West 29th St., New York City

Descriptive Circular and Estimates Upon Application

THE NORTHWESTERN TERRA-COTTA COMPANY

M A N U F A C T U R E R S O F

ARCHITECTURAL TERRA-COTTA

**GLAZED AND ENAMELED
WORK IN ALL VARIETIES**

ESTIMATES GIVEN ON APPLICATION

MAIN OFFICE AND WORKS: 1000 CLYBOURN AVENUE
BRANCH OFFICE: 1415 RAILWAY EXCHANGE

CHICAGO
ILLINOIS



Two Family and Twin Houses

The planning of this class of dwellings has been given special attention; also their heating, lighting and sanitation. The sixty plates show a large variety of designs, and two detailed specifications are given.

Illustrated, boards. Price, \$2.00

THE WM. T. COMSTOCK CO., Publishers
23 Warren Street, New York

AMERICAN RENAISSANCE A Book on the History of Domestic Colonial Architecture in America

By JOY WHEELER DOW, Architect

This book gives a history of the progress of architecture from the early days of Colonial design in America, down to the present time, and will be found of interest to all desiring to study the subject consecutively. Beautifully illustrated by many full-page plates giving examples of Colonial work. 171 pages, 95 full-page plates. Handsomely bound, gilt top. Price, \$4.00

THE WM. T. COMSTOCK CO., Publishers
23 Warren Street, New York



THE AUTOMAT RESTAURANT

is equipped with a **BRUNSWICK** refrigerating plant

22

plants in other Horn and Hardart restaurants

1300

BRUNSWICK

installations throughout the world in
residences, restaurants, meat markets,
office buildings, hotels, etc.

BRUNSWICK REFRIGERATING CO.

NEW BRUNSWICK

NEW JERSEY



THE
Architectural Terra Cotta
 IN THE
MASONIC BUILDING
 NEW YORK CITY

H. P. KNOWLES, Architect GEO. A. FULLER CO., Contractors

WAS MANUFACTURED BY THE

**Federal Terra Cotta
 Company**

OFFICE:
 Trinity Bldg.,
 New York City

FACTORY:
 Woodbridge,
 New Jersey

The Terra Cotta is of a limestone color and makes a remarkably fine combination with the red brick. This Company is producing a superior grade of material in vitreous grays, and matt and full glazes in color, making a specialty of terra cotta in granite colors.

CRAFTSMAN FIRE-PLACE

**Burns Wood, Coal or
 Coke**



A Complete Heating and Ventilating System

IF you are intending to build a new home or remodel an old one, and would be interested in HEATING THE ENTIRE HOUSE WITH WARM AIR, OR HOT WATER, FROM AN OPEN FIRE-PLACE, write to me for full information. It is guaranteed.

GUSTAV STICKLEY

Inventor and Manufacturer

41 West 34th St., N. Y. City



Bricklaying, Tile Work and Masonry

Bricklaying

An up-to-date work showing the best methods of construction. PART I.—Treats of Tools; Laying and Setting of Work; Mixing Concrete and Mortars; Front Work; Chimneys and Flues; also General Important Details of Brickwork. PART II.—Shoring; Needling; Underpinning. By Owen B. Maginnis. Illustrated by 150 cuts. Cloth. Price.....\$1.50

Rudiments of Practical Bricklaying

General Principles; Drawing, Cutting and Setting; Pointing; Paving, Tiling, &c. By Adam Hammond. With 68 Woodcuts.....\$1.00

Bricks and Tiles

Treatise on the Manufacture; containing an outline of Brickmaking. By E. Dobson, M. R. I. B. A. Additions by C. Tomlinson, F. R. S. Illustrated.....\$1.20

The Practical Brick and Tile Book

Brick and Tile Making, by E. Dobson. Practical Bricklaying, by A. Hammond; Brickcutting and Setting, by A. Hammond. 550 pp. with 270 illustrations.....\$2.40

Brickwork

Embodying the General and Higher Principles of Bricklaying, Cutting and Setting; with the Application of Geometry to Roof Tiling, &c. By F. Walker.....\$2.50

Practical Masonry

A Guide to the Art of Stone Cutting. Comprising the Construction, Setting-out and Working of Stairs, Arches, Niches, Domes, &c. 50 Lithographic Plates. By Wm. R. Purchase. Royal 8vo, cloth. Price.....\$3.00

Art of Practical Brick Cutting and Setting

By Adam Hammond. With 90 Engravings....\$2.00

Brickwork and Masonry

A practical text-book for students and others engaged in the design and execution of structures in brick and stone. By Chas. F. Mitchell. With nearly 600 illustrations. Second edition, revised and enlarged. Cloth. Price, net.....\$3.00

Masonry and Stone Cutting

The principles of Masonic Projection and their application to Construction. By Edward Dobson, M. R. I. B. A.....\$1.00

The William T. Comstock Company 23 Warren Street
New York

JUST PUBLISHED

The Principles of Architectural Design

By PERCY L. MARKS, ARCHITECT

Author of "The Principles of Planning," etc.

Containing 165 full-page and other text illustrations.

This work is very fully illustrated and will be found a great aid to the architect or student of architectural design.

One large 8vo volume. Cloth, price \$4.50.

THE WILLIAM T. COMSTOCK COMPANY, Publisher, 23 Warren Street, New York

SWITCHBOARDS and PANELS Marked "Metropolitan"

Are the Best that Can be Produced

Architects, Engineers and Owners specify Metropolitan Detachable Mechanism Flush Switches and Receptacles for their high class buildings. The most up to date appliances.

METROPOLITAN
ELECTRIC MFG CO.

14th Street and East Avenue, L. I. City

STANDARD PLUNGER ELEVATOR COMPANY

115 Broadway, New York

Washington

Montreal

Chicago

Worcester

Philadelphia

OUR ENGINEERS ARE AT YOUR SERVICE

Booklet on request

Values of Improved Real Estate

By REGINALD PELHAM BOLTON, M. E.
Author of "Elevator Service," "Motive Powers," etc.

A CHART

Giving at a Glance the Relation between
*Invested Values of Property, Net Earning from
Rate of Rental and the Number of Floors
in the Building at Various
Rates of Interest*

Prepared for Real Estate Owners, Operators, Agents, Architects, Builders, Mortgagees and Financiers.

With Simple, Concise Directions for Reference and Use

The WM. T. COMSTOCK CO., Publisher

23 Warren Street, New York

ELKS

SOUVENIR NUMBER

New York Lodge No. 1

Send twenty cents for a copy NOW

ARCHITECTURE AND BUILDING
23 Warren Street, New York

LOOMIS FILTERS

ESTABLISHED 1880

Improved System

Simple and Effective

LOOMIS-MANNING FILTER DISTRIBUTING CO.

Main Office: 828 Land Title Building, PHILADELPHIA
Boston New York Baltimore Washington

Complete Architectural Catalogue
Sent on request

THE WILLIAM T. COMSTOCK CO.
Publishers

23 Warren Street

New York

ARCHITECTURE

Architecture

NA

1

A 68

v. 44

no. 9

AND

BUILDING

A Magazine
Devoted to Contemporary
Architectural Construction

Vol. 44 September No 9
1912

Fireproofing and Fire-Protection

NOV 16 1967
SHORTAGE

Published by

THE WILLIAM T. COMSTOCK COMPANY

23 Warren Street New York

\$2.00 a Year

20¢ a Copy

Copyright, 1912, by The Wm. T. Comstock Co.
Entered as second-class matter April 4 1911 at the Post Office at New York

**"Globe" Ventilator and
"Globe Ventilating Ridging"**



The "Globe" is built on
honor and sold on merit

In Copper or Galvanized Iron

Simple
Stormproof
Symmetrical
Satisfactory

Send for
Brown Print
Catalogue or Model

MANUFACTURED BY

Globe Ventilator Company
TROY, N. Y.

**SILVER LAKE A SASH CORD
THE STANDARD**

Our name is stamped on every foot of our cord.

Estimate the greatest possible saving in the first cost of a building by using cheap cord. If there is any saving can you afford to take it? The best cord will wear over twenty years and you are saved the annoyance and expense of replacing broken cord. For the cheapest sash cord service specify SILVER LAKE A.

The Original Solid Braided Sash Cord

THE BEST IS THE CHEAPEST

SILVER LAKE CO., Boston

**Send for New Catalogue of Archi-
tecture & Building Construction**

W. T. COMSTOCK COMPANY

23 Warren St., New York



**"F-S" Products have been O. K.'d for more than 50
years by those who know.**

When a hard, durable, washable, dead-flat surface of any kind is wanted, "Ef-Es-Co" meets every requirement—covers and works under the brush like paint, but has the hard, wear-resisting qualities of enamel. Ideal for sanitary purposes.

FELTON, SIBLEY & Co., Inc.

Mfrs. of Colors, Paints, Varnishes

136-140 N. 4th St.

Philadelphia



Corbin Hardware

of the Hampden design, Gothic school, is used upon the Cleveland residence of Mr. Howell Hines. It is in excellent harmony with the architect's motive, and sets the seal of good taste and refinement upon the decorative scheme. The SK series of design leaflets contains designs in all periods producing effects as harmonious as the one illustrated above. Sent upon request.



P. & F. CORBIN

Division

The American Hardware Corporation

NEW BRITAIN, CONNECTICUT

P. & F. Corbin
of New York

P. & F. Corbin
of Chicago

P. & F. Corbin Division
Philadelphia



The Chicago "Triples"
Spring Butt has features of
construction and design



which appeal
to the archi-
tect and
builder.

Their use in-
sures satis-
fied clients.

Chicago Spring Butt Company,

CHICAGO  NEW YORK
CATALOGUE E 26 ON REQUEST



THE BROWE COMPANY

9-11 Franklin St., Newark, N. J.

MANUFACTURERS OF

Gas and Electric Fixtures

Memphi Fresco Paint

(FLAT FINISH) FOR WALLS AND CEILINGS

MADE BY

DE SOTO PAINT MFG. COMPANY
MEMPHIS, TENN.

NEVEN SPARKS LAMB, Eastern Distributor
140-151 CHURCH STREET, NEW YORK

Large stock always on hand
for prompt delivery

Used throughout the
United States Rubber Building, New York

PARIS
ROME



NEW YORK
705
Fifth Avenue

When writing Advertisers, please mention Architecture and Building.

Architecture and Building

Established 1882

*A continuation of the
Architect's and Builder's Magazine, 1899-1911*

Continued 1911

PUBLISHED MONTHLY BY

THE WILLIAM T. COMSTOCK COMPANY

23 Warren Street, New York

WM. PHILLIPS COMSTOCK, President

CONTENTS FOR SEPTEMBER

Architectural Resemblances.....	349
By J. L.	
The Hollow Tile Fireproof House—X.....	353
By Frederick Squires	
Failures in Building Construction and Their Lessons—III.....	362
By Edward Godfrey	
The United States Rubber Building.....	367
Carrère & Hastings, Architects	
The Architects' Building.....	375
Ewing & Chappell } Associate Architects LaFarge & Morris }	
The Wilson Building.....	376
Rouse & Goldstone, Architects	
National State Bank, Newark, N. J.....	378
Cass Gilbert, Architect	
The Otis Elevator Building.....	381
Clinton & Russell, Architects	

ADVERTISING REPRESENTATIVES

D. R. Gimbel

Geo. H. Stewart (Dept. of Fireproofing and Fire Protection)

EDITORIAL DEPARTMENT

Wm. P. Comstock, Managing Editor

Charles Warren Hastings, Assistant Editor

Frederick Squires, Contributing Editor

Subscription Terms \$2.00 a year in advance for United States and Possessions, Mexico and Cuba. Canada, \$2.50, and other countries, \$3.00. Postage prepaid.
Subscribers when changing their address must state both old and new address.

Remitting Money All remittance of money should be in the form of U. S. Postal Money Orders (payable to THE WM. T. COMSTOCK CO., at New York Office). When these are not available, send money by registered letter, or send drafts on New York banks, made payable to order of THE WM. T. COMSTOCK CO. Personal checks on local banks cannot be received in payment.

TRADE SUPPLIED BY THE AMERICAN NEWS COMPANY AND ITS BRANCHES

LONDON AGENTS—Wm. Dawson & Sons (Ltd.), Cannon House, Bream's Buildings, London, England.

Copyright, 1912, by The Wm. T. Comstock Co.

Entered as second-class matter, April 4, 911, at the Post Office at New York, N. Y.,
under the Act of March 3, 1879.

DON'T FAIL TO VISIT *the* FIRE EXPOSITION *and* CONFERENCE

At MADISON SQUARE GARDEN, NEW YORK
OCTOBER 2d TO 12th—1 TO 11 P. M.

[INCLUDING NEW YORK STATE FIRE PREVENTION DAY,
OCTOBER 9th; AND COLUMBUS DAY, OCTOBER 12th]

IMPORTANT CONFERENCE A Conference in which organizations and individuals will participate will be held daily in the Assembly Hall.

PUBLIC EDUCATION A most important feature will be a campaign of public education—a department of Fire Prevention.

EXHIBITION DEPARTMENT An Exhibition Department will contain the NEW, the VALUABLE and the BEST achievements of Inventors and Manufacturers, including a Department of Fireproof Construction and the Safety Equipment of Buildings. Awards will be made for new and meritorious inventions in the various fields embraced within the scope of the Conference.

LIFE SAVING EXHIBITIONS To insure the interest and attendance of the public—life saving and other exhibitions will be given daily.

NEW YORK FIRE EXPOSITION

Telephone, Madison Square 9364

1269 BROADWAY, NEW YORK

Building Construction and Superintendence

By **FRANK E. KIDDER, C. E., Ph. D., Architect**

Part 1.—MASON'S WORK, Ninth Edition.

New and enlarged, thoroughly revised and rewritten by THOMAS NOLAN, M. S. A. M., Prof. Arch., University Pennsylvania. New chapters on FIREPROOFING, CONCRETE, both reinforced and plain. Foundations showing most approved work in recent structures, etc. 965 pp., 628 illustrations, cloth. Price, **\$6.00**

Part II.—CARPENTER'S WORK, Eighth Edition.

Treating on Wood Framing—sheathing, windows, outside door frames, interior woodwork, rough work, finish, floors, heavy framing, builders' hardware, and the large variety of detail that the subject covers. 544 pp., 525 illustrations, cloth. Price, **\$4.00**

Part III.—TRUSSED ROOFS and ROOF TRUSSES— Second Edition.

This part describes nearly every type of roof construction commonly met with in buildings, pointing out the advantages of different types of wooden and steel trusses for different spans and building requirements. Special attention is given to description of wooden trusses and steel trusses, in order to make the work of practical value to the architect, draughtsman and builder. 294 pp., 306 illustrations, cloth. Price, **\$3.00**

THE
WILLIAM T. COMSTOCK COMPANY
23 Warren Street **New York**



FLOORS

IN

THE NATIONAL STATE BANK

ARE

“KOMPOLITE”

FLOORS—BASES—WAINSCOTS

FIREPROOF, SANITARY, SOUND ABSORBENT, DURABLE

SPECIFIED BY LEADING ARCHITECTS

GENERAL KOMPOLITE Co.

516 Fifth Avenue, NEW YORK

PARTICULARS OF GENERAL USE AND ESTIMATES
ON “KOMPOLITE” GLADLY FURNISHED

When writing Advertisers, please mention Architecture and Building.

Alphabetical List of Advertisers

Page	Page	Page
American Enameled Brick & Tile Co., The..... 25	General Fire Extinguisher Co. 23	Otis Elevator Company..... 17
American Hardware Corporation, The 1	General Kompolite Co..... 6	
Atchison Revolving Door Co. The 14	Globe Ventilator Co.....II. Cover	
Automatic Adding Mach. Co. 35	Gorton & Lidgerwood Co..... 30	Penn Brass & Bronze Works. 15
Automatic Sprinkler Co. of America. 27	Grant Pulley & Hardware Co. 38	Polachek Bronze & Iron Co., John —
	Greenfield, Inc., Arthur..... 34	Pomeroy Co., Inc., S. H..... 27
	Grimmer & Son, Charles..... 11	Prentiss Clock Improvement Co. 34
Badger & Sons Co., E. B..... 33	Higgins & Co., Chas. M..... 36	
Bagues Freres Co..... 2	Holmes, Frederick S..... 21	Rockwood Sprinkler Co..... 24
Barnes Co., W. F. & John... 36	Hydro Damp-Proofing & Engineering Co. 26	
Barrett Mfg. Co., The..... 19		
Batterson & Elsele..... —		
Berger Mfg. Co., The 20	Ingham, Howard M..... 20	See Electric Elevator Co., The A. B. 35
Bommer Bros. 16		Silver Lake Co.....II Cover
Boyd, Thomas Bruce..... 21		Simmons Co., John..... 26
Browe Company, The 2	Jones, Thomas W..... 34	Spedel, J. G..... 35
		Standard Plunger Elevator Co. IV Cover
Carter, Black & Ayers..... 37		Stanley Works, The..... 31
Chicago Spring Butt Co..... 2	Kalamein Co., The..... 28	Star Expansion Bolt Co..... 16
Collins, Francis W..... 21	Kinney Co., C. M. 14	Star Fireproof Door & Sash Co., Inc.... 26
Concrete Age, The 15	Knoburn Co., The 30	Stickley, Gustav 40
Corbin, P. & F..... 1		
Cork & Zicha Marble Co..... 32	Lane Bros. Co..... 36	
	Leonard Sheet Metal Works.. 25	
Dahlstrom Metallic Door Company 13	Loomis Manning Filter Distributing Co.IV Cover	Tettenborn Refrigerators..... 34
Dewsnap, William D..... 35		
Dixon Crucible Co., Jos..... 31		
Evans, F. H..... 35	Magenta Company, Inc..... 11	U. S. Changeable Sign Company 14
Ewing, Bacon & Henry 15	Manual Arts Press, The..... 33	United States Mineral Wool Co. 27
	McCabe Hanger Mfg. Co.... 31	United States Press Clipping Bureau —
	Metropolitan Electric Mfg. Co.III Cover	
Federal Terra Cotta Co..... 40	Miller, H. W. 11	
Felton, Sibley & Co.....II Cover	Monument Plaster Co..... 37	Van Dorn Iron Works Co., The 35
Fire Exposition..... 4	Morton, Thomas 27	Voigtmann & Co..... 27
Fliske & Co., Inc.....III Cover		
Fitzgerald-Speer & Co.IV Cover		
Fitzgibbons Boiler Co 20	Newman Clock Co —	Washburne & Co., E. G..... 36
Fleisher & Co., W. L. 27	Northwestern Terra-Cotta Co., The 38	Wilson Mfg. Co., James G.... 16
Folsom Snow Guard Co..... 34		Winslow Bros. Company, The.. 14

Classified Advertisements

NOTE.—Every classified advertiser is entitled to insertion under one heading. Under extra headings, \$5.00 a year each

ADDING MACHINES.

Automatic Adding Machine Co., 319 Broadway,
New York

ARCHITECTURAL BRONZE.

Bagues Freres Co., 705 Fifth Ave., New York
Penn Brass & Bronze Works, 40 Penn St.,
Williamsburg, N. Y.
Polachek Bronze & Iron Co., John,
490-494 Hancock St. and 577-591 Boulevard,
Long Island City.

AWNINGS, BLINDS, ETC.

Wilson Mfg. Co., Jas. G.
5 W. 29th St., New York City

BOILERS.

Badger & Sons Co., E. B., Boston, Mass.
Fitzgibbons Boiler Co., 50 Church St., New York
Gorton & Lidgerwood Co.,
96 Liberty St., New York

BOLTS—Expansion, Machine Expansion, Mooring, Twin, Toggle.

Evans, F. H., 31-35 Hewes St., Brooklyn, N. Y.
Star Expansion Bolt Co., 147-149 Cedar St., N. Y.

BRICK—Enameled Front. Hollow.

American Enamel Brick & Tile Co.,
1184 Broadway, N. Y.
Carter, Black & Ayers, 1182 Broadway, N. Y.
Fiske & Co., Inc., 40 W. 32d St., New York

BRIDGES.

Van Dorn Iron Works Co., Cleveland, O.

BRONZE.

Bagues, Freres Co., 705 Fifth Ave., New York.
Polachek Bronze and Iron Co., John,
490-494 Hancock St. and 577-591 Boulevard,
Long Island City.
Winslow Bros. Co., The, New York and Chicago.

BUILDING CONTRACTORS.

Fuller Co., Geo. A., Chicago, New York, Boston,
Washington.
Starrett Company, Theodore, 103 Park Ave., N. Y.
Steen Co., Thomas J., 30 Church St., New York.

BUILDING DIRECTORY.

U. S. Changeable Sign Co., 3-7 W. 29th St., N. Y.

BUTTS, BALL-BEARING.

Stanley Works, The, New Britain, Conn.

CLOCKS—Synchronized, Watchman's.

Magneta Company, Inc., 1835 Park Ave.,
New York
Newman Clock Co., The, 178 Fulton St., N. Y.
Prentiss Clock Improvement Co.,
Dept. 11, 62 Chambers St., N. Y.

CONCRETE SIDEWALK FORMS.

Berger Mfg. Co., The, Canton, O.

CORDAGE.

Silver Lake Co., Boston, Mass.

DAMP-PROOFING.

Hydro Damp-proofing & Engineering Co., The,
403 Wabash Building, Pittsburgh, Pa.

DESIGN BOOKS.

Dewsnap, William D., 150 Nassau St., N. Y.

DOOR HANGERS.

McCabe Hanger Mfg. Co., 156 5th Ave., N. Y.
Lane Bros. Co., Poughkeepsie, N. Y.

DOORS, REVOLVING, ETC.

Atchison Revolving Door Co., The,
156 Fifth Ave., New York

DRAWER SLIDE.

Grant Pulley & Hardware Co.,
35 Warren St., N. Y.

DRAWING INKS—(Higgins).

Higgins & Co., Chas. M.,
271 9th St., Brooklyn, N. Y.

DUMB WAITERS.

Otis Elevator Co., 17 Battery Place, N. Y.
Spidel, J. G., Reading, Pa.

ELECTRICAL CONTRACTORS.

Boyd Equipment Co., 373 4th Ave., N. Y.
Edwards Electrical Construction Co.,
39 E. 42d St., New York

ELEVATORS.

A. B. See Electric Elevator Co., The,
220 Broadway, New York
Otis Elevator Co., 17 Battery Place, N. Y.
Spidel, J. G., Reading, Pa.
Standard Plunger Elevator Co.,
115 Broadway, New York

ENGINEERS, ELECTRICAL, CONSULTING, BANK VAULT, ETC.

Boyd, Thomas Bruce, 296 Fifth Ave., New York.
Collins, Francis W., 50 Church St., New York
Ewing, Bacon & Henry, 30 Church St., N. Y.
Holmes, Frederick S., 2 Rector St., New York.
Ingham, Howard M., 160 5th Ave., New York

EXPANSION BOLTS.

Evans, F. H., 31-35 Hewes St., Brooklyn, N. Y.
Star Expansion Bolt Co., 147 Cedar St., N. Y.

EXTERIOR PLASTER.

Monumental Plaster Company, Harrison, N. J.

FENCING AND RAILINGS.

Van Dorn Iron Works Co., Cleveland, O.

FILTERS.

Loomis-Manning Filter Distributing Co.,
828 Land Title Bldg., Philadelphia, Pa.

FIRE BUCKET TANKS.

Safety Fire Extinguisher Co., The,
291-293 Seventh Ave., New York

FIRE DOOR EQUIPMENT.

Lane Bros. Co., Poughkeepsie, N. Y.

FIRE EQUIPMENT, GENERAL.

Simmons Co., John, 102-110 Centre St., N. Y.

FIRE EXTINGUISHING APPARATUS.

General Fire Extinguisher Co., Providence, R. I.

FIRE PLACES, CRAFTSMAN, ETC.

Stickley, Gustav, 41 W. 34th St., New York

KEYSTONE
FLAT FINISH

The SWISS CHALET BOOK



THIS new book by Mr. William S. B. Dana tells the story of the chalet in Switzerland, its history, evolution and construction. The book is replete with illustrations and numerous diagrams, sections and plans. It is picturesque as well as instructive. Mr. Dana has not neglected the Swiss chalet in America and tells the reader something of the use that has been made of chalet forms in California, accompanying his text with most attractive pictures.

Table of Contents

Introduction.	Chapter V. The chalet facade; window disposition; plans and elevations.
Chapter I. Switzerland visited; Swiss architects and builders.	Chapter VI. The chalet facade; system of ornamentation.
Chapter II. Construction details; granary construction; examples of modern and older chalets.	Chapter VII. The chalet interior; planning, plans and elevations.
Chapter III. The chalet skeleton; basis of ornament; small chalets.	Chapter VIII. The chalet interior; interior decoration; furniture.
Chapter IV. Balcony and gable construction; doors, windows; some classic and modern chalets.	Chapter IX. Adaptation of the Swiss chalet in other countries; American adaptations.
	Bibliography.

150 pages; 250 illustrations and figures

Cloth, 7½ x 10. Price, \$2.50

The Wm. T. Comstock Co., 23 Warren St., New York

When writing Advertisers, please mention Architecture and Building.

Classified Advertisements—Continued

FIREPROOF DOORS AND SHUTTERS.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Grant Pulley & Hardware Co.,
8 West 20th St., New York
Kalamein Co., The, Long Island City, N. Y.
Knoburn Company, 365 14th St., Hoboken, N. J.
Leonard Sheet Metal Works, Hoboken, N. J.
Pomeroy Co., Inc., S. H.,
427 W. 13th St., New York City

FIREPROOF WINDOWS.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Kalamein Company, The, Long Island City, N. Y.
Knoburn Company,
359-363 14th St., Hoboken, N. J.
Pomeroy Co. (Inc.), S. H., 427 W. 13th St., N. Y.
Voigtmann & Co., 427 W. 13th St., New York.

FIXTURES, GAS AND ELECTRIC.

Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.

FLOORS.

General Kompolite Co., 516 Fifth Ave., N. Y.

FLOOR AND WOODWORK POLISH.

Felton, Sibley & Co., 126 N. 4th St., Phila., Pa.

FLOORING MACHINERY.

International Floor Machine Co., 39 West 38th
St., New York.

GAS AND ELECTRIC FIXTURES.

Browe Company, The, 9-11 Franklin St.,
Newark, N. J.
Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.
Simes Co., The, 18 Rose St., New York.

GRAPHITE PAINT.

Dixon Crucible Co., Joe, Jersey City, N. J.

HANGERS—House, Barn Door.

Lane Bros. Co., Poughkeepsie, N. Y.

HARDWARE.

American Hardware Corporation, The,
New Britain, Conn.
Chicago Spring Butt Co., Chicago, Ill.; New York
Corbin, P. & F., New Britain, Conn.
Stanley Works, The, Dept. B,
New Britain, Conn., and 79 Chambers St., N. Y.

HEATING APPLIANCES. (Also see Boilers.)

Boyd Equipment Co., 373 Fourth Ave., N. Y.
Gorton & Lidgerwood Co., 96 Liberty St., N. Y.

HINGES—Spring, Ballbearing, Etc.

Bommer Bros., 257 Classon Av., Brooklyn, N. Y.
Chicago Spring Butt Co.,
Chicago, Ill.; New York.
Stanley Works, The, New Britain, Conn.

HOLLOW TILE.

Carter, Black & Ayers, 1182 Broadway, N. Y.

HOT-WATER BOILERS—Copper.

Badger & Sons Co., E. E.,
63-75 Pitt St., Boston, Mass.

ICE MACHINES.

Brunswick Refrigerating Co.,
New Brunswick, N. J.

INTERIOR TRIM.

Elias & Bro., George, Buffalo, N. Y.

IRON WORK—Ornamental and Structural.

Bagues Freres Co., 705 Fifth Ave., New York
Polachek Bronze and Iron Co., John
480-494 Hancock St. and 577-591 Boulevard,
Long Island City.
Winslow Bros. Company, The,
New York-Chicago

JAIL AND PRISON WORK.

Van Dorn Iron Works Co., Cleveland, O.

JOIST HANGERS—(Steel).

Lane Bros. Co., Poughkeepsie, N. Y.
Van Dorn Iron Works Co., Cleveland, O.

LIGHTING FIXTURES—Gas and Electric.

Bagues Freres Co., 705 Fifth Ave., New York
Consolidated Chandelier Co.,
132-136 W. 14th St., N. Y.

LIGHTNING RODS.

Jones, T. W., 22 Burling Slip, N. Y.
Washburne & Co., E. G., 209 Fulton St., N. Y.

LOCKS, ETC.

American Hardware Corporation,
New Britain, Conn.
Corbin, P. & F., New Britain, Conn.

MANTELS, FIREPLACES, ETC.

Jackson Co., Wm. H., 2 W. 47th St., N. Y.

MARBLE WORKERS.

Batterson & Elsele, Times Building, New York.
Cork & Zicha Marble Co.,
325-327 E. 94th St., New York

METAL CEILINGS.

Berger Mfg. Co., The, Canton, O.

METAL DOORS AND TRIM.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Knoburn Company,
359-363 14th St., Hoboken, N. J.

METAL LATHING.

Greenfield, Inc., Arthur, 204 E. 26th St., N. Y.

METAL LUMBER.

Berger Mfg. Co., The, Canton, O.

METALLIC OFFICE FURNITURE.

Berger Mfg. Co., The, Canton, O.
Van Dorn Iron Works Co., Cleveland, O.

METAL SASH AND FRAMES.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Herrmann & Grace,
671-687 Bergen St., Brooklyn, N. Y.
Kalamein Company, The, Long Island City, N. Y.
Knoburn Company, 240 11th Ave., N. Y.
Leonard Sheet Metal Works, Hoboken, N. J.
Pomeroy Co. (Inc.), S. H., 427 W. 13th St., N. Y.
Star Fire Proof Door & Sash Co.,
2650 Park Ave., New York

METAL WINDOWS.

Pomeroy Co., (Inc.), T. H., 427 W. 13th St., N. Y.
Voigtmann & Co., 427 W. 13th St., New York.

MILL WORK.

Fitzgerald-Speer & Co., Pen Argyl, Pa.

MINERAL WOOL.

U. S. Mineral Wool Co., 140 Cedar St., N. Y.

PAINTING CONTRACTORS.

Grimmer & Son, Charles, 230 E. 37th St., N. Y.
McKay, Inc., Peter, 187 E. 60th St., New York.

KEYSTONE
FLAT FINISH
KEYSTONE

For thirty years the firm of Charles Grimmer & Son has been known to you as Painters. Recently we have acquired the business of the W. Ludwig Schultze Co., the well known Decorators. In our three new buildings we now have facilities for doing the same high class Cabinet Wood-Work and Upholstery as we have for Painting.

A line of inquiry brings a representative, or we should be glad to welcome you at our extensive factories and our beautiful, new showrooms, where we carry the largest and most select stock in New York, of Wall Papers, Mantels, Andirons, Electric Fixtures, Fabrics, Furniture, Mirrors, Antiques, Clocks, Candlesticks, Lamps and Pillows.

Charles Grimmer & Son

Telephones, 7557-7558 Madison Square.

230-234 East 37th Street, NEW YORK

NOW READY—A HOME STUDY BOOK

Reinforced Concrete Construction

VOLUME 1—FUNDAMENTALS

By GEORGE A. HOOL, S. B., Assoc. Prof., Structural Engineering, University of Wisconsin

260 pp., 6x9, 88 illustrations. \$2.50 (10/6) net, postpaid

This book is part of the series of texts of the University of Wisconsin Extension Department. A full, clear treatment—avoidance of difficult mathematics—problems for study—are some of its distinctive features. Published in loose-leaf, as well as book form, it should be of distinct value to any ambitious worker. This volume covers Properties of the Material and the Theory and Design of Slabs, Beams and Columns.

FOR SALE BY **THE WM. T. COMSTOCK CO., 23 Warren St., New York**



UNITED STATES RUBBER BUILDING
NEW YORK

Ornamental Plaster and Imitation
Caen Stone

EXECUTED BY

H. W. MILLER, Inc.

501 East 22d Street, New York City

PLAIN AND DECORATIVE PLASTERING
ARTIFICIAL CAEN STONE
CEMENT STUCCO CONCRETE STONE

The Magneta Company

1955 Park Avenue, New York City



Most up to date clock
system. Operates without
batteries and contacts.

Some References

Hotel Ritz-Carlton
Hotel St. Regis
Hotel Plaza
Hotel
Knickerbocker
Hotel Belmont
U. S. Rubber Co.
Building
Singer Building
Mt. Sinai Hospital
U. S. Custom House
Pennsylvania
Terminal
Washington, D. C.
Memphis Terminal
Memphis, Tenn.
Etc.

Double Faced Magneta Secondary
Clock,
U. S. Rubber Building, New York

MANUFACTURERS OF

**Electric Clock Systems
Time Stamps**

Classified Advertisements—Continued

PAINTS FOR COATING AND PRESERVING IRON AND STEEL.

Dixon Crucible Co., Jos.....Jersey City, N. J.

PAINTS, OILS, VARNISHES, WOOD FILLING, etc.

Dixon Crucible Co., Jos.....Jersey City, N. J.
Felton, Sibley & Co.,
186 N. 4th St., Philadelphia, Pa.

PLASTER WORK—Plain, Ornamental Models.

Miller, H. W.....22d St. and Ave A, New York
Monument Plaster Co.....Harrison, N. J.

PLUMBERS.

Boyd Equipment Co...373 Fourth Ave., N. Y.
Boyd, John.....284 Columbus Ave., New York.

PRONG LOCK, STUDS AND FURRING.

Berger Mfg. Co., The.....Canton, O.

PUBLISHERS.

Comstock Co., The W. T..23 Warren St., N. Y.
Concrete Age, The.....Atlanta, Georgia
Manual Arts Press, The,
600 German Fire Insur. Bldg., Peoria, Ill.

PULLEYS.

Grant Pulley & Hardware Co.,
8 W. 29th St., N. Y.

REFRIGERATORS, PORCELAIN, ETC.

Tettenborn Refrigerator Co.....Cincinnati, O.

RINGS—Bridle, Corner Brace (Bridle), Sebco Aerial.

Star Expansion Bolt Co..147-149 Cedar St., N. Y.

ROLLING DOORS AND SHUTTERS—Steel.

Grant Pulley and Hardware Co.,
8 W. 29th St., New York City.
Wilson Mfg. Co., James G.,
3 W. 29th St., New York

ROOFING AND ROOFING MATERIALS.

Barrett Mfg. Co.....New York, N. Y.

SASH CHAINS.

Morten, Thomas.....169 Elm St., N. Y.

SASH CORDS.

Silver Lake Co.....Boston, Mass.

SASH PULLEYS—Iron, Brass, Bronze.

Grant Pulley & Hardware Co.,
8 W. 29th St., N. Y.

SIDEWALK LIFTS.

Speidel, J. G.....Reading, Pa.

SIDEWALK LIGHTS.

The Berger Mfg. Co.....Canton, O.

SIGNS, CHANGEABLE, ETC.

Kinney Co., C. M...3 W. 29th St., New York.
U. S. Changeable Sign Co.,
3 W. 29th St., New York

SNOW GUARD

Folsom Snow Guard Co.,
Roslindale (Boston), Mass.

SPRING HINGES.

Bemmer Bros....257 Classon Ave., Bklyn, N. Y.
Chicago Spring Butt Co.,
Chicago, Ill.; New York

SPRINKLER SYSTEMS.

Automatic Sprinkler Co. of America,
123 William St., New York City.
Fleisher & Co., W. L..156 Fifth Ave., New York
General Fire Extinguisher Co.,
Providence, R. I.
Rockwood Sprinkler Co...123 William St., N. Y.

STEEL BUILDINGS.

Van Dorn Iron Works Co.....Cleveland, O.

STEEL JOIST HANGERS.

Lane Bros. Co.....Poughkeepsie, N. Y.
Van Dorn Iron Works Co.....Cleveland, O.

STEEL SHUTTERS, ROLLING, ETC.

Wilson Mfg. Co., James G.,
5 W. 29th St., New York

STUCCO.

Monument Plaster Co.....Harrison, N. J.

SWITCHBOARDS, PANELS, ETC.

Metropolitan Electric Mfg. Co.,
14th St. & East Ave., Long Island City

TACKLE BLOCKS (Automatic).

Lane Bros. Co.....Poughkeepsie, N. Y.

TERRA COTTA.

Federal Terra Cotta Co., 111 Broadway, N. Y.
Northwestern Terra Cotta Co.,
1000 Clybourn Ave., Chicago.

VAULT LIGHTS.

Berger Mfg. Co.....Canton, O.
Brooklyn Vault Light Co.,
282 Monitor St., Brooklyn, N. Y.

VENETIAN BLINDS.

Wilson Mfg. Co., Jas. G.,
8½ W. 29th St., New York.

VENTILATING RIDGING.

Globe Ventilator Co.....Troy, N. Y.

VENTILATORS.

Globe Ventilator Co.....Troy, N. Y.
Washburne & Co., E. G...209 Fulton St., N. Y.

WALL FINISHES—FLAT, ETC.

Keystone Varnish Co.,
71 Otsego St., Brooklyn, N. Y.

WALL PLASTER.

Monument Plaster Co.....Harrison, N. J.

WATER FILTERS.

Loomis-Manning Filter Co.,
828 Land Title Bldg., Philadelphia, Pa.

WEATHER VANES.

Jones, Thos. W.....153 Maiden Lane, N. Y.
Washburne & Co., E. G.,
209 Fulton St., N. Y.

WOOD-WORKING MACHINERY.

Barnes Co., W. F. & John,
506 Ruby St., Rockford, Ill.

KEYSTONE
FLAT FINISH
KEYSTONE



U. S. RUBBER BUILDING
NEW YORK

Carrere & Hastings
Architects

Norcross Brothers Co.
General Contractors

New York's highest uptown office building. Equipped throughout with The Dahlstrom Products. The upper floors above the thirteenth are finished in a true interpretation of African Mahogany. All other floors, excepting the first, finished in Mouse Gray. A perfect exemplification of the Dahlstrom service. Those interested will find this structure, as well as other Dahlstrom installations, worth studying.

PYRAMIDS

ANCIENT AND MODERN

REALLY fireproof buildings are as indestructible—by fire—as the pyramids. The modern type of building can be readily likened unto an Egyptian pyramid. Their stability is fact. Their endurance is not a matter of chance.

When a building is structurally fireproof and the possibility of a fire traveling from room to room, or floor to floor, completely obviated, it is an impossibility for the incipient fire to generate sufficient heat to cause a greater damage than consume the inflammable contents of the room, compartment or unit in which the fire originates.

The installation of The Dahlstrom Products totally eliminates the possibility of a fire from spreading by the simple method of starvation. A fire will not, cannot travel, from its point of origin, for The Dahlstrom Products offer no additional fuel for it to feed upon. To accomplish this final, necessary and absolute degree of fireproofing nothing of an artistic nature is sacrificed.

We would be pleased to show you samples of the inimitable Dahlstrom finishes. It is also well to remember that their range is unlimited.

Particulars may be had upon request

Dahlstrom Metallic Door Company

Executive Offices and Factories

68 Blackstone Avenue, Jamestown, New York

Branch Offices in All Principal Cities



When writing Advertisers, please mention Architecture and Building.



We Are Imitated But Unequaled.

OUR System of Changeable Individual Letters is more easily operated, much superior in appearance, and lower in entire cost than any other.

For *Building Directories, Bulletins, An-*

nouncement Boards, and every other purpose wherein rapid changes are required to be made.

The Letters stand out prominently from a dull background, and thus are more legible than a flat letter of greater size.

We Sell Outright—No Running Expense—First Cost Only Outlay.

Ours is the Original Changeable Letter System, and **IS THE BEST**, as is proven by thousands now in use everywhere.

Send for Catalogue and Descriptive Matter

C. M. KINNEY CO.

Successor to U. S. CHANGEABLE SIGN CO.

3 West 29th Street,

NEW YORK



Detail Elevator Door

United States Rubber Building, New York
Carrere & Hastings, Architects

The WINSLOW BROS. COMPANY

Ornamental Iron and Bronze

New York Chicago Los Angeles

Agencies in all principal cities of United States



BRONZE "CURVED WINGS" IN THE NATIONAL STATE BANK

(ILLUSTRATED IN THIS ISSUE)

A new type of Revolving Door Wings which permits egress automatically by the folding of the Wings under panic conditions, and yet retains all the advantages of the Atchison "Curved Wing," free folding, simplicity and durability.

Made by **THE ATCHISON
REVOLVING DOOR CO.**

In its own New Plant at INDEPENDENCE, KAN.
New York Address: 156 FIFTH AVENUE
Telephone : : : 5068 Gramercy



*Bronze
Entrance
Doors*

*Wilson
Building
New
York*

*Rouse &
Goldstone
Architects*

Made by

Penn Brass and Bronze Works, Inc.

*Architectural Bronze Work, Brass and Bronze Railings
Grilles, Mausoleum Supplies, Bank Fixtures, etc.*

*Brass, Bronze, Copper and Alumi-
num Castings of Every Description*

36 to 40 Penn Street, Brooklyn, N.Y.

JUST PUBLISHED
**Practical
Cement Work**

By W. B. HENRY

PRICE, 50 CENTS

A book that will be of assistance to you every day in the week, no matter what line of cement-concrete construction you are engaged in.

Neatly Bound in Cloth

112 Pages—4½ x 6½

CONTENTS:

Portland Cement, The Unit of Purchase, Storing Cement, Sand, Aggregates, Mortar, Formulas, Mixing Aggregates, Concrete, Reinforced Concrete, Form Building, Waterproofing, Coloring, Cost Data, Testing Cement, Foundations and Walls, Cement Houses and How they are Built, Cement Plaster and Stucco Houses, Water and Steam Curing, Condition of Seasoning Blocks, Sand Lime Brick, Sidewalks, Floors for Cellars, Basements and Stables.

Address

THE CONCRETE AGE

ATLANTA

GEORGIA



The Architects' Building
N. E. Corner Park Avenue & 40th Street
New York

*For space in this
building apply to*

**Ewing, Bacon &
Henry**

30 Church St. New York

Telephone Cortland 118

Wilson's Venetian Blinds



The following hotels are equipped with Wilson's Venetian Blinds:

The
Emerson Hotel,
Baltimore, Md.

The
Taft Hotel,
New Haven, Conn.

The
Vanderbilt Hotel,
New York

The accompanying cut shows one of the windows in the new Vanderbilt Hotel, New York.

Models on view at salesroom

Jas. G. Wilson Mfg. Co.

3½ West 29th St., New York

Also manufacturers of Rolling Steel Shutters and Wood and Steel Rolling Doors and Partitions.

The Up-to-Date Mechanic Wastes No Time

Progress demands new methods—the man who is most progressive makes the most money. There was a time when wood plugs or filling in was the proper method for fastening fixtures to walls and floors of tile, concrete, etc. Today the proper and economical method of fastening fixtures is with

Sebco Expansion Bolts



Mechanics use Sebco Expansion Bolts and Sebco Screw Anchors because they know that they are the only satisfactory means of fastening fixtures. Sebco Products have a national reputation. We have a special catalog No. 34 and free samples which you should write for.

STAR EXPANSION BOLT CO.
147-149 Cedar Street, New York City

A NEW AUTHORITATIVE WORK

Ransome & Saurbrey's

Pub. April, 1912

Reinforced Concrete Buildings

By **ERNEST L. RANSOME** and **ALEXIS SAURBREY**
235 p., 6 x 9, illus., \$2.50 (10/6) net, postpaid

Mr. Ransome is probably the best known concrete specialist in the country. He was the great pioneer in its introduction. Mr. Saurbrey, now associated with him, has had unusual facilities for investigation and study. The book is written for engineers.

It does not rehash the standard data. It is full of unusual material on patents, design and practical details of construction.

CONTENTS

Part I. Chapter I—Personal Reminiscences. II—Basic Patents and a Short Survey of the Early History of the Art.

Part II. Chapter III—Introduction. IV—Adhesion. V—Compression and Lateral Expansion. VI—Bending. VII—Transverse Stresses. VIII—Applications of the Bending Theory. IX—Initial and Allowable Stresses.

Part III. Chapter X—Materials of Construction. XI—Floor Systems. XII—Foundations. XIII—Finishing Operations. XIV—Fireproofing and Fires. XV—Repairs to Existing Buildings. XVI—Accidents. XVII—Superintendents Specifications. XVIII—The Engineer. XIX—The Theory of the Beams as Illustrated by Tests.

FOR SALE BY

THE WM. T. COMSTOCK CO.

23 Warren Street, New York

BOMMER

SPRING HINGES

ARE QUALITY GOODS

But cost no more than inferior kinds



DON'T ERR IN JUDGMENT when specifying spring hinges, which of all hardware perform the hardest work. Bommer Spring Hinges never fail to give satisfaction, and have withstood the test of time. The springs never go lame. "Practically Unbreakable," says the World's Fair Award, Chicago, 1893.

GOLD MEDALS: Paris, 1900; Buffalo, 1901; St. Louis, 1904.

All Who Figure on Hardware Contracts Can Supply Them

BOMMER BROS., Mfrs., Brooklyn, N. Y.

Est. 1876

When writing Advertisers, please mention Architecture and Building.

ARCHITECTURE AND BUILDING

A Magazine Devoted to Contemporary Architectural Construction

VOLUME XLIV.

SEPTEMBER, 1912

NUMBER 9


ARCHITECTURAL RESEMBLANCES

By J. L.

MICHAEL ANGELO said "Only an inventor can use the inventions of others." Whether he said this when off his guard I cannot, of course, say. It was the truth, and the indiscretion of such an admission—in fact of any admission—is evident to any foolish person. What if he had written it and signed his name to it, and a commission of critics had called him to an accounting? And what if they had refused to write a word about him and we folks, four hundred years off, hadn't known who did what he did? Perish the thought! It is also related of Michael Angelo that when he left Florence to go to Rome to build St. Peter's he turned

his horse's head on the last hill from which the noble cathedral, built by Brunelleschi, is visible, and said, "Like you I will not build; better than you I cannot." During the many years when he toiled and studied in the building of St. Peter's, at Rome, he had in mind this thought, yet he built a dome whose intrinsic form was mighty like that of the model which he was scheming to avoid—not in details, not in ornamentation, but in the general conception.

What, after all, is this notion of being different, of doing things that are different? In a certain sense it is an appeal to the populace, a kind of demagoguery, and demagoguery we all know




BIBLIOTHEQUE STE. GENEVIEVE, PARIS.

to be wrong. Something strange and startling, the like of which never was seen on sea or land—that's what the crowd wants. But do they? Are we not coming, in this day and place, to a new era, where, if everybody doesn't own an

it were, this is the true province of the architect. And it is a question whether a whole lot more architects would not get into the Cyclopaedia if they followed this principle.

And this brings us back to the words



NEW YORK PUBLIC LIBRARY.

automobile, at least he has an education and the first glimmerings, let us hope, of taste? There's nothing new under the sun, anyhow, so why must architecture be different in each case? A truce to all such humbug! The human mind cannot conceive anything that it has not perceived.

Sculpture and architecture are akin. When sculpture deals with the human form it takes it as it finds it; it does not attempt any novelties. The highest art of the sculptor is shown in refinement of form, rendering of expression, putting a soul into the image, something subtle, ineffable.

Architecture should take things as it finds them; it should not indulge in novelties. The beautification of the constructive truth that makes the architectural form that lies beneath the skin, as

of Michael Angelo first quoted: "Only an inventor can use the inventions of others." It takes a great architect to prove this.

Until the completion of the New York Public Library, facing Bryant Park, America had one great library building, the Boston Public Library, a building whose main entrance a noted visitor, Mr. Arnold Bennett, recently declared should make it a Mecca for all the world. Since the completion of the New York Public Library there is on view from the rear a structure whose beauty will come to be regarded as being as great as that of the Boston building. The front of the New York Library is ordinary to a degree; the same may be said of the two ends. When the rear elevation is discovered by the critics I make this prediction, that it will be

acknowledged that Carrere & Hastings have, in part at least of this one of their works, done something really great. Whether some sharp eyes shall discover that the rear of the New York Library was lifted from the Bibliotheque Ste. Genevieve or from the Boston Library, I will not venture to say. If it helps to make the building famous and causes the crowd to gather, it may be better than if, as now, the contemplation of it is confined to the discouraged occupants of the park settees whose thoughts of architecture are presumably in abeyance. Those whom I have seen on the benches

were either sleeping the sleep of the intoxicated or reading the help wanted columns in the newspapers.

The charge that Charles Follen McKim lifted the Bibliotheque Ste. Genevieve for his Boston Library reminds one of the accusation made by General Grant's enemies that he drank too much whiskey. Lincoln's reply that he would like to get a few barrels of the same brand to give to his other generals makes one think what a pity it is that there are not some more buildings like the Bibliotheque Ste. Genevieve to be lifted.



BOSTON PUBLIC LIBRARY.



ST. PAUL'S, ROME.

THE HOLLOW-TILE FIREPROOF HOUSE

Article X.—Sand Moulded Concrete Floors and Ceilings.

By FREDERICK SQUIRES

AXIOMS of architectural design unchanged since Roman times, are combined in this interesting subject with engineering principles new as the use of reinforced concrete. The coffer found expression as a principle of architectural design in the Roman ceilings, and still exists architecturally in our best work. This span of time is tellingly illustrated in the ceilings of the old Basilica of St. Paul, at Rome, and the unfinished Avery Architectural Building at Columbia. The engineering features I will describe.

The strength of a concrete beam depends on its depth, and for this reason the same quantity of concrete and reinforcement divided into parallel beams with a thin top slab will carry a greater load than an equal amount in a solid slab, which is really a series of contiguous beams. Because they cross-bridge each other, the same quantity of concrete in beams crossing at right angles will carry more load than an equal amount of concrete forming parallel beams. This beam method is a better way of distributing concrete than the slab method because of the following peculiar qualities of concrete. It has great power to resist destruction by compression and shear, but little, if any, to resist destruction by tension, for which reason it must be strengthened where subjected to tension by steel (very aptly called "reinforcement.")

It is ABC to the engineer to divide the section of his slab or beam by a neutral axis at its center regarded vertically, and to consider the material above this axis to be subjected to compression and the part below to tension, the quality that keeps these two from acting independently being the strength to resist shear.

The concrete above the neutral axis, that in compression, is doing what it is physically best qualified to do, namely to provide compressive strength; but the concrete in the tension zone is quite unfitted for any job except to tie the reinforcing steel into its harness.

It will thus be seen that in the part of a concrete slab below the neutral axis there is a great amount of idle concrete. When the lower part of the construction is divided into beams, the amount of idle concrete is greatly reduced, owing to the voids formed between the beams. An ideal condition would be to provide just enough concrete in the lower half to cover the iron and sufficiently fireproof it. This is a far cry from slab construction. The slab on top of the beams is concrete strictly on its job, doing good compressive work. The persistence of flat slabs over the beam and slab systems in concrete construction is due, in a large measure, to the difficulty of construction and consequent expense of wooden forms and the inelasticity of the wood form method. I believe both are now removed by the cheap and elastic qualities of sand moulding, and the coffered beam method which is both artistic and structural, is made practical.

The concrete beam and tile construction is not the ideal method because the tile is but a filler to give depth to the beam, and after the beam is cast it is useful principally to give a surface for plastering. This tile filler, because it must be a rectangle, ties the construction up to two forms—beams running in one direction, or in two directions at right angles to each other.

Too much effort has been directed to



LIBRARY CEILING OF THE NEW AVERY BUILDING, ARCHITECTURAL SCHOOL OF COLUMBIA UNIVERSITY.

obtaining a flat surface for plastering. Either tile blocks are required, or when plastering is to go directly on concrete, the aggregate for the concrete must be cinders, a very questionable material for constructive purposes. That such indirect methods should be used in the interests of plaster presupposes plaster to be the most desirable material to expose for a ceiling. This was true up to a recent date, but it is no longer true. Concrete has been so far beautified that its appearance is better than plaster. Compare a plaster cast in high relief with its duplicate in concrete. The plaster by comparison is cold and cheap. It lacks the color, the texture, and the appearance of solidity which are present in a high degree in the concrete image. Architects have

gone so far as to leave off the hard finishing coat of plaster and roughen with sand the final coat in order to get away from the staring dead white surface of common plaster. When not roughened, plaster must be tinted. All this shows that the appearance of plain-finished plaster work is unsatisfactory.

When the question of elaborating the architectural effect of the six surfaces of a room is considered, it is always the ceiling which receives the most attention. This is true alike in the public building—as witness the ceilings of the New Theatre, the New York Public Library, and the waiting room of the Pennsylvania station—in the city house and in the country house. It is an accepted principle of design and decoration. The designer of the public work may execute



FIG. 1. PLASTER IMPRESSION FROM A CLAY MODEL.

his ceiling in stone, the city mansion designer in plaster or carved wood and color, and the country-house architect in

moulded wood beams, but each in his own way puts the greatest emphasis of his interior on the ceiling. This is true now, and it always has been true, and always will be.

With the use of the light-colored cements, concrete advanced rapidly in beauty. Since concrete is a combination of cement, sand, and stone, there is no difficulty in obtaining the appearance of certain natural stones, marble for example, by mixing broken or powdered marble with cement and sand. Beautiful reproductions of marble statuary in concrete are results obtained every day. The difference in cost and the similarity of the result between pouring a liquid into a mould, and chiseling the same form out of a block of stone is responsible for much of the present-day activity in moulded concrete. Most lovely colors are easily obtained. The surface is dull




FIG. 2. THE PLASTER IMPRESSION, THE GLUE MOULD AND ITS PLASTER REINFORCEMENT.

and so gives a chance for display of soft tones.

It is concrete—a material which may display stone as a part of itself—which may be so mixed as to produce beautiful colors, and which gives its best structural



FIG. 3. PLASTER FORMS AND REINFORCEMENT IN POSITION.

results in the architectural form of a coffered ceiling, which we are now going to make into ceilings with sand moulds.

The invention here described in floor construction involves the decoration of the ceiling and the casting of the constructive floor in the same operation. It may be described as the placing on a wooden centering of temporary forms of moulding material, the placing of reinforcement into the spaces between the moulds and the pouring of the concrete around and over these forms and the subsequent removal of all the temporary work, leaving the completed concrete ceiling in the inverse image of the moulds. In the flexibility of the material for the moulds, the temporary fluid quality of concrete, and the wide range of material which may enter it and give it character, rest the possibilities of the scheme. The drawings illustrate how simple it is to divide the ceiling into myriad combinations of

forms, practically kaleidoscopic. Add to this the fact that the method welcomes all the compressive forms, such as the classic and Gothic, the dome and the vault, and it is immediately seen that the number of possible combinations of forms is limitless. There is a wide range of combinations of aggregates which may be used to make up the concrete—marble, limestone, granite, quartz—and boundless possibilities for insertion into the moulds of mosaics of glass or tile which will be held and displayed in the finished concrete. Architectural forms like the rosette may be cast separately and inserted into the moulding sand and so arranged as to bond in with the slab after the removal of the sand. The forms

may be sprayed with a liquid mixture of cement and any sparkling material such as broken glass, and a shell of it formed over the moulds which will be the visible part of the slab when the forms are removed.

Another scheme lately developed is the




FIG. 4. COVERING WITH CONCRETE.

enrichment of concrete ceilings by blowing upon the wet slab a mixture of cement and color, which is literally cemented to the ceiling by its own chemical affinity. Colors may be applied directly to the top of the mould by pouring on a film of the liquid coloring material and cement and allowing it to harden a

little before the commoner materials of the bulk of the slab are poured. The obvious method of forming panels of cement and using them as permanent forms has been tried and is here illustrated, but this lacks the fascination of the fluid method and has some physical disadvantages.

Before bewildering the reader with a multiplicity of suggestions, it may be

about sixteen inches square was drawn to full size in the office and sent to a plasterer, who made a clay model of it from which he made Fig. 1, a negative impression to be used to make the glue mould. Fig. 2 shows the glue mould in the middle, below it a plaster reinforcement into which it sets, and above it a typical negative or plaster form. Fig. 3 shows the plaster forms



FIG. 5. THE EXPERIMENTAL SLAB CAST FROM THE PLASTER MOULDS.

well to explain the process by means of photographs. He will see for himself just what wonderful chances there are.

For over a year I tried experiments in moulding materials before I settled on moulding sand as the best. Clay gave results but had to be covered with paper in order not to soften under the moisture of the concrete. Plaster was next considered. A coffered unit

in place with the reinforcement in its proper position, and Fig. 4 shows how it is intended to place the concrete. Fig. 5 shows the experimental slab cast from these plaster forms. The plaster method was not ideal because of the time it takes to make the plaster forms and the loss of these by breakage when they are removed from the finished concrete ceiling. The glue mould also has to be renewed

after every dozen casts and it consumes time and increases the expense in re-making.

The coffers shown in Figs. 6, 7 and 8



FIG. 6. PRE-CAST PERMANENT FORMS.

were pre-cast and set in place as permanent forms. The disadvantages of this method are obvious from the photographs: the concrete forms are fragile. They offer, however, the advantage of a



FIGS. 7 AND 8. PRE-CAST PERMANENT FORMS. REINFORCEMENT PLACED AND CONCRETE BEING POURED.

good opportunity to treat the concrete with brush color or acid after it has partially set, and the concrete used over the

permanent forms may be of ordinary materials and the forms themselves may be cast in durable metal moulds. On the other hand, they add nothing to the strength of the floor construction and are a positive load. They would have to be cast with a mechanical bond for the backing material because the cohesion between the two concrete surfaces could not be definitely counted on.

In justice to this method be it said that the difference in appearance of the four coffers in the picture was an intentional one and was due to an effort to study a different color effect in each one.



FIG. 9. THE MATRIX REINFORCED WITH CLOTH, USED FOR THE SAND MOULDS.

Fig. 6 is a view of the coffers as they would appear in the finished ceiling. Fig. 7 shows the reinforcing in place, and Fig. 8 the method of pouring with concrete. This method has possibilities but is not yet developed to the extent of the sand mould method.

The practical sand mould method is shown in the following pictures. I got the sand method idea by watching children at play on the beach. They happened to groove the hard sand in a grid-iron pattern with their hoes, and these grooves seemed strong enough to receive concrete without losing shape. A few

experiments with beach sand, a little attention to the iron moulders, and the idea of sand moulds for concrete floor construction began to evolve. When I called to mind my modeling experience at Columbia, the idea of highly decorated ceilings made from sand moulds

of the beam all around. On two sides are cast projections for handles. Where decoration is not desirable or required this matrix may be made of wood, and this was also done in these experiments, and illustrated here with photographs of the wood mould empty, sand filled and



FIG. 10. THE WOODEN MATRIX.

became a conviction. After a winter of experiments, the first floor was modeled and poured, and the following photographs were taken during the process. The matrix or moulder shown in Fig. 9 was made from the same design as the one used for obtaining plaster forms.



FIG. 12. THE WOODEN MATRIX, WITH THE PALETTE COVERING IT.

covered with a palette and the finished cast slab (see Figs. 10, 11, 12 and 19). The process of making sand moulds from the plaster matrix is ridiculously simple. The sand is ordinary moulding sand which in this particular case was mixed with marble flour



FIG. 11. THE WOODEN MATRIX, SAND-FILLED.



FIG. 13. TAMPING THE SAND INTO PLACE IN THE PLASTER MATRIX.

It is a positive and is made of thick plaster reinforced with cloth mesh to give it wearing qualities. It is the exact size of the unit including half the width

placed there to adhere to the concrete slab and lighten its color. The matrix is set on two parallel two-by-four studs laid on the floor and the dampened moulding



FIG. 14. THE SAND MOULDS WITH THEIR PALETTES SET ON A TEMPORARY CENTERING.



FIG. 15. THE REINFORCING BARS PLACED BETWEEN THE MOULDS.



FIG. 16. THE CONCRETE PARTLY POURED.



FIG. 17. THE FLUID CONCRETE IS POURED BETWEEN THE SAND MOULD AND FLOWS UPWARD AND OVER THEM.

sand is heaped into it and tamped by gentle blows from the sand bag, both shown in Fig. 13. When full, the top is leveled with a straight edge and a palette of $\frac{7}{8}$ -inch wood, made just the size of the matrix, is set on top and the moulder overturns the two, settling the palette down on the two-by-fours and freeing the sand mould from the matrix by a gentle blow with the sand bag. Then the matrix is lifted and the palette with its sand mould is set on the temporary centering, as is illustrated by Fig. 14. These moulds are hard enough when placed but they can be made almost like iron by mixing the sand with flour water or molasses, and baking, a method unnecessary in ordinary work. Rosettes may be precast in concrete and provided with a stem which will protrude through the top of the matrix and extend above the sand in the mould, these stems serving as mechanical bonds between the rosettes and the slab. As has been said before, these sand moulds, now in place, may be treated in an infinite number of ways by covering with broken glass, stone aggregates, tile insertions, colored cements and powders to provide effects in the finished ceiling.

Fig. 15 shows the reinforcement laid in place in the beams. Also the plank pouring platform and the ladders on which the concrete is raised, are shown in place. A man stands ready to place the concrete, part of which is seen already poured on the extreme left of the picture.

Fig. 16 shows the concrete mounting up along the sides of the sand moulds and in Fig. 17 it has completely covered some of them. None of the moulds were injured by the concrete, which was poured from pails and the only care used was in directing the stream along the beams and not directly upon the top of the sand moulds.

Panels of ceiling done in 16-inch sand moulds from the elaborate plaster matrix are shown in Fig. 18, and Fig. 19 shows the result with sand moulds done from a simple wooden matrix. I am now framing a casting made for a matrix which will give more sharply cut results than either of the others.

In concluding this description of what has been a most engrossing series of experiments, I believe that a wide new field in design has been opened for the architect and concrete engineer.



FIGS. 18 AND 19. PANELS FROM THE CEILINGS CAST FROM SAND MOULDS, MADE FROM WOODEN AND PLASTER MATRICES.

FAILURES IN BUILDING CONSTRUCTION AND THEIR LESSONS—III.

CONCRETE COLUMNS

By EDWARD GODFREY

SO-CALLED reinforced-concrete columns, columns of plain concrete with slender rods embedded in them (without close hoops or spirals to hold these rods rigidly in line), are a prolific source of failures; and the marvel of it all is that with the large number of these failures and the great loss of life and property they have occasioned, the eyes of engineers have not been opened to their absolute untrustworthiness—this in spite of the fact that laboratory tests point to the same conclusion. Designers go merrily on proportioning and building columns of this kind and discussing the loads they can sustain with an assumption of accuracy that is about as far from truth or science as a Hindoo's incantations over a broken bone are from the modern science of surgery.

If these designers use a square or round-shaped wire around their slender rods, spaced a foot or more apart, they call it a hooped column.

Every great reinforced-concrete wreck, about a half a score in number, has had these rodded columns, which the latest proposed building code for New York, on page 83, rightly, though probably inadvertently calls "plain columns."

The writer has been vigorously condemning this kind of so-called reinforced-concrete columns for six years. With arguments that have never been answered, in his book, "Concrete," and in a paper read before the American Society of Civil Engineers, March 16, 1910 (Some Mooted Questions in Reinforced-Concrete Design), and in numerous communications to engineering periodicals,

the writer has pointed out the absurdity of such design.

Several critics have tried to read into the writer's arguments a criticism of hooped columns and have tried to cloud the issue by bringing in a lot of tests on hooped columns and massing them with slender rodded columns to mask the weakness of the latter. The nearest thing to an argument in defense of these rodded columns is an hysterical reference to the average strength of a lot of hooped and rodded columns as compared with plain concrete columns; and yet some plain concrete columns are 25 and 50 per cent. stronger than similar rodded columns, showing that the presence of the slender rods may weaken the column.

Reports on reinforced-concrete building failures are generally exceedingly misleading and barren of real information. They are usually in reality the work of lawyers who are looking after the interests of clients and aim to obscure rather than reveal the truth. There is so much similarity in them that they could almost be got up in blank form and filled in, if frequency of the wrecks should demand it, leaving a place to fill in "block of wood," or "shaving," or "sawdust," and the number of the column in which they were found; also a blank could be left for the location where a bad batch of concrete was found, as well as for the name of the dead workman who pulled out the props before the exact time was up. A few other standard findings could be incorporated in the form, together with a line stating that the design was found faultless.

If a single rivet were omitted in a



FIG. 1. PHOTOGRAPH OF WRECKED BUILDING AND SEASONED COLUMN WHICH FAILED. POINT OF FAILURE INDICATED BY CIRCLE.

steel frame building, and the entire building were wrecked on account of this omission, it would be nearly on a par with the supposed reason for these great reinforced-concrete building failures, so slender is the hair upon which the safety of these buildings depends. It ought not to be within the range of possibility that a little bad concrete, a little carelessness in cleaning out forms, a little laxness of inspection, could result in an awful wreck. It would not be possible, if the columns of a building were properly designed.

One of the great wrecks was the Hencke Building in Cleveland, O. This wreck is described in "Engineering News," Dec. 8, 1910. In "Engineering

News," Jan. 26, 1911, appears the report of the commission appointed to investigate this collapse, also a letter on the subject, written by the writer a few days after the published report of the failure. The letter is quoted in full below:

"The latest wreck in reinforced concrete described and illustrated in your issue of Dec. 8, 1910, p. 636, is just another finger of scorn pointed at the engineering profession.

"In spite of what the findings may be of the men who are investigating this wreck, there is enough in the photographs of the building to condemn its design and place it in the large class with all of the other great wrecks of reinforced-concrete structures. They may find a shaving or a wooden block in the wreck of one of the columns or build a worthless theory on a splinter, as has been done before, but the glaring truth stands out that plain concrete shafts are unfit to support heavy loads, and slender rods in these shafts do not reinforce them; also this harvest of death emphasizes the absolute need of a unifying element in all reinforced-concrete structures.

"The pictures of this wreck show two features of its design that condemn it, and yet one could read engineering literature concerning reinforced concrete for days without ever finding a hint of the danger of these features: one could also find many examples of these erroneous features in the work of experts of national prominence. Here is where the profession is to blame for these wrecks.

"In 'Engineering News,' in 1906, the writer pointed out the error in depending upon longitudinal rods in a concrete column. He has at various times condemned such design publicly in the most emphatic manner possible. A large reservoir roof in Madrid, a hotel in California, a building in Rochester, another in Philadelphia—all of these, the greatest wrecks recorded, had longitudinal rods in the columns. They could not possibly have failed as they did, if they had had tough steel columns or properly hooped reinforced-concrete columns.

"I have repeatedly flaunted these facts in the face of the engineering profession and challenged contradiction. In my paper, 'Some Mooted Questions in Reinforced-Concrete Design,' read last March before the American Society of Civil Engineers, and very widely discussed, I made very prominent a severe criticism of this flimsy method of design. Only

one critic came forth with anything resembling an argument, and he, by averaging an indiscriminate lot of hooped and other columns with steel in them, tried to satisfy himself that nursery columns are greatly strengthened by slender longitudinal rods. By cutting out four of these nursery tests in one group the averages for that group would tell exactly the opposite tale. This is supposed to be careful investigation! Some of the tests with no steel whatever were 25 and 50 per cent. stronger than others with steel rods in them. Astounding as it may seem the very pamphlet that shows these results, written by one of the best known authorities in this country, *recommends the addition of 17 to 20 per cent. to the strength of plain concrete columns for each per cent. of slender steel rods added!* Nearly all books on the subject are guilty of the same gross errors. It is time for plain speaking in this matter. Why do not these authorities come out and demonstrate their position with something better than a lot of averages that mask more than they reveal? Or else why do they not acknowledge their error?

"The nursery columns, loaded perfectly central, tell only a part of the weakness of these columns in a monolithic building. The least movement or settlement in such a structure, with no articulation and no toughness, puts excessive strains on the weakest part of the frame. In this construction it is the columns that are designed as mere props with no ability to resist bending. Cracks in these mean spalling and stripping of the concrete, and disaster.

"In one wreck the entire reinforced-concrete roof of a large building collapsed, because the concrete had been frozen and was not set. The top floor and the columns below it were not hurt. The columns were octagonal and were hooped. Their toughness saved the building. All this despite the fact that under test it developed later that the floors were not capable of carrying their supposed safe load.

"The unifying element referred to in the first part of this letter as being absent in the Cleveland building, is continuous rods through the columns to tie the beams together. In a steel building this is supplied by the rivets. In many reinforced-concrete buildings it is lacking. There is no sign of any such design in the photographs of this building. There is no doubt whatever that tenacity is the one thing that a reinforced-concrete structure needs both in the whole and in all of its members, particularly the columns. A column that can bulge out or be spalled off by the mere overcoming of the weak and uncertain tenacity of plain concrete is an unsafe column for heavy loads. Highly stressed slender rods aid in this bulging tendency and hence menace the strength of the column they are supposed to reinforce.

"It is a shame and a burning disgrace to the engineering profession that no more is learned from investigations of disasters such as this than that practical construction is not absolutely perfect, materials are not absolutely clean; such reports could be written thousands of miles away from the wrecks. The tremendously important lesson is ignored that these columns are absolutely untrustworthy.




FIG. 2. SKETCH SHOWING MANNER OF FAILURE OF COLUMN AND GIRDERS.

"If a man should aim a revolver point blank at another's heart, and wound him instead through the lung, and if the other man should fall dead of heart failure at hearing the report of the shot, physicians might demonstrate that death was due to fright at hearing the noise and that a cannon cracker might have produced the same effect, and they might clear the murderer by this technicality. If it is found that there was a bad batch of concrete somewhere that set off this wreck, it would supply a technicality such as the other, but it will not clear the engineering profession of wilful ignorance.

"It is the profession, as represented by its leaders in framing literature and its foremost members in the reinforced concrete field, that is responsible for this wreck and not the individual designer who may have done his utmost in following standard, though abominable practice."

Several other wrecks have taken place since the Hencke building failure. In one near Pittsburgh, exactly the thing occurred that the writer anticipated in the foregoing letter. A column on a totally inadequate footing settled more than an inch; the highly stressed parts of the building gave way first by spalling of another column, then by total collapse.



FIG. 3. PHOTOGRAPH SHOWING MANNER OF FAILURE OF RODDED COLUMNS.

A significant and instructive feature of this wreck was exhibited in the breaking by spalling and cracking of a column in a portion of the building (of somewhat different construction and of greater age), which did not fail. This column, though under but 200 lbs. per sq. in. of compression, and though situated 60 or 80 feet away from the wreck, broke apparently because of the mere trembling of the earth. The columns in the collapsed portion of the building were under three or four times as great compressive stress. They were demolished, and their "reinforcing" rods were curled up in fantastic shape, a characteristic of such failures.

The reason why these upright slender rods do not reinforce a concrete column is absurdly simple of explanation. When the concrete is poured and sets, it shrinks. The steel rods are then longer than the concrete or else are subject to an initial compression. When the load comes on the column, the tendency is to shorten it. This puts additional load first on the steel rods. A slender rod in compression will, of course, tend to buckle. These rods have only a little concrete over them to prevent them from buckling. Concrete

is no material to tie steel and hold it rigidly in line, and naturally the concrete readily spalls off, allowing the steel rods to buckle. This is doubly weakening to the column, for it cripples the steel and diminishes the concrete area in compression.

The foregoing explanation is so simple that any intelligent person can be made to understand it, and yet wise engineering authors stuff their books with foolish and highly theoretical trash purporting to show just how the compression in a rodded column is divided between the concrete and the steel. They recommend large increase in the calculated strength of a concrete column when a little ~~weakening~~ steel is added.

The only way that steel can be made to reinforce a concrete shaft is by supplying that which the concrete lacks, namely, tenacity. When the steel is in slender rods lying in the direction of the compressive stress, the tenacity of the shaft is in no wise aided. The sooner such wreck-breeding columns are eliminated from designs, from building codes, from committee reports, from books, the better for designers, for contractors, and for the public.

Figs. 1, 2, 3, and 4, illustrate the behavior of rodded concrete columns in wrecks.

In Fig. 1 the column near the center of the photograph is seen to be doubled over, illustrating its utter lack of toughness. For some days after the wreck this column stood upright, carrying no load, however, for the girders readily broke away from it. The upper part was pulled over to prevent its doing damage in falling. Imagine a steel column being broken over like this in a collapse and doubling up flat with the aid of a little rope.

The circle in Fig. 1 indicates the point of failure of the column loaded to 200 lbs. per square inch, referred to in this paper.

Fig. 2 shows the restoration of a wrecked column and the girders which it supported, as shown in an engineering periodical. The utter inadequacy of the rods as reinforcement of the concrete shaft is well shown. Fig. 3 is a photo-

graph illustrating the same thing. Note the long rods, stripped of any ties that may have been present. This standard of design usually has wires a foot or so apart that are supposed to tie in the vertical rods. Note also how the columns are broken away at the beam connections in both Figs. 2 and 3 illustrating the inadequacy of provision for shear. A hooped column (with close-spaced hoops) would not fail in this manner. A steel column made of stiff sections latticed or battened and filled and surrounded with concrete would obviate this weakness. This could be done either by providing steel seats for the girders or by running inclined reinforcing rods through the column.

Fig. 4 shows another example of a rodded column failure. The corner column, shown in the foreground, was of very large section and carried comparatively little load. The trifling strength of the column and lack of toughness are clearly shown by its failure.



FIG. 4. PHOTOGRAPH SHOWING FAILURE OF HEAVY CORNER COLUMN.

THE UNITED STATES RUBBER CO.'S BUILDING

CARRÈRE & HASTINGS, Architects

THE U. S. Rubber Company Building is located on the southeast corner of Broadway and 58th Street. Twenty stories of white, green-tinged Vermont marble, with dark indented window panels and a surmounting cornice of copper, wide projecting but tinted in color, make it a striking object to the south of Central Park.

We pass rapidly over the many points of the building which are good to look upon. There is a delicacy in its architectural design which is well supported by the materials employed, but for our discussion the structural features furnish a greater attraction.

The foundations are upon rock. Each column footing is made up of a grillage of steel beams set on a concrete leveling course and embedded in concrete. The walls of the sub-basement and basement start on a leveling course on the rock. Above the street level they are curtain walls. The structural frame is of steel, the heavy girders being built up and the lighter girders and beams being rolled sections. As shown by the framing plan of the tenth floor, the bays are of fairly regular division, despite the irregular shape of the building. Along the street sides the columns are spaced 14 feet center to center, and 20 feet 3 inches center to center between the outside columns and the next row. The floor system is terra cotta block side construction, and the main partitions running from floor to ceiling are of 4-inch and 6-inch terra cotta blocks according to the height.

The floor surfaces are of concrete, with the exception of the principal halls and corridors, and the toilet rooms, which have terrazzo flooring, and certain

floors and corridors in the company's offices, which have rubber tiling.

The interior trim of the building is of hollow steel, and Dahlstrom hollow steel doors are used in all openings. As exceptions to this general rule may be noted the railings and counters, and some partitions in the company's special offices which are of fireproofed wood.

All the windows of the two street facing sides have kalameined frames and sash glazed with plain glass. These were supplied by the Knoburn Co. The two sides facing adjoining property, and the light court to the east, have hollow metal frames and sash glazed with polished wire glass.

The elevator service consists of six Otis traction passenger elevators, three of which run from the basement to the 14th floor, and three from the ground floor to the 20th floor. There is one freight elevator with a rise of the total height of the building. There is a second freight elevator of short rise connecting the sub-basement, basement and first story, and a short rise passenger lift and ash hoist. Between the 14th and 20th floors, there is another short rise passenger elevator for service to and from the company's offices.

There are two principal stairways in the building, each enclosed in fireproof hallways. One of these stairways, as shown by the illustration of the rear of the building, is only approached by external balconies in the court. To reach it, it is necessary to go entirely without the building, approaching from the main elevator hall. The stairway is thus completely isolated from each floor except the ground floor where it gives on to the



THE UNITED STATES RUBBER BUILDING, BROADWAY AND 58TH STREET,
NEW YORK.


General Contractors: Norcross Bros. Co.
Electrical Engineers: Ewing, Bacon & Henry.
Kalamined Windows: Knoburn Co.

Carrère & Hastings, Architects.




principal hallway through a fire door. The other stairway is in the north wing and adjoins the freight elevator. This stairway is shut off from each story by a hollow steel door glazed with wire glass.

The plan of a typical story which is given, shows the location of the stair halls, elevators and the toilet rooms.



PLAN OF THE TENTH STORY.

THE REAR OF THE BUILDING, SHOWING THE BALCONIES LEADING TO THE ENCLOSED FIRE-STAIR.



FRAMING PLAN OF THE 10TH FLOOR. THE U. S. RUBBER BUILDING.

Structural Steel:
Post & McCord.
Carrère & Hastings,
Architects.



TYPICAL ELEVATOR HALL.



FREIGHT ELEVATOR AND CHUTE ENTRANCE TO BASEMENT.
THE U. S. RUBBER BUILDING.

Ornamental Iron: The Winslow Bros. Company. Carrère & Hastings, Architects.
Otis Traction Elevators. Star Expansion Bolts Used.
Corbin Hardware. Chicago Spring Butts Used.
Steel Rolling Shutters: Jas. G. Wilson Mfg. Co.
Hollow Steel Doors and Trim: Dahlstrom Metallic Door Company.



THE BOILER EQUIPMENT FOR HEATING.

Boilers Manufactured by the Fitzgibbons Boiler Co.

The fire balconies above mentioned, of which we show the construction details, are cantilevered from the wall, as shown by the section at A-A. The balconies themselves are built of reinforced concrete and the construction is a very simple and substantial one. The supporting beams of the balcony rest on a 20-inch I-beam in the wall, and are fastened under 12-inch channels at the inner face of the wall. The length of the balcony beams is 5 feet 4 inches.

The New York branch of the U. S. Tire Company occupies the sub-basement, basement, ground floor and mezzanine, and is the local sales department of the company. The 14th floor is occupied by the General Rubber Company, the 15th to 17th by the U. S. Tire Company and the 18th to 20th by the U. S. Rubber Company. The 2d to 13th floors of the building are rented to outside parties. Connecting the stories occupied by the

rubber companies there are private stairways as well as the short rise elevator, previously mentioned, for the facilitation of service.

A pneumatic tube system connects all the offices of the U. S. Rubber Company and the offices of its allied interests on the ground and upper stories, facilitating service and the delivery of messages at all points.

There are ducts run up through the building for various purposes, located mostly at the columns. Water supply circuits are placed in small chases, and plumbing lines in the larger ones. There are separate pipe shafts for each of the toilets and two separate shafts for the electric conduits and a shaft for low tension wires.

The finish of the building consists of a fine entrance hall, floored and panelled to the ceiling with Botticino marble topped with an ornamental frieze and ceiling in plaster. The upper stair halls



SALES ROOM OF THE U. S. TIRE CO., FIRST FLOOR OF THE U. S. RUBBER BUILDING.
 Clocks: The Magneta Company, Inc. Carrère & Hastings, Architects.
 Evans' "Crescent" Expansion Bolts Used. Grant Sash Pulleys.
 Metropolitan Detachable Push Button Switches. Stanley's Ball Bearing Hinges Used.
 Ornamental Plaster and Imitation Cuen Stone: H. W. Miller, Inc.
 Woodwork: George W. Cobb, Jr. "Fresco" White Paint Used.

are wainscoted with white marble with plain plaster above. The stair halls are plainly plastered with slate bases, and the stairways are of plain iron with slate treads. The elevator fronts throughout are of simply designed ornamental iron. This work was done by The Winslow Bros. Company. In the store the imitation Caen stone was put in by H. W. Miller, Inc., who did the ornamental plastering throughout the building. The trim, which is of mahogany, was done by George W. Cobb, Jr.

The fire protection system consists of three stand pipes concealed within the walls, one located in each stair well and one in the main elevator hall. The hose reels are open in the stair halls and enclosed in cabinets in the elevator hall. The doors to the freight elevator are Peelle automatic fire doors and a Wilson steel rolling shutter is used at the U. S. Tire Company's freight entrance and a folding type door at the general freight entrance.

An automatic sprinkler equipment is provided in the basement and sub-basement, and the stand pipes are in so that any floor of the building may be equipped if necessary. The supply is from two compression tanks placed on the roof.

In the offices of the rubber company the partitions are of African mahogany which is fireproofed wood, glazed with large glass panes. There is a Gamewell auxiliary fire alarm system installed, with signal boxes on every floor in the main elevator hall. There is a Magneta clock system throughout the building

with a fine double-faced clock in the store.

The mechanical plant is reduced to a minimum and is divided between the sub-basement and the roof. The sub-basement has coal pockets on the north side which open directly into the boiler room, wherein there are three Fitzgibbons heating boilers for the heating system and hot water supply. All equipment is in duplicate. There are two electrically driven vacuum pumps in connection with the heating system. The water supply consists of two electrically driven house pumps, a large suction tank, and three steam hot water heaters for low, intermediate and high supply, the building being divided into three sections for economy of service. There are three sump pumps for sewage disposal. The blower for the pneumatic tube system is located in the sub-basement. The mechanical ventilating system consists of a forced draft fan which supplies clean, cool air through a Webster air washer, and an exhaust blower which rids the rooms of the basement and sub-basement of foul air. On the roof in the pent houses are the overhead machines of the elevators, and various pumps. The vacuum cleaning is done by portable cleaners. Edison service is used for all power. Ewing, Bacon & Henry were the electrical engineers. Frank Sutton was the heating engineer. The structural steel was furnished and erected by Post & McCord, and the general contractors were Norcross Brothers Company.



PERSPECTIVE OF THE ARCHITECTS' BUILDING, PARK AVENUE AND 40TH STREET, NEW YORK.

Engineers and Managers: Ewing, Bacon & Henry.
Star Expansion Bolts Used.
Evans' "Crescent" Expansion Bolts Used.
Otis Elevators.
Fireproof Windows: S. H. Pomeroy Co., Inc.

Ewing & Chappell, } Associate
La Farge & Morris, } Architects.



THE WILSON BUILDING, WITH THE HOTEL MARTINIQUE AS A BACKGROUND,
BROADWAY AND 33RD STREET, NEW YORK.

Otis Elevators.
Dixon's Silica-Graphite Paint Used.
Stanley's Ball Bearing Hinges Used.
American Enameled Brick Used.
Metropolitan Detachable Mechanism Switches.
Fireproof Doors: Leonard Sheet Metal Works.

Rouse & Goldstone, Architects.



NATIONAL STATE BANK, NEWARK, N. J.

Builders: W. H. Fissell & Co. Cass Gilbert, Architect.
Mill Work: Fitzgerald-Speer Co.
Fireproof Doors and Windows: Leonard Sheet Metal Works.
Chicago Spring Butts Used.



NATIONAL STATE BANK.

Floors: General Kompolite Co.
Revolving Doors: Atchison Revolving Door Co.
Lighting Fixtures: The Browe Company.
A. B. See Elevators.
Metal Lath: Arthur Greenfield, Inc.
Grant Overhead Sash Pulleys Used.

Cass Gilbert, Architect.



AN OFFICE FOYER FLOORED WITH KOMPOLITE.



THE "CURVED WING" REVOLVING DOOR AT
THE MAIN ENTRANCE.



THE MAIN FOYER.

NATIONAL STATE BANK, NEWARK, N. J.

A. B. See Elevators.
Lighting Fixtures: The Browe Company.
Floors: General Kompolite Co.
Revolving Doors: Atchison Revolving Door Co.
Mill Work: Fitzgerald-Speer Co.

Cass Gilbert, Architect.

OTIS ELEVATOR BUILDING, NEW YORK

CLINTON & RUSSELL, Architects

IN order to bring all of its offices and departments under one roof, the Otis Elevator Company has erected on the east side of 11th Avenue, between 26th and 27th Streets, a new building which from the standpoint of construction is an excellent example of a building combining business offices and service work.

THE BUILDING AND ITS CONSTRUCTION.

The building faces on 11th Avenue with a frontage of 100 feet 2 inches on 26th Street and 125 feet on 27th Street. It has seven stories and is 117 feet high from curb to cornice. The first story is 18 feet 3 inches in the clear and has a mezzanine running its full length at the back. The second story is 13 feet 11 inches high, the third, 13 feet 2 inches high; the fourth, fifth and sixth 11 feet 8 inches, and the seventh story 12 feet clear. On the roof are the kitchen, tanks, and elevator pent houses. The garage which houses the company's machines occupies three stories on the ~~26th Street side~~ with a mezzanine floor between the first and second stories, and is entirely separate from the main building. Every contrivance for the proper care of the automobiles is included in this equipment.

The building rests on pile foundations capped with grillage footings composed of steel beams bedded in concrete. The frame is of structural steel, the beams and girders dividing the floor area into regular panels of about 20 feet square, which are spanned by Roebling system concrete floor arches.

The exterior walls are curtain walls

of brick. The street faces above the Conway pink granite base are of tapestry brick laid with half-inch joints. The faces of piers, and spandrels below windows are ornamented with a panel treatment in the brick work with ornamental cartouches of limestone. The interior court walls are of light buff brick. The building is topped ~~out~~ with a wide, overhanging, heavy pressed copper cornice of elaborate design. The live floor loads are 300 pounds per square foot for the second floor, 200 pounds for the third, and 120 pounds on all floors above. The first story rests upon the ground. The roof surface is of slag waterproofed in the usual manner on top of the concrete roof system.

There are four fireproofed enclosed stairways in various sections of the building leading from the entrances on the 26th and 27th Street sides and the main entrance on 11th Avenue.

The flooring throughout with the exception of the ground floor, which is of cement, consists of maple laid on sleepers with a cinder fill between over the structural floor system. In the private and executive offices quartered oak is used. The interior fireproof partitions are of 4-inch hollow-tile about all vertical openings through the building and about the private offices. Elsewhere the office partitions are of wood and glass, oak on the second, third and fourth floors, and mahogany on the fifth, sixth and seventh. The street facing windows have wooden frames and sash, the court windows have kalameined frames and sash, glazed with wire-glass. All doors



OTIS ELEVATOR BUILDING. MAIN ENTRANCE FOYER.

Tapestry Brick: Fliske & Co., Inc.

Chicago Spring Butts Used.

Evans' "Crescent" Expansion Bolts Used.

Clinton & Russell, Architects.

and trim in the stair wells and elevator shafts are of hollow metal. The doors are all self-closing.

THE ELEVATORS.


The elevator equipment comprises various types of machines of the latest Otis design.

FIRE PROTECTION.

The fire protection system of the building is very extensive. There is an interior automatic sprinkler equipment and a system of water curtains over the interior court windows. The standpipe and hose consists of three standpipes run up in three of the stair wells. The standpipes are 4-inch to the fifth floor and 2½-inch above. There are 29 hose stations in all, one of which is on the fire pump. The primary supply for the standpipe system is from the house tank of 10,000 gallons capacity. A sec-

ondary supply is from an external connection to this standpipe system from three Siamese steamer connections, one on each face of the building.

The automatic sprinkler system is wet piped throughout the building. It is supplied by a 30,000-gallon gravity tank, 20 feet above the roof and from a 750-gallon electrically driven rotary fire pump, located in the basement, and there is also connection to three Siamese steamer connections, one on each face of the building and separate from the connections supplying the standpipe system. There are three risers for the automatic sprinklers, one 4-inch and two 5-inch. There are no alarm valve connections on the sprinkler system. The sprinkler system is open-piped throughout, with the exception that in the entrance hallway and in the offices of the top floor, invert-



ELEVATION OF SOUTHWEST CORNER.


Clinton & Russell, Architects.



OTIS ELEVATOR BUILDING, 11TH AVENUE, 26TH TO 27TH STREETS, NEW YORK.
 Builders: The Thompson-Starrett Co.
 Tapestry: Brick, Fluke & Co., Inc.
 Coatings and Roofing: Herrmann & Grace Co.
 Switchboards: Metropolitan Electric Mfg. Co.
 Clinton & Russell, Architects.



THE PRESIDENT'S OFFICE.



TYPICAL FLOOR PLAN.
OTIS ELEVATOR BUILDING.

Clinton & Russell, Architects.



OTIS ELEVATOR BUILDING. SALES DEPARTMENT.

Metal Windows: Herrmann & Grace Co. Clinton & Russell, Architects.
Hollow Steel Doors and Trim: Dahlstrom Metallic Door.
Corbin Hardware.
Star Expansion Bolts Used.

ed sprinklers with concealed pipes are installed. International Heads are used.

The dry pipe, open sprinkler system which is designed to provide a water curtain over the court windows exposed to external hazard, is designed to receive its supply directly from the fire pump in the basement.

SERVICE AND POWER EQUIPMENT.

All power for the building is supplied by electric current obtained from the Edison service. A vacuum cleaner system with exhaust pumps in the basement and piped outlets leads to all points in the building. There are filters for the water supply and the water is chilled by ice coolers located above the drinking water fountains—two on each floor. Individual drinking cups are furnished for employees' use. The vacuum steam heating system is supplied with steam from three low pressure boilers located in the

basement. For inter-department correspondence and orders, there has been installed a 15-station Lampson pneumatic tube system. There is both Western Union and Postal Telegraph service.

DEPARTMENT DISTRIBUTION.

Department distribution and the uses to which the various floors are put form an economic problem which we can but briefly discuss. The first and second stories are devoted to machine shops for the construction and service departments. The basement is occupied by the heating plant, pumping machinery, filters and other equipment for the house service. On the third and fourth stories are located the service department, drafting rooms, manufacturing and order departments, purchasing department, etc. The treasurer's and comptroller's departments, the legal and cost departments occupy the fifth story.



OTIS ELEVATOR BUILDING. THE BOARD ROOM AND VICE-PRESIDENT'S OFFICE.
Grant Sash Pulleys. Clinton & Russell, Architects.


The sixth story furnishes space for the general sales manager's office, sales, estimating, escalator and advertising departments.

On the seventh story are located the executive offices, board room, engineering room and the dining rooms for the company's employees.

SHOW ROOM.

To the right of the main entrance there is a show room for exhibiting elevator parts.

The building was built by the Thompson Starrett Company under the supervision of Clinton & Russell, architects. Fiske & Company, Inc., tapestry brick were used for the exterior. The automatic sprinklers and water supplies were installed by W. L. Fleisher & Co., Inc. Dahlstrom hollow steel doors were used. The copper cornices and metal windows were put in by the Herrmann & Grace Company. Loomis-Manning water filters were used.



FRAMING PLAN FOR 4TH, 5TH AND 7TH FLOORS.
OTIS ELEVATOR BUILDING.

(Advertisement Continued from August issue)

Read This Letter

Here is the Proof after 10 Years' use

Escalators (or Moving Stairways) are Indispensable wherever Installed



Escalators or Moving Stairways are the most practical way of handling people en-masse—of making each floor or level accessible and usable. Escalators have proved the key to progress where the safe, quick and comfortable handling of large masses of people is concerned, not only in public service stations, but also in the great stores and mills. Escalators have demonstrated that they are indispensable wherever they have been installed. Actual everyday experience for over ten years has shown that Escalators have solved the difficult phase of the transportation problem. Escalators should be in every private and public place where the safe and speedy removal of people from one level to another is a pressing necessity.

Escalators will pay for their cost in the saving of employees' time and energy. Statistics prove that employees climbing old-time stairs so deplete their energy that on an average the first quarter-hour of each individual is a dead loss; whereas using the Escalator each employee is transported quickly, safely, comfortably and without physical effort;—thereby conserving every atom of their energy, saving their time and largely increasing their efficiency.

Running continuously in one direction no time is wasted in stops to load or unload—no power is wasted in intermittent starting and stopping—no operator is required—there are no back-tracks—no discharging and rehandling of passengers—the movement is continuous. It will handle from 6,000 to 11,800 passengers per hour, and keep up this capacity year after year. An electric motor is all that is required for operation, and the current cost, results considered, is relatively small.

Without obligation our Engineering Department will supply full information and submit estimate of installation cost. Correspondence invited.



**Otis Elevator Company,
New York City.**

Gentlemen:

In answer to your letter of recent date as to the value of the Escalators or the carrying capacity of each, I wish to state that our machine leading from the Main Floor to the First Floor, has a carrying capacity of from six to ten thousand (6,000 to 10,000) people per hour. Of course, as this machine carries that amount of people, and with our eight (8) Elevators carrying passengers also, our machines on the upper floors have to carry crowds corresponding. So in answer to your question as to their value, I must say that these machines are invaluable.

When you come to carry from eight to ten thousand people per hour on a machine, it obviates all possibility or chance of the machine being installed either for play or for a joke.

I might add with regard to those machines in department stores such as ours, or any similar to ours, that they play just as important a part in the store as does the counter over which the goods are sold. In fact, in any of our big stores it would be impossible to transfer the people from one floor to another without the aid of Escalators.

The store wishing or intending to try to get along without them would find themselves badly handicapped during the busy season.

Respectfully yours,

GREENHUT-SIEGEL COOPER COMPANY,

W. H. A.

Chief Engineer.

WH/HA

Otis Elevator Company

Eleventh Avenue and Twenty-Sixth Street, New York

Offices in all Principal Cities of the World

When writing Advertisers, please mention Architecture and Building.

BOOK REVIEWS

HOW TO PLAN A LIBRARY BUILDING FOR LIBRARY WORK, by Charles C. Soule, Boston. The Boston Book Company. Cloth. Price, \$2.00.

At last we seem to have presented before us in the seventh volume of the Useful Reference Series, a book which tells us practically everything about library planning. An editorial preface to the work comments on the author's capacity for the work as a competent authority in the field of library building and planning, although a librarian and not an architect. In the author's preface he outlines the following themes of the volume: Pre-eminence of utility over display; the practical nature of library work; the importance and variety of its details; their differentiation from other kinds of work; the vital need of consulting library experts. In the table of contents he epitomizes the book. To comment on the contents of the book in detail is difficult. To generalize, we may say that to the architect planning a library, the information is so essential that we believe he would be foolish to essay his problem without considering the contents of these pages, for so fully into the detail of a library's requirements has the author gone that an architect must needs plead ignorance of his subject if he has not perused its pages. The publishers present an interesting question as to the matter of illustrations. Feeling that the illustration of the book at all required an extensive use of plates, the author has treated the subject in text only and a query blank is sent out with each book requesting the reader's opinion; if he would be interested in a supplementary book of illustrations which the publishers stand ready to prepare if there is a demand for it.

THE ART OF ILLUMINATION, by Louis Bell, Ph.D. Second Edition, thoroughly revised, enlarged and reset. McGraw-Hill Book Company, New York. Cloth. Price, \$2.50 net.

The author of this work in his preface comments upon the great advance in the available materials for artificial illumination which have come into use within the last few years. The great advances in the appliances for illuminating purposes have so completely changed the physical aspect of the subject that the thorough revision, enlarging and resetting of this second edition was necessitated. Both gas and electric illuminants and methods of their use have completely altered in a decade and higher efficiency is to be noted on every side. The principles of illumination have remained the same, and in that portion of the book which deals with photometry there is little change. In the illuminants themselves

we find a completely new collection of illustrations and an accompanying text. This work is a technical treatise and it is one for the use of the engineer and the student of lighting. Practical application of theory is of limited extent, but the theory itself is well and thoroughly presented.

KNOTS, SPLICES AND ROPE WORK, by A. Hyatt Verrill, New York. The Norman W. Henley Publishing Co. Price 60 cents.

As is necessary in such a volume, the illustrations are the main feature, as they tell more than a very extensive explanation in the text. There are some 150 illustrations, which show an almost limitless variety of the ordinary knots, splices and fancy knots which may appeal to the amateur yachtsman both as a pastime and for actual use.

MODERN ILLUMINATION THEORY AND PRACTICE, by Henry C. Horstman and Victor H. Tousley. The Frederick J. Drake Company, Chicago, publishers. Flexible leather. Price, \$2.

This work, we believe, will supply the demand for a practical working treatise on the subject of illumination. The efficient use of artificial illumination involves efficiency of the source of light and its application, and also economy in maintenance and operation. This subject has received within the last few years a deservedly careful consideration from engineers who have specialized in the subject and made it a special field of study. This work now presented is intended for the practical workman and it gives sufficient of the theory of illumination to give its users a comprehension of the underlying principles which govern the practical work which they do. This book should be as equally useful to architects and building superintendents as it is to electricians who make it their business to install lighting equipments.

The chapter on plans and specifications should be of use to all, as it gives concisely the elements involved. Among the subjects treated in the chapters of the book are illumination, calculations, characteristics of electrical luminants, shades and reflectors, location and height of lamps, indirect lighting, practical considerations, plans and specifications, illuminating tables and a glossary of terms and phrases.

The chapter on practical considerations deals with the illuminating of apartment buildings, taking them up room by room, art galleries, ball rooms, banks, barber shops, billiard halls, bill boards, churches, department stores, desk lighting, electric signs, factories, hospitals, hotels, libraries, moving picture theatres, outline lighting, saloons, shelving, street lighting, theatres, train lighting and many other special conditions. The suggestions are all valuable and practical.

Barrett Specification Roofs

Rulan &
Russell
Architects

E. J.
Thompson
Co., Garage
Pittsburgh,
Penn.

The Choice of First-Class Architects

THE better the building, the more certain that it will have a Barrett Specification Roof, be an first-class buildings are the work of first-class architects and engineers, and they know the relative values of the different types of roofing.

They know that a Barrett Specification Roof consists of five layers of Specification Felt cemented together with continuous layers of Specification Pitch, with a top surface of slag or gravel. It is built on the roof without the narrow joints or laps like tin or ready roofings.

They know that a Barrett Specification Roof is a substantial, fire resistant roof, accepted at base rates by insurance underwriters.

They know further that its cost is less than that of any other permanent roofing and that its maintenance cost is nothing, making a net cost per foot per year of service, of about $\frac{1}{4}$ of a cent.

The Pittsburgh garage, illustrated herewith, is an excellent example of modern fireproof concrete construction. Such buildings as this one are almost invariably covered with Barrett Specification Roofs.

A copy of the Barrett Specification will be sent, on request, to any architect, engineer or property owner. It formulates a precise and practical way of laying these roofs to secure the best results at the least expense. Address our nearest office.

Tar-Rok Sub Floors

Floors of this character have been extensively used for over twenty years and are especially recommended in factories, machine shops, store houses, etc.

COST—They cost less than piers and heavy timbers and extra excavation necessary to provide required air space beneath.

RIGID—They provide for absolute rigidity. No vibration is possible, regardless of character of machinery.

STRENGTH—The load they will sustain is limited only by the earth underneath.

DECAY—They protect absolutely against decay from ground dampness.

ADAPTABILITY—They are suited for any heavy construction where wooden wearing surface is desired.

Special Note

We advise incorporating in plans the full wording of The Barrett Specification, in order to avoid any misunderstanding.

If any abbreviated form is desired, however, the following is suggested:

ROOFING—Shall be a Barrett Specification Roof laid as directed in printed Specification, revised August 15, 1911, using the materials specified, and subject to the inspection requirement.

BARRETT MANUFACTURING CO.

New York Chicago Philadelphia Boston St. Louis Cleveland Pittsburgh
Cincinnati Kansas City Minneapolis New Orleans Seattle London, Eng.
The Paterson Mfg. Co., Ltd., Montreal Toronto Winnipeg Vancouver St. John, N. B. Halifax, N. S.



When writing Advertisers, please mention Architecture and Building.

Art and Architecture

OSCAR WENDEROTH, SUPERVISING ARCHITECT OF THE TREASURY DEPARTMENT.

On June first Mr. Oscar Wenderoth succeeded Mr. James Knox Taylor in the capacity of supervising architect of the Treasury Department, assuming his duties on July 16.

Mr. Wenderoth has had a varied experience in the profession, having been a draughtsman in the offices of various well-known architects of Philadelphia and as a draughtsman for a considerable period in the supervising architect's office. In 1904 he was appointed head draughtsman to the superintendent of the United States Capitol, and was in charge of drawing the plans for several of the new Government buildings. In 1909 he became head draughtsman for Carrere & Hastings in New York, which position he occupied up to the time of the present appointment.

Mr. Wenderoth was born in Philadelphia April 10, 1871, and received his schooling in the Philadelphia grammar schools. At the age of fifteen he took up the study of architecture, beginning as a draughtsman. His present appointment will undoubtedly be approved by American architects.

UNITED STATES CIVIL SERVICE EXAMINATION FOR ENGINEER DRAFTSMAN (MALE). SUPERVISING ARCHITECT'S OFFICE. OCTOBER 16-17, 1912.

The United States Civil Service Commission announces the postponement to October 16-17, 1912, of the open competitive examination for engineer draftsman for men only, announced to be held on September 11-12, 1912, at the places mentioned in their printed list. From the register of eligibles resulting from this examination certification will be made to fill vacancies in the office of the Supervising Architect, Treasury Department, at entrance salaries ranging from \$1,600 to \$2,000 per annum, and vacancies as they may occur requiring similar qualifications, unless it is found to be in the interest of the service to fill any vacancy by reinstatement, transfer, or promotion.

A NEW SCHEDULE OF ARCHITECTS' FEES IN CANADA.

A new schedule of fees has been approved recently for the Province of Quebec Association of Architects. The schedule provides as follows:

No. 8—For professional services in con-

nection with all buildings, comprising preliminary studies, complete plans, specifications, details and superintendence, the architect shall be entitled, except as hereinafter provided, to a commission of five per cent. on the total cost of the building when completed.

No. 9—For all works of addition, alteration, or restoration, the architect shall be entitled to a commission of seven and one-half per cent. on the cost of the works.

No. 10—For all other works of special character, viz.: For monumental work, fittings and furniture, and for decorative work, stained glass and such like, the architect shall be entitled to a commission of ten per cent. on the total cost of the work.

No. 12—Where engineers or other experts are employed by the owner to co-operate with the architect for certain works (as for heating, ventilation, electric work, etc.), the architect shall receive for his commission two and one-half per cent. of the cost of such work.

These are the principal provisions of the new schedule.

THE BURNING OF A COUNTRY HOUSE.

Considerable mention has recently been made in the daily papers of the burning of the residence of Thomas Hastings, of the firm of Carrere & Hastings. This house was at Wheatley Hills, near Roslyn, L. I., and has been variously estimated at a value of \$150,000, including the contents.

The contents of the house were very largely salvaged, due to the prompt action of neighbors and servants from surrounding estates. The house, however, which was three stories in height and built of brick, is practically a total loss, despite the fact that the fire department reached the fire in about nine minutes' time. The firemen could do little but watch the house burn, however, as there were no hydrants on the estate, and as there were only a few small and scattered water tanks the hose could not be used.

Our isolated country house presents a fire problem that is often a hard one to solve.

HOWARD M. INGHAM

MEM. AM. SOC. M. E.

Industrial Engineer

SPECIALIST IN THE
INSTALLATION OF

Simple, Direct, Effective Methods
of
Office Management

160 FIFTH AVE., NEW YORK

When writing Advertisers, please mention Architecture and Building.

However, we are confident that considerable could be done to ameliorate conditions by the use of chemical extinguishers of the larger portable sizes. The country house owner would do well to give the fire problem a little more serious consideration than he does at the present time, and we have no doubt that he could greatly improve present conditions.

Wm. Leslie Welton, architect, has moved to his new office, 1906-7-8-9 American Trust & Savings Bank Building, Birmingham, Ala. Material men kindly send up to date samples and catalogues for twelve-story fireproof hotel and twenty-story office building.

NEW OFFICIAL BADGE OF THE BUREAU OF BUILDINGS, BOROUGH OF MANHATTAN.

All badges of every description, purporting to represent and to have been issued by authority of this Bureau, or of the old "Building Department" so far as Manhattan Borough is concerned, are hereby recalled and made void; and the adoption and issuance of a new official badge, effective September 3, 1912, is hereby promulgated to all whom it may concern.

All City departments, property owners, agents, tenants, architects and builders are requested to recognize hereafter only such badges of this Bureau as are identical with the careful description herein given (except for variation in the civil service title). The new badge measures two and five-eighth inches high by one and five-eighth inches wide; the capital B is covered with green enamel; the number of the badge is in black enamel; and the framework, the City seal and all lettering are in gold.

These new badges are the property of The City of New York. Hereafter they will be issued only to actual employees of this Bureau, and recalled upon the termination of such employment.

All old badges now outstanding are also the property of The City of New York, and their return to this office for cancellation is hereby requested. The Police, Fire and other City departments are urged to assist this Bureau in reclaiming all these old badges for the protection of the public and the betterment of the service, so that in the future every holder of a Manhattan Building Bureau badge may be held accountable for the use of such authority as the badge may carry with it. Each badge bears an individual number, which is sufficient to identify the holder of record, and all holders of these badges are required to show the same upon request of any citizen. Complaints with reference to any misconduct or misuse of authority by the holder at any time should be addressed to the Superintendent. RUDOLPH P. MILLER,

Superintendent of Buildings.

Dated September 3, 1912.

OBITUARY.

Constant Desire Despradelle, Director of the Department of Architecture of the Massachusetts Institute of Technology, died on September 4th, at his home in Boston after an illness of nearly a year's duration.

Mr. Despradelle, although a Frenchman, was one of the leading men in his profession in America. He was born at Chaumont, France, on May 20, 1862. In 1882 he became a student at the Ecole des Beaux Arts, entering first among 140 candidates for admission. After winning many honors in Paris, he came to the Massachusetts Institute of Technology in 1893.

Mr. Despradelle was a corresponding member of the Institute of France, Academy des Beaux Arts, and had been Vice President of the Societe des Beaux Arts of New York. He was a member of the Boston Society of Architects, and Fellow of the American Institute of Architects.

FRANCIS W. COLLINS

Assoc. Mem. A. S. C. E.
Mem. A. I. M. E.

CONSULTING ENGINEER

50 CHURCH ST., HUDSON TERMINAL
NEW YORK CITY

Investigations, Valuations,
Scientific Organization and Management

Thomas Bruce Boyd

Bank Equipment Specialist

286 Fifth Avenue
New York

Telephone Madison Square 6681

FREDERICK S. HOLMES

Bank Vault Engineer

2 Rector Street, New York

Fireproofing and Fire-Protection

MR. G. H. STEWART

A REDUCTION IN FIRE LOSS.

At last the fire loss has reached a point of turning as compared with the figures of last year, and the total showing for the first eight months of 1912 is less than the corresponding period in 1911; this despite an enormous handicap during the early part of the year. The fire loss for July was \$15,164,100 and for August, this year, \$14,158,800, which, added to the total for the previous six months, \$134,417,750, gives a total of \$163,750,650, which is nearly four millions less than for the corresponding period of 1911 which gave a total of \$167,655,550. During the month of August, there were no less than 262 fires, causing an estimated property damage of \$10,000 or over in each instance. This list, as compiled and published by the Journal of Commerce and Commercial Bulletin, gives a total of \$12,312,000 to which 15 per cent. for small and unreported fires is added according to their methods of compilation, giving the complete total for the month as recorded above. We feel that despite the great loss, which is deplorable in every sense, there is reason for encouragement, for a comparison of the reports made in the April and August issues of *ARCHITECTURE AND BUILDING* shows that the reduction in loss in the last five months has more than made up for the eleven million dollar increase in fire loss which occurred in the first three months of the year 1912.

CHICAGO FIRE PREVENTION.

After considering the subject for nearly a year, the City Council of Chicago has passed an ordinance in which automatic sprinklers are entirely ignored. This is remarkable for two reasons. In the first place, the Council

was fully informed by those fire prevention experts who were called in consultation that the automatic sprinkler was the greatest single unit in fire prevention engineering today. In the second place, they were given more definite information through the medium of the National Fire Protection Association's records and the fact that more than 95 per cent. of the 11,000 odd fires under automatic sprinklers of which this association has records have been either completely put out or prevented from spreading by the action of the sprinklers. It will be recalled that the secretary of the above association recently stated that so far as his records showed, there had never been a single case where a modern equipment of automatic sprinklers had failed to hold a fire from spreading except where the system had been tampered with or the water shut off.

It is supposed that certain business interests were back of the decision of the Council not to recommend or require the use of automatic sprinklers. Similar influences have been noted in the past in which business interests have blocked other public improvements, and it is sincerely to be hoped that when this subject comes up again in October common sense and the results of years of experience in fire prevention engineering will be permitted to dictate the action of the council.

NEW YORK FIRE EXPOSITION.

One of the most unique, and at the same time useful, exhibits at the exposition in Madison Square Garden, October 2 to 12, inclusive, will be that of the General Fire Extinguisher Co. in the shape of a full-sized (Continued on page 26.)



FIRE PROTECTION

Send for Catalogue and Prices on
FIRE APPLIANCES

BUILDINGS RECENTLY EQUIPPED:

Bankers Trust Building
Madison Square Building
Germania Life Insurance Building
Bonwit Teller Building

Schweiner Press Building
Butterick Publishing Co. Building
Hotel Plaza
B. Altman & Company

THE SAFETY FIRE EXTINGUISHER CO.

291-293 Seventh Avenue, New York

Telephone Madison Square 3356-3357



When writing Advertisers, please mention Architecture and Building.



"There's a Fire in the Storeroom!"

"Well—don't get excited—you know we've got Grinnell Sprinklers everywhere."

GRINNELL AUTOMATIC SPRINKLERS

operate at 155° Fahr. A tiny fire will start them and drown itself before it can spread. They quickly pay for themselves by reduced insurance rates. In this way they furnish the best possible protection for the least ultimate cost

Manufactured and the complete system installed by the
GENERAL FIRE EXTINGUISHER CO.
EXECUTIVE OFFICES — PROVIDENCE, R.I.

Plants — Warehouses and Offices in the Principal
Cities of the UNITED STATES and CANADA

Send for our little Book — "AUTOMATIC FIRE PROTECTION"

40-65



SHOWING SPRINKLER WITH THE TWO HALVES OF THE STRUT SOLDERED TOGETHER.

ROCKWOOD SAFETY LOOP SPRINKLER



SHOWING HOW THE TWO PARTS OF THE SOLDERED STRUT SPRING APART ONLY AFTER THE LUMP OF SOLDER IS MELTED AWAY FROM THE LOOP.

THE ROCKWOOD SPRINKLER IS UNIQUE IN THAT THE TWO PARTS OF THE SOLDERED LINK ARE HELD TOGETHER, NOT MERELY BY A SWEATED SOLDERED JOINT, BUT BY COVERING THE END OF THE LEVER WITH A SMALL PIECE OF SOLDER WHICH IS MECHANICALLY BOUND TO THE STRUT BY A LOOP OF WIRE RIVETED THROUGH ONE PART OF THE LINK.

THE ROCKWOOD SPRINKLER IS THE ONLY APPROVED HEAD THAT IS INCAPABLE OF OPENING ITSELF BY THE BREAKING OF THE SOLDERED JOINT, WHICH MUST ABSOLUTELY MELT TO OPEN. IT IS THUS IN A CLASS BY ITSELF, SUPERIOR TO ALL OTHERS.

ROCKWOOD SPRINKLER CO. OF MASSACHUSETTS

MANUFACTURERS, ENGINEERS AND CONTRACTORS FOR COMPLETE SPRINKLER EQUIPMENTS USING WET OR DRY SYSTEMS.

38 HARLOW STREET

WORCESTER, MASS.

NEW YORK - - 123 WILLIAM STREET
BOSTON - - - 141 MILK STREET
BUFFALO - - 300 PRUDENTIAL BUILDING

CHICAGO - - 3004 SOUTH MORGAN STREET
SEATTLE - - - 208 COLUMBIA STREET
MONTREAL - - 141 ST. MAURICE STREET

When writing Advertisers, please mention Architecture and Building.

American Enameled Brick & Tile Co.

1182 Broadway, New York City




GERMAN HOSPITAL (KITCHEN), NEW YORK CITY
Shickel & Ditmars, Architects. Geo. Vassar's Sons Co., Builders

REPEATED ORDERS

Ten years ago the interior of the German Hospital, New York City (see cut showing kitchen), was lined with "AMERICAN" ENAMELED BRICK.

We have just received an additional order for 350,000 ENAMELED BRICK for the interior lining of the Operating Rooms, and other departments for the addition of this Hospital. Plans prepared by the same architects.

WHAT BETTER EVIDENCE OF DURABILITY AND LASTING SATISFACTION do you, Mr. Owner, Architect or Builder, require?



Office and Factory of Leonard Sheet Metal Works

Leonard Sheet Metal Works

Manufacturers of

Bronze, Copper and Iron Clad Kalamein Work
Roofing and Sheet Metal Work in all its Branches

Underwriters Doors and Windows Approved
by the National Board of Fire Underwriters

Main Office and Works

Head of Ferry Street

HOBOKEN, N. J.

New York Office

1123 Broadway

Newark Office

45 Clinton Street

COPPER CABLE CHAIN



169 Elm Street,

New York.

Copper Cable
Steel
Champion Metal
Steel Champion



SASH CHAINS.

CHAMPION METAL CHAIN



CHAINS For Suspending Heavy Doors, Gates, etc.
ALL of SUPERIOR QUALITY.

When writing Advertisers, please mention Architecture and Building.

Fire Protection

Siamese

For Automatic Approved Sprinkler Systems



The SIMMONS LINE of Fire Equipment Specialties embraces everything designed for the protection of life and property.


"Simmons" Siamese Connections

Made in Brass or Iron in accordance with Insurance, Underwriters and Fire Department specifications. Highly efficient and fully guaranteed.

By installing such dependable specialties as are herein shown you offer your clients absolute protection against appalling losses by fire, and a certain decrease in the cost of insurance.

"Simmons" Swinging Hose Reel

Improved design made in iron, bronzed, japanned or electroplated. Made to harmonize with any furnishings. Last word in quality and efficiency.



Fully 75% of heavy losses by fire—daily chronicled in the newspapers—are due to negligence. Should the building be properly equipped with the "SIMMONS" Specialties thousands of dollars and many lives would be saved.

"Josico" Angle Hose Valves



This is practically the keystone of safety on a standpipe system, yet how little attention is paid to its installation. Eliminate the element of chance by specifying it in the future, which means that you'll have an appliance of the highest efficiency as to quality, finish, etc.

Catalogues, cuts and other data gladly sent on application.

John Simmons Co.

102-110 Centre St., New York

The Hydrum Damp-Proofing & Engineering Co.
Manufacturers of Water-proof Paints, Cements and Composites.
Engineers and Expert Contractors in Water-proofing
Sag and Composition Roofing
Office, 403 Wabash Building PITTSBURGH, PA.

working model of Grinnell automatic sprinklers. A steel and wired glass house, 10 feet square, has been erected, fitted with a drainage pan at the bottom and provided with one Grinnell sprinkler near the middle of the ceiling. This is connected up by pipe to city water pressure and proper means are taken to carry away the discharge water.

A fire will be built within the enclosure and the spectators around the four sides can get a splendid view of what is going on inside. The heat of the incipient fire fuses the strut in the sprinkler head, and a copious shower of water puts out the fire almost in the twinkling of an eye. This exhibit is to be in operation at intervals throughout each of the ten days during which the exposition will be open.

It is believed that a visual demonstration of this sort will do more to bring to the minds of the general public, and all those interested, the fire-fighting ability of the automatic sprinkler than could be done by reams of paper and gallons of printer's ink. The average man will believe what he sees, but less than half of what he reads or hears. It is for this reason that this particular exhibit ought to attract very wide attention, and should be the means of bringing home to thousands of our citizens the fact that there is at hand an adequate answer to the fire demon.

W. L. FLEISHER & CO. IN THE AUTOMATIC SPRINKLER FIELD.

W. L. Fleisher & Co, Inc., have succeeded to the business in New York of Francis Bros. & Jellett, a well-known concern, who have been pioneers in the sprinkler and steam engineering and contracting business for many years. Mr. W. L. Fleisher, who was for ten years at the head of their New York office, is president of the new company, and since the incorporation and taking over of the business they have been very active in the sprinkler field, not only as contractors, but as engineers.

Among some of the important buildings for which they have either been contractors (Continued on page 28.)

Consolidated Chandelier Co.

MANUFACTURERS OF

Gas and Electric Fixtures

132-136 W. 14th St.

NEW YORK CITY

When writing Advertisers, please mention Architecture and Building.

The Annual Fire Waste in the U. S. exceeds \$230,000,000. It is estimated that 75% of this loss is preventable and can be saved by the use of

AUTOMATIC SPRINKLER PROTECTION

Our business is the installation of Automatic Sprinkler protection; a complete fire fighting apparatus, operating automatically and only where the fire is located.


"AUTOMATIC" SPRINKLER CO. OF AMERICA

Executive Offices

123 WILLIAM STREET (Underwriter Bldg.), NEW YORK CITY

Department Offices, in Large Cities

MINERAL WOOL FIRE SOUND VERMIN PROOF



**CHEAP AND
EASILY APPLIED**

United States Mineral Wool Co.

140 CEDAR STREET, NEW YORK

SAMPLES FREE



S. H. POMEROY CO., Inc.

Successor to Voigtmann & Co., of New York

Manufacturers of Fire Windows

427 West 13th Street, New York

Practical demonstration at Washington Square Fire, March 25th, showing the integrity against fire and how utilized by Fire Dept. in fighting fires across alleys.

By virtue of closing automatically the protection is constant and not subject to neglect as is common with Fire Shutters.

W. L. FLEISHER & CO., Inc.

Succeeding in New York Francis Bros. & Jellett, Inc.

156 FIFTH AVENUE

NEW YORK CITY

Engineers and Contractors for the Installation of

AUTOMATIC SPRINKLERS AND FIRE PROTECTION APPARATUS

AGENTS FOR INTERNATIONAL SPRINKLER CO. APPARATUS



LIFE INSURANCE CO. OF VIRGINIA


Clinton & Russell, Architects

THE METAL COVERED WINDOWS AND
DOORS FOR THIS BUILDING WERE
FURNISHED AND INSTALLED BY

THE KALAMEIN COMPANY

Office and Factory

10th STREET, NEAR VERNON AVENUE
LONG ISLAND CITY, N. Y.



LEIMAN BROS. AND VACUUM PUMPS

1 oz. to 10 lbs. pressure; 1 to 20 inches vacuum;
capacities 2 to 338 cubic feet per minute
Used with Oil and Gas Appliances, Agitating
VACUUM CLEANING, ETC.

Catalog No. 292—Blowers.

Catalog 286—Vacuum.

LEIMAN BROS., 62 FG JOHN STREET
NEW YORK

or engineers, may be mentioned the following:

Zinn Building, 11th avenue and 25th street.

Otis Building, 11 avenue, 26th to 27th streets.

Loft building, 36-8 West 20th street.

Loft building, 20th to 21st streets and 4th avenue.

Warehouses for Baker & Williams, West 20th and West 12th streets.

Loft Building at 11-13 East 26th street and 8-10 East 27th street.

They are using the International apparatus, for which the old firm of Francis Bros. & Jellett were agents for a good many years, and are among the companies acceptable and favorable to the New York Fire Insurance Exchange and the various mutual companies.

EXHIBIT OF THE AUTOMATIC SPRINKLER COMPANY OF AMERICA.

It is a recognized fact that in any kind of movement for the betterment of mankind, that class of humanity which will benefit most from the improvement is the very last to become enthusiastic, and the fight to overcome this indifference is not the least formidable part of the undertaking. "Indifference" usually means "ignorance," and there are several means of combating it, one of which is by means of reading matter. But by far the best method is practical, visual demonstration, and for this reason the Fire Exposition to be held October 2 to 12 in Madison Square Garden should do much to help along the cause of Fire Prevention.

At this extension the Automatic Sprinkler Company of America will have on exhibition their system of automatic sprinkler protection against fire. Visitors to the exposition may see for themselves the efficiency of this means of fire fighting. If those architects and engineers who are still dubious as to the merits of the automatic sprinkler remain unconvinced, it will not be the fault of the exhibitors. And a great many of those who suffer the most from a large, disastrous fire—the occupants of the building—to many of whom the phrase "automatic sprinkler" is a phrase and nothing more, will have the opportunity to observe the operation of the device and the results of its operation.

U. S. RUBBER BUILDING.

In the U. S. Rubber building, all the walls and ceilings were painted with "Fresco" white paint. This is a flat finish and the results obtained with it in this building were gratifying. The material is made by the De Soto Paint Manufacturing Co. of Memphis, Tenn., and Neven Sparks Lamb, of 149-151 Church St., New York City, is the eastern agent.



Phone, Melrose 5184

Star Fire Proof Door and Sash Co.

INCORPORATED


MANUFACTURERS OF

Bronze, Copper and Iron Kalamein Work
Copper and Bronze Store Fronts a Specialty
Approved Underwriter Doors

OFFICE AND FACTORY

2650-52 PARK AVENUE NEW YORK CITY

*Copper Store Front erected in L. M. BLUMSTEIN Building



Standard Metal Joist Floor Construction

Total dead load per square foot, 28 lbs.

Sound-Proof
Vermin-Proof

Dust-Proof
Fire-Proof

These are the qualities you can give to your client's house by using for its construction

BERGER'S *Metal Joist*

Write for Catalog

THE BERGER MFG. CO., Canton, O.
For prompt shipment address nearest office

New York St. Louis San Francisco Minneapolis
Boston Philadelphia

Also manufacturers of Prong Lock Studs and Furring Rib-Truss, Ferro-Lithic and Multiplex Reinforcing Plates, Metal Ceilings, Expanded Metal Lath, Sidewalk Forms, Raydiant Sidewalk Lights, etc.

FITZGIBBONS BOILERS

ARE INSTALLED IN THE

United States Rubber Co.'s Building

Recent Representative Installations by Eminent Architects in New York City



	Architects
Washington Irving High School, Irving Place.....	C. B. J. Snyder
Church of the Intercession, B'way & 155th St.....	Cram, Goodhue & Ferguson
Seamen's Church Institute, South St. & Coenties Slip..	Warren & Wetmore
Scribner Building, 507 Fifth Ave.....	Ernest Flagg
Harvard Club, 27 West 44th St.....	McKim, Mead & White
Anderson Art Galleries, 40th St. & Madison Ave.....	N. C. Mellen
W. R. Grace & Co. Building, Old Slip.....	D'Oench & Yost (J. W. O'Connor)
Franklin Simon Building, 38th St. & Fifth Ave.....	Edward Neccarsulmer
Plaza Home Club, Central Park South.....	C. W. Buckham
Sage Foundation Hotel, Forest Hills.....	Grosvenor Atterbury
Wm. H. Jackson Co. Building, 2 West 47th St.....	Maynicke & Franke
H. W. Johns-Manville Building, 41st St. & Madison Ave	A. N. Allen
Vanderbilt Model Tenements, 78th St. & East River....	Henry Atterbury Smith
22d Regiment Armory, Broadway.....	Walker & Morris
International Headquarters Y. M. C. A., East 28th St.	Parrish & Schroeder
N. Y. Historical Society, 76th St. & Central Park West.	York & Sawyer
Knoedler Building, 46th St. & Fifth Ave.....	Carrere & Hastings
Long Island College Hospital, Henry & Pacific Sts. Brooklyn	
F. A. O. Schwartz Building, 31st St. & Fifth Ave.....	D. Everett Wade
Merchants Exchange Building, 17th St. & Fifth Ave..	Maynicke & Franke
Havi'and China Co. Building, 37th St., near Fifth Ave..	Maynicke & Franke
Sterling Bronze Building, 16 East 40th St.....	Pilcher & Tachau
B. F. Goodrich Garage, 57th St. & Broadway.....	C. H. Caldwell
American Seamen's Society, West & Jane Sts.....	Wade & Shaw
Union Square Savings Bank, 15th St. and Union Square	Par'ng & Tilton
New York Law School, Fulton St.....	Henry Bacon
Residence of Felix Warburg, 92d St. & Fifth Ave.....	C. H. Gilbert
Dreicer Building, 46th St. & Fifth Ave.....	C. H. Gilbert
Manice Building, 32d St. & Madison Ave.....	Wetmore
Harperly Hall, 64th St. & Central Park West.....	Wells & Goodwillie
	W. W. Wilkinson

FITZGIBBONS BOILER CO., 50 Church St., New York City

When writing Advertisers, please mention Architecture and Building



U. S. RUBBER, BUILDING
Cass Gilbert, Architect

950 KALAMEIN
Window Frames
were manufactured for and
installed in this building by

**KNOBURN
COMPANY**

Office and Factory
365 Fourteenth Street
HOBOKEN, - N. J.

Industrial Progress

THE NEW "M'CABE NO. 5" ELEVATOR DOOR HANGER.

The "new idea" in elevator door hangers is designed especially for the highest class work, where quietness, ease of operation and neatness of appearance are telling features.

A sliding bar hanger, with a continuous run of extra heavy track, larger ball-bearings, and covered friction surface all combine to stamp the "McCabe No. 5" as a leader in its line.

The "McCabe No. 5" is an "all-ball" hanger of the latest improved design, presenting many new features not to be found in any other hanger. For instance:

- (1) It is practically noiseless.
- (2) Friction, and therefore wear, are reduced to a minimum, as the weight of the doors is always evenly distributed on the tracks and all of the balls, thus eliminating entirely the bad effects of the cantilever principle.
- (3) Small amount of head room required (about 4½ inches).
- (4) Hanger is protected from dirt.
- (5) Largest size balls (¾ inch, spaced every 7½ inches apart) used in any hanger.

The workmanship and quality of material in the new "McCabe No. 5" hanger is up to the standard which this company has maintained for the past eighteen years, and we feel very confident in predicting for this high-class hanger a great demand in the future.


(See Advertisement on Page 31.)

TERRA-COTTA CONTRACTS.

The Federal Terra Cotta Company has recently contracted for furnishing the architectural terra cotta to be used in the Biltmore Hotel, being erected in connection with the

(Continued on page 32.)

GORTON WROUGHT STEEL BOILERS are built like a power boiler



THEY have the same lasting qualities and freedom from repairs with the accompanying advantage of highest economy in consumption of fuel.

Being *self-feeders* they keep the heat up and keep the bills down.

Send for catalog and investigate for yourself their superiority

Gorton & Lidgerwood Co.

96 Liberty Street, NEW YORK

BOSTON, 182 High St.
CHICAGO, Fisher Bldg.




Two Family and Twin Houses

The planning of this class of dwellings has been given special attention; also their heating, lighting and sanitation. The sixty plates show a large variety of designs, and two detailed specifications are given.

Illustrated, boards. Price, \$2.00

THE WM. T. COMSTOCK CO., Publishers
23 Warren Street, New York

THE NEW "McCabe No. 5" Hanger



For Elevator and Parlor Doors

Easiest Running
Largest Ball-Bearing
Quietest & Most Efficient

Send for Price and Particulars to

McCabe Hanger Mfg. Co.

532 West 22d Street, New York City

STANLEY'S Ball Bearing Hinges



Permit the doors to open smoothly and softly without creaking or binding.

The hinges will never wear down or require oiling.

NON-RISING PINS

The whole story is told in our Circular "B."
Write for a copy.

THE STANLEY WORKS
NEW BRITAIN CONN.

Dixon's Silica-Graphite Paint

Protects the structural steel work contained in such important buildings in New York City as the McAdoo Terminal Buildings; American Woolen Company's Building; Gimbel Department Store; Savannah Bank & Trust Company's Building, Savannah, Ga.; the Royal Insurance Company's Building, San Francisco, Cal., and numerous other structures.

Write us for "Notable Building List," and other paint literature

Joseph Dixon Crucible Co., Jersey City, N. J.

When writing Advertisers, please mention Architecture and Building.

Grand Central Terminal, on the block covered by 43d-44th streets, Madison and Vanderbilt avenues. The George A. Fuller Co. are the general contractors. This is one of the largest contracts for terra cotta that has ever been placed on a building in New York City. There will be about 2,000 tons of terra cotta in this building.

The Federal Company is also furnishing material for two contracts of equal size, being the Terminal Building for the Detroit River Tunnel Co. in Detroit, Mich., and the Northwestern Mutual Life Building in Milwaukee. Marshall & Fox, of Chicago, are the architects on the latter operation, and the large court of the building is to be entirely erected in granite color terra cotta. The window screens on the front of the building are to be green, and there will also be some red and white glaze terra cotta throughout the building.

The World's Tower Building, a 30-story loft building, now being erected on West 40th street, by Mr. Edward W. Browning, is to be built on all four sides with full white glaze terra cotta, and this material is also being furnished by the Federal Terra Cotta Company.

Some other buildings in the city recently furnished with terra cotta by them are: The Emmet Building, 29th street and Madison avenue; the Eagle Building, 21st street and Fourth avenue, and the Times Annex, West 43d street.

CALCULATION REDUCED TO A SCIENTIFICALLY SIMPLE BASIS.

Although the inventive faculty of man has not yet succeeded in producing a machine which in fineness and breadth of capacity is equal to the human mind, yet many machines have been invented which surpass the human mind in accuracy and tirelessness. This superiority on the part of a machine is particularly noticeable in the field of mathematical calculations, for there is no other field in which the mind of man is so prone to error or so susceptible to fatigue, and when in addition we find this machine to be a compact little masterpiece, weighing only 19 ounces and capable of being carried in one's pocket, we find a remarkably high example of the inventor's art. Such a machine is the "Golden Gem Adding Machine," which is manufactured by the Automatic Adding Machine Company, of 319 Broadway, New York City. As has been said, this little add-

ing machine weighs only 19 ounces, its dimensions are 3x4x5/8 ins., and it is of highly nickel-plated finish. Its inner parts are made of the best steel and brass and each machine is packed in a handsome pebbled morocco case. The operation and method of obtaining results automatically is similar to that of the standard, high-priced calculating machines which are now extensively used by the banks and large corporations everywhere.

This machine is of inestimable value to every person having extensive calculations to make and should be a great help to architects and builders in making estimates and in compiling cost data. It has already obtained a considerable number of users in the building and kindred trades and professions, and is becoming more and more valuable and indispensable to such people because of the variety of purposes to which it can be adapted on account of the compactness of the machine and simplicity of operation. Because of its lightness and compactness, builders should find it very convenient to take to shanties "on the job" to be used in helping to keep count of loads received, wage schedules and for any of the dozens of other occasions when it becomes necessary to engage in extensive calculations.

The manufacturers of the "Golden Gem Adding Machine" are pleased to send the machine upon ten days' trial, knowing that its merits will invariably result in a sale. Information about the "Golden Gem Adding Machine" or literature descriptive of it, may be freely obtained by addressing the Automatic Adding Machine Company at 319 Broadway, New York City.

CEMENT PRODUCTION, CONSUMPTION, EXPORTS AND IMPORTS.

Cement production, consumption and exportation are showing remarkable increases in the statistical records of the United States, as shown by figures of the Bureau of Statistics, Department of Commerce and Labor, while the importation shows an equally remarkable decline. The quantity produced has grown from 8 million barrels in 1890 to 17 million in 1900 and 78 million in 1910, the value having increased from 6 million dollars in 1890 to 13 million in 1900 and 69 million in 1910. Meantime the figures of imports and exports show equally striking changes. The quantity of cement exported has grown from 76,055 barrels (of 380 pounds) in 1900, valued at \$163,162,

(Continued on page 34.)

INTERIOR MARBLE

Material and work the standard for 14 years. Our reputation the best positive evidence as to our superiority.

CORK & ZICHA MARBLE CO., - - 325-327 East 94th St., NEW YORK

When writing Advertisers, please mention Architecture and Building.

JUST PUBLISHED
BOOKS ON
The MANUAL ARTS
A DESCRIPTIVE CATALOG

A VALUABLE reference book. Lists and describes 260 of the best books on the manual arts; includes all the standard and the best of the recent books.

MAILED FREE ON REQUEST—NO COST TO YOU AND NO OBLIGATION

Check the subjects you are interested in, fill in the blanks, clip and mail, and a copy will be sent to your address.

.....

..Agriculture	..Manual Training
..Building Arts	..Printing Arts
..Drawing, Mechanical	..Wood and Trees
..Household Arts	..Periodicals
..Pattern Making	..Art and Design
..Vocational Training	..Drawing, Architectural
..Art Crafts	..Elementary Handwork
..Decorative Arts	..Metal & Metalworking
..Drawing, Machine	..Plastic Arts
	..Woodworking

Name

Position

Street

City

State

THE MANUAL ARTS PRESS

PUBLISHERS AND DEALERS IN BOOKS ON
 THE MANUAL ARTS AND KINDRED SUBJECTS

PEORIA

ILLINOIS

Badger Quality



Copper Hot Water BOILERS

are all that can be desired in a Range Boiler.

LONG LIFE
CLEAN WATER
Beautiful Appearance

Every boiler is tinned on the inside and guaranteed against leakage or collapse.

Write for Catalog

E. B. Badger & Sons Co.

BOSTON, U. S. A.

**"In the Counsel of
 Many There's Wisdom"**

If you are interested in
BUNGALOW BUILDING,
 prove the truth of the
 old adage by purchasing
 a copy of

**"Bungalows, Camps
 and
 Mountain Houses"**




Designs of attractive homes from Maine to California are illustrated, and the Architect will find much suggestive material, while the Layman can have recourse to the advice and counsel of any one of the Contributors whose designs are given.

Beautifully illustrated by many full page halftones, together with floor plans, also advice as to selection of site, location, sanitation, etc.

Illuminated Boards. Price, \$2.00

THE WILLIAM T. COMSTOCK CO.,

23 WARREN STREET
 NEW YORK



FOLSOM'S
MODEL 1910.

THE SNOW GUARD ALLOWING
NO STRAIN ON THE SLATE

WHY NOT SEE IT?

A postal card will bring sample

Folsom Snow Guard Co. No. 4 Post Office Square
Boston, Mass.

Weather Vanes

Lightning Rods


Church Crosses

Flag Poles

and

Fittings

Etc.



Send for Catalogue

THOS. W. JONES

153 Maiden Lane
New York

Telephone Connection

ARTHUR GREENFIELD, Incorporated

REINFORCED CONCRETE FLOORS
IRON FURRING and METAL LATHING

Telephone Connection

204 EAST 26th ST. NEW YORK

PRENTISS

ELECTRIC CLOCKS

CALENDAR

SELF-WINDING

Dept. 11, 92 Chambers St., N.Y.

to 2,971,474 barrels in 1911, valued at \$4,349,290; while the figures for the nine months ending with March indicate that the total for the fiscal year 1912 will considerably exceed, in both quantity and value, that of 1911 and will probably amount to more than 3 million barrels, or 40 times as much in 1912 as in 1900, with a value of more than 5 million dollars, as against \$163,162 in 1900. On the import side the decline has been as rapid and striking as the increase on the export side. The quantity of cement imported in 1907 was 1,123,763,604 pounds, but by 1911 had fallen to 93,297,749 pounds, and in the fiscal year 1912 seems likely to fall below 50 million pounds, or less than one-twentieth of the imports of 1907.

The United States is apparently leading the world in the production of cement for industrial purposes. The latest figures available in the Bureau of Statistics with reference to production in various parts of the world places the production in Germany at about 30 million barrels, or considerably less than half that of the United States, and that of England, slightly less than 20 million barrels. Of the 78 million barrels produced in the United States in 1910 a very large proportion was consumed at home, the exports for that year being but about 2½ million barrels. The total consumption in the United States, according to the best available figures, has grown from about 20 million barrels in 1900 to 74 million in 1910.

The cement industry, according to the census of 1910, showed number of establishments, 135; capital invested, \$187,398,000; number of wage earners, 26,775; wages paid, \$15,320,000; cost of materials, \$29,344,000; value of products, \$63,205,000; value added by manufacture (value of products less cost of materials), \$33,861,000.

PITTSBURG'S "HUMP."

When Pittsburg authorized a bond issue of \$750,000 to cut away the "hump" it was with the view of eliminating an obstacle which has long interfered with the handling of traffic between the low-lying business section of the city and the residential districts. The work is now under way, but the cost above stated is but a fraction of what will be expended in completing this improvement. A few of Pitts-

(Continued on page 36.)



When writing Advertisers, please mention Architecture and Building.

Architects and Builders should investigate **EVANS "CRESCENT" EXPANSION BOLTS**



WITH DOUBLE END GRIP EXPANSION
Constructed on NEW lines. Grip at BOTH ENDS, and on ALL sides. Cannot work loose.

Send for Catalogue and samples screwed into blocks of wood or stone.

Agencies in all large cities

F. H. EVANS (Patentee and Sole Manufacturer) 31-33-35 Hewes St., Brooklyn, N. Y.

No. 1. Steel Joist Hanger for Wood Header



Van Dorn's Steel Joist Hanger

IS THE BEST OBTAINABLE

Send for Catalogue and refer to this Magazine

THE VAN DORN IRON WORKS CO.
CLEVELAND, OHIO

Steel Buildings, Wrought Iron Fencing, Iron Bridges, Jail and Prison Work, Metallic Office Furniture, etc.



No. 4. Steel Joist Hanger for Brick Walls

Building Construction and Superintendence

Part II. Carpenters' Work

Four Dollars a Volume

Part III. Trussed Roofs

Three Dollars a Volume

By F. E. KIDDER, C. E., Ph.D., Architect

THE WM. T. COMSTOCK CO., Publisher, 23 WARREN STREET, NEW YORK

The A. B. See Electric Elevator Co.

Main Office: 220 Broadway, New York

PHILADELPHIA
Land Title Building
Broad and Chestnut Sts.

BOSTON
India Building
84 State St.

BALTIMORE
Stock Exchange Building
210 East German St.

WASHINGTON
Barrister Building
635 F St., N. W.

HARTFORD
Connecticut Mutual Life Building
36 Pearl St.

ELECTRIC ELEVATORS

with machines having Ball Thrust Bearings that reduce friction and increase power, and made strong and durable, is my specialty. They have filled the bill for many years and will solve the vertical transportation problem for you.

DUMBWAITERS

CELLAR HOISTS

Write for Catalog and Prices

J. G. SPEIDEL, Reading, Pa.



"COUNTRY AND SUBURBAN HOUSES"


A Book Designed to Solve Your Building Proposition. 1912 Edition 9 x 12 inches, 150 Illustrations. Colonial, Artistic, Stucco, Half Timber, Bungalow, Mission and other styles of Architecture. General specifications, interior suggestions and practical information for the intending builder. Estimates of cost. Exterior and interior views, first and second floor plans with all dimensions. Books are handsomely printed with half-tone illustrations, and all designs carefully selected.

Designs costing \$3,500 to \$30,000. Price \$2.00 prepaid.

Detailed plans prepared for new work or for remodeling old buildings.

W. DEWSNAP, Architect

150 Nassau St., New York City



← The "Golden Gem" Adding Machine only \$10

We have been making adding machines for ten years—and have sold over 30,000. "THE PROOF" on request. Our new model the "GOLDEN GEM" suits the average man's needs as well as high priced machines. You can keep it right on your desk, or take it with you on the road. It saves brain work—avoids mistakes—It is supplied in a pebbled morocco leather case for only \$10. Send Your Remittance Today—Your MONEY BACK if Machine does not make good. Address:

A. B. GANCHER

Automatic Adding Machine Co., 319 Broadway, New York

When writing Advertisers, please mention Architecture and Building.

HIGGINS'

**DRAWING INKS
ETERNAL WRITING INK
ENGROSSING INK
TAURINE MUCILAGE
PHOTO MOUNTER PASTE
DRAWING BOARD PASTE
LIQUID PASTE
OFFICE PASTE
VEGETABLE GLUE, Etc.**

Are the Finest and Best Inks and Adhesives

Emancipate yourself from the use of corrosive and ill-smelling inks and adhesives and adopt the Higgins' Inks and Adhesives. They will be a revelation to you, they are so sweet, clean and well put up.

At Dealers Generally

CHAS. M. HIGGINS & CO., Mfrs.
Branches: Chicago, London
271 Ninth Street Brooklyn, N. Y.




**SELF-LUBRICATING
Rotary Screw
VENTILATORS**

Which Produce a
VACUUM BY ROTATION

The only positive cure for Smoky Chimneys, Poor Draughts and Ventilation. Adopted and used successfully on Private Residences, Greenhouses, Hotels, Breweries, Public Buildings, etc., etc.

**E. G. WASHBURN & CO.
MANUFACTURERS
209 FULTON ST., NEW YORK**
Telephone, 3125 Cortland
Send for Illustrated Circular



Work Shops


Of wood and metal workers, without steam power, equipped with

BARNES' FOOT POWER MACHINERY

allow lower bids on jobs and give greater profit on the work. Machines sent on trial if desired.

Catalogue free

**W. F. & John Barnes Co.
566 Ruby Street, Rockford, Ill.**



JOIST HANGERS



Don't cut away your timbers or depend on flimsy spiking. We make hangers adapted to all conditions. More than 100 stock sizes.

**LANE BROTHERS CO.
(The Door Hanger People)**
Railroad Avenue Poughkeepsie, N. Y.

Pittsburg's large buildings were built with the idea of complying with the proposed new grades of the streets, but scores of structures will require complete overhauling and many will be razed and the sites rebuilt. It will mean the rebuilding of practically twenty blocks of Pittsburg's downtown business section, and that there will be ten million dollars' worth of new fireproof buildings in Pittsburg within the next two years is a safe estimate.

Some of the buildings, such as the Frick Building, Carnegie Building, the new Hotel Henry, Kaufmann Brothers' department store and the Allegheny County courthouse, were designed to meet the new grades, but all around and about them changes are required. We may look for rapid and extensive changes in Pittsburgh's skyline.

A new structure is proposed by Mr. H. C. Frick to occupy the site of the old St. Paul's Cathedral, but it is yet undecided whether it will be a twenty-five or thirty story office building, or a modern hotel.

Beside the business construction, work is constantly going forward in the new steel and brick and terra cotta buildings for the University of Pittsburgh's new group at an outlay of \$8,250,000, and new buildings for the Carnegie Institute of Technology group. The latter have cost \$11,000,000, and as much more is to be spent. These educational buildings are in the civic center in the Oakland residential district, where in the past two years such structures have gone up as the million dollar Pittsburg Athletic Association clubhouse, the \$2,250,000 Soldiers and Sailors' Memorial Hall, the National Guard armory and other lesser structures, in keeping architecturally with the Carnegie Institute, completed several years ago at a cost of more than \$6,000,000.

The National State Bank of Newark, N. J., was built by W. H. Fissell & Co. The illustrations on pages 378-380 show exterior and interior views of the building. The bank is beautifully illuminated at night by bronze standards carrying arc lights along the front, and it is a fitting addition to Newark's "White Way." The Browe Company made the lighting fixtures.

A most interesting point in the interior finish is the flooring which, with the exception of a portion of the first floor, is entirely of "Kompolite," a composition flooring manufactured by the General Kompolite Co., and which is an almost ideal material for the purpose. The Atchison Revolving Door Co. installed the curved wing revolving doors, one of which opens into the main hallway and the other into the banking room. The Fitzgerald-Speer Co. did the mill work, and the fireproof doors and windows were made by the Leonard Sheet Metal Works.



Carter, Black & Ayers

FRONT ENAMELED BRICK HARVARD VELOUR

HOLLOW TILE

For Stucco and Brick Veneer Houses

VITRIFIED AND HARD BURNED BLOCKS

Phones { 7613 } Madison Sq. 1182 Broadway, New York
7614 }

Ritz-Carlton Hotel, N. Y.

All front brick furnished by us.



Residence W. C. Sanderson, South Orange, N. J.

Monument Plaster Co.

Manufacturers of

WALL PLASTER and ORIENTAL STUCCO

Brick Mortars and any Color Sand Finish for
Interior Work

WRITE FOR BOOKLET

Office and Factory, HARRISON, N. J.

The Literature of Structures

Theory of Structures

By C. M. Spofford. Aug., 1911. 432 pp., \$4.00 (17s). Covers fundamental principles in a thorough, logical manner. Has valuable data and tables.

Framed Structures and Girders

By Edgar Marburg. Vol. I.—Stresses.—Part I., Oct., 1911. 540 pp., \$4.00 (17s). Distinctive for its interpretation and application, in full detail, of the theory of stresses for practical purposes.

Kinetic Theory of Engineering Structures

By David A. Molitor. 366 pp., \$5.00 (21s). A complete analysis of "higher structures."

Walls, Bins and Grain Elevators

By Milo S. Ketchum. II ed., Nov., 1911. 556 pp., \$4.00 (17s). A new book. It is again the standard work on design and construction.

Steel Mill Buildings

By the Same Author. 464 pp., \$4.00 (17s.) Covers methods, materials and calculations of stresses.

Highway Bridges

By the Same Author. 550 pp., \$4.00 (17s). Covers stresses in steel and wooden bridges.

Simple Steel Structures

By C. T. Morris. II ed., 201 pp., \$2.25 (9/6). It teaches the art of producing "details which are in accord with the stresses they have to transmit."

Bridge and Structural Design

By W. Chase Thomson. II ed., 192 pp., \$2.00 (8/6). A simple, practical treatise on the elements of bridge and structural design.


Steel Railway Bridges

By W. Chase Thomson. 178 pp., \$2.00 (8/6). Covers the fundamentals of design, using typical structures for illustration.

FOR SALE BY

THE WILLIAM T. COMSTOCK CO., 23 Warren St., New York

“FLEXIFOLD” ROLLING PARTITIONS



For
Churches
Schools
Parish Houses
Lodge Buildings

Grant Pulley and Hardware Co.

3 West 29th St., New York City

Descriptive Circular and Estimates Upon Application

THE NORTHWESTERN TERRA-COTTA COMPANY

M A N U F A C T U R E R S O F


ARCHITECTURAL TERRA-COTTA

**GLAZED AND ENAMELED
WORK IN ALL VARIETIES**

ESTIMATES GIVEN ON APPLICATION

**MAIN OFFICE AND WORKS: 1000 CLYBOURN AVENUE
BRANCH OFFICE: 1415 RAILWAY EXCHANGE**

**CHICAGO
ILLINOIS**



Cross Section of Elevator Shaft and Bulkhead.

ELEVATOR SHAFT CONSTRUCTION

By **H. ROBERT CULLMER**

Assisted by **ALBERT BAUER**

Practical Suggestions for the Installation of Elevators in Buildings

A treatise for the architect and builder covering the surveying and preparing of detail drawings for elevator shafts; machine rooms; elevator bulkheads; tables and formulae for calculating the size and capacity of elevators; freight elevators; sidewalk elevators; dumb-waiters; specification writing for elevator installation; elevator shaft doors and appliances; building regulations covering elevator installation.

Elevator shaft construction in buildings has never before been technically treated.

This book supplies the demand for information on this subject, and it has been the effort of the author to supply the necessary data for the use of the architect in placing an elevator equipment in any building. New York practice is followed, and the Building Department laws and regulations of New York are made the standard. The author has also made a careful study of the regulations in use elsewhere, giving the deviations from New York requirements. Specification writing for elevator equipment has been covered by two forms; one a simple specification for a single elevator, the other a more elaborate equipment embracing several styles of cars suitable for an office building.

The book contains most practical information and it is the hope of the author that he has omitted no important point. Every phase of the shaft problem in building construction has been covered, and the method of presentation is such that ready reference is possible to any detail of the subject.

The book is in companion size with the **Building Construction and Superintendence** Series, by Mr. F. E. Kidder.

Cloth bound, 170 pages, Frontispiece, 47 diagrams, 15 illustrative plates


Price \$3.00

Publishers

The Wm. T. Comstock Co.

23 Warren Street,

NEW YORK



Plan of a Machine Room.



MARSHALL NATIONAL BANK, MARSHALL, TEXAS
Theodore C. Viischer, Architect Hoggson Brothers, Contractors

Fronts Erected Entirely in
ARCHITECTURAL TERRA COTTA

MANUFACTURED BY

FEDERAL TERRA COTTA CO., 111 Broadway, N. Y.

CRAFTSMAN FIRE-PLACE

**Burns Wood, Coal or
Coke**



A Complete Heating and Ventilating System

IF you are intending to build a new home or remodel an old one, and would be interested in HEATING THE ENTIRE HOUSE WITH WARM AIR, OR HOT WATER, FROM AN OPEN FIRE-PLACE, write to me for full information. It is guaranteed.

GUSTAV STICKLEY

Inventor and Manufacturer

41 West 34th St., N. Y. City



The Otis Elevator Building

Illustrated herein on Page 381 to Page 388, inclusive, is

Faced with Standard Size, Light Golden

TRADE MARK
Tapestry Brick
Reg. U.S. Pat. Off.

Your particular attention is called to the

"Tapestry" Brick Treatment of the Lobby, Page 382

FISKE & COMPANY, Inc.

Boston and New York

JUST PUBLISHED

The Principles of Architectural Design

By PERCY L. MARKS, ARCHITECT

Author of "The Principles of Planning," etc.

Containing 165 full-page and other text illustrations.

This work is very fully illustrated and will be found a great aid to the architect or student of architectural design.

One large 8vo volume. Cloth, price \$4.50.

THE WILLIAM T. COMSTOCK COMPANY, Publisher, 23 Warren Street, New York

SWITCHBOARDS *and* PANELS Marked "Metropolitan"

Are the Best that Can be Produced

Architects, Engineers and Owners specify Metropolitan Detachable Mechanism Flush Switches and Receptacles for their high class buildings. The most up to date appliances.

METROPOLITAN
ELECTRIC MFG CO.

14th Street and East Avenue, L. I. City

STANDARD PLUNGER ELEVATOR COMPANY

115 Broadway, New York

Washington

Montreal

Chicago

Worcester

Philadelphia

OUR ENGINEERS ARE AT YOUR SERVICE

Booklet on request

Fitzgerald-Speer Co.

Pen Argyl, Pennsylvania

Established 1889

For twenty-three years at one place and under same management, we have been manufacturing and serving our customers with high grade

**Millwork, Stairwork, Store,
Office and Bank Fixtures**

Send us your inquiries and orders direct and save money.

ELKS

SOUVENIR NUMBER

New York Lodge No. 1

Send twenty cents for a copy NOW

ARCHITECTURE AND BUILDING
23 Warren Street, New York

LOOMIS FILTERS

ESTABLISHED 1888

Improved System

Simple and Effective

LOOMIS-MANNING FILTER DISTRIBUTING CO.

Main Office: 828 Land Title Building, PHILADELPHIA
Boston New York Baltimore Washington

Complete Architectural Catalogue

Sent on request

THE WILLIAM T. COMSTOCK CO.

Publishers

23 Warren Street

New York

Architecture
NA
1
.A68
v. 44
no. 10



Vol. 44

No. 10

NOV 16 1967 SHORTAGE

ARCHITECTURE AND BUILDING

20c. a Copy

October, 1912

\$2.00 a Year

Published by THE WILLIAM T. COMSTOCK COMPANY, N. Y.

**"Globe" Ventilator and
"Globe Ventilating Ridging"**



The "Globe" is built on
honor and sold on merit

In Copper or Galvanized Iron.

Simple Send for
Stormproof Brown Print
Symmetrical Catalogue or Model
Satisfactory

MANUFACTURED BY

Globe Ventilator Company
TROY, N. Y.

A NEW AUTHORITATIVE WORK

Ransome & Saurbrey's

Pub. April, 1912

**Reinforced Concrete
Buildings**

By ERNEST L. RANSOME and ALEXIS SAURBREY

235 p., 6 x 9, Ills., \$2.50 (10%) net, postpaid

Mr. Ransome is probably the best known concrete specialist in the country. He was the great pioneer in its introduction. Mr. Saurbrey, now associated with him, has had unusual facilities for investigation and study. The book is written for engineers.

It does not rehash the standard data. It is full of unusual material on patents, design and practical details of construction.

CONTENTS

Part I. Chapter I—Personal Reminiscences. II—Basic Patents and a Short Survey of the Early History of the Art.

Part II. Chapter III—Introduction. IV—Adhesion. V—Compression and Lateral Expansion. VI—Bending. VII—Transverse Stresses. VIII—Applications of the Bending Theory. IX—Initial and Allowable Stresses.

Part III. Chapter X—Materials of Construction. XI—Floor Systems. XII—Foundations. XIII—Finishing Operations. XIV—Fireproofing and Fires. XV—Repairs to Existing Buildings. XVI—Accidents. XVII—Superintendents Specifications. XVIII—The Engineer. XIX—The Theory of the Beams as Illustrated by Tests.

FOR SALE BY

THE WM. T. COMSTOCK CO.

23 Warren Street, New York



It doesn't take a magnifying glass to discover the quality in "F-S" Products.


Has the varnish you use a reputation for satisfactory results?
"F-S" Varnishes, in any of their many grades, have a half century's enviable record for quality and satisfaction.

FELTON, SIBLEY & Co., Inc.

Mfrs. of Colors, Paints, Varnishes

136-140 N. 4th St.

Philadelphia



Corbin Cast Hardware

of sizes and proportions to please the eye and of an appearance that indicates quality is used upon the Carnegie Library at Duquesne, Pa. It is giving daily testimony, in the service it is rendering, of the architect's good judgment in selecting it.

P. & F. CORBIN

Division

The American Hardware Corporation

NEW BRITAIN, CONNECTICUT

P. & F. Corbin
of New York

P. & F. Corbin
of Chicago

P. & F. Corbin Division
Philadelphia

GEORGE A. FULLER CO.

Building Construction

111 BROADWAY

NEW YORK

PHILADELPHIA

WASHINGTON

ATLANTA

BALTIMORE

CHICAGO

BOSTON

RICHMOND

MONTREAL

DETROIT

KANSAS CITY

MILWAUKEE

WINNIPEG

TORONTO

OTTAWA

Memphi Fresco Paint

(FLAT FINISH) FOR WALLS AND CEILINGS

MADE BY

DE SOTO PAINT MFG. COMPANY

MEMPHIS, TENN.

NEVEN SPARKS LAMB, Eastern Distributor

140-151 CHURCH STREET, NEW YORK

Large stock always on hand
for prompt delivery

Used throughout the
United States Rubber Building, New York

PARIS
ROME



NEW YORK
705
Fifth Avenue

Architecture and Building

Established 1882

*A continuation of the
Architect's and Builder's Magazine, 1899-1911*

Continued 1911

PUBLISHED MONTHLY BY

THE WILLIAM T. COMSTOCK COMPANY

23 Warren Street, New York

WM. PHILLIPS COMSTOCK, President

CONTENTS FOR OCTOBER

Hotel Copley-Plaza, Boston, Mass.	389
Henry J. Hardenbergh, Architect.	
Bethlehem Chapel of the Cathedral Church of St. Peter and St. Paul, Washington, D. C.	407
Henry Vaughan, Architect.	
Standpipe and Hose System in Buildings—III	413
Students' Working Drawings, Cornell University, Col- lege of Architecture	415
Lawyers' Club, New York	418
Francis H. Kimball, Architect.	
Croisic Building, New York	423
Frederick C. Browne, Architect. Randolph H. Almirotty, Assoc. Architect.	
Hotel Samuels, Jamestown, N. Y.	425
Esenwein & Johnson, Architects.	
St. Barnabas Church, New York	427
N. Serracino, Architect.	

ADVERTISING REPRESENTATIVES

D. R. Gimbel
Geo. H. Stewart (Dept. of Fireproofing and Fire Protection)

EDITORIAL DEPARTMENT

Wm. P. Comstock, Managing Editor
Charles Warren Hastings, Assistant Editor
Frederick Squires, Contributing Editor

Subscription Terms \$2.00 a year in advance for United States and Possessions, Mexico and Cuba. Canada, \$2.50, and other countries, \$3.00. Postage prepaid.
Subscribers when changing their address must state both old and new address.

Remitting Money All remittance of money should be in the form of U. S. Postal Money Orders (payable to THE WM. T. COMSTOCK CO., at New York Office). When these are not available, send money by registered letter, or send drafts on New York banks, made payable to order of THE WM. T. COMSTOCK CO. Personal checks on local banks cannot be received in payment.

TRADE SUPPLIED BY THE AMERICAN NEWS COMPANY AND ITS BRANCHES

LONDON AGENTS—Wm. Dawson & Sons (Ltd.), Cannon House, Bream's Buildings, London, England.

Copyright, 1912, by The Wm. T. Comstock Co.

Entered as second-class matter, April 4, 1911, at the Post Office at New York, N. Y.,
under the Act of March 3, 1879.

The Tobey Service

in

Interior Decoration

and in

The Designing and Building of Elegant Handmade Furniture

generally proves a revelation to the architect experiencing it for the first time.

Intelligent, genuine cooperation; the advantages of complete studio and shop facilities, and of complete accessory stocks; charges based strictly upon net costs plus a modest profit, with nothing added for aesthetics or "atmosphere"—these and other features will surely commend themselves strongly to any unprejudiced investigator.

We will welcome an opportunity to point out the many noteworthy commissions we have executed.

The Tobey Furniture Company
New York and Chicago



THE SPECIAL SILVERWARE
furnished the Hotel Copley-Plaza of
Boston—one of the most luxurious hotels
in America—was designed and made by

The Gorham Co.

Fifth Avenue and Thirty-sixth Street
New York



Foyer Copley-Plaza Hotel, Boston, Showing Interior Marble and Mosaic Work.

EXECUTED BY

BATTERSON & EISELE

Importers and Workers of Marble, Stone and Granite

Roman & Venetian Mosaics for Floors, Walls, Mantels, etc.

Office: Times Building, New York

Works: Edgewater, N. J.

Advertisements.—When writing Advertisers, please mention Architecture and Building.

Alphabetical List of Advertisers

Page	Page	Page
American Enameled Brick & Tile Co., The..... 25	Gorham Co., The..... 5	Peckworth, Charles H..... 29
American Hardware Corporation, The 1	Gorton & Lidgerwood Co..... 30	Penn Brass & Bronze Works. 15
Atchison Revolving Door Co. The —	Grant Pulley & Hardware Co. 44	Pettingell-Andrews Company.. 46
Automatic Adding Mach. Co.. 35	Greenfield, Inc., Arthur..... 34	Polachek Bronze & Iron Co., John —
Automatic Sprinkler Co. of America. 27	Grimmer & Son, Charles.... 9	Pomeroy Co., Inc., S. H..... 27
Badger & Sons Co., E. B..... 33	Harrisburg Star Boiler Co.... 42	Pooley Furniture Co..... 13
Bagues Freres Co..... 2	Henderson Bros. 9	Prentiss Clock Improvement Co. 34
Barnes Co., W. F. & John.... 40	Higgins & Co., Chas. M..... 40	
Barrett Mfg. Co., The..... 19	Holmes, Frederick S..... 21	Rinkenberger Co., George E.. 40
Batterson & Elsele..... 6	Hydro Damp-Proofing & Engineering Co. 26	Rockwood Sprinkler Co..... 24
Berger Mfg. Co., The..... 30		Roberts Elevator Co., James H. 33
Bommer Bros. 16	Ingham, Howard M..... 20	
Boyd, Thomas Bruce..... 21	Irving & Casson 15	Safety Fire Extinguisher Co., The 22
		See Electric Elevator Co., The A. B. 35
Carter, Black & Ayers..... 41	Jamestown Lounge Co..... 42	Silver Lake Co.....II Cover
Chicago Spring Butt Co..... —	Jones, Thomas W..... 34	Simmons Co., John..... 26
Collins, Francis W..... 21	Kalamain Co., The..... 28	Speldel, J. G..... 35
Concrete Age, The..... 40	Kempe & Co. 16	Stanley Works, The..... 31
Corbin, P. & F..... 1	Knoburn Co., The 25	Star Expansion Bolt Co..... 16
Cork & Zicha Marble Co..... 52	Kohn, Jacob & Josef..... 46	Star Fireproof Door & Sash Co., Inc.... . 29
Cornell Company, W. G.III Cover	Lamb, Neven Sparks..... 2	Stickley, Gustav 48
	Lane Bros. Co..... 36	
Dahlstrom Metallic Door Company 13	Lelman Bros. 28	Tettenborn Refrigerators..... 34
Daprato Statuary Company.... 14	Leonard Sheet Metal Works.. 25	Tobey Furniture Company, The 4
De Soto Paint Mfg. Company.. 2	Loomis Manning Filter Distributing Co.IV Cover	Toch Brothers 11
Dewanap, William D..... 35	Lowe Brothers Co., The..... 39	
Dixon Crucible Co., Jos..... 31		U. S. Changeable Sign Company —
Durcan, Inc., P. J..... 9	Manual Arts Press, The..... 33	United States Mineral Wool Co. 27
	Matthews Brothers Manufacturing Co. 43	United States Press Clipping Bureau 40
Emery Thompson Machine & Supply Co. 30	McCabe Hanger Mfg. Co.... 31	
Erkins Studio, The 15	McLaury Marble Co., D. H... 47	Vacuum Cleaner Construction Co. 42
Evans, F. H..... 35	Metropolitan Electric Mfg. Co.III Cover	Van Dorn Iron Works Co., The 35
	Miller, H. W..... 9	Volgtmann & Co..... 27
Federal Terra Cotta Co..... 48	Monument Plaster Co..... 41	
Felton, Sibley & Co....II Cover	Morton, Thomas 29	Washburne & Co., E. G..... 40
Folsom Snow Guard Co..... 34		Wells Architectural Iron Co... 43
Fuller Co., George A..... 2	National Ventilating Co..... 32	Wilson Mfg. Co., James G.... 16
	Newman Clock Co —	Winslow Bros. Company, The.. 14
Gancher, A. B..... 35	Northwestern Terra-Cotta Co., The 44	
General Fire Extinguisher Co. 23		Young, William 40
Giberson & Company, E. F.... 45	Otis Elevator Company..... 17	
Globe Ventilator Co....II Cover		

Classified Advertisements

NOTE.—Every classified advertiser is entitled to insertion under one heading. Under extra headings, \$5.00 a year each

ADDING MACHINES.

Automatic Adding Machine Co., 319 Broadway,
New York

ALTARS, STATUARY, ETC.

Daprato Statuary Company...Chicago-New York

ARCHITECTURAL BRONZE.

Bagues Freres Co....705 Fifth Ave., New York
Penn Brass & Bronze Works, 40 Penn St.,
Williamsburg, N. Y.
Polachek Bronze & Iron Co., John,
490-494 Hancock St. and 577-591 Boulevard,
Long Island City.

AWNINGS, BLINDS, ETC.

Wilson Mfg. Co., Jas. G.
5 W. 29th St., New York City

BOILERS.

Badger & Sons Co., E. B., Boston, Mass.
Fitzgibbons Boiler Co., 50 Church St., New York
Gorton & Lidgerwood Co.,
144 Liberty St., New York
Harrisburg Star Boiler Co., 1 Madison Ave., N. Y.

BOLTS—Expansion, Machine Expansion, Mooring, Twin, Toggle.

Evans, F. H....31-35 Hewes St., Brooklyn, N. Y.
Star Expansion Bolt Co., 147-149 Cedar St., N. Y.

BRICK—Enameled Front. Hollow.

American Enamel Brick & Tile Co.,
1184 Broadway, N. Y.
Carter, Black & Ayers....1182 Broadway, N. Y.
Fiske & Co., Inc., 40 W. 32d St., New York

BRIDGES.

Van Dorn Iron Works Co.....Cleveland, O.

BRONZE.

Bagues, Freres Co., 705 Fifth Ave., New York.
Penn Brass and Bronze Works, Inc.,
36 to 40 Penn St., Brooklyn, N. Y.
Polachek Bronze and Iron Co., John,
490-494 Hancock St. and 577-591 Boulevard,
Long Island City.
Winslow Bros. Co., The, New York and Chicago.

BUILDING CONTRACTORS.

Fuller Co., Geo. A., Chicago, New York, Boston,
Washington.
Peckworth, Charles H....631 Hudson St., N. Y.
Starrett Company, Theodore, 103 Park Ave., N. Y.

BUILDING DIRECTORY.

U. S. Changeable Sign Co..3-7 W. 29th St., N. Y.

BUTTS, BALL-BEARING.

Stanley Works, The.....New Britain, Conn.

CHAIRS, BENTWOOD, ETC.

Kohn, Jacob & Josef.....New York-Chicago

CLOCKS—Synchronised, Watchman's.

Newman Clock Co., The...178 Fulton St., N. Y.
Prentiss Clock Improvement Co.,
Dept. 11, 92 Chambers St., N. Y.

CONCRETE SIDEWALK FORMS.

Berger Mfg. Co., The.....Canton, O.

CORDAGE.

Silver Lake Co.....Boston, Mass.

DAMP-PROOFING.

Hydro Damp-proofing & Engineering Co., The.
408 Wabash Building, Pittsburg, Pa.

DESIGN BOOKS.

Dewsnap, William D., 150 Nassau St., N. Y.

DOOR HANGERS.

McCabe Hanger Mfg. Co., 156 5th Ave., N. Y.
Lane Bros. Co.....Poughkeepsie, N. Y.

DOORS, REVOLVING, ETC.

Atchison Revolving Door Co., The,
156 Fifth Ave., New York

DRAWER SLIDE.

Grant Pulley & Hardware Co.,
85 Warren St., N. Y.

DRAWING INKS—(Higgins).

Higgins & Co., Chas. M.,
271 5th St., Brooklyn, N. Y.

DUMB WAITERS.

Otis Elevator Co.....17 Battery Place, N. Y.
Spedel, J. G.....Reading, Pa.

ELECTRICAL CONTRACTORS.

Boyd Equipment Co.....373 4th Ave., N. Y.

ELEVATORS.

A. B. See Electric Elevator Co., The,
220 Broadway, New York
Otis Elevator Co., 11th Ave. & 26th St., N. Y.
Roberts Elevator Co., James H.,
430 West Broadway, New York
Spedel, J. G.....Reading, Pa.

ENGINEERS, ELECTRICAL, CONSULTING, BANK VAULT, ETC.

Boyd, Thomas Bruce, 296 Fifth Ave., New York.
Collins, Francis W....50 Church St., New York
Holmes, Frederick S., 2 Rector St., New York.
Ingham, Howard M....160 5th Ave., New York

EXPANSION BOLTS.

Evans, F. H....31-35 Hewes St., Brooklyn, N. Y.
Star Expansion Bolt Co....147 Cedar St., N. Y.

EXTERIOR PLASTER.

Monumental Plaster Company....Harrison, N. J.

FENCING AND RAILINGS.

Van Dorn Iron Works Co.....Cleveland, O.

FILTERS.

Loomis-Manning Filter Distributing Co.,
828 Land Title Bldg., Philadelphia, Pa.

FIRE BUCKET TANKS.

Safety Fire Extinguisher Co., The,
291-293 Seventh Ave., New York

FIRE DOOR EQUIPMENT.

Lane Bros. Co.....Poughkeepsie, N. Y.

FIRE EQUIPMENT, GENERAL.

Simmons Co., John....102-110 Centre St., N. Y.

FIRE EXTINGUISHING APPARATUS.

General Fire Extinguisher Co., Providence, R. I.

FIRE PLACES, CRAFTSMAN, ETC.

Stickley, Gustav.....41 W. 34th St., New York

KEYSTONE
FLAT FINISH
KEYSTONE

Some contracts are handed to us on a Silver Salver, a few come to us through the recommendation of friends—but 99% of our business is secured because our unequalled facilities permit our giving you "Class A" service in **CABINET WOODWORK**, and **UPHOLSTERY** in the same satisfactory manner that we have done Painting for the past 30 years.

Our new factories and showrooms occupy three entire buildings. A representative will call upon request, and you are invited to call and inspect the following stocks on exhibit, which are the largest and most select to be found in New York: Wall Papers, Mantels, Andirons, Lighting Fixtures, Fabrics, Furniture, Mirrors, Antiques, Clocks, Candlesticks, Lamps, Pillows, etc.

Charles Grimmer & Son

Telephones, 7557—7558 Madison Square.

230-234 East 37th Street, NEW YORK

P. J. DURCAN, Inc.,

PLAIN AND ORNAMENTAL


PLASTERING CONTRACTORS

142 EAST 43rd STREET

NEW YORK

Plastering Contractors for the Lawyers' Club, Illustrated in this Issue.

HENDERSON ANTIQUE LEADING



ONE HALF INCH ANTIQUE LEADING

Henderson's Patent, Henderson Bros., 507 First Ave., New York. Craftsmen in Lead and Stained Glass in Antique and Modern Styles. Estimates Furnished.



UNITED STATES RUBBER BUILDING
NEW YORK

Ornamental Plaster and Imitation
Caen Stone

EXECUTED BY

H. W. MILLER, Inc.

501 East 22d Street, New York City

PLAIN AND DECORATIVE PLASTERING
ARTIFICIAL CAEN STONE
CEMENT STUCCO CONCRETE STONE

Classified Advertisements—Continued

FIREPROOF DOORS AND SHUTTERS.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Grant Pulley & Hardware Co.,
8 West 29th St., New York
Kalamein Co., The, Long Island City, N. Y.
Knoburn Company, 365 14th St., Hoboken, N. J.
Leonard Sheet Metal Works, Hoboken, N. J.
Pomeroy Co., Inc., S. H.,
427 W. 18th St., New York City

FIREPROOF WINDOWS.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Kalamein Company, The, Long Island City, N. Y.
Knoburn Company,
359-363 14th St., Hoboken, N. J.
Pomeroy Co. (Inc.), S. H., 427 W. 18th St., N. Y.
Voigtmann & Co., 427 W. 18th St., New York.

FLOORS.

General Kompolite Co., 516 Fifth Ave., N. Y.

FLOOR AND WOODWORK POLISH.

Felton, Sibley & Co., 136 N. 4th St., Phila., Pa.

FLOORING MACHINERY.

International Floor Machine Co., 39 West 38th St., New York.

FURNITURE.

Pooley Furniture Co.,
16th St. and Indiana Ave., Philadelphia, Pa.
Tobey Furniture Company, The,
New York and Chicago
Jamestown Lounge Co., Jamestown, N. Y.

GARDEN FURNITURE, CEMENT.

Erkins Studios, The, 231 Lexington Ave., N. Y.

GAS AND ELECTRIC FIXTURES

Simes Co., The, 18 Rose St., New York.

GLASS, ORNAMENTAL.

Henderson Bros., 701 First Ave., N. Y.
Kempe & Co., 1 W. 34th St., N. Y.

GRAPHITE PAINT.

Dixon Crucible Co., Jos., Jersey City, N. J.

HANGERS—House, Barn Door.

Lane Bros. Co., Poughkeepsie, N. Y.
McCabe Hanger Mfg. Co., 532 W. 22d St., N. Y.

HARDWARE.

American Hardware Corporation, The,
New Britain, Conn.
Chicago Spring Butt Co., Chicago, Ill.; New York
Corbin, P. & F., New Britain, Conn.
Stanley Works, The, Dept. B,
New Britain, Conn., and 79 Chambers St., N. Y.

HEATING APPLIANCES. (Also see Boilers.)

Boyd Equipment Co., 373 Fourth Ave., N. Y.
Gorton & Lidgerwood Co., 96 Liberty St., N. Y.

HINGES—Spring, Ballbearing, Etc.

Bommer Bros., 257 Classon Av., Brooklyn, N. Y.
Chicago Spring Butt Co.,
Chicago, Ill.; New York.

Stanley Works, The, New Britain, Conn.

HOLLOW TILE.

Carter, Black & Ayers, 1182 Broadway, N. Y.

HOT-WATER BOILERS—Copper.

Badger & Sons Co., E. B.,
63-75 Pitt St., Boston, Mass.

ICE CREAM FREEZING MACHINERY.

Emery Thompson Machine and Supply Co.,
202 E. 46th St., N. Y.

IRON WORK—Ornamental and Structural.

Bagues Freres Co., 705 Fifth Ave., New York
Polachek Bronze and Iron Co., John
480-494 Hancock St. and 577-591 Boulevard,
Long Island City.
Wells Architectural Iron Co.,
River Ave. and 151st St., N. Y.
Winslow Bros. Company, The,
New York-Chicago

JAIL AND PRISON WORK.

Van Dorn Iron Works Co., Cleveland, O.

JOIST HANGERS—(Steel).

Lane Bros. Co., Poughkeepsie, N. Y.
Van Dorn Iron Works Co., Cleveland, O.

LIGHTING FIXTURES—Gas and Electric.

Bagues Freres Co., 705 Fifth Ave., New York
Pettingell-Andrews Company, Boston, Mass.

LIGHTNING RODS.

Jones, T. W., 22 Burling Slip, N. Y.
Washburne & Co., E. G., 209 Fulton St., N. Y.

LIMESTONE, INDIANA, ETC.

Giberson & Company, E. F., Bedford, Indiana.

LOCKS, ETC.

American Hardware Corporation,
New Britain, Conn.
Corbin, P. & F., New Britain, Conn.

MANTELS, FIREPLACES, ETC.

Jackson Co., Wm. H., 2 W. 47th St., N. Y.

MARBLE WORKERS.

Batterson & Elsele, Times Building, New York.
Cork & Zicha Marble Co.,
325-327 E. 94th St., New York
McLaury Marble Co., 103 Park Ave., N. Y.

METAL CEILINGS.

Berger Mfg. Co., The, Canton, O.

METAL DOORS AND TRIM.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Knoburn Company,
359-363 14th St., Hoboken, N. J.
Star Fire Proof Door and Sash Co., Inc.,
2650 Park Ave., New York City

METAL LATHING.

Greenfield, Inc., Arthur, 204 E. 26th St., N. Y.

METAL LUMBER.

Berger Mfg. Co., The, Canton, O.

METALLIC OFFICE FURNITURE.

Berger Mfg. Co., The, Canton, O.
Van Dorn Iron Works Co., Cleveland, O.

METAL SASH AND FRAMES.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Kalamein Company, The, Long Island City, N. Y.
Knoburn Company, 365 14th St., Hoboken, N. J.
Leonard Sheet Metal Works, Hoboken, N. J.
Pomeroy Co. (Inc.), S. H., 427 W. 18th St., N. Y.
Star Fire Proof Door & Sash Co.,
2650 Park Ave., New York

METAL WINDOWS.

Pomeroy Co., (Inc.), T. H., 427 W. 18th St., N. Y.
Voigtmann & Co., 427 W. 18th St., New York.

MINERAL WOOL.

U. S. Mineral Wool Co., 140 Cedar St., N. Y.

PAINTING CONTRACTORS.

Grimmer & Son, Charles, 230 E. 37th St., N. Y.
McKay, Inc., Peter, 167 E. 60th St., New York.

KEYSTONE
FLAT FINISH

"R. I. W."
REMEMBER IT'S WATERPROOF



COPLEY-PLAZA HOTEL, BOSTON, MASS.

H. J. HARDENBERGH, Architect

GEO. A. FULLER CO., Builders

DAMP PROOFED AND STAIN PROOFED WITH "R. I. W." DAMP RESISTING PAINTS.

The following world renowned hotels in New York City are also DAMP PROOFED and STAIN PROOFED WITH "R. I. W." DAMP RESISTING PAINTS:

VANDERBILT HOTEL
MARTINIQUE HOTEL
McALPIN HOTEL

PLAZA HOTEL
HOTEL ASTOR
ANSONIA HOTEL

The "R. I. W." Red Book gives the reason. Have you your copy?

TOCH BROTHERS

Established 1848

Technical Paints, Enamels, Damp Proofing Compounds
320 FIFTH AVENUE NEW YORK

Works: LONG ISLAND CITY, N. Y., AND TORONTO, CANADA

Classified Advertisements—Continued

PAINTS FOR COATING AND PRESERVING IRON AND STEEL.

Dixon Crucible Co., Jos.....Jersey City, N. J.
Toch Brothers.....320 Fifth Ave., N. Y.

PAINTS, OILS, VARNISHES, WOOD FILLING, etc.

De Soto Paint Mfg. Company..Memphis, Tenn.
Dixon Crucible Co., Jos.....Jersey City, N. J.
Felton, Sibley & Co.,
186 N. 4th St., Philadelphia, Pa.
Lowe Brothers Co., The.....Dayton, Ohio

PLASTER WORK—Plain, Ornamental Models.

Durcan, Inc., P. J.....142 E. 43d St., N. Y.
Miller, H. W.....22d St. and Ave A, New York
Monument Plaster Co.....Harrison, N. J.

PLUMBERS.

Boyd Equipment Co...378 Fourth Ave., N. Y.
Boyd, John.....284 Columbus Ave., New York.
Cornell Company, W. G..Everett Bldg., N. Y.
Rinkenberger Co., George E..12 E. 42d St., N. Y.
Young, William.....217 W. 18th St., N. Y.

PRONG LOCK, STUDS AND FURRING.

Berger Mfg. Co., The.....Canton, O.

PUBLISHERS.

Camstock Co., The W. T..23 Warren St., N. Y.
Concrete Age, The.....Atlanta, Georgia
Manual Arts Press, The,
600 German Fire Insur. Bldg., Peoria, Ill.

PULLEYS.

Grant Pulley & Hardware Co.,
8 W. 29th St., N. Y.

REFRIGERATORS, PORCELAIN, ETC.

Tettenborn Refrigerator Co.....Cincinnati, O.

RINGS—Bridle, Corner Brace (Bridle), Sebco Aerial.

Star Expansion Bolt Co..147-149 Cedar St., N. Y.

ROLLING DOORS AND SHUTTERS—Steel.

Grant Pulley and Hardware Co.,
8 W. 29th St., New York City.
Wilson Mfg. Co., James G.,
3 W. 29th St., New York

ROOFING AND ROOFING MATERIALS.

Barrett Mfg. Co.....New York, N. Y.

RASH CHAINS.

Morton, Thomas.....169 Elm St., N. Y.

RASH CORDS.

Silver Lake Co.....Boston, Mass.

RASH PULLEYS—Iron, Brass, Bronze.

Grant Pulley & Hardware Co.,
8 W. 29th St., N. Y.

SIDEWALK LIFTS.

Spaidel, J. G.....Reading, Pa.

SIDEWALK LIGHTS.

The Berger Mfg. Co.....Canton, O.

SIGNS, CHANGEABLE, ETC.

Kinney Co., C. M...3 W. 29th St., New York.
U. S. Changeable Sign Co.,
8 W. 29th St., New York

SILVER SERVICES.

Gorham Co., The....6th Ave. & 36th St., N. Y.

SKYLIGHTS.

National Ventilating Co..330 E. 26th St., N. Y.

SNOW GUARD

Folsom Snow Guard Co.,
Roslindale (Boston), Mass.

SPRING HINGES.

Bemmer Bros....257 Classon Ave., Bklyn, N. Y.
Chicago Spring Butt Co.,
Chicago, Ill.; New York.

SPRINKLER SYSTEMS.

Automatic Sprinkler Co. of America,
223 William St., New York City.
General Fire Extinguisher Co.,
Providence, R. I.

Rockwood Sprinkler Co...123 William St., N. Y.

STEEL BUILDINGS.

Van Dorn Iron Works Co.....Cleveland, O.

STEEL JOIST HANGERS.

Lane Bros. Co.....Poughkeepsie, N. Y.
Van Dorn Iron Works Co.....Cleveland, O.

STEEL SHUTTERS, ROLLING, ETC.

Wilson Mfg. Co., James G.,
5 W. 29th St., New York

STUCCO.

Monument Plaster Co.....Harrison, N. J.

SWITCHBOARDS, PANELS, ETC.

Metropolitan Electric Mfg. Co.,
14th St. & East Ave., Long Island City

TACKLE BLOCKS (Automatic).

Lane Bros. Co.....Poughkeepsie, N. Y.

TERRA COTTA.

Federal Terra Cotta Co., 111 Broadway, N. Y.
Northwestern Terra Cotta Co.,
1000 Clybourn Ave., Chicago.

UPHOLSTERY.

Grimmer & Son, Charles,
230-234 E. 37th St., New York

VACUUM CLEANERS.

Vacuum Cleaner Construction Co.,
417 Fifth Ave., New York

VACUUM PUMPS.

Leiman Bros., F. G.....62 John St., N. Y.

VAULT LIGHTS.

Berger Mfg. Co.....Canton, O.
Brooklyn Vault Light Co.,
262 Monitor St., Brooklyn, N. Y.

VENETIAN BLINDS.

Wilson Mfg. Co., Jas. G.,
8½ W. 29th St., New York.

VENTILATING RIDGING.

Globe Ventilator Co.....Troy, N. Y.

VENTILATORS.

Globe Ventilator Co.....Troy, N. Y.
Washburne & Co., E. G...209 Fulton St., N. Y.

WALL FINISHES—FLAT, ETC.

Keystone Varnish Co.,
71 Otsego St., Brooklyn, N. Y.

WALL PLASTER.

Monument Plaster Co.....Harrison, N. J.

WATER FILTERS.

Loomis-Manning Filter Co.,
828 Land Title Bldg., Philadelphia, Pa.

WEATHER VANES.

Jones, Thos. W.....153 Maiden Lane, N. Y.
Washburne & Co., E. G.,
209 Fulton St., N. Y.

WOODWORK, ARCHITECTURAL, ETC.

Grimmer & Son, Charles,
230-234 E. 37th St., N. Y.
Irving and Casson.....578 5th Ave., N. Y.
Matthews Brothers Manufacturing Co.,
61-69 Fourth St., Milwaukee, Wis.

WOOD-WORKING MACHINERY.

Barnes Co., W. F. & John,
566 Ruby St., Rockford, Ill.

KEYSTONE
FLAT FINISH
KEYSTONE



COPLEY PLAZA HOTEL, BOSTON

POOLEY FURNITURE CO.

COMPLETE FURNISHERS

OF

HOTELS, CLUBS, RESIDENCES


Furnishers for the following Hotels

THE PLAZA	THE COPLEY PLAZA	KNICKERBOCKER
RITZ CARLTON	ST. REGIS	WALDORF-ASTORIA
MANHATTAN	RECTOR'S	LA SALLE, Chicago
	BELLEVUE-STRATFORD, Phila.	

FACTORY

16th ST. and INDIANA AVE., PHILADELPHIA, PA.

The Complete Furnishings and Equipment of The Copley Plaza Hotel
Being Furnished by Us



THE
WINSLOW BROS. COMPANY
*Ornamental Iron and
Bronze*
NEW YORK CHICAGO
LOS ANGELES
Agencies in all principal cities of United States
Copley-Plaza Hotel, Boston, Mass.
Mr. H. J. Hardenbergh, Architect.

Special Facilities:—

Altars, Statues, Stations of the Cross, Sanctuary Railings, etc. Executed in Marble, Scagliola and Rigalico Composition.

Over fifty years' experience in the development of the best in ecclesiastical art.



Designed by D. A. Bohlen & Son, Architects
Marble Altars at St. Mary's, Ind., executed in their entirety by Daprato Statuary Company

Those with whom quality is an important object will find our service unequalled. Our foreign studios are located right in the heart of the Carrara Marble district and all work is personally supervised by Prof. Bianchi of the Royal Academy, at Massa, Italy.

We are in position to undertake any work and guarantee finest execution.

Daprato Statuary Company

"Pontifical Institute of Christian Art"

766-770 W. Adams St. 31 Barclay St.
Chicago New York

Roman Cities in Italy and Dalmatia

By A. L. FROTHINGHAM, Ph. D.

Professor of Ancient History and Archaeology at Princeton University.

A picture of Ancient Italy and pre-Augustan Rome drawn from her rivals has not yet been made. This book is a first sketch for such a picture in popular form, and the work gives a most interesting account of these ancient cities. It is illustrated by many full page plates showing the various buildings and their decorative features, also interiors and details. Architects and students will find it a most interesting volume to add to their libraries. Sixty-one page plates, Cloth, price net, \$1.75; postpaid, \$1.90.

For sale by

THE WILLIAM T. COMSTOCK COMPANY, Publisher, 23 Warren Street, N. Y.

Advertisements.—When writing Advertisers, please mention Architecture and Building.



*Bronze
Entrance
Doors*

*Wilson
Building
New
York*

*Rouse &
Goldstone
Architects*

Made by

Penn Brass and Bronze Works, Inc.

*Architectural Bronze Work, Brass and Bronze Railings
Grilles, Mausoleum Supplies, Bank Fixtures, etc.*

*Brass, Bronze, Copper and Alumi-
num Castings of Every Description*

36 to 40 Penn Street, Brooklyn, N. Y.



One of several 18 ft. garden benches erected by us on the estate of J. J. Chapman, Esq., Barrytown, N. Y. Charles A. Platt, *Architect*.

Our models are executed in Pompeian Stone, a product that withstands the elements and is practically everlasting.

Send for our beautiful Catalogue O, illustrating in large variety benches, fountains, sundials, statuary and pedestals. Mailed free on request.

THE ERKINS STUDIOS

The Largest Manufacturers of Ornamental Stone
231 LEXINGTON AVE. NEW YORK
Factory, Astoria, L. I.

New York Selling Agents, Ricceri Florentine Terra Cotta



Carved Wood Organ Case
Bethlehem Chapel, Washington, D. C.
Henry Vaughan, *Architect*

Executed by

Irving & Casson

*Church Furniture, Interior
Finish, Decorations and
Upholstery*

*150 Boylston St.
Boston*

*576 Fifth Ave.
New York*

Wilson's Venetian Blinds



The following hotels are equipped with Wilson's Venetian Blinds:

The
Emerson Hotel,
Baltimore, Md.

The
Taft Hotel,
New Haven, Conn.

The
Vanderbilt Hotel,
New York

The accompanying cut shows one of the windows in the new Vanderbilt Hotel, New York.

Models on view at salesroom

Jas. G. Wilson Mfg. Co.

3½ West 29th St., New York

Also manufacturers of Rolling Steel Shutters and Wood and Steel Rolling Doors and Partitions.



SEE For Yourself

the wonderful holding powers of the SebcO Expansion Bolts, for fastening fixtures in brick, cement, stone and other heavy masonry.

SEBCO EXPANSION BOLTS

are unequaled for all work where steel girders, cross beams and other fixtures are to be fastened in concrete columns, walls, etc.

Drill a hole into the wall or floor and insert the shield. As the bolt is tightened the shield expands at the inner end, making it impossible to pull out. Our illustrated catalogue No. 41 describes many uses for the SebcO Products. We will gladly send it, together with FREE working samples.

STAR EXPANSION BOLT CO.

147-149 Cedar Street, New York City

Kempe Windows

MESSRS. KEMPE & CO. CAN NOW, THROUGH THEIR NEW YORK OFFICE, CENTURY BUILDING, 1 WEST 34TH STREET, FACILITATE THE EXECUTION OF THEIR WELL KNOWN WORK IN STAINED GLASS IN THIS COUNTRY AND WILL BE GLAD TO GIVE ANY ASSISTANCE IN THEIR POWER RESPECTING MEMORIAL AND OTHER WINDOWS.

THE WHOLE OF THE WINDOWS
IN THE BETHLEHEM CHAPEL
WERE DESIGNED AND SET UP
BY KEMPE & CO.

BOMMER SPRING HINGES

ARE QUALITY GOODS

But cost no more than inferior kinds



DON'T ERR IN JUDGMENT when specifying spring hinges, which of all hardware perform the hardest work. Bommer Spring Hinges never fail to give satisfaction, and have withstood the test of time. The springs never go lame. "Practically Unbreakable," says the World's Fair Award, Chicago, 1893.

GOLD MEDALS: Paris, 1900; Buffalo, 1901; St. Louis, 1904.

**All Who Figure on Hardware
Contracts Can Supply Them**

BOMMER BROS., Mfrs., Brooklyn, N. Y.

Est. 1876

ARCHITECTURE AND BUILDING

A Magazine Devoted to Contemporary Architectural Construction

VOLUME XLIV.

OCTOBER, 1912

NUMBER 10

THE HOTEL COPLEY-PLAZA, BOSTON, MASS.

HENRY J. HARDENBERGH, Architect

FACING Copley Square, Boston, taking a place in the architectural group formed by Richardson's Trinity Church and the equally famous Public Library building, the Hotel Copley-Plaza presents a long low frontage of seven-story height, making no interruption of the skyline which has been so wisely set at 90 feet by the Boston Fathers. This Renaissance pile done in light brick with terra-cotta trimmings has a façade made interesting by a great central bay, an interruption which lends attraction to what might have been otherwise a barren expanse.

The decoration of the interior is well portrayed by illustrations, and the arrangement of the rooms shown by the plans. The typical floor plan is like a gigantic E, with elevators and stairs in two shafts in the two outside wings leading from the main concourse and the side entrances of the ground story, and another elevator at the front leading from the Copley Square entrance. There are 500 rooms for guests and private bathrooms for all bedrooms.

All the public rooms of the hotel are in the ground story and basement, as may be seen by the plans. These rooms, as well as other important rooms of the ground story, are of extra height, the space intervening about their upper portions being occupied by a mezzanine story.

Built on soft ground, the building



foundations rest on about 6,000 piles, driven to a depth of nearly 70 feet below street level. The building is of the usual steel frame construction, fire-proofed with terra-cotta, which is also used for the floor construction. The exterior walls are bearing walls and all interior partitions are of hollow terra-cotta blocks. The stairs and elevators are carried in fireproof shafts, separated from the corridors by kalameined doors on all floors occupied by guest chambers.

The floor surfaces of all bedrooms are cement and those of the corridors and stairs are terrazzo and marble. All trim and doors except as before mentioned are of wood.


Aside from efficient planning and fire-proof construction, the modern hotel has become a possibility only by the completeness of its service and mechanical equipment. Moreover, upon efficient and economical service and operation of the mechanical plant depend the profits of the hotel. The service of the Copley-Plaza is concentrated in one large basement which contains the power plant, kitchens, laundries, storerooms, etc.

POWER PLANT.

Power plant is developed by a battery of four high-pressure, Babcock and Wilcox boilers, aggregating 1,326 H. P. These are equipped with Wilkinson automatic stokers which are filled with coal by gravity direct from coal cars on a firing platform above. These boilers



HOTEL COPLEY-PLAZA. PLANS OF THE BASEMENT AND GROUND STORY. Henry J. Hardenbergh, Architect.



THE HOTEL COPLEY-PLAZA, BOSTON, MASS.

Builders: George A. Fuller Company.
 Plumbing: W. G. Cornell Co.
 Dampproofed and Stainproofed with R. I. W. Paints.
 Dixon's Silica Graphite Paint Used.
 American Enameled Brick Used.
 Star Expansion Bolts Used.

Henry J. Hardenbergh, Architect.
 O. Malloux, } Consulting
 C. E. Knox, } Electrical Engineers.

furnish steam for the engines and also for the heating system and all steam used for other purposes. The electrical power plant consists of three direct-connected units, two of 300 kilowatt and one of 200 kilowatt capacity. The engines are of low-speed, releasing Corliss type and are provided with efficient and sensitive governors and safety stops which act automatically in case an engine attains a speed of 10 per cent. above its rated speed, and which may be operated by a push button at any time, to instantly stop the engines. The generators are of the three-wire, external compensator type. The engines are equipped with very heavy fly wheels so as to make possible the use of a single unit to supply both lighting and elevator circuits without undue fluctuation in the voltage.

HEATING AND VENTILATING.

The heating and ventilating equipments are closely combined. Exhaust steam is regularly used for heat except in the very coldest weather. The temperature is controlled by Johnson temperature regulation, and the return accelerated by a Webster vacuum system. All steam risers and returns are concealed back of furring, and all radiator connections are run below the finished floors. The radiators are also screened-in and concealed. All steam piping is very thoroughly insulated with magnesia covering and the ceilings of the engine and boiler rooms are covered with magnesia blocks so as to insulate them and prevent undue heating in the public rooms in the ground story above. Natural ventilation under normal conditions has been taken advantage of to the utmost throughout the public rooms of the ground story. However, there is mechanical ventilating apparatus in all these rooms to meet unfavorable weather conditions, or conditions arising from large assemblages of people. Mechanical ventilation is also provided for


the boiler and engine rooms, the kitchen and service portions, both in the basement and the ground story.

For the mechanical system, fresh air is drawn down from the court through a shaft having a cross-sectional area of 161 square feet, to a ventilating chamber where dust particles are removed by cheese cloth screens. The air is then tempered when necessary in winter time by being drawn over steam coils, the temperature of which is automatically controlled by thermostats and maintained at the desired degree. The air is then forced by fans through iron ducts which are covered with non-conducting material, and distributed to the various rooms through registers; 40,000 cubic feet of air per minute is forced into the ball room and its foyer alone, and an equal amount is supplied to the remaining rooms of the ground story. A third fan supplies 30,000 cubic feet of fresh air to the public rooms of the basement. For the ventilation of the service portion of the basement, 75,000 cubic feet of cooled air per minute is required.

Air is exhausted by five disk fans in roof houses, which is drawn by ducts from the public rooms of the ground story. A sixth fan exhausts air in a similar manner from the toilets, slop sinks, etc., in the upper stories. Steel plate centrifugal fans located in the basement exhaust air from the service portions and discharge it through ducts above the roof. All fans are driven by direct-connected electric motors. In the ballroom, the air supply normally enters openings near the ceiling and is exhausted near the floor, but by a simple arrangement of the supply ducts and a reversing damper, the direction of this supply and exhaust may be reversed.

SANITATION AND WATER SUPPLY.

A reference to the typical floor plan shows the location of the various toilets. The water supply and soil lines are all



PLAN OF TYPICAL UPPER STORY.

Henry J. Hardenbergh, Architect.

carried in chases which are readily accessible. All house drainage runs directly to the sewer, but the basement waste draining to a level below the city sewers is disposed of by three Shone ejectors with a capacity of 100 gallons per minute. The water supply is circulated by city high pressure service. There are five double-cylinder Loomis-Manning filters through which all water passes. The water for drinking purposes is refiltered through compound Buhring filters located in the kitchen, serving pantries and bar. The hot water supply for the house is heated by three Davis hot water service heaters. These are operated by exhaust steam at 2 pounds pressure, and have a capacity of raising water from 45 to 160 degrees. The water for the hot water service comes from a supply tank on the roof, which normally receives water

from a suction tank receiving the water from the condensing coils of the refrigerating plant. When this supply is insufficient, cold water is automatically supplied to this tank. The hot water supply to the various fixtures throughout the house is piped on a circulating system. A main riser comes from the hot water heaters to distributing pipes at the top of the house. From this, down feeders lead to all the fixtures and to return pipes leading to the heaters in the basement, where it is reheated and continued in circulation.

ELEVATORS AND MECHANICAL EQUIPMENT.

The elevator equipment in the building consists of six passenger elevators grouped in two batteries, and three service elevators. The machines are the A. B. See overhead worm gear, traction type. They have a capacity of 2,500



HOTEL, COPLEY-PLAZA. THE LOBBY. Henry J. Hardenbergh, Architect.
 Marble and Mosaic: Patterson & Elzele.
 Bulletin Board: U. M. Changeable Sign Co.
 A. H. See Electric Elevators.
 Painted Glass: Henderson Bros.



HOTEL COPLEY-PLAZA. CORRIDOR AND DETAIL OF MAIN DINING ROOM.
Ornamental Plaster: McNulty Bros. Inc.
Panelboards and Switches: Metropolitan Electric Mfg. Co.
Furniture: Pooley Furniture Co.
Metal Glazing: Henderson Bros.



Henry J. Hardenbergh, Architect.



HOTEL COPLEY-PLAZA. MAIN DINING ROOM.
 Silver Service: The Gorham Co.
 Furniture: Fooley Furniture Co.
 Ornamental Finish: McNulty Bros. Inc.
 Loomis-Manning Water Filters.
 Henry J. Hardenbergh, Architect.



HOTEL COPLEY-PLAZA. THE TEA ROOM.

Flower Urns: The Erkins Studios.
 Leaded Glass: Henderson Bros.

Henry J. Hardenbergh, Architect.
 Evans' "Crescent" Expansion Bolts Used.

pounds at a speed of 400 feet per minute. There are two baggage lifts and an ash hoist running from the basement to the street level, and a number of electric dumbwaiters operating on push button control for service between the basement and the first floor.

A complete system of house telephones is installed, with an instrument in every room, which communicates to a central switchboard on the ground floor. This provides for the outside calls of guests and also for all orders from the guest rooms.

There are two laundries shown by the basement plan. One for flat work is for the house service, and is equipped with six washers, three extractors, two mangles and one dryer, besides other minor machinery. The guests' laundry for bun-

dle work, which is done by hand, is also shown on the plan.

There is a complete vacuum cleaning equipment, piped throughout the building. The machine is a twelve-sweeper, aspirator equipment, which works on the principal of a steam inspirator.

RESTAURANT SERVICE.

The direct service of the house, with the various machinery pertaining thereto, is very well developed. The plan of the basement shows the location of the kitchen, and a reference to the ground floor plan shows the connection of the kitchen to the various serving pantries provided for the dining room. For the service of the main dining room and the tea room there is a serving room in the ground story which adjoins these two rooms and is connected with the kitchen



HOTEL COPLEY-PLAZA. DETAIL IN TEA ROOM.

Marble and Mosaic: Batterson & Elsele.
Flower Urns: The Erkins Studios.
Furniture: Pooley Furniture Co.
Lighting Fixtures: Pettingell-Andrews Co.

Henry J. Hardenbergh, Architect.



HOTEL COPLEY-PLAZA. THE BALL ROOM.

Lighting Fixtures: Pettibell-Andrews Co.
Ornamental Plaster: McNulty Bros. Inc.
Bentwood Chairs: Jacob & Josef Kohn.
Ornamental Iron and Bronze: The Winslow Bros. Company.

Henry J. Hardenbergh, Architect.



HOTEL COPLEY-PLAZA. DOORWAY IN THE BALL ROOM.

Interior Woodwork: Matthews Bros. Mfg. Co.
Bentwood Chairs: Jacob & Josef Kohn.
Corbin Hardware.

Henry J. Hardenbergh, Architect.



HOTEL COPLEY-PLAZA. DETAIL OF BANQUET ROOM.

Henry J. Hardenbergh, Architect.

Keystonea Flat Finish Used.
Bentwood Chairs: Jacob & Josef Kohn.
Lighting Fixtures: Pettigell-Andrews Co.
Ornamental Metal Mirrors: Henderson Bros.
Corbin Hardware.

by a wide flight of stairs. The checker's desk is located at the foot of the stairs, which open directly into the kitchen before the cooks' tables. For the service of the grill and barroom there is a separate service room in the ground story and a grill pantry in the basement. The connection between these two pantries is by means of a large automatic dumb-waiter and by a flight of stairs leading to the kitchen. There is a serving room for the salon, and one for the ballroom, each of which have connecting pantries in the basement, with flights of stairs leading from these pantries in each case. The location of the ranges, pastry ovens and other appurtenances of the kitchen are clearly shown in the plan. Two portions of the mechanical equipment come into play particularly in connection with the kitchen and restaurant service, namely, refrigeration and steam warmers.

For refrigeration there are two York ammonia compression machines of 30 tons capacity. These supply chilled brine to the coils of 29 refrigerators located in various parts of the kitchen and serving pantries, and bar of the ground story, and also provide refrigeration for an ice-making plant.

Steam is piped to various warmers throughout the kitchen and ground story serving rooms.

Guests are served in their rooms directly from the kitchen by means of two of the service elevators previously mentioned and plainly shown on the plans. The orders are brought directly from the kitchen by means of these elevators to the particular floor and room. This system is economically possible in this building because of its few stories.

HOUSE SERVICE.

Under this head we may group maid



HOTEL COPLEY-PLAZA. THE BAR ROOM.

Marble and Mosaic: Batterson & Elsele.
Ornamental Plaster: McNulty Bros. Inc.
A. B. See Electric Dumbwaiters.

Henry J. Hardenbergh, Architect.



HOTEL COPLEY-PLAZA. LADIES' RECEPTION ROOM AND A BEDROOM.
 Interior Woodwork: Matthews Bros. Mfg. Co. Henry J. Hardenbergh, Architect.
 Keystone Flat Finish Used.
 Vacuum Cleaner: Sanitary Dust Removing Co.
 Furniture: Pooley Furniture Co.
 Lighting Fixtures: Pettingell-Andrews Co.
 Corbin Hardware.

service, watchman service, and the means of communication, and distributing orders of guests. The maids who take care of the rooms and on occasion serve the guests are at all times distributed about the hotel, and to provide a means of communication with them a maids' annunciator system has been installed. Outside of the door of every guest room there is a plate into which, on entering the room, the maid plugs in a portable light. This light indicates to the matron in charge of the floor the location of each maid on that floor, and at the same time that the signal is plugged in a light is shown on an annunciator in the main office, thus giving at all times the location of each maid in the house. Communication can then be had with the maid by means of the telephone in the room.

All orders from guests may be communicated by telephone to the main office, where they are made out and delivered by a pneumatic tube to the kitchen, bar, or elsewhere. There are also pneumatic tube stations on every floor.

from which waiters serving meals in rooms may transmit orders directly to the kitchen for filling.

The watchman's system consists of station boxes of the magneto type located on the various floors, which register the time and place of the watchman on a dial in the chief engineer's office. There are over thirty stations on this system, which was installed by The Holtzer-Cabot Electric Company.

An automatic clock system is wired throughout the building by means of which clocks in all the parlors and in the public rooms and service departments of the hotel are automatically regulated.

FIRE PREVENTION.

There are fire alarm boxes on every floor, with fire bells located throughout the building. The first signal from an alarm box goes to the hotel office and the chief engineer's office, and also rings in the service elevators. The operators upon receiving the fire signal immediately lower the elevators to the basement, get the house fire-fighting force



HOTEL COPLEY-PLAZA. THE BARBER SHOP.

Henry J. Hardenbergh, Architect.
Basement Provided with Grinnell Automatic Sprinkler Equipment.

and take them directly to the floor from which the alarm was sounded.

Outside alarm to the public department is given from the hotel office, and the general alarm throughout the hotel is also sounded from this point. As previously mentioned, the stair and elevator shafts are practically fire towers, but in addition to this there is an outside fire escape on the central wing. The house fire equipment consists of hand extinguishers located about the upper floor corridors, and there are four lines of standpipes provided with 75 feet of hose on open reels. The water supply is from the high pressure street mains. Moreover, the entire basement, kitchen, pantries and storerooms, the portions in which a fire is most likely to originate, are protected with Grinnel automatic sprinklers, receiving their water supply from the high pressure street service.

The George A. Fuller Company built the Copley-Plaza. C. O. Mailloux and C. E. Knox were the consulting electrical engineers, and Nygren, Tenney & Ohmes were consulting engineers for the heating and ventilating. Dixon's silica graphite paint was used on the steel work. The masonry work was damp-proofed and stain-proofed with R. I. W. paints. American enameled brick was used for linings in the boiler rooms.

The Winslow Brothers Company did the ornamental iron and bronze work.

The interior woodwork was done by the Matthews Brothers Manufacturing Company. Batterson & Eisele did the marble work and mosaics. McNulty Brothers did the ornamental plaster. Henderson Brothers put in the mirrors and leaded glass, and Keystona flat finish was used on the walls.

The plumbing was done by the W. G. Cornell Company, and the vacuum cleaner was put in by the Sanitary Dust Removing Company. The Metropolitan Electric Manufacturing Company supplied panel boards and their detachable mechanism flush switches. The lighting fixtures were planned, designed and installed by the Pettingell-Andrews Company, and are in keeping with the architectural spirit of the rooms in which they are placed. Direct-indirect lighting is employed in the foyer, dining room, tea room and some other portions of the ground story, using lamps with special reflectors placed back of non-absorptive diffusing glass. This system was evolved by the architects with the collaboration of Mr. C. E. Knox.

The Pooley Furniture Company supplied the furniture for the hotel, a very beautiful and elaborate equipment. Bentwood chairs were furnished by Jacob and Josef Kohn. The Erkins Studios supplied the cement stone flower urns in the tea room. The silver service for the hotel was designed by the Gorham Company.



SILVER SERVICE PRODUCED BY THE GORHAM COMPANY FOR THE COPLEY-PLAZA.



BETHLEHEM CHAPEL. THE SOUTH PASSAGE AND SACRISTY.
Cut Stone Contractors: E. F. Giberson & Co. Henry Vaughan, Architect.

THE BETHLEHEM CHAPEL

Cathedral Church of St. Peter and St. Paul, Washington, D. C.

HENRY VAUGHAN, Architect

THE Bethlehem Chapel of Holy Nativity of Washington Cathedral was a project formed by Bishop Satterlee during the last years of his life, and after his death the project was carried out and the chapel built as a memorial to the first bishop of Washington,

The chapel, which is a crypt, is placed beneath the high altar of the Cathedral, as Bishop Satterlee had planned it, and the foundation stone of the choir of the Cathedral forms the sub-structure upon which the Bethlehem Chapel is built. Owing to the lay of the land and the sloping nature of the site, the crypt is almost entirely above ground, with well lighted windows. As originally planned by Bishop Satterlee, the architecture of the chapel was in the Norman style, with massive pillars and round arches, divided interiorly into three aisles similar in size and proportion to those of the Norman churches of Europe, and with a capacity for seating about three hundred persons.

When the architect and the Chapter of Washington Cathedral came to the planning of the chapel, however, it was found necessary to depart somewhat from this original plan. The round Norman arch, it was thought, would give too low a vault and would be depressing in effect. The Norman windows on the exterior were out of harmony with the Gothic architecture of the remainder of the Cathedral, and on the other hand, Gothic windows, if used for the chapel, would be out of keeping with Norman features of the interior.

Under these conditions the Norman style for the chapel was abandoned, and

the decorated Gothic of the Fourteenth Century, which is the architectural style of the Cathedral, was adopted in its stead. The seating capacity was increased to about five hundred.

While the exterior of the Chapel conforms as a whole to that of the Cathedral, the architect has allowed himself



ADORATION OF THE MAGI.
Portion of Window in the Apse of
Bethlehem Chapel.
Windows: C. E. Kempe & Co.



BETHLEHEM CHAPEL. SOUTH AISLE, LOOKING EASTWARD.
Cut Stone Contractors: E. F. Giberson & Co. Henry Vaughan, Architect.



BETHLEHEM CHAPEL. THE ORGAN.
Woodwork and Choir Stalls: Irving & Casson. Henry Vaughan, Architect.



BETHLEHEM CHAPEL. THE ALTAR.

Cut Stone Contractors: E. F. Gliberson & Co.
Woodwork and Choir Stalls: Irving & Casson.

Henry Vaughan, Architect.



BETHLEHEM CHAPEL. THE NORTH AISLE, LOOKING WESTWARD FROM THE
CHANCEL.
Star Expansion Bolts Used. Henry Vaughan, Architect.

more latitude in the decoration and arrangement of the interior. The nave is severely simple, resembling somewhat the transitional Norman from which the Gothic developed. The chancel is richly decorated with the purest Gothic ornament. In fact there is much more ornament in the chapel than will appear in the great Cathedral above. In the vaulted niche behind the reredos of the chapel and under the altar of the Cathedral a tomb has been prepared which will be final resting place of Bishop Satterlee. The Chapel has been so orientated that on May 4th, the traditional date of the Ascension of our Lord, the sun will shine directly through the east window and fall upon the sepulchre.

The foundations of Bethlehem Chapel are upon a compact bed of cemented gravel which forms an excellent support for the heavy walls and towers. The footings are of concrete carried down to a depth of 19 feet below the level of the chapel floor, 29 feet below the ground level at the west end of the chapel, and extending 24 feet under the main walls of the Chapel and Cathedral. The excavated spaces between the footings have been enclosed and are used for air ducts, heating chambers and a burial vault.

The floor is of reinforced concrete, surfaced with marble 2 inches thick. The walls are of solid masonry, hard burned brick laid in cement mortar, 8½ feet in thickness in the main walls and 6½ feet in the walls outside of the vestries. They are faced inside and out with Indiana limestone in sandrubbed finish, the facing being 12 inches and 16 inches in alternate courses. Although the regular shaped stone was cut and dressed by machinery at the quarries, in laying the courses the vertical joints were broken, no one coming directly above another in any course, in imitation of the work in old cathedrals of Europe, where each stone was cut and dressed at

the site as required. This Indiana limestone, which is of very even texture and beautifully finished, was supplied by the cut stone contractors, E. F. Giberson & Company.

In the apse end there are five large window openings, the full height of the chapel. The jambs of these windows are slightly flaring, displaying the thickness of the wall. The five apse windows consist of four panels each, with tracery above. The picture of the most northerly window shows the Genealogy of our Lord. The next one is the Gloria in Excelsis. The centre and most easterly window is the Annunciation. The fourth window is the Epiphany, and the most southerly window is the Nunc Dimittis. There are other beautiful windows placed over the doorways and elsewhere in the chapel representing other subjects connected with Christ's Nativity. In the designs the devotional effect of the great mediæval windows is well combined with the more perfect drawing characteristic of the modern phase of this art. These were all designed by Mr. Walter E. Tower, of Kempe and Company. In the nave the wall pillars which support the roof divide the north and south walls into five bays each. On the west wall of the chapel the central arch of three divisions extends the full height of the nave and is occupied by the organ.

The doors are of oak in natural finish, of simple design and substantial construction. They are hung directly to the stone work by ornamental iron hinges. The woodwork and choir stalls were produced by Irving and Casson.

The chapel is lighted by clusters of six Tungsten bulbs in each alternate section of the vaulted ceiling, concealed in carved alabaster bowls through which the light is diffused. The globes are suspended from the ceiling by ornamental bronze chains.

STANDPIPE AND HOSE SYSTEM IN BUILDINGS

Being Portions of the Report of the Committee on
Standards of the National Fire Protective Association

PART III.

W. C. ROBINSON, Chairman

THE following portion of Mr. Robinson's report deals with the maintenance of a standpipe system. When a system has been properly installed it should be kept at highest efficiency. This is the last article, and is the concluding portion of Mr. Robinson's report.

MAINTENANCE.

The strength of standpipe and hose systems, like that of other fire protection equipments, is dependent on the strength of its weakest link. These systems are normally inert, and, unlike other apparatus and machinery, the use of buildings or the operation of plants is not directly dependent on their being maintained in operative condition. As a consequence, cheap and unsuitable equipment, difficult to maintain, is usually installed, and systems are frequently neglected and allowed to become unreliable or inoperative. Obviously, the trouble and cost of maintenance are inverse functions of the suitability of the materials and devices for the service and the thoroughness with which they are installed. The most careful attention is necessary in the selection and installation of the devices and materials, for a strong simple standpipe system requiring a minimum of attendance and maintenance is essential.

The entire system of piping up to and including the hose valves should be thoroughly tested out under a pressure of at least 300 pounds to the square inch at the lower story. Where systems are to be installed in extremely high buildings or used in connection with high pressure mains they should be tested out under higher pressures. Ample factors of safety should be provided in all parts of the system.

Particular attention should be given to the condition of the hose valves, as they are frequently the greatest source of annoyance and expense. They should be carefully examined at least once a year to see that they are operative and in regard to their tightness. If found to be

unreliable they should be replaced, as an inoperative valve may defeat the object of the entire system and leakage will rot the hose and render it unreliable. In a properly equipped system, leakage may be detected by inspection of the drip cocks at the valves, and a general check on their tightness may be secured by locating the open end of the main drain in the engine room, or at a point where the discharge of water from it can easily be observed.

If the hose valves are in locations where they are apt to be molested they should be equipped with guards which will prevent tampering, but which can be broken open in case of fire.

The hose is probably the most perishable part of the system, but if the best grade of linen hose is employed and given proper care, its lasting qualities will be in excess of twenty years. Water should never be turned into linen hose, or the hose wetted unless it is necessary to use it in case of fire, after which it should be thoroughly dried out before it is reracked. Hose subject to dripping or excessive moisture should be protected by coverings. Unlike cotton rubber-lined hose, running water through linen hose acts to reduce its lasting qualities.

The hose should be stored on racks, but it is probably advisable to remove it at intervals and rerack it, with the folds in different places. Where private fire departments are maintained, practice drills should include laying the hose without turning on the water. Extra hose should be provided for drilling the men in the handling of fire streams.

Fire hose should be uncoupled at intervals and new gaskets installed in the couplings, both at the hose valves and at the play pipes and nozzles.

The system should be under constant pressure through full open connections to the water supplies for the first aid streams. The proper maintenance of the water supplies can usually be made almost incidental to the upkeep of other necessary parts of modern building or plant equipment.

Systematic periodical inspection of all portions of standpipe systems is essential,

and employees to whom this duty is intrusted should be held strictly responsible for their condition.

A thoroughly trustworthy standpipe and hose system will naturally appeal to those who must spend a large proportion of their time under its protection, particularly so in high buildings and buildings from which escape at time of fire is manifestly difficult. Full appreciation of the value of such systems for the protection of life and property against fire will undoubtedly result in a more systematic drilling of employees in the handling of fire apparatus and the more extensive establishment of trained private fire departments. The members of such organizations will gain confidence in their own ability to extinguish fire and, if properly organized and instructed, will undoubtedly take pride in their share of the maintenance of the standpipe and hose system.

The standpipe and hose system must necessarily lack the essential qualification responsible for the success of the automatic sprinkler system, namely, the automatic application of water to the seat of fire, regardless of the locality at which the fire may start within the building. It is also lacking as regards its reliability of application to fire under all conditions. At the same time, the standpipe and hose system furnishes the closest possible approx-

imation to the standard of efficiency in fire extinguishment set by the automatic sprinkler. Its use as essential to the proper protection of present day buildings against fire. Its general application to buildings in congested city districts, particularly where the buildings are high, will greatly increase the fire department facilities and very materially decrease the conflagration hazard.


In the foregoing your committee has attempted to outline the essential requirements for a standpipe and hose system which will prove efficient, reliable and safe in the hands of all who may be expected to handle it. If designed, installed and maintained as indicated, the system provides the means for the extinguishment of fire during its incipient stages; for the control of fire in its more advanced stages on the interior and exterior of buildings, and for the heavier fire stream service of long duration often necessary in fighting fires in nearby buildings, particularly at the higher levels. The system is ready for instant use and is so equipped that it need only be provided with the men to operate it.

The committee sincerely trusts that this will be a prominent subject in the deliberations of the association until all of the problems it presents are properly solved and a comprehensive standard is adopted.




WINDOW OVER DOOR OF SOUTH PORCH OF THE BETHLEHEM CHAPEL.
Zacharias Naming His Son Saint John The Baptist.

Windows: C. F. Kempe & Co.,



Front Elevation.





Left End Elevation.

A SMALL COUNTRY HOUSE. WEST HILL, ITHACA, N. Y.

H. W. Kell, Architect.


Students' Working Drawings, Cornell University, College of Architecture.




A SMALL COUNTRY HOUSE.

H. W. Kell, Architect.

Students' Working Drawings, Cornell University, College of Architecture.



Third Floor Plan.



Second Floor Plan.
A SMALL COUNTRY HOUSE.

H. W. Kell, Architect.
Students' Working Drawings, Cornell University, College of Architecture.

THE LAWYERS' CLUB, NEW YORK

FRANCIS H. KIMBALL, Architect

THE problem presented in creating club rooms for the Lawyers' Club in the space of the upper stories of the United States Realty Building involved the transformation of a long, relatively narrow and unquestionably low-ceilinged area into club rooms which should have continuity in suite and individual dignity of proportion. The area consisted of the three top stories, the twentieth to the twenty-second. The first two stories are used principally as club rooms, while the top story, which was largely built new, is in the peak of the roof and of restricted area, being occupied entirely by the kitchen and service portions.

The plan of the first two stories shows, over all, dimensions of 63 by 265 feet. In the center portion, back of the middle of the long dimension, is the stair hall and battery of six elevators, which form a long, narrow, immovable bulk. The ceiling height was 11 feet on the first story and only 9 feet on the second. Within this unpromising area a complete series of club rooms has been created. The first story contains the principal rooms of the club, the central foyer, office and coat rooms, with an ornamental staircase leading to the floors above and a hall of approach to the main dining room at the east, and the club lounging rooms at the west. On the second story east is the dining room mezzanine, and the grille; in the center the manager's quarters, and the ladies' dining room and retiring rooms; to the west, private dining rooms.

With this disposition of areas in mind, we may consider the solution of the problem which developed itself as a matter of architectural and decorative treat-

ment. Here, proportion is the result of visual effects in color and ornamental form, as structural proportion was an impossibility, except in the dining room. With the sole structural change of cutting away five bays between the center columns, about 20 by 90 feet, the whole east end of the two stories was thrown into one great room, with a ceiling twenty feet in height and with a surrounding mezzanine. Structural proportion was thus gained in this space, which was to form the principal room of the club. It remained to decorate it and to join this room with the rest of the club rooms in uninterrupted sequence. The secret of this lay in the great Gothic window, which is the center of attraction and may be said to be the pivot about which the whole life of the club centers.

This window is a mass of rich color, while all other surfaces, walls, carpets and decorations are in a quiet, harmonizing monochrome. By placing this rich Gothic window at the end of the vista, the eye is taken away from the hall and swept down to the window, thus making a connecting link between these two portions.

The idea embodied in the window is that law is an organism, that it has historical continuity, and is, in fact, a history of civilization; that law is the expression of orderliness. Viewed in this light, no nation, any more than any individual, stands disconnected or by itself. This huge window, 17 by 20 feet, is divided into various horizontal and longitudinal panels. The first or foundation panels on the left hand side represent symbolically the laws of the



THE LAWYERS' CLUB. THE DINING ROOM.

Builders: The Geo. A. Fuller Co. C. O. Mailloux, } Consulting
 Dumbwaiters: James H. Roberts Elevator Co. C. E. Knox, } Electrical Engineers.
 Decorations and Furnishings: The Tobey Furniture Co.
 Lowe Bros.' Co. Sealcote and Mellotone Colors in Oil.
 Ornamental Plaster: P. J. Durcan, Inc.
 Evans' "Crescent" Expansion Bolts Used.

Medes, Persians, Egyptians and Greeks. On the right hand side is symbolically shown forth the laws of the Scandinavians, Anglo-Saxons, and Normans. On the second horizontal panel there is shown respectively on the left hand side the figures of Justinian and his court codifying the laws of the nations preceding them, and on the right hand side William the Conqueror and his counselors carrying the Roman law through the Norman into England, and embodying into the system of jurisprudence the laws of Anglo-Saxon and Scandinavian nations. The great central shaft, dividing the two dominant flanking panels, symbolically sets forth the evolution of the common law of England, its transition to America, symbolized by the Mayflower, the American seal and a beauti-

ful figure of Justice blindfolded, standing upon a classic building, suggestive of the Capitol at Washington. At the top of the window the ten tables of the law are introduced, as suggesting the dominating moral quality running through all law. While the window is practically square, so cleverly has the composition and perspective been adjusted that one at first sight might think the window was twice as high as it is broad, thus elevating and ennobling the room. The base of the window is three feet above the floor. From this space there emerges a fountain, symbolic of law as a living stream. The plant life around the fountain is emblematic of the organic life and virility of law, adapting itself to new forms of civilization.

While shades of brown and gold are



THE LAWYERS' CLUB. THE DINING ROOM.

From the Perspective By Henry J. Davison.

Silver Service: The Gorham Co.

Marble Fountain: D. H. McLaury Marble Co.

dominant with some decoration in blue throughout the dining room and hall, the main lounge at the east end is an entirely different treatment. Here the Gothic gives place to the Flemish and the colors change to black oak in the woodwork and bluish green in the tapestry. The transition is softened by a rug which, if the term is applicable, is almost iridescent. It blends from brown to blue and from blue to brown, according to the side of approach. The lounge is cosily furnished, containing a great Caen stone fireplace, surrounded by comfortable chairs. Adjoining it is a writing room in formal French treatment and a smaller room which is in effect a conservatory or enclosed veranda surrounded by a marble wainscot with flowered tapestry above. This contains a broad fireplace and is furnished in Flemish oak. Its outdoor

effect is heightened by the gilded Gothic screen carrying leaded glass panes which divides it from the hall.

This lounge is low-ceilinged in proportion to its area, being but eleven feet in height. To overcome this, several devices have been resorted to, such as gradually diminishing the length of the panels in the wainscot, thus heightening this portion as in perspective. The contrast of the black woodwork and the white ceiling also elevates the room and, finally, the means of illumination by reflex lighting increases the apparent height. Lights in standards placed about the floor and concealed behind the cornice of the wainscot cast their rays upon the white ceiling which diffuses an even illumination about the room.

Mr. George T. Mortimer, chairman of the Building Committee, and Mr. Henry



THE LAWYERS' CLUB. HALL AND LOUNGE.


Builders: The Geo. A. Fuller Co. Francis H. Kimball, Architect.
 Decorations and Furnishings: The Tobey Furniture Co.
 Caen Stone Mantel: D. H. McLaury Marble Co. C. O. Mailloux, } Consulting
 Stone Flower Boxes: The Erkins Studios. C. E. Knox, } Electrical Engineers.
 Lowe Brothers Co. Sealcote and Mellotone Colors in Oil.
 Star Expansion Bolts Used.
 Kalameined Doors: The Kalamein Co.
 Ornamental Plaster: P. J. Durcan, Inc.
 Vacuum Cleaning: Vacuum Cleaner Construction Co

J. Davison, who had charge of the work, deserve great credit, with Mr. Francis H. Kimball, who was the architect.

The Tobey Furniture Company had the contract for the furniture, draperies, painting and decorations, under the direction of Mr. Stewart F. Douglas, while the George A. Fuller Company did the structural work. J. Gordon Guthrie designed the stained window, which was constructed by The Kimberly Company.

The walls are primed with Sealcote and finished with Mellotone, colors in oil made by the Lowe Brothers' Com-

pany. P. J. Durcan, Inc., did the ornamental plastering. The D. H. Mc-Laury Marble Company did the interior marble work, the handsome marble fountain and the genuine Caen stone mantelpiece in the lounge. The stone flower boxes in the hall came from the Erkins Studios. C. O. Mailloux and C. E. Knox were the consulting electrical engineers, and the James H. Roberts Elevator Company put in the automatic dumbwaiters. The silver service of the club was supplied by the Gorham Company.



THE LAWYERS' CLUB. THE EMBLEMATIC WINDOW.



CROISIC BUILDING, 26TH STREET AND 5TH AVENUE, NEW YORK.
Brooklyn Vault Lights Used. Frederick C. Browne, Architect.
Charles H. Peckworth, Builder. Randolph H. Amioty, Assoc. Architect.
Plumbing: William Young Plumbing Company.
Switchboards, etc.: Metropolitan Electric Mfg. Co.
Enameled Brick: American Enameled Brick & Tile Co.



CROISIC BUILDING. DETAIL OF UPPER STORIES.

Charles H. Peckworth, Builder.

Frederick C. Browne, Architect.

A. B. See Elevators.

Randolph H. Amiroty, Assoc. Architect.

Grant Overhead Pulleys in Mullion Windows.


Interior Marble: D. H. McLaury Marble Co.

Ornamental Plaster: McNulty Bros. Inc.

Terra-Cotta: New York Architectural Terra-Cotta Co.



Otis Elevators.
Revolving Doors: Atchison Revolving Door Co.
Ornamental Iron: The Wells Architectural Iron Co.
Boilers: Harrisburg Star Boiler Co.



HOTEL SAMUELS, JAMESTOWN, N. Y.

Esenwein & Johnson, Architects.



HOTEL SAMUELS. LOBBY AND DINING ROOM.

Esenwein & Johnson, Architects.

Furniture: Jamestown Lounge Company.

Plumbing, Heating and Ventilation: Otis & Sons Engineering Co.

(See description on page 32.)



ST. BARNABAS' CHURCH, WOODLAWN, N. Y.
Heating and Ventilating: Geo. E. Rinkenberger Co. N. Serracino, Architect.
Stations of The Cross: Daprato Statuary Co.



Statuary: Daprato Statuary Co.



ST. BARNABAS' CHURCH, WOODLAWN, N. Y.

N. Serracino, Architect.

Otis Elevators

have been chosen for the L. C. Smith Building, Seattle, Wash.—the tallest office building in the World outside of New York City.

The main equipment consists of eight Otis High-Speed Electric Traction Elevators similar to the Elevators in the Metropolitan, Singer, and Woolworth Building towers, New York.

A few other representative office buildings equipped with Otis Traction Elevators:

Bankers Trust Co. Building, New York City.
Fifth Avenue Building, New York.
Peoples Gas Light & Coke Co., Chicago, Ill.
Insurance Exchange Building, Chicago, Ill.
I. M. Van Nuys Building, Los Angeles, Cal.
Railway Exchange Building, St. Louis, Mo.
Whitehall Building, New York City.
Estate of H. W. Oliver, Pittsburgh, Pa.
Syndicate Trust Company, St. Louis, Mo.
Humboldt Bank, San Francisco, Cal.
Hearst Building, San Francisco, Cal.
Corbett Building, Portland, Oregon.
Yeon Building, Portland, Oregon.

Otis Traction Elevators combine Safety, Extreme Simplicity and Maximum Economy.

On the basis of over fifty-five years' experience in elevator construction and unequalled service, we invite your inquiries.

Otis Elevator Company

Otis Elevator Building

Eleventh Ave. and Twenty-Sixth St.

New York

Offices in All Principal
Cities of the World



L. C. Smith Building, Seattle, Wash.

BOOK REVIEWS

WOOD AND FOREST, by William Noyes, M. A. The Manual Arts Press, Peoria, Ill. Cloth. Price, \$3, postpaid.

Those of us who have visited the American Museum of Natural History, and are in any way familiar with the Jessup collection of American woods, may bring the enjoyments of this collection into our homes in book form by means of this new book, "Wood and Forest." A typical description covering two pages, shows a habitat map, the leaf, and life-sized illustrations of the radial and tangential sections of the wood, together with, in many cases, a microscopic cross-section. To the botanist the book will be a great pleasure. To the woodworker it will be a source of much valuable information. To the architect it furnishes a source of information as to the grains and finishes of wood which may be employed successfully for beautifying interiors.

The book divides itself naturally into two portions; that dealing with the structure and properties of wood and the principal North American species, and that which deals with the distribution and composition of the North American forests. This portion contains the most beautiful illustrations that it has been the writer's pleasure to view in many days, and throughout it may be said of the work that it may be classed as one of the most excellent examples of half-tone process work, both in the quality of the engravings and in the excellence of the printing.

CONCRETE BRIDGES, CULVERTS AND SEWERS, by A. A. Houghton. The Norman W. Henley Publishing Co., New York. Paper. Price, 50 cents.

This is a treatise illustrating and giving an explanation of various types of solid and reinforced concrete arched, slab and girder concrete bridges. Information is also given concerning the moulding of concrete culverts, drains and sewers. The diagrams are clear and are explained in the text. The book is a useful one for masons and contractors located in suburban and country towns.

HINTS FOR PAINTERS, DECORATORS AND PAPERHANGERS, by C. Godfrey. The Industrial Book Company, New York. Cloth. Price 50 cents.

This little book of practical instruction is intended for the use of the artisan or tradesman. The young painter should derive great benefit and advancement from a careful study of the book, as its hints, rules and recipes are reliable and practical and of the kind for which he has call every day. The arrangement is logical and progressive, treating the

decorative work in the order in which it would be done and elaborating on the various methods as the work progresses. Various decorative schemes are presented in the illustrations as suggestions for various portions of a house or building.

CONSTRUCTING CONCRETE PORCHES, by A. A. Houghton. The Norman W. Henley Publishing Co., New York. Paper. Price, 50 cents.

This book gives practical instruction for casting monolithic concrete porches and approaches, and also for building such structures of concrete blocks, or reinforced concrete and with various finishing ornaments. The instruction is such that a home-made product of good construction and appearance is possible.

MODERN HOSPITALS, by Edward F. Stevens, Edward Pearce Casey, Clarence W. Williams, D. D. Kimball, E. H. Bostock and M. E. McCalmont and others. The American Architect, New York, 9x12 inches, fifty pages plus eighty-four plates. Cloth. Price\$5.00 net.

The text contains several general articles, one dealing with the details and equipment of hospitals taking up the minor features of the equipment and planning. There are two articles on heating and ventilation, two on hospital lighting and several articles on special hospitals wherein particular diseases are treated and in which the plan has been influenced to some extent by the treatment. Such hospitals are those for the treatment of contagious diseases, those for permanent invalids and tubercular patients. The illustrative plates which are printed on one side of the page, on a heavy coated paper, contain a great many photographic illustrations, but are particularly interesting because of the preponderance of the plans. The plans show many buildings which have never before been published and also a number which have been gleaned from the pages of the American Architect.

ELEVATOR SHAFT CONSTRUCTION, by H. Robert Cullmer, assisted by Albert Bauer. Practical Suggestions for the Installation of Elevators in Buildings. New York: The Wm. T. Comstock Co. Price, \$3.00.

This book, which is a valuable little treatise for the architect and builder and for all who are interested in this subject, includes a great deal of practical information condensed and arranged in most convenient form. Every phase of the elevator-shaft problem in building construction has been covered and the method of presentation is such that ready

(Continued on page 21.)

Barrett Specification Roofs



On Four Great Granaries

To cover the four huge granaries illustrated herewith the Canadian Pacific R. R. engineers chose Barrett Specification Roofs for good and sufficient reasons.

These practical men know that these roofs will last *20 years or more*.

They further know that they will need no painting or maintenance expense of any kind and that the net cost per year of service will be infinitely lower than could be shown by any other type of roofing.

It is for these very reasons that Barrett Specification Roofs are used on more first-class buildings in the United States and Canada than any other kind.

A big roof generally means a Barrett Specification Roof, for the reason that the cost of big roofs is carefully scrutinized and ultimate economy carefully considered. Small roof areas ought also to have Barrett Specification Roofs, because they are just as economical and satisfactory there.

Copy of The Barrett Specification with tracings ready for incorporation into building plans free on request. Address nearest office.



BARRETT MANUFACTURING CO.

New York, Chicago, Philadelphia, Boston, St. Louis, Cleveland, Pittsburgh, Cincinnati, Kansas City, Minneapolis, Seattle, Corey, Ala.
THE PATERSON MFG. CO., Ltd.—Montreal, Toronto, Winnipeg
Vancouver, St. John, N. B., Halifax, N. S.

Special Note

We advise incorporating in plans the full wording of The Barrett Specification, in order to avoid any misunderstanding.

If any abbreviated form is desired however, the following is suggested: ROOFING—Shall be a Barrett Specification Roof laid as directed in printed Specification, revised August 15, 1911, using the materials specified, and subject to the inspection requirements.



Art and Architecture



C. J. HENDERSON.

One of the brainiest and most aggressive front-brick men in New York City represents the Harbison Walker Refractories Company, of Pittsburgh. Through his efforts he has established an enviable reputation for his house, and the high-grade product of his company can be seen in nearly all of the prominent buildings erected in the past six years in Greater New York.

NATIONAL ACADEMY OF DESIGN, WINTER EXHIBITION.

The Academy Exhibition will be held, opening December 14, 1912, and closing January 12, 1913. Full particulars of the rules for exhibitors may be obtained by addressing the Academy at the American Fine Arts Society Building, 215 W. 57th Street, New York. Exhibits will be received only on November 25th and 26th. The hours for the reception and delivery of pictures are from 9 a. m. to 5 p. m.

The Pittsburg Chapter of the American Institute of Architects, at a recent meeting in the Fort Pitt Hotel, decided on a plan which should prove of great aid to their employees. The plan is one looking towards an arrangement with local architects to grant draughtsmen in their employ leaves of absence that they might study in the department of architecture in the Carnegie Technical Schools of that city. This is the first chapter in the country to begin such a movement, but it is believed that others will follow. President R. M. Trimble presided at the gathering.

Do you know our architect? He is the man who put the bungle into our bungalow.
The Evening Mail.

The annual meeting of American Society of Engineer Draftsmen, was held in Teachers'

College, Columbia University, on Tuesday, October 1, 1912.

In his opening remarks the president displayed a unique chart showing that the society had quadrupled in the past year.

A highly constructive program was adopted for the coming year, which included the establishment of a mutual benefit section, involving a form of insurance.

The officers elected for 1913 were Professor Charles William Weick, of Columbia University, president; William B. Harsel, 1st vice president; Charles A. Clark (Crocker-Wheeler Co.), 2d vice president; C. B. J. McManus, 3d vice president; L. T. Maenner (Missouri Pacific R. R.), 4th vice president, and E. F. Chandler, Henry L. Sloan and C. W. Fleming to the Board of Governors.

UNITED STATES CIVIL SERVICE EXAMINATION.

The United States Civil Service Commission announces an open competitive examination for mechanical draftsman for men only. From the register of eligibles resulting from this examination certification will be made to fill a vacancy in the position of copyist draftsman, at \$900 per annum, in the Engineer Department at Large, Milwaukee, Wis., and vacancies as they may occur requiring similar qualifications, unless it is found to be in the interest of the service to fill any vacancy by reinstatement, transfer or promotion.

This examination will take place on November 11, 1912. Full particulars may be obtained by addressing the Commission at Washington, D. C.

On November 20th and 21st, there will be another examination for heating and ventilating Draughtsmen. Particulars of this may also be obtained from the same source.

At Pratt Institute, Brooklyn, there is now in progress an exhibition of oil and water color paintings by Henry B. Snell. This exhibition is open day and evening until the 26th of October.

HOWARD M. INGHAM

MEM. AM. SOC. M. E.

Industrial Engineer

SPECIALIST IN THE
INSTALLATION OF

Simple, Direct, Effective Methods
of
Office Management

160 FIFTH AVE., NEW YORK

SEPTEMBER CORRECTION.

In our September issue on pages 376 and 377 illustrations were given of the Wilson Building. This is a well fireproofed modern structure and its interior finish, Dahlstrom metal doors and trim, made by the Dahlstrom Metallic Door Company, Jamestown, N. Y., were used. Fireproof doors of the kalamein type were installed in certain portions by the Leonard Sheet Metal Works, whose main office and works are at the head of Ferry Street, Hoboken, N. J., and the fireproof windows were installed by S. H. Pomeroy & Co., Inc., 427 West 13th Street, New York City.



Room on First Floor of the U. S. Rubber Building. White 'Memphi Fresco Paint' Used Throughout Building.

A CORRECTION.

An error occurred in our descriptive article of the U. S. Rubber Building, published in September issue. On page 373 we said, "Fresco White Paint Used," when we should have printed, "White 'Memphi Fresco Paint' used throughout building."

We regret error and take pleasure in correcting it. Memphi Fresco Paint is manufactured in Memphis by the De Soto Paint Mfg. Co. Neven Sparks Lamb, of 149-151 Church Street, New York City, is the eastern agent.

FRANCIS W. COLLINS

Assoc. Mem. A. S. C. E.
Mem. A. I. M. E.

**CONSULTING
ENGINEER**

50 CHURCH ST., HUDSON TERMINAL
NEW YORK CITY

Investigations, Valuations,
Scientific Organization and Management

Book Reviews

(Continued from page 18)

reference is possible to any detail of the subject. As Mr. Reginald P. Bolton says in his introductory note, the book contributes toward the safety of elevator apparatus by affording necessary information as to the proper proportions and spaces surrounding the installation of the car in its hoistway, thus promoting the safety as well as the convenience of the general public. The treatment of the subject is divided into five parts: Elevator shafts, specifications for elevator work, door-opening devices and elevator car gates, elevator signal systems and special appliances, and rules and regulations governing elevator installation in New York City. Each of these subjects is carefully treated and the discussion is enriched and made very clear by 63 plates, showing fully all the details of elevator-shaft construction. As elevator-shaft construction in buildings has never been treated in detail in the technical manner used in this book, the work supplies a real demand for information on this subject. New York practice is followed and the building department laws and regulations of New York have been made the standard. The author has also covered the subject of specification writing for elevator equipment by using two forms: One, a simple specification for a single elevator; the other a more elaborate equipment, embracing several styles of cars suitable for an office building. This book should be in the hands of every architect as well as in the working library of every one at all interested in this important phase of building construction.

OBITUARY.

Mr. William Horace Corbin, Vice President of the Joseph Dixon Crucible Company, died on Wednesday, September 25, 1912.

Thomas Bruce Boyd

Bank Equipment Specialist

286 Fifth Avenue
New York

Telephone Madison Square 6681

FREDERICK S. HOLMES

Bank Vault Engineer

2 Rector Street, New York

Fireproofing and Fire-Protection

MR. G. H. STEWART

THE SUBWAY CONSTRUCTION FIRE MENACE.

Fire Commissioner Johnson has issued an order, addressed to each of the contractors for the new Broadway-Lexington Avenue subway, New York, requiring that in every case where vault walls or the walls of buildings adjacent to the subway are pierced, a fireproof wall entirely cutting off the building from the street or adjoining property, shall be constructed.

Plans and specifications for the proposed changes in walls and the proposed fireproof partitions are required to be filed with the Bureau of Fire Prevention for approval prior to the beginning of the work. The approval of the Fire Commissioner will be conditioned upon the conformity of the plans to the specifications required by the Bureau of Fire Prevention, which are substantially those imposed by the New York Fire Insurance Exchange in its recent circulars. No work can be legally carried on by contractors until these requirements have been complied with.

The effect of the order is to compel subway contractors to construct at their own expense the fireproof partitions which property owners have hitherto been required to provide in part at their own cost as an alternative to largely increased insurance rates during the process of subway construction.

This order is the occasion of a controversy between the New York Fire Insurance Exchange and the Public Service Commission, and as if to cloud the issue, they have raised the question of the legality of the Exchange as an institution to pass upon such matters. Mr. Willis O. Robb, in an interview, which appeared in the New York Times, said:

"The Public Service Commission complained to the Mayor of the illegality of the Commissioner's order, and to you of the illegality of the very existence of this Exchange, at whose door it laid the blame really due to its own complete and astonishing failure even to think of the fire hazard involved in connecting up a mile or two of buildings on each side of the congested value section of Broadway by subway and sidewalk vault openings without any kind of fire stop whatever. The fact in this as in many a similar case has been that the underwriters have better safeguarded the public interest involved than has the public body directly charged with that duty.

"So much for the facts of the particular transaction. As to the proposed hearing on the general question of the right of this Exchange to exist—a wholly irrelevant question clearly raised to distract attention from the shortcomings of the complainant body—we are quite content that you should order and hold such a hearing whenever your official duty seems to you to require it. This Exchange operates under the close supervision of the Insurance Department of the State, in accordance with a statute to that effect passed upon the recommendation of a legislative investigating committee that after a full inquiry had unanimously reported it to be for the public interest that such organizations, if proper supervision and publicity are maintained, should not only be allowed, but encouraged."

SMOKING PERMITS.

On the advice of the attorney general the New York State Fire Marshal, Mr. Ahearn, has recently given permits to two large corporations.

(Continued on page 26.)



FIRE PROTECTION

Send for Catalogue and Prices on

FIRE APPLIANCES

BUILDINGS RECENTLY EQUIPPED:

Bankers Trust Building	Schweiner Press Building
Madison Square Building	Butterick Publishing Co. Building
Germania Life Insurance Building	Hotel Plaza
Bonwit Teller Building	B. Altman & Company

THE SAFETY FIRE EXTINGUISHER CO.

291-293 Seventh Avenue, New York

Telephone Madison Square 3356-3357



An Absolutely Safe Investment Paying 43 Percent.

The Showers Bros. Co., furniture manufacturers, put
in an equipment of



To quote from their letter after the sprinklers were in—

"We feared hindrance to the operation of our plant caused by installation of the sprinkler system. Our fears were unfounded. We were also not certain about reduction in insurance rates; but our saving in premiums alone pays for the entire system in twenty-eight months.

"Above all other considerations, however, remains the fact that the horrible nightmare of complete destruction by fire has been removed, which always carries with it the loss of established business, the disruption of factory organization, and other things which have taken years to build."

The return in this case pays for the system in twenty-eight months. This is a *dividend of 43 percent*, which will be *perpetual*. The installation was made without disturbing their business. Perhaps we can do the same for you. We have for thousands of others. It will cost you nothing to find out. Write us to-day.

Our little book, Automatic FIRE Protection, shows how all this is made possible. Send to-day for your copy.

General Fire Extinguisher Company
Providence, R. I., and Principal Cities

*Steam and Hot Water Heating and Power
Piping Systems Laid Out and Installed*

40-111



SHOWING SPRINKLER WITH THE TWO HALVES OF THE STRUT SOLDERED TOGETHER.

ROCKWOOD SAFETY LOOP SPRINKLER



SHOWING HOW THE TWO PARTS OF THE SOLDERED STRUT SPRING APART ONLY AFTER THE LUMP OF SOLDER IS MELTED AWAY FROM THE LOOP.

THE ROCKWOOD SPRINKLER IS UNIQUE IN THAT THE TWO PARTS OF THE SOLDERED LINK ARE HELD TOGETHER, NOT MERELY BY A SWEATED SOLDERED JOINT, BUT BY COVERING THE END OF THE LEVER WITH A SMALL PIECE OF SOLDER WHICH IS MECHANICALLY BOUND TO THE STRUT BY A LOOP OF WIRE RIVETED THROUGH ONE PART OF THE LINK.

THE ROCKWOOD SPRINKLER IS THE ONLY APPROVED HEAD THAT IS INCAPABLE OF OPENING ITSELF BY THE BREAKING OF THE SOLDERED JOINT, WHICH MUST ABSOLUTELY MELT TO OPEN. IT IS THUS IN A CLASS BY ITSELF, SUPERIOR TO ALL OTHERS.

ROCKWOOD SPRINKLER CO.

OF MASSACHUSETTS

MANUFACTURERS, ENGINEERS AND CONTRACTORS FOR COMPLETE SPRINKLER EQUIPMENTS USING WET OR DRY SYSTEMS.

38 HARLOW STREET

WORCESTER, MASS.

NEW YORK - - 123 WILLIAM STREET
BOSTON - - 141 MILK STREET
BUFFALO - - 300 PRUDENTIAL BUILDING

CHICAGO - - 364 SOUTH MORGAN STREET
SEATTLE - - 208 COLUMBIA STREET
MONTREAL - - 141 ST. MAURICE STREET

Advertisements.—When writing Advertisers, please mention Architecture and Building.

"AMERICAN" ENAMELED BRICK

Used for Large Government Jobs




250,000 White and Red-Brown Enameled Brick used for Interior Lining. Cut shows the Reception Room only; other Departments are lined with Enameled Brick.

If interested, write for descriptive matter.

Reception Room, Home for Disabled Volunteer Soldiers, Hampton, Va.

American Enameled Brick & Tile Co. HEAD OFFICE: 1182 Broadway, N. Y. City



Office and Factory of Leonard Sheet Metal Works

Leonard Sheet Metal Works

Manufacturers of

Bronze, Copper and Iron Clad Kalamein Work
Roofing and Sheet Metal Work in all its Branches

Underwriters Doors and Windows Approved
by the National Board of Fire Underwriters

Main Office and Works

Head of Ferry Street

HOBOKEN, N. J.

New York Office

1123 Broadway

Newark Office

45 Clinton Street

KALAMEIN

WORK IN

COPPER

BRONZE

AND IRON

Knoburn Company

KALAMEIN DOORS

FIRE
UNDERWRITER
WORK
A SPECIALTY

Office and Factory

365 14th St.

HOBOKEN, N. J.

Fire Protection

Siamese

For Automatic Approved Sprinkler Systems



The SIMMONS LINE of Fire Equipment Specialties embraces everything designed for the protection of life and property.

"Simmons" Siamese Connections

Made in Brass or Iron in accordance with Insurance, Underwriters and Fire Department specifications. Highly efficient and fully guaranteed.

By installing such dependable specialties as are herein shown you offer your clients absolute protection against appalling losses by fire, and a certain decrease in the cost of insurance.



"Simmons" Swinging Hose Reel

Improved design made in iron, bronzed, japanned or electroplated. Made to harmonize with any furnishings. Last word in quality and efficiency.

Fully 75% of heavy losses by fire—daily chronicled in the newspapers—are due to negligence. Should the building be properly equipped with the "SIMMONS" Specialties thousands of dollars and many lives would be saved.



"Josico" Angle Hose Valves

This is practically the keystone of safety on a standpipe system, yet how little attention is paid to its installation. Eliminate the element of chance by specifying it in the future, which means that you'll have an appliance of the highest efficiency as to quality, finish, etc.

Catalogues, cuts and other data gladly sent on application.

John Simmons Co.

102-110 Centre St.,

New York

The Hydro Bump-Proofing & Engineering Co.
Manufacturers of Water-proof Paints, Cements and Compo-
und. Engineers and Expert Contractors in Water-proofing
Slag and Composition Roofing
Office, 403 Wabash Building PITTSBURGH, PA.

porations to permit smoking in their factories. Both of these companies have provided special smoking rooms for their employes in order to keep them off the streets during the noon hour. Their factories are of fireproof construction.

This permission to allow smoking on the premises, to our minds, increases the fire hazard, according to the nature of the contents of the building. If these are of inflammable nature, the risk is increased through these smoking permits, otherwise the opportunity for a fire is not so great.

In the September Indicator published by the Otis Elevator Company there is an interesting article pertaining to the electrical control of hydraulic elevators. This is illustrated with diagrams, which, together with the text, clearly explain the operation of this device.

AMERICAN FIRE LOSS.

The direct fire loss of the United States during the four years, 1908-11 inclusive, is estimated by the New York Journal of Commerce at \$911,000,000. There occurred during this period no conflagration of any considerable extent, the largest being a matter of not more than five or six million dollars. In other words, these were average years without anything to raise the figures above the normal amount, and yet the figures for these four years represent a total annihilation of property of enough value to pay practically the entire national debt of the United States. If we add to these figures the cost of public and private fire protection and fire fighting, the total will be almost double that given.

The net earnings of all railroads in the United States is about \$550,000,000 a year. This is not much more than half the net fire loss mentioned and is less than half the total tax levied (and collected) by the fire fiend. The fire loss for one year, if it could be saved, would pay the enormous amount spent by the United States for pensions, and the interest on the United States national debt, and still leave a surplus of almost one dollar per head for every man, woman and child in the United States.

IMPROVEMENTS IN SHINGLE CONSTRUCTION.

To meet the demand for good ornamental roofing, which will provide an excellent, serviceable roof covering, for residences, bungalows, churches, schools, garages, etc., The Berger Manufacturing Company, of Canton, has

(Continued on page 28.)

The Annual Fire Waste in the U. S. exceeds \$230,000,000. It is estimated that 75% of this loss is preventable and can be saved by the use of

AUTOMATIC SPRINKLER PROTECTION

Our business is the installation of Automatic Sprinkler protection; a complete fire fighting apparatus, operating automatically and only where the fire is located.


"AUTOMATIC" SPRINKLER CO. OF AMERICA

Executive Offices

123 WILLIAM STREET (Underwriter Bldg.), NEW YORK CITY

Department Offices, in Large Cities

MINERAL WOOL FIRE SOUND VERMIN PROOF



CHEAP AND
EASILY APPLIED

United States Mineral Wool Co.

140 CEDAR STREET, NEW YORK

SAMPLES FREE



S. H. POMEROY CO., Inc.

Successor to Voigtmann & Co., of New York

Manufacturers of Fire Windows

427 West 13th Street, New York

Practical demonstration at Washington Square Fire, March 25th, showing the integrity against fire and how utilized by Fire Dept. in fighting fires across alleys.

By virtue of closing automatically the protection is constant and not subject to neglect as is common with Fire Shutters.

AMERICAN RENAISSANCE

A Book on the History of Domestic Colonial Architecture in America

By JOY WHEELER DOW, Architect

This book gives a history of the progress of architecture from the early days of Colonial design in America, down to the present time, and will be found of interest to all desiring to study the subject consecutively. Beautifully illustrated by many full-page plates giving examples of Colonial work. 171 pages, 95 full-page plates. Handsomely bound, gilt top. Price, \$4.00

THE WM. T. COMSTOCK CO., Publishers

23 Warren Street, New York






LIFE INSURANCE CO. OF VIRGINIA
Clinton & Russell, Architects

THE METAL COVERED WINDOWS AND
DOORS FOR THIS BUILDING WERE
FURNISHED AND INSTALLED BY

THE KALAMEIN COMPANY

Office and Factory
10th STREET, NEAR VERNON AVENUE
LONG ISLAND CITY, N. Y.



LEIMAN BROS. BLOWERS AND VACUUM PUMPS

1 oz. to 10 lbs. pressure; 1 to 20 inches vacuum;
capacities 2 to 338 cubic feet per minute
Used with Oil and Gas Appliances, Agitating
VACUUM CLEANING, ETC.

Catalog No. 59—Blowers Catalog No. 60—Vacuum
LEIMAN BROS., 62 H JOHN STREET
NEW YORK

recently placed upon the market two new and distinctive designs of metal shingles.

These new design metal shingles, the "Chieftain" and "Swanee" are both durable and economical. The "Swanee" is a plain design and the "Chieftain" is a bold clay tile pattern and when painted gives a clay tile effect.

The constructions are simple, permitting ease of laying, yet eliminating all possibilities of leaks.

The three-point contact side lock cannot possibly become unhooked after the shingles are nailed in position.

Expansion and contraction are fully provided for. The nails, two to each shingle, are covered by the next shingle placed in position.

A very important feature is the fact that heavy ribs are formed at the top of each shingle to prevent rain or snow from entering.

The materials in which these can be furnished are Galvanized Toncan Metal, Galvanized Open Hearth Steel or Terne Plate of any standard weight.

THE GRINNELL AUTOMATIC SPRINKLER BULLETIN.

In this quarterly, published by the General Fire Extinguisher Co., are listed all fires reported as having occurred under Grinnell Automatic Sprinklers. The October number shows a total of 15,654 fires, of which fairly complete details were obtained in 12,493 cases. It is of interest to note that of this number 7,769 fires were put out by the sprinkler so promptly and with such slight damage to property that no claim whatever for damages was made upon the insurance companies. This represents more than 62 per cent. of the total number of fires of which particulars were known. This means that five fires out of eight are "No claim" fires.

A THEATRE BUILT FOR A FIRE TEST.

A unique test to ascertain the fireproofness of theatres is about to be made under the joint auspices of the German "Steel Trust" and the National Association of Master Carpenters.

They intend to construct a model theatre in Berlin as big as a good-sized residence out of steel, iron, cement, and wood, with iron safety curtains, emergency exits, and a special set of ventilation slats built with a view to diverting the flames in certain directions in case of fire.

The building will, shortly after its completion, be ignited, and the progress of the fire in its various stages will be observed by a commission of experts representing builders, fire departments, architects, and insurance companies.

(Continued on page 30.)



Phone, Melrose 5184

Star Fire Proof Door and Sash Co.

INCORPORATED

MANUFACTURERS OF

Bronze, Copper and Iron Kalamein Work
Copper and Bronze Store Fronts a Specialty
Approved Underwriter Doors

OFFICE AND FACTORY

2650-52 PARK AVENUE NEW YORK CITY

*Copper Store Front erected in L. M. BLUMSTEIN Building



Thomas Morton,

169 Elm Street,

New York.

Copper Cable
Steel
Champion Metal
Steel Champion

SASH CHAINS.



CHAINS For Suspending Heavy Doors, Gates, etc.
ALL of SUPERIOR QUALITY.

MERCANTILE BUILDING



Hudson, Clarkson & Leroy
Streets
NEW YORK



Architects
Renwick, Aspinwall & Tucker

CHARLES H. PECKWORTH, Builder

631 Hudson Street, New York



Put a Damper on the Fire Loss

"This country's deplorable fire loss must be stopped."
—A quotation from every investigating committee during the last decade.

REMEDY:—The use of Berger's Metal Lumber in buildings makes them absolutely non-combustible.

BERGER'S METAL LUMBER

replaces wood stick for stick and can be erected by ordinary workmen under the direction of any good mechanic.

Is our catalog in your file?

If you are interested in fireproof construction—if you are desirous of building homes that are immune from the ravages of fire—this catalog will materially assist you.

The Berger Mfg. Co.

Canton, Ohio

For the best service address nearest branch

New York
Boston
St. Louis

Minneapolis
San Francisco
Philadelphia

Also manufacturers of Prong Lock Studs and Furring, Rib-Truss, Ferro-Lithic and Multiplex Reinforcing Plates, Metal Ceilings, Expanded Metal Lath, Sidewalk Forms, Raydiant Sidewalk Lights, etc.

The Emery Thompson Vertical Brine Freezer



Produces smoothest, firmest quality American and French creams.

Simplest yet most substantial brine freezer made. Patented with underdrive gear, enclosed and out of the way, giving top clear, open access with no oily parts to handle. These are exclusive natural advantages not found in any other machine.

Has solid German silver inside, white enamel outside. Installed in foreign and domestic hotels.

Emery Thompson Machine & Supply Co.

202 East 46th St., New York City

(1 Block East Grand Central Terminal)

Every conceivable sort of theatre fire emergency will be provided for, and the experts hope to arrive at hitherto unimagined methods of preventing a playhouse holocaust.

Particular stress will be laid on the effect on fires of different temperatures within the theatre in both the auditorium section and on the stage.

—New York Times.

THE FIRE EXPOSITION POSTPONED.

In a prominent place in this column last month appeared a notice concerning the New York Fire Exposition, and in another portion of the paper appeared an announcement telling of the exposition and giving its date as October 2d to 12th. This exposition has been postponed to some date in December, when we sincerely hope it may be successfully pulled off.

A fire exposition and conference held in Madison Square Garden would be a good thing. It should have support. No one doubts for a moment why the exposition was postponed. To be successful such an enterprise needs the backing of the business firms who would derive benefit from its efforts. It is expensive to hire Madison Square Garden, and surely the promoters of the exposition must receive a return for their large preparatory outlay of time and money. We hear a great deal nowadays of fire prevention. It is quite the usual thing in the newspapers and the public is getting interested. The National Fire Protection Association and others hold conventions where the engineers get together with much scientific discussion. This is as it should be, but it does not interest the small boy or the layman, and yet these could and should be interested. A good exhibition in Madison Square Garden which was well supported by the manufacturers of fire-preventive devices and fireproofing materials would be of great educational value, and no manufacturer need doubt for a minute that the money would come back.

GORTON WROUGHT STEEL BOILERS cut down repair and coal bills.



They are built of wrought steel to secure the same durability, safety and economy in fuel consumption as a regular power boiler.

They are self-feeding, and require coaling only twice a day in coldest weather. They are high grade in every sense of the word—none better—they have no equal.

Send for catalog and investigate for yourself their superiority.

Gorton & Lidgerwood Co.

96 Liberty Street, NEW YORK
BOSTON, 182 High St.
CHICAGO, Fisher Bldg.




Two Family and Twin Houses

The planning of this class of dwellings has been given special attention; also their heating, lighting and sanitation. The sixty plates show a large variety of designs, and two detailed specifications are given.

Illustrated, boards. Price, \$2.00

THE WM. T. COMSTOCK CO., Publishers
23 Warren Street, New York

THE NEW "McCabe No. 5" Hanger



For Elevator and Parlor Doors

Easiest Running
Largest Ball-Bearing
Quietest & Most Efficient

Send for Price and Particulars to

McCabe Hanger Mfg. Co.

532 West 22d Street, New York City

STANLEY'S Ball Bearing Hinges



Permit the doors to open smoothly and softly without creaking or binding.

The hinges will never wear down or require oiling.

NON-RISING PINS

The whole story is told in our Circular "B."
Write for a copy.

THE STANLEY WORKS
NEW BRITAIN

CONN.

Dixon's Silica-Graphite Paint

Protects the structural steel work contained in such important buildings in New York City as the McAdoo Terminal Buildings; American Woolen Company's Building; Gimbel Department Store; Savannah Bank & Trust Company's Building, Savannah, Ga.; the Royal Insurance Company's Building, San Francisco, Cal., and numerous other structures.

Write us for "Notable Building List," and other paint literature

Joseph Dixon Crucible Co., Jersey City, N. J.

SKYLIGHTS

No packing or filling substance used. Of GLASS and METAL ONLY. ABSOLUTELY and PERMANENTLY PROOF AGAINST LEAKAGE.

—Characteristic of all our Installations—

National Ventilating Co.

Phone: 1422 Mad. Sq.

339 E. 26th St., N. Y. City

Industrial Progress

THE HOTEL SAMUELS, JAMESTOWN, N. Y.

This eight-story building was built to replace the old Hotel Sherman, which was burned a year or two ago. It occupies a corner lot, and the exterior is of brick and limestone. It has a structurally fireproof frame and floor system. The trim throughout is of wood. The hotel takes its place among the well-appointed hostleries of our smaller cities and ranks well. It is as safely constructed and gives as good accommodation to its guests as any other modern structure in its class.

The architects of the building were Esenwein and Johnson. The builder was William Henley. The plumbing, heating and ventilating of the hotel was done by Otis & Sons Engineering Company. The boilers were put in by the Harrisburg Star Boiler Company. The ornamental iron work was done by the Wells Architectural Iron Company. The building is equipped with Otis Elevators, and Atchison curved wing doors, made by the Atchison Revolving Door Company, are used.

The lobby which is shown in our illustration on Page 426, is furnished with Spanish leather covered furniture in a rich brown tone. This leather is top-grain and tan-shrunk and of special quality. The chairs and rockers for the 250 rooms of the hotel have solid mahogany frames and are upholstered in a soft, rich green fabric. All of this furniture was supplied by the Jamestown Lounge Company.

THE FURNITURE.

For hotel lobbies, there is nothing handsomer or more serviceable than fine, leather-upholstered furniture. The leather, which was used for upholstering the lobby furniture of

the Hotel Samuels, in Jamestown, N. Y., is of special quality of Spanish leather and is not on the market, as it is made especially for the Jamestown Lounge Company. It is tan-shrunk, top-grain leather and it will outwear any other brand or quality of leather produced for furniture work.



The Jamestown Lounge Company, of Jamestown, N. Y., have also supplied furnishings for the Hotel Utah, Salt Lake City, Utah; Portland Hotel, Portland, Ore.; Statler Hotel, Buffalo, N. Y.; Hotel Taft, New Haven, Conn.; Hotel Vail, Pueblo, Colo.; Georgian Court Hotel, Atlanta, Ga.

IRON ORE.

It is reported by the Bureau of Statistics of the Department of Commerce and Labor that the iron ore shipments from Lake Superior and Lake Michigan ports during June, 1912, amounted to 7,274,732 long tons, an increase of 58 per cent. when compared with the shipments in June, 1911. Iron ore shipments since the beginning of the year, 13,394,964 long tons, were about 54½ per cent. greater than during the corresponding period of 1911. Increases in shipments were reported at all the

(Continued on page 34.)

INTERIOR MARBLE

Material and work the standard for 14 years. Our reputation the best positive evidence as to our superiority.

CORK & ZICHA MARBLE CO., - - 325-327 East 94th St., NEW YORK

Advertisements.—When writing Advertisers, please mention Architecture and Building.

**JUST PUBLISHED
BOOKS ON
The MANUAL ARTS
A DESCRIPTIVE CATALOG**

A VALUABLE reference book. Lists and describes 260 of the best books on the manual arts; includes all the standard and the best of the recent books.

MAILED FREE ON REQUEST—NO COST TO YOU AND NO OBLIGATION

Check the subjects you are interested in, fill in the blanks, clip and mail, and a copy will be sent to your address.

.....

- | | |
|-----------------------|--------------------------|
| ..Agriculture | ..Manual Training |
| ..Building Arts | ..Printing Arts |
| ..Drawing, Mechanical | ..Wood and Trees |
| ..Household Arts | ..Periodicals |
| ..Pattern Making | ..Art and Design |
| ..Vocational Training | ..Drawing, Architectural |
| ..Art Crafts | ..Elementary Handwork |
| ..Decorative Arts | ..Metal & Metalworking |
| ..Drawing, Machine | ..Plastic Arts |
| | ..Woodworking |

Name

Position

Street

City

State

THE MANUAL ARTS PRESS

PUBLISHERS AND DEALERS IN BOOKS ON
THE MANUAL ARTS AND KINDRED SUBJECTS

PEORIA

ILLINOIS

Badger Quality



**Copper Hot Water
BOILERS**

are all that can be desired in a Range Boiler.

**LONG LIFE
CLEAN WATER
Beautiful Appearance**

Every boiler is tinned on the inside and guaranteed against leakage or collapse.

Write for Catalog

E. B. Badger & Sons Co.

BOSTON, U. S. A.

A. B. See Electric Elevator—Copley Plaza

Copley Plaza Hotel, Boston
—H. J. Hardenbergh,
Architect. Equipped with
5 Passenger, 3 Service, 1
Combined Passenger and
Freight Elevator, 2 Side-
walk Elevators, 8 Electric
Dumbwaiters and 1 Ash
Lift.



Manufactured and Installed by

The A. B. See Electric Elevator Co.

Main Office: 220 Broadway, New York


PHILADELPHIA
Land Title Building
Broad and Chestnut Sts.

BOSTON
Minot Building
111 Devonshire St.

BALTIMORE
Stock Exchange Building
210 East German St.

WASHINGTON
Barrister Building
635 F. St., N. W.

HARTFORD
Connecticut Mutual Life Building
36 Pearl St.



FOLSOM'S
MODEL 1910.

THE SNOW GUARD ALLOWING
NO STRAIN ON THE SLATE

WHY NOT SEE IT?

A postal card will bring sample

Folsom Snow Guard Co. No. 4 Post Office Square
Boston, Mass.


Weather Vanes

Lightning Rods

Church Crosses

Flag Poles

and
Fittings
Etc.



Send for Catalogue

THOS. W. JONES

153 Maiden Lane
New York

Telephone Connection

ARTHUR GREENFIELD, Incorporated

REINFORCED CONCRETE FLOORS
IRON FURRING and METAL LATHING

Telephone Connection

204 EAST 26th ST. NEW YORK

PRENTISS

ELECTRIC CLOCKS

CALENDAR
SELF-WINDING

Dept. 11, 92 Chambers St., N.Y.

important iron ore shipping points, namely, Duluth-Superior, Two Harbors, Escanaba, Ashland and Marquette.

The receipts of iron ore show a corresponding increase from 4,460,764 long tons in June, 1911, to 7,219,093 long tons in June, 1912, or nearly 62 per cent. The receipts since the beginning of the year show an increase from 7,959,822 long tons in 1911 to 12,343,667 long tons, or 55 per cent. Over 80 per cent. of the ports, the remainder having gone to Lake Michigan ports.

WOODWORK AND DECORATION CONTRACTS.

This has been an unusually good season among the decorators, to which may be added the fact that many of the biggest contracts have yet to be awarded.

Messrs. Charles Grimmer & Son have been fortunate in securing some very important awards. Among them may be mentioned the contract for cabinet woodwork, painting and decoration of the new 22d Regiment Armory. Messrs. Walker & Morris, Architects; the woodwork and decorations in the residence of the Hon. Robert Bacon, at Westbury, L. I., Mr. John Russell Pope, Architect; the cabinet woodwork and decorations in the residence of Dr. F. G. Goodridge, 78th St., New York, Messrs. Foster, Gade and Graham, Architects; also the woodwork and decorations of rooms for companies "L" and "M," Seventh Regiment Armory, F. L. Robinson, Architect.

Mr. Otto G. Simonson announces the removal of his offices to the third floor of the Maryland Casualty Tower, Baltimore, Md. Mr. Simonson has associated with him in the practice of architecture, Mr. Louis W. Simonson, Mr. Lucius R. White, Jr., and Mr. William F. Stone, Jr.

The Sanitary Dust Removing Company, of Boston, Mass., installed the twelve-sweeper vacuum cleaner plant in the Hotel Copley-Plaza, Boston. This firm is a branch of the Vacuum Cleaner Construction Company, of New York City.



Architects and Builders should investigate EVANS "CRESCENT" EXPANSION BOLTS



WITH DOUBLE END GRIP EXPANSION
Constructed on NEW lines. Grip at BOTH ENDS, and on ALL sides. Cannot work loose.

Send for Catalogue and samples screwed into blocks of wood or stone.

Agencies in all large cities

F. H. EVANS (Patentee and Sole Manufacturer) 31-33-35 Hewes St., Brooklyn, N. Y.

No. 1, Steel Joist Hanger for Wood Header



Van Dorn's Steel Joist Hanger

IS THE BEST OBTAINABLE

Send for Catalogue and refer to this Magazine

THE VAN DORN IRON WORKS CO.
CLEVELAND, OHIO

Steel Buildings, Wrought Iron Fencing, Iron Bridges, Jail and Prison Work, Metallic Office Furniture, etc.



No. 4, Steel Joist Hanger for Brick Walls



Established 1872

James H. Roberts Elevator Co.

Telephone: 1703 Spring

Manufacturer of ELEVATORS and DUMBWAITERS

Hand and Electric Elevators, Dumbwaiters, Sidewalk Hoists, Invalid Lifts, Carriage and Automobile Elevators

SPEED REDUCING MACHINERY and ELECTRIC CONTRACTING

Office: 430 West Broadway

NEW YORK

Building Construction and Superintendence

Part II. Carpenters' Work

Four Dollars a Volume

Part III. Trussed Roofs

Three Dollars a Volume

By F. E. KIDDER, C. E., Ph.D., Architect

THE WM. T. COMSTOCK CO., Publisher, 23 WARREN STREET, NEW YORK

ELECTRIC ELEVATORS

with machines having Ball Thrust Bearings that reduce friction and increase power, and made strong and durable, is my specialty. They have filled the bill for many years and will solve the vertical transportation problem for you.

DUMBWAITERS

CELLAR HOISTS

Write for Catalog and Prices

J. G. SPEIDEL, Reading, Pa.



"COUNTRY AND SUBURBAN HOUSES"

A Book Designed to Solve Your Building Proposition. 1912 Edition 9 x 12 inches, 150 Illustrations. Colonial, Artistic, Stucco, Half Timber, Bungalow, Mission and other styles of Architecture. General specifications, interior suggestions and practical information for the intending builder. Estimates of cost. Exterior and interior views, first and second floor plans with all dimensions. Books are handsomely printed with half-tone illustrations, and all designs carefully selected.

Designs costing \$3,500 to \$30,000. Price \$2.00 prepaid.

Detailed plans prepared for new work or for remodeling old buildings.

W. DEWSNAP, Architect

150 Nassau St., New York City




← The "Golden Gem" Adding Machine only \$10

We have been making adding machines for ten years—and have sold over 30,000. "THE PROOF" on request. Our new model the "GOLDEN GEM" suits the average man's needs as well as high priced machines. You can keep it right on your desk, or take it with you on the road. It saves brain work—avoids mistakes—It is supplied in a pebbled morocco leather case for only \$10. Send Your Remittance Today—Your MONEY BACK if Machine does not make good. Address:

A. B. GANCHER

Automatic Adding Machine Co., 319 Broadway, New York



Cross Section of Elevator Shaft and Bulkhead.

This book supplies the demand for information on this subject, and it has been the effort of the author to supply the necessary data for the use of the architect in placing an elevator equipment in any building. New York practice is followed, and the Building Department laws and regulations of New York are made the standard. The author has also made a careful study of the regulations in use elsewhere, giving the deviations from New York requirements. Specification writing for elevator equipment has been covered by two forms; one a simple specification for a single elevator, the other a more elaborate equipment embracing several styles of cars suitable for an office building.

The book contains most practical information and it is the hope of the author that he has omitted no important point. Every phase of the shaft problem in building construction has been covered, and the method of presentation is such that ready reference is possible to any detail of the subject.

The book is in companion size with the **Building Construction and Superintendence Series**, by Mr. F. E. Kidder.

Cloth bound, 170 pages, Frontispiece, 47 diagrammatic plates, 16 illustrative plates

Price \$3.00

Publishers

The Wm. T. Comstock Co.

23 Warren Street,

NEW YORK

ELEVATOR SHAFT CONSTRUCTION


By **H. ROBERT CULLMER**

Assisted by **ALBERT BAUER**

Practical Suggestions for the Installation of Elevators in Buildings

A treatise for the architect and builder covering the surveying and preparing of detail drawings for elevator shafts; machine rooms; elevator bulkheads; tables and formulae for calculating the size and capacity of elevators; freight elevators; sidewalk elevators; dumb-waiters; specification writing for elevator installation; elevator shaft doors and appliances; building regulations covering elevator installation.

Elevator shaft construction in buildings has never before been technically treated.



Plan of a Machine Room.

Building Construction and Superintendence

By **FRANK E. KIDDER, C. E., Ph. D., Architect**

Part I.—MASON'S WORK, Ninth Edition.

New and enlarged, thoroughly revised and rewritten by THOMAS NOLAN, M. S. A. M., Prof. Arch., University Pennsylvania. New chapters on FIREPROOFING, CONCRETE, both reinforced and plain. Foundations showing most approved work in recent structures, etc. 965 pp., 628 illustrations, cloth. Price, **\$6.00**

Part II.—CARPENTER'S WORK, Eighth Edition.

Treating on Wood Framing—sheathing, windows, outside door frames, interior woodwork, rough work, finish, floors, heavy framing, builders' hardware, and the large variety of detail that the subject covers. 544 pp., 525 illustrations, cloth. Price, **\$4.00**

Part III.—TRUSSED ROOFS and ROOF TRUSSES— Second Edition.

This part describes nearly every type of roof construction commonly met with in buildings, pointing out the advantages of different types of wooden and steel trusses for different spans and building requirements. Special attention is given to description of wooden trusses and steel trusses, in order to make the work of practical value to the architect, draughtsman and builder. 294 pp., 306 illustrations, cloth. Price, **\$3.00**

THE
WILLIAM T. COMSTOCK COMPANY

23 Warren Street

New York

Advertisements.—When writing Advertisers, please mention Architecture and Building.

The SWISS CHALET BOOK



THIS new book by Mr. William S. B. Dana tells the story of the chalet in Switzerland, its history, evolution and construction. The book is replete with illustrations and numerous diagrams, sections and plans. It is picturesque as well as instructive. Mr. Dana has not neglected the Swiss chalet in America and tells the reader something of the use that has been made of chalet forms in California, accompanying his text with most attractive pictures.

Table of Contents

Introduction.	Chapter V. The chalet facade; window disposition; plans and elevations.
Chapter I. Switzerland visited; Swiss architects and builders.	Chapter VI. The chalet facade; system of ornamentation.
Chapter II. Construction details; granary construction; examples of modern and older chalets.	Chapter VII. The chalet interior; planning, plans and elevations.
Chapter III. The chalet skeleton; basis of ornament; small chalets.	Chapter VIII. The chalet interior; interior decoration; furniture.
Chapter IV. Balcony and gable construction; doors, windows; some classic and modern chalets.	Chapter IX. Adaptation of the Swiss chalet in other countries; American adaptations.
	Bibliography.


150 pages; 250 illustrations and figures

Cloth, 7½ x 10. Price, \$2.50

The Wm. T. Comstock Co., 23 Warren St., New York

Advertisements.—When writing Advertisers, please mention Architecture and Building.

Send Your Order Now
for
**Garages
and
Motor Boat
Houses**



This Book Contains Five Divisions
Part I. Private Country and Suburban Garages.
Part II. Private City Garages.
Part III. Suburban and City Public Garages.
Part IV. Motor Boat Garages.
Part V. Garage Equipments and Accessories.

There are 136 illustrations of Garages and Motor Boat Houses consisting of interior and exterior photographs and plans. These are from the designs of twenty-four well known Architects.

Text and illustrations compiled by
Wm. Phillips Comstock
 Editor of the "Architects' and Builders' Magazine"
 Bound in Cloth and Art Paper, size 7½ x 10½
PRICE, \$2.00

The Wm. T. Comstock Co.
 23 Warren Street, New York



INTERIOR LAWYERS' CLUB
 FINISHED WITH "MELLOTONE"

Mellotone
"Soft as the Rainbow Tint"

flat colors for interior decoration are constantly found by the most exacting inspectors to "Give Best Results."

The best known decorators claim that Mellotone produces all the beauties of water colors and calsomine—together with the durable qualities of oil paints. It does not fade, crack, peel or easily mar and may be cleaned with soap and water.

Mellotone is applied successfully on steel and plastered walls and ceilings, woodwork, burlap, etc.—for either stenciled work or freehand decoration.

The decorations of the Lawyers' Club are good illustrations of its possibilities and there are many others.

Our "Architects' Book of Mellotone Combinations" sent on request, with full information regarding "High Standard" Paint and Varnish Products.

The Lowe Brothers Co.
PAINTMAKERS
VARNISHMAKERS
 450 East Third Street, Dayton, Ohio
 Boston New York
 Chicago Kansas City

HIGGINS'

**DRAWING INKS
ETERNAL WRITING INK
ENGROSSING INK
TAURINE MUCILAGE
PHOTO MOUNT PASTE
DRAWING BOARD PASTE
LIQUID PASTE
OFFICE PASTE
VEGETABLE GLUE, Etc.**

Are the Finest and Best Inks and Adhesives


Emancipate yourself from the use of corrosive and ill-smelling inks and adhesives and adopt the Higgins' Inks and Adhesives. They will be a revelation to you, they are so sweet, clean and well put up.

At Dealers Generally

CHAS. M. HIGGINS & CO., Mfrs.
Branches: Chicago, London
271 Ninth Street Brooklyn, N. Y.




WEATHER VANES



Send for Catalogue

E. G. Washburne & Co.
209 FULTON STREET, NEW YORK

Work Shops



Of wood and metal workers, without steam power, equipped with

BARNES' FOOT POWER MACHINERY

allow lower bids on jobs and give greater profit on the work. Machines sent on trial if desired.


Catalogue free

W. F. & John Barnes Co.
566 Ruby Street, Rockford, Ill.

**WILLIAM YOUNG
PLUMBING COMPANY**

217 WEST THIRTEENTH STREET
NEW YORK

Telephone, Chelsea 1446 Established 1882



Plumbing Contractors for the Crain Building,
New York, illustrated in this issue

CONSTRUCTION NEWS

Contractors, Material Men, Builders, Manufacturers, in fact Anybody interested in Construction News of all kinds, obtain from our daily reports Quick Reliable Information. Our special correspondents all over the country enable us to give our patrons the news in advance of their competitors and before it has become common property.

Let us know what you want and we will send you samples and quote you prices.

PRESS CLIPPINGS

Press Clippings on any subject from all the leading current newspapers, magazines, trade and technical journals of the United States and Canada. Public Speakers, Writers, Students and Club Women, can secure reliable data for speeches, essays, debates, etc. Special facilities for serving Trade and Class Journals, Railroads and large industrial corporations.

The United States Press Clipping Bureau
1326-1334 Republic Building
State and Adams Sts., Chicago, Ill.

JUST PUBLISHED

**Practical
Cement Work**

By W. B. HENRY

PRICE, 50 CENTS

A book that will be of assistance to you every day in the week, no matter what line of cement-concrete construction you are engaged in.

Neatly Bound in Cloth
112 Pages—4½ x 6½

CONTENTS:

Portland Cement, The Unit of Purchase, Storing Cement, Sand, Aggregates, Mortar, Formulas, Mixing Aggregates, Concrete, Reinforced Concrete, Form Building, Waterproofing, Coloring, Cost Data, Testing Cement, Foundations and Walls, Cement Houses and How they are Built, Cement Plaster and Stucco Houses, Water and Steam Curing, Condition of Seasoning Blocks, Sand Lime Brick, Sidewalks, Floors for Cellars, Basements and Stables.

Address

THE CONCRETE AGE

ATLANTA GEORGIA

Geo. E. Rinkenberger Co.

**Heating
Ventilating Power**

No. 12 East 42d Street, New York

Contractors for Heating and Ventilating
St. Barnabas' Church



Carter, Black & Ayers

FRONT ENAMELED BRICK HARVARD VELOUR

HOLLOW TILE

For Stucco and Brick Veneer Houses

VITRIFIED AND HARD BURNED BLOCKS

Phones { 7613 } Madison Sq.
 { 7614 }

1182 Broadway, New York

60 Ritz-Carlton Hotel, N. Y.

All front brick furnished by us.



Residence W. C. Sanderson, South Orange, N. J.

Monument Plaster Co.

Manufacturers of

WALL PLASTER and ORIENTAL STUCCO

Brick Mortars and any Color Sand Finish for Interior Work

WRITE FOR BOOKLET

Office and Factory, HARRISON, N. J.

The Literature of Structures

Theory of Structures

By C. M. Spofford. Aug., 1911. 432 pp., \$4.00 (17s). Covers fundamental principles in a thorough, logical manner. Has valuable data and tables.

Framed Structures and Girders

By Edgar Marburg. Vol. I.—Stresses.—Part I., Oct., 1911. 540 pp., \$4.00 (17s). Distinctive for its interpretation and application, in full detail, of the theory of stresses for practical purposes.

Kinetic Theory of Engineering Structures

By David A. Molitor. 366 pp., \$5.00 (21s). A complete analysis of "higher structures."

Walls, Bins and Grain Elevators

By Milo S. Ketchum. II ed., Nov., 1911. 556 pp., \$4.00 (17s). A new book. It is again the standard work on design and construction.

Steel Mill Buildings

By the Same Author. 464 pp., \$4.00 (17s.) Covers methods, materials and calculations of stresses.

Highway Bridges

By the Same Author. 550 pp., \$4.00 (17s). Covers stresses in steel and wooden bridges.

Simple Steel Structures

By C. T. Morris. II ed., 201 pp., \$2.25 (9/6). It teaches the art of producing "details which are in accord with the stresses they have to transmit."

Bridge and Structural Design

By W. Chase Thomson. II ed., 192 pp., \$2.00 (8/6). A simple, practical treatise on the elements of bridge and structural design.

Steel Railway Bridges

By W. Chase Thomson. 178 pp., \$2.00 (8/6). Covers the fundamentals of design, using typical structures for illustration.

FOR SALE BY

THE WILLIAM T. COMSTOCK CO., 23 Warren St., New York

Star Safety Water Tube Boilers

For STEAM HEATING, HOT WATER HEATING and POWER PLANTS

HARRISBURG STAR BOILER CO., 1 Madison Ave., New York

WHY YOU SHOULD INSTALL THE STAR WATER TUBE BOILERS

- | | |
|---|--|
| 1 They occupy the smallest space | 8 They are absolutely safe. |
| 2 The small over-all height permits installation where headroom is limited. | 9 No brick setting required. |
| 3 The water line is extremely low. | 10 They are easily and quickly installed. |
| 4 When forced they will exceed their capacity 25 to 50 per cent. | 11 Steel construction is used throughout. |
| 5 For quick steaming they are unequalled. | 12 Repairs can be made by any boilermaker. |
| 6 They are easily cleaned. | 13 They make absolutely dry steam. |
| 7 When cleaned they are clean. | 14 The water level does not fluctuate. |
| | 15 The highest possible economy is obtained. |

JAMESTOWN LOUNGE CO.

MANUFACTURERS OF

"Reliance Leather Upholstery"

FOREMOST AMERICAN LINE OF LEATHER FURNITURE FOR HOTEL, CLUB AND OFFICE



For hotel work we specialize on a tan-shrunk, top-grain, brown Spanish Leather which is manufactured for our exclusive use. The handsomest and most serviceable furniture leather ever produced.

Largest selection of hotel patterns and special designs to order.

Jamestown, New York



VACUUM Cleaner Construction Co.

Vacuum System

417 Fifth Ave. New York

Branch

Sanitary Dust Removing Co.

Boston, Mass.

Copley-Plaza Hotel, Boston, Mass.
Mr. H. J. Hardenbergh, Architect

Plaza Copley Hotel, Boston, Mass.



INTERIOR WOODWORK EXECUTED BY

Matthews Brothers Manufacturing Co.

MANUFACTURERS OF

Fine Interior Woodwork, Bank and Office Fittings

61-75 & 60-70 Fourth Street :: :: Milwaukee, Wis.

Ornamental Iron at Fol- lowing Buildings

Norfolk Railway Station, Norfolk, Va.; Reed & Stem, Architects.
Union Dime Savings Institution; A. H. Taylor, Architect.
Hamburgh American Building; R. L. Daus, Architect.
Garfield National Bank; Jas. B. Baker, Architect.
Schools of Mines and Medicine, Pittsburgh; Palmer & Hornbostel, Architects.
St. Luke's Hospital; Ernest Plagg, Architect.
Ritz-Carlton Hotel, Philadelphia; Warren & Wetmore, Architects.
Phipps Clinic, Baltimore; Grosvenor Atterbury, Architect.
Garden City Hotel; Ford Butler & Oliver, Architects.
Hotel Taft, New Haven; F. M. Andrews & Co. Architects



Manufactured by


The Wells Architectural Iron Company,

Marquise, Hotel Samuels, Jamestown, N. Y.

**River Avenue and 151st Street
NEW YORK**

“FLEXIFOLD”

ROLLING PARTITIONS



For
Churches
Schools
Parish Houses
Lodge Buildings

Grant Pulley and Hardware Co.

3 West 29th St., New York City

Descriptive Circular and Estimates Upon Application

THE NORTHWESTERN TERRA-COTTA COMPANY

M A N U F A C T U R E R S O F

ARCHITECTURAL TERRA-COTTA

**GLAZED AND ENAMELED
WORK IN ALL VARIETIES**

ESTIMATES GIVEN ON APPLICATION

MAIN OFFICE AND WORKS: 1000 CLYBOURN AVENUE
 BRANCH OFFICE: 1415 RAILWAY EXCHANGE

CHICAGO
 ILLINOIS



BETHLEHEM CHAPEL, WASHINGTON, D. C.
Henry Vaughn, Architect
Geo. A. Fuller Co., Builders

ENTIRE BUILDING BUILT OF
INDIANA LIMESTONE

FURNISHED BY
E. F. GIBERSON & COMPANY

QUARRIES AND MILLS
BEDFORD, INDIANA

NEW YORK OFFICE
200 FIFTH AVENUE

MONTREAL OFFICE
307 TRANSPORTATION BLDG.

A Representative Installation

*Characteristic
of the Quality
of Our Work*

Lighting Fixtures
for the
entire hotel
planned, designed
and installed
by



Corner of Tea Room, Hotel Copley-Plaza, Boston.

PETTINGELL-ANDREWS COMPANY, Boston

Beauty and Strength

IN

Imported
Bentwood Furniture

IS

Attested to by Hotels, Etc.

OVER

The Entire Universe



Made and Imported by

JACOB & JOSEF KOHN

VIENNA

NEW YORK
110-112 W. 27th St.

Catalog De Luxe on Application

CHICAGO
1414-16 Wabash Ave.



CARVED MARBLE MANTEL, LAWYERS' CLUB, NEW YORK

D. H. McLAURY MARBLE CO.

Interior Marble
AND
Mosaic Workers

Mills, Yard and Office
Walnut Avenue and E. 141st Street

McLAURY TILE CO.
Walnut Ave. and E. 141st St. and 103 Park Ave.



THE WORLD'S TOWER

110-112 West 40th Street, New York

E. W. Browning, Owner

Buchman & Fox, Owners



This building is being erected
on all four sides in WHITE

Architectural Terra Cotta

WITH FULL GLAZE FINISH



MANUFACTURED BY

FEDERAL TERRA COTTA CO.

111 Broadway

New York City

CRAFTSMAN FIRE-PLACE

Burns Wood, Coal or
Coke



A Complete Heating and Ventilating System

IF you are intending to build a new home or remodel an old one, and would be interested in HEATING THE ENTIRE HOUSE WITH WARM AIR, OR HOT WATER, FROM AN OPEN FIRE-PLACE, write to me for full information. It is guaranteed.

GUSTAV STICKLEY

Inventor and Manufacturer

41 West 34th St., N. Y. City



JOHN G. CORNELL
PRESIDENT

EDWARD BLOSSON
VICE PRESIDENT

GEORGE W. SIMMONS
SEC. & TREAS.



W.B. Cornell Company



ENGINEERS & CONTRACTORS
PLUMBING · HEATING · LIGHTING

NEW YORK

BOSTON

BALTIMORE

WASHINGTON

PROMINENT CONTRACTS

WOOLWORTH BUILDING
ARCHITECTS' BUILDING
COPLEY PLAZA HOTEL, BOSTON
NEW POST OFFICE, WASHINGTON
RICE INSTITUTE, HOUSTON, TEXAS
VIRGINIA POWER CO. BUILDING, RICHMOND, VA.
SECOND NATIONAL BANK, NEW HAVEN, CONN.
TITLE GUARANTEE & TRUST CO. BUILDING, BALTIMORE, MD.
ADDITION BELLEVUE-STRATFORD HOTEL, PHILADELPHIA, PA.
RESIDENCE OF SIR HENRY PELLATT, TORONTO, CANADA

JUST PUBLISHED

The Principles of Architectural Design

By PERCY L. MARKS, ARCHITECT
Author of "The Principles of Planning," etc.

Containing 165 full-page and other text illustrations.

This work is very fully illustrated and will be found a great aid to the architect or student of architectural design.

One large 8vo volume. Cloth, price \$4.50.

THE WILLIAM T. COMSTOCK COMPANY, Publisher, 23 Warren Street, New York

SWITCHBOARDS *and* PANELS Marked "Metropolitan"

Are the Best that Can be Produced

Architects, Engineers and Owners specify Metropolitan Detachable Mechanism Flush Switches and Receptacles for their high class buildings. The most up to date appliances.

METROPOLITAN
ELECTRIC MFG CO.

14th Street and East Avenue, L. I. City

NOW READY—A HOME STUDY BOOK

Reinforced Concrete Construction

VOLUME 1—FUNDAMENTALS

By **GEORGE A. HOOL**, S. B., Assoc. Prof., Structural Engineering, University of Wisconsin

260 pp., 6x9, 88 illustrations. \$2.50 (10/6) net, postpaid

This book is part of the series of texts of the University of Wisconsin Extension Department. A full, clear treatment—avoidance of difficult mathematics—problems for study—are some of its distinctive features. Published in loose-leaf, as well as book form, it should be of distinct value to any ambitious worker. This volume covers Properties of the Material and the Theory and Design of Slabs, Beams and Columns.

FOR SALE BY THE WM. T. COMSTOCK CO., 23 Warren St., New York

Bricklaying, Tile Work and Masonry

Bricklaying

An up-to-date work showing the best methods of construction. **PART I.**—Treats of Tools; Laying and Setting of Work; Mixing Concretes and Mortars; Front Work; Chimneys and Flues; also General Important Details of Brickwork. **PART II.**—Shoring; Needling; Underpinning. By **Owen B. Magianis**. Illustrated by 150 cuts. Cloth. Price.....**\$1.50**

Rudiments of Practical Bricklaying

General Principles; Drawing, Cutting and Setting; Pointing; Paving, Tiling, &c. By **Adam Hammond**. With 68 Woodcuts.....**\$1.00**

Bricks and Tiles

Treatise on the Manufacture; containing an outline of Brickmaking. By **E. Dobson**, M. R. I. B. A. Additions by **C. Tomlinson**, F. R. S. Illustrated.....**\$1.20**

The Practical Brick and Tile Book

Brick and Tile Making, by **E. Dobson**. Practical Bricklaying, by **A. Hammond**; Brickcutting and Setting, by **A. Hammond**. 550 pp. with 270 illustrations.....**\$2.40**

Brickwork

Embodying the General and Higher Principles of Bricklaying, Cutting and Setting; with the Application of Geometry to Roof Tiling, &c. By **F. Walker**.....**\$1.00**

Practical Masonry

A Guide to the Art of Stone Cutting. Comprising the Construction, Setting-out and Working of Stairs, Arches, Niches, Domes, &c. 50 Lithographic Plates. By **Wm. R. Purchase**. Royal 8vo, cloth. Price.....**\$3.00**

Art of Practical Brick Cutting and Setting

By **Adam Hammond**. With 90 Engravings....**\$1.00**

Brickwork and Masonry

A practical text-book for students and others engaged in the design and execution of structures in brick and stone. By **Chas. F. Mitchell**. With nearly 600 illustrations. Second edition, revised and enlarged. Cloth. Price, net.....**\$3.00**

Masonry and Stone Cutting

The principles of Masonic Projection and their application to Construction. By **Edward Dobson**, M. R. I. B. A.....**\$1.00**

The William T. Comstock Company 23 Warren Street
New York

ELKS

SOUVENIR NUMBER

New York Lodge No. 1

Send twenty cents for a copy NOW

ARCHITECTURE AND BUILDING

23 Warren Street, New York

LCOMIS FILTERS

ESTABLISHED 1880

Improved System

Simple and Effective

LOOMIS-MANNING FILTER DISTRIBUTING CO.

Main Office: 828 Land Title Building, PHILADELPHIA
Boston New York Baltimore Washington

Complete Architectural Catalogue
Sent on request

THE WILLIAM T. COMSTOCK CO.

Publishers

23 Warren Street

New York

U.S.A.

Architecture
NA

A68

v. 44

No. 11



AL 44

No. 11

NOV 16 1967

ARCHITECTURE AND BUILDING

20c. a Copy

November, 1912

\$2.00 a Year

THE WILLIAM T. COMSTOCK CO.

**"Globe" Ventilator and
"Globe Ventilating Ridging"**



The "Globe" is built on
honor and sold on merit

In Copper or Galvanized Iron

Simple Send for
Stormproof Brown Print
Symmetrical Catalogue or Model
Satisfactory

MANUFACTURED BY
Globe Ventilator Company
TROY, N. Y.

A NEW AUTHORITATIVE WORK

Ransome & Saurbrey's

Pub. April, 1912

**Reinforced Concrete
Buildings**

By **ERNEST L. RANSOME** and **ALEXIS SAURBREY**
235 p., 6 x 9, Ills., \$2.50 (10/6) net, postpaid

Mr. Ransome is probably the best known concrete specialist in the country. He was the great pioneer in its introduction. Mr. Saurbrey, now associated with him, has had unusual facilities for investigation and study. The book is written for engineers.

It does not rehash the standard data. It is full of unusual material on patents, design and practical details of construction.

CONTENTS

Part I. Chapter I—Personal Reminiscences. II—Basic Patents and a Short Survey of the Early History of the Art.

Part II. Chapter III—Introduction. IV—Adhesion. V—Compression and Lateral Expansion. VI—Bending. VII—Transverse Stresses. VIII—Applications of the Bending Theory. IX—Initial and Allowable Stresses.

Part III. Chapter X—Materials of Construction. XI—Floor Systems. XII—Foundations. XIII—Finishing Operations. XIV—Fireproofing and Fire. XV—Repairs to Existing Buildings. XVI—Accidents. XVII—Superintendents Specifications. XVIII—The Engineer. XIX—The Theory of the Beams as Illustrated by Tests.

FOR SALE BY

THE WM. T. COMSTOCK CO.

23 Warren Street, New York



**For your protection, it is best to specify
"F-S" Products**

Brushes and paint sundries of all kinds are handled by us
as well as Paints, Colors and Varnishes—all are backed by
the "F-S" reputation for superior quality.

FELTON, SIBLEY & Co., Inc.

Mfrs. of Colors, Paints, Varnishes

136-140 N. 4th St.

Philadelphia



The Fairmont Hotel San Francisco

is equipped throughout with Corbin Hardware. The America design used is a favorite one where plain surfaces, fine proportions and an appearance of strength and good quality are desired. It is especially appropriate for large buildings such as this hotel.

Book SK17 contains illustrations of other hardware, simple and dignified in form. Sent on request.

P. & F. CORBIN

Division

The American Hardware Corporation

NEW BRITAIN, CONNECTICUT

P. & F. Corbin
of New York

P. & F. Corbin
of Chicago

P. & F. Corbin Div.
Philadelphia



The Chicago "Relax"
Spring Hinge has an **EXCLUSIVE FEATURE** of spring action release, allowing the door



to be placed open at any desired position. It is readily applied and attractive in appearance.

Chicago Spring Butt Company.

CHICAGO  NEW YORK

CATALOGUE E 26 ON REQUEST

At the Vernon Avenue Stop

New York Architectural Terra-Cotta Company

Third Avenue and Shuttle cars stop directly over Vernon Avenue on the Queensborough Bridge. A passenger elevator is now running in the Vernon Avenue tower and brings visitors to within 150 feet of our principal office and factory.

Work in the New York Company's plant, therefore, means work that can be personally supervised by the Architect, Owner or Builder, because of the Vernon Avenue stop.

At the Bridge Plaza on the Queens side we are very pleased to refer to some of the New York Company's terra-cotta—in the Queens Plaza Court.

New York Architectural Terra-Cotta Company

401 Vernon Avenue

Borough of Queens

City of New York

The only terra-cotta company in New York City
The only terra-cotta company on Long Island

JUST PUBLISHED

The Principles of Architectural Design

By PERCY L. MARKS, ARCHITECT

Author of "The Principles of Planning," etc.

Containing 165 full-page and other text illustrations.

This work is very fully illustrated and will be found a great aid to the architect or student of architectural design.

One large 8vo volume. Cloth, price \$4.50.

THE WILLIAM T. COMSTOCK COMPANY, Publisher, 23 Warren Street, New York

PARIS
ROME



NEW YORK
705
Fifth Avenue

Architecture and Building

Established 1882

*A continuation of the
Architect's and Builder's Magazine, 1899-1911*

Continued 1911

PUBLISHED MONTHLY BY

THE WILLIAM T. COMSTOCK COMPANY

23 Warren Street, New York

WM. PHILLIPS COMSTOCK, President

CONTENTS FOR NOVEMBER

John Wellborn Root	429
By Theodore Starrett.	
Monroe Building, Chicago, Ill.	432
Holabird and Roche, Architects.	
Burning a "Fireproof" Building	434
Building for Black, Starr and Frost, New York City	439
Carrere and Hastings, Architects.	
Bank Vaults in the Second National Bank, Boston, Mass.	441
Parker, Thomas and Rice, Architects.	
Building for M. Knoedler & Co., New York City	445
Carrere and Hastings, Architects.	
S. Jarmulowsky Bank Building, New York City	447
Rouse and Goldstone, Architects.	
Queens Plaza Court Building, Long Island City, N. Y.	448
Thompson and Frohling, Architects.	
Central Commercial and Manual Training High School, Newark, N. J.	451
Ernest F. Guilbert, Architect.	
Grand Stand for the New York Polo Grounds	457
Henry B. Herts, Architect.	
Residence for Mr. James D. Potts, Glen Ridge, N. J.	460
Edward V. Warren, Architect.	
The Resident Versus the Correspondent Architect	461
By R. M. Dunbar.	
Building for the North Side Board of Trade, Bronx, New York . .	463
Albert E. Davis, Architect.	
The Hotel Rogers, Lebanon, N. H.	464
Fox and Bixby, Architects.	
Church of the Sacred Heart, New York City	467
Elliott Lynch, Architect.	

ADVERTISING REPRESENTATIVES

D. R. Gimbel
Geo. H. Stewart (Dept. of Fireproofing and Fire Protection)

EDITORIAL DEPARTMENT

Wm. P. Comstock, Managing Editor
Charles Warren Hastings, Assistant Editor

Subscription Terms \$2.00 a year in advance for United States and Possessions, Mexico and Cuba. Canada, \$2.50, and other countries, \$3.00. Postage prepaid.
Subscribers when changing their address must state both old and new address.

Remitting Money All remittance of money should be in the form of U. S. Postal Money Orders (payable to THE WM. T. COMSTOCK CO., at New York Office). When these are not available, send money by registered letter, or send drafts on New York banks, made payable to order of THE WM. T. COMSTOCK CO. Personal checks on local banks cannot be received in payment.


TRADE SUPPLIED BY THE AMERICAN NEWS COMPANY AND ITS BRANCHES

LONDON AGENTS—Wm. Dawson & Sons (Ltd.), Cannon House, Bream's Buildings, London, England.

Copyright, 1912, by The Wm. T. Comstock Co.

Entered as second-class matter, April 4, 1911, at the Post Office at New York, N. Y., under the Act of March 3, 1879.

FRONT



RUPTURED AND CRIPPLED HOSPITAL
FORTY-SECOND STREET AND SECOND AVENUE
NEW YORK

YORK & SAWYER, Architects
MARC EIDLITZ & SON, Builders

800,000 Golden Rough Textured Front Brick

furnished by

Harbison-Walker Refractories Company

1133 Broadway, New York City

Advertisements—When writing Advertisers, please mention Architecture and Building.

BRICK

This large order for our Golden Rough Textured Front Brick was awarded us in the face of keen competition. Quality of material was first considered, along with the fact that shipments were needed quickly in large quantities to complete this building on time. This beautiful building should be seen to be admired.

Millions of High Grade Front Brick in stock at all times.

QUALITY UNQUESTIONED

We never have to offer you excuses for non-delivery.

WRITE FOR SAMPLES AND PRICES

Harbison-Walker Refractories
1133 BROADWAY **Company** NEW YORK CITY
PITTSBURGH, PA.



MAIN CORRIDOR, MONROE BUILDING, CHICAGO
HOLABIRD & ROCHE, ARCHITECTS

ALL OF THE WORK SHOWN IN THE ABOVE
REPRODUCTION IS IN

TILE AND FAIENCE

INCLUDING ARCHES, PILASTERS, RIBS
WALLS, FLOOR AND CEILING

FURNISHED AND ERECTED BY

WM. H. JACKSON COMPANY

2 WEST FORTY-SEVENTH STREET, (ADJOINING FIFTH AVENUE)
NEW YORK CITY

ALSO 902 SOUTH MICHIGAN BOULEVARD, CHICAGO
SHOPS 229-239 WEST TWENTY-EIGHTH STREET, NEW YORK

Advertisements.—When writing Advertisers, please mention Architecture and Building.

Alphabetical List of Advertisers

Page	Page	Page
American Enameled Brick & Tile Co., The..... 25	Globe Ventilator Co....II Cover	Northwestern Terra-Cotta Co., The 44
American Real Estate Co..... 25	Gorham Co., The..... 11	Otis Elevator Company..... 17
American Hardware Corporation, The 1	Gorton & Lidgerwood Co..... 30	Penn Brass & Bronze Works. 15
Arnstein, Robert..... 39	Grant Pulley & Hardware Co. 44	Polachek Bronze & Iron Co., John 13
Atchison Revolving Door Co., The —	Greenfield, Inc., Arthur..... 34	Pomeroy Co., Inc., S. H..... 27
Automatic Adding Mach. Co. 35	Grimmer & Son, Charles.... 9	Prentiss Clock Improvement Co. 35
Automatic Sprinkler Co. of America. 27	Harbison - Walker Refractories Co. 4, 5	Rockwood Sprinkler Co..... 24
Badger & Sons Co., E. B..... 33	Hardware Agency Co..... 29	Roberts Elevator Co., James H. 33
Bagues Freres Co..... 2	Harrisburg Star Boiler Co.... 33	Royal Bavarian Art Institute.. 14
Bankers' Building Bureau.... 42	Henderson Bros. 9	Safety Fire Extinguisher Co., The 22
Barnes Co., W. F. & John.... 40	Higgins & Co., Chas. M..... 40	See Electric Elevator Co., The A. B..... 46
Barrett Mfg. Co., The..... 19	Hilbring, Joseph..... 42	Simmons Co., John..... 26
Berger Mfg. Co., The..... 30	Holmes, Frederick S..... 21	Snare & Triest Co., The..... 16
Bevill Subscription Agency... 42	Hydro Damp-Proofing & Engineering Co. 26	South Dover Marble Works.... 46
Bommer Bros. 16	Ingham, Howard M..... 21	Spedel, J. G..... 35
Boyd, Thomas Bruce..... 21	Jackson Co., William H..... 6	Stanley Works, The..... 31
Carter, Black & Ayers..... 41	Jones, Thomas W..... 34	Star Ball Bearing Door Hanger Co. 45
Cerussi Marble Works..... 40	Kalamain Co., The..... 28	Star Expansion Bolt Co..... 16
Ceresit Waterproof Co..... 45	Kneer, Joseph 39	Star Fireproof Door & Sash Co., Inc.... 29
Chicago Spring Butt Co..... 2	Knoburn Co., The..... 27	Stickley, Gustav 48
Collins, Francis W..... 21	Lamb, Neven Sparks..... 2	Storm Manufacturing Co, The. 26
Concrete Age, The..... 42	Lane Bros. Co..... 31	Tettenborn Refrigerators..... 34
Corbin, P. & F..... 1	Leiman Bros. 28	Tubes Realty & Terminal CompanyIV Cover
Cork & Zicha Marble Co..... 32	Lockwood & Almquist..... 34	U. S. Changeable Sign Company —
Corrugated Bar Company..... 37	Loomis Manning Filter Distributing Co.IV Cover	United States Mineral Wool Co. 27
Daprato Statuary Company.... 14	Manual Arts Press, The..... 33	United States Press Clipping Bureau —
De Soto Paint Mfg. Company. 30	Marbleoid Co., The..... 33	Van Dorn Iron Works Co., The 35
Dewsnap, William D..... 35	McCabe Hanger Mfg. Co.... 31	Voigtman & Co..... 27
Dixon Crucible Co., Jos..... 31	McKay, Inc., Peter..... 30	Voska, Foelsch & Sidlo..... 9
Doten-Dunton Desk Co..... 13	Metropolitan Electric Mfg. Co. IV Cover	Washburne & Co., E. G..... 40
Erkins Studio, The 15	Miller, H. W..... 9	Waterman Co., L. E..... 47
Evans, F. H..... 35	Monument Plaster Co..... 41	Wells Architectural Iron Co... —
Federal Terra Cotta Co..... 48	Morell, George P..... 45	Wilson Mfg. Co., James G.... 16
Felton, Sibley & Co.....II Cover	Morton, Thomas 29	Winslow Bros. Company, The. —
Flynn, William J..... 30	National Ventilating Co..... 32	
Folsom Snow Guard Co..... 34	Nelson Co., W. P..... 15	
Fuller Co., George A..... —	Newman Clock Co..... —	
Gancher, A. B..... 35	New York Architectural Terra Cotta Co..... 2	
General Fire Extinguisher Co. 23		

Classified Advertisements—Continued

FIREPROOF DOORS AND SHUTTERS.

Grant Pulley & Hardware Co.,
3 West 29th St., New York
Kalamln Co., The, Long Island City, N. Y.
Knoburn Company, 365 14th St., Hoboken, N. J.
Pomeroy Co., Inc., S. H.,
427 W. 13th St., New York City
Star Fireproof Door and Sash Co.,
2650-52 Park Ave., New York

FIREPROOF WINDOWS.

Kalameln Company, The, Long Island City, N. Y.
Knoburn Company,
359-363 14th St., Hoboken, N. J.
Pomeroy Co. (Inc.), S. H.,
427 W. 13th St., N. Y.
Voigtmann & Co., 427 W. 13th St., New York

FLOORS.

Marbleloid Co., The, 34th St. & Broadway, N. Y.
Corrugated Bar Co. Buffalo, N. Y.

FLOOR AND WOODWORK POLISH.

Felton, Sibley & Co., 136 N. 4th St., Phila., Pa.

FOUNTAIN PENS.

Waterman Co., L. E., 173 Broadway, New York

FURNITURE.

Doten-Dunton Desk Company,
24 Arch St., Bost(on), Mass.

GARDEN FURNITURE, CEMENT.

Erkins Studios, The, 231 Lexington Ave., N. Y.

GLASS, ORNAMENTAL.

Henderson Bros., 701 First Ave., N. Y.

GRAPHITE PAINT.

Dixon Crucible Co., Jos., Jersey City, N. J.

HANGERS—House, Barn Door.

Lane Bros. Co., Poughkeepsie, N. Y.
McCabe Hanger Mfg. Co., 532 W. 22d St., N. Y.

HARDWARE.

American Hardware Corporation, The,
New Britain, Conn.
Chicago Spring Butt Co., Chicago, Ill.; New York
Corbin, P. & F., New Britain, Conn.
Hardware Agency Co.,
24 Arch St., Boston, Mass.
224 Franklin St., Boston, Mass.
Stanley Works, The, Dept. B.
New Britain, Conn., and 79 Chambers St., N. Y.

HEATING APPLIANCES. (Also see Boilers.)

Gorton & Lidgerwood Co., 96 Liberty St., N. Y.

HINGES—Spring, Ballbearing, Etc.

Bommer Bros., 257 Classon Av., Brooklyn, N. Y.
Chicago Spring Butt Co.,
Chicago, Ill.; New York
Stanley Works, The, New Britain, Conn.

HOLLOW TILE.

Carter, Black & Ayers, 1182 Broadway, N. Y.

HOT-WATER BOILERS—Copper.

Badger & Sons Co., E. B.,
63-75 Pitt St., Boston, Mass.

IRON WORK—Ornamental and Structural.

Bagues Freres Co., 705 Fifth Ave., New York
Polachek Bronze and Iron Co., John,
480-494 Hancock St. and 577-591 Boulevard,
Long Island City.
Wells Architectural Iron Co.,
River Ave. and 151st St., N. Y.
Winslow Bros. Company, The,
New York-Chicago

JAIL AND PRISON WORK.

Van Dorn Iron Works Co., Cleveland, O.

JOIST HANGERS—(Steel).

Lane Bros. Co., Poughkeepsie, N. Y.
Van Dorn Iron Works Co., Cleveland, O.

LIGHTING FIXTURES—Gas and Electric.

Bagues Freres Co., 705 Fifth Ave., New York

LIGHTNING RODS.

Jones, T. W., 22 Burling Slip, N. Y.
Washburne & Co., E. G., 209 Fulton St., N. Y.

LIMESTONE.

Williams, B. A. & G. N.,
Walnut Ave. and 133d St., New York

LOCKS, ETC.

American Hardware Corporation,
New Britain, Conn.
Corbin, P. & F., New Britain, Conn.

MANTELS, FIREPLACES, ETC.

Erkins Studios, The, 231 Lexington Ave., N. Y.
Jackson Co., Wm. H., 2 W. 47th St., N. Y.

MARBLE WORKERS.

Batterson & Elsie, Times Building, New York
Crusi Marble Works, 21-79 E. 135th St., N. Y.
Cork & Zicha Marble Co.,
325-327 E. 94th St., New York
McLaury Marble Co., 103 Park Ave., N. Y.
South Dover Marble Works,
Walnut Ave. and 133d St., New York
Voska-Foelsch & Sidlo, Astoria, New York, N. Y.

METAL CEILINGS.

Berger Mfg. Co., The, Canton, O.

METAL DOORS AND TRIM.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Knoburn Company,
359-363 14th St., Hoboken, N. J.
Star Fire Proof Door and Sash Co., Inc.,
2650 Park Ave., New York City

METAL LATHING.

Greenfield, Inc., Arthur, 204 E. 26th St., N. Y.

METAL LUMBER.

Berger Mfg. Co., The, Canton, O.

METALLIC OFFICE FURNITURE.

Berger Mfg. Co., The, Canton, O.
Van Dorn Iron Works Co., Cleveland, O.

METAL SASH AND FRAMES.

Dahlstrom Metallic Door Co., Jamestown, N. Y.
Kalameln Company, The, Long Island City, N. Y.
Knoburn Company, 365 14th St., Hoboken, N. J.
Pomeroy Co. (Inc.), S. H.,
427 W. 13th St., N. Y.
Star Fireproof Door and Sash Co.,
2650 Park Ave., New York

METAL WINDOWS.

Pomeroy Co. (Inc.), S. H.,
427 W. 13th St., New York
Voigtmann & Co., 427 W. 13th St., New York


MINERAL WOOL.

U. S. Mineral Wool Co., 140 Cedar St., N. Y.

PAINTING CONTRACTORS.

Arnstein, Robert, 3883 Broadway
Grimmer & Son, Charles, 230 E. 37th St., N. Y.
Hilbring, Joseph, 581 Union Ave., New York
McKay, Inc., Peter, 167 E. 60th St., New York
Nelson Co., W. P., Chicago, New York

KEVSTONIA
—FLAT FINISH—
KEVSTONIA



BRONZE GRILLES, MINOT BUILDING, BOSTON

PARKER THOMAS & RICE ARCHITECTS



THE GORHAM CO ARCHITECTURAL BRONZE
FIFTH AVENUE
NEW YORK

PROVIDENCE R.I.

Classified Advertisements—Continued

PAINTS FOR COATING AND PRESERVING IRON AND STEEL.

Dixon Crucible Co., Jos.....Jersey City, N. J.

PAINTS, OILS, VARNISHES, WOOD FILLING, etc.

De Soto Paint Mfg. Co.....Memphis, Tenn.

Dixon Crucible Co., Jos.....Jersey City, N. J.

Felton, Sibley & Co.,
136 N. 4th St., Philadelphia, Pa.

PLASTER WORK—Plain, Ornamental Models.

Kneer, Joseph, 388 Broadway, L. I. City, N. Y.

Miller, H. W.....22d St. and Ave. A, New York

Monument Plaster Co.....Harrison, N. J.

PLUMBERS.

Cornell Company, W. G. Everett Bldg., N. Y.

Flynn, William J., 11 E. 187th St., New York

Morell, George P., 116 W. 164th St., New York

PRONG LOCK, STUDS AND FURRING.

Berger Mfg. Co., The.....Canton, O.

PUBLISHERS.

Comstock Co., The W. T...23 Warren St., N. Y.

Concrete Age, The.....Atlanta, Georgia

Manual Arts Press, The,
600 German Fire Insur. Bldg., Peoria, Ill.

PULLEYS.

Grant Pulley & Hardware Co.,
3 W. 29th St., N. Y.

REFRIGERATORS, PORCELAIN, ETC.

Tettenborn Refrigerator Co.....Cincinnati, O.

RINGS (Bridle, Corner Brace, Bridle), Sebco Aerial

Star Expansion Bolt Co..147-149 Cedar St., N. Y.

ROLLING DOORS AND SHUTTERS—Steel.

Grant Pulley and Hardware Co.,
3 W. 29th St., New York City

Wilson Mfg. Co., James G.,
3 W. 29th St., New York

ROOFING AND ROOFING MATERIALS.

Barrett Mfg. Co.....New York, N. Y.

SASH CHAINS.

Morton, Thomas169 Elm St., N. Y.

SASH PULLEYS—Iron, Brass, Bronze.

Grant Pulley & Hardware Co.,
3 W. 29th St., N. Y.

SIDEWALK LIFTS.

Spedel, J. G.....Reading, Pa.

SIDEWALK LIGHTS.

The Berger Mfg. Co.....Canton, O.

SIGNS, CHANGEABLE, ETC.

Kinney Co., C. M...3 W. 29th St., New York

U. S. Changeable Sign Co.,
3 W. 29th St., New York

SKYLIGHTS.

National Ventilating Co., 339 E. 26th St., N. Y.

SNOW GUARD.

Folsom Snow Guard Co.,
Roslindale (Boston), Mass.

SPRING HINGES.

Rommer Bros....257 Classon Ave., Bklyn, N. Y.

Chicago Spring Butt Co.,
Chicago, Ill.; New York

SPRINKLER SYSTEMS.

Automatic Sprinkler Co. of America,
123 William St., New York City

General Fire Extinguisher Co.,
Providence, R. I.

Rockwood Sprinkler Co...123 William St., N. Y.

STEEL BUILDINGS.

Van Dorn Iron Works Co.,.....Cleveland, O.

STEEL JOIST HANGERS.

Lane Bros. Co.....Poughkeepsie, N. Y.

Van Dorn Iron Works Co.....Cleveland, O.

STEEL SHUTTERS, ROLLING, ETC.

Wilson Mfg. Co., James G.,
5 W. 29th St., New York

STUCCO.

Monument Plaster Co.....Harrison, N. J.

SUBSCRIPTION AGENCIES.

Bevil Subscription Agency.....Atlanta, Ga.

SWITCHBOARDS, PANELS, ETC.

Metropolitan Electric Mfg. Co.,
14th St. & East Ave., Long Island City

TACKLE BLOCKS (Automatic).

Lane Bros. Co.....Poughkeepsie, N. Y.

TERRA COTTA.

Federal Terra Cotta Co., 111 Broadway, N. Y.

New York Architectural Terra Cotta Co.,
225 Fifth Ave., New York

Northwestern Terra Cotta Co.,
1000 Clybourn Ave., Chicago

TILE FLOORS.

Corrugated Bar Co.....Buffalo, N. Y.

UPHOLSTERY.

Grimmer & Son, Charles,
230-234 E. 37th St., New York

VACUUM PUMPS.

Leiman Bros., F. G.....62 John St., N. Y.

VAULT LIGHTS.

Berger Mfg. Co.....Canton, O.

VENETIAN BLINDS.

Wilson Mfg. Co., Jas. G.,
3½ W. 29th St., New York

VENTILATING RIDGING.

Globe Ventilator Co.....Troy, N. Y.

VENTILATORS.

Globe Ventilator Co.....Troy, N. Y.

Washburne & Co., E. G...200 Fulton St., N. Y.

WALL FINISHES—FLAT, ETC.

Keystone Varnish Co.,
71 Otsego St., Brooklyn, N. Y.

WALL PLASTER.

Monument Plaster Co.....Harrison, N. J.

WATER FILTERS.

Loomis-Manning Filter Co.,
828 Land Title Bldg., Philadelphia, Pa.

WATERPROOFING.

Cresit Waterproofing Co.,
Commercial National Bank Building,
Chicago, Ill.

WEATHER VANES.

Jones, Thos. W.....153 Maiden Lane, N. Y.

Washburne & Co., E. G.,
200 Fulton St., N. Y.

WOODWORK, ARCHITECTURAL, ETC.

Grimmer & Son, Charles,
230-234 E. 37th St., N. Y.

WOOD-WORKING MACHINERY.

Barnes Co., W. F. & John,
566 Ruby St., Rockford, Ill.

KEYSTONE
FLAT FINISH

30 Banks


two each month, for which we have obtained the Contracts for the Bronze Work during the last 15 months.

1. Bankers and Trust Co.....New York City.
Trowbridge & Livingston, Architects.
2. Essex Co. National Bank.....Newark, N. J.
Clinton & Russell, Architects.
3. Lehigh Valley Trust Co.....Allentown, Pa.
Ruhe & Lange, Architects.
4. Poughkeepsie Savings Bank....Poughkeepsie, N. Y.
Mowbray & Uffinger, Architects.
5. National Exchange Bank.....Wheeling, W. Va.
Hoggson Bros., Designers.
6. New Hampshire National Bank..Portsmouth, N. H.
Wm. W. Bosworth, Architect.
7. Connecticut National Bank.....Bridgeport, Conn.
Hoggson Bros., Designers.
8. Mechanics Bank.....New Haven, Conn.
L. W. Robinson, Architect.
9. Chase National Bank.....New York City.
Walker & Gillette, Architects.
10. Markle Banking & Tr. Co.....Hazelton, Pa.
John I. Bright, Architect.
11. National Savings Bank.....New Haven, Conn.
Brown & Von Beren, Architects.
12. Mt. Vernon Trust Co.....Mt. Vernon, N. Y.
George M. Bartlett, Architect.
13. Germania Savings Bank.....Brooklyn, N. Y.
Voss & Lauritzen, Architects.
14. Merchants' National Bank.....New Haven, Conn.
Dennison & Hiron, Architects.
15. Sag Harbor Savings Bank.....Sag Harbor, N. Y.
Dennison & Hiron, Architects.
16. Corn Exchange Bank.....L. I. City.
Dennison & Hiron, Architects.
17. National Bank of Cuba.....Havana, Cuba.
Purdy & Henderson, Engineers.
18. Merch. & Farmers Bank.....Martinsburg, W. Va.
George W. Cobb Jr., Designer.
19. Marshall National Bank.....Marshall, Tex.
Hoggson Bros., Designers.
20. Union Bank.....Knoxville, Tenn.
Hoggson Bros., Designers.
21. Calcasieu National Bank.....Lake Charles, La.
Hoggson Bros., Designers.
22. Central Trust Co.....Harrisburg, Pa.
Hoggson Bros., Designers.
23. Merchants Bank.....Harrisburg, Pa.
Hoggson Bros., Designers.
24. So. Norwalk Trust Co.....So. Norwalk, Conn.
25. Citizens' Trust Co.....Brooklyn, N. Y.
Clinton & Russell, Architects.
26. Long Island City Savings Bank....L. I. City, N. Y.
27. Trust & Deposit Co. of Onondaga...Syracuse, N. Y.
Hoggson Bros., Architects.
28. First National Bank.....Silver Creek, N. Y.
Hoggson Bros., Architects.
29. First National Bank.....Cumberland, Md.
T. C. Visscher, Architect.
30. City National Bank.....Danbury, Conn.
T. C. Visscher, Architect.

JOHN POLACHEK BRONZE & IRON COMPANY

Architctural Bronze and Iron Work. Art in Bronze, Statuary Work, Tablets, etc.

Office and Works, 480-494 Hancock Street and 577-591 Boulevard, LONG ISLAND CITY, N. Y.



DOTEN-DUNTON DESK COMPANY
25 ARCH STREET, BOSTON, MASS.

Manufacturers of FINE BANKING AND COMMERCIAL FURNITURE
SPECIAL FURNITURE to order.

Catalogue on request. NEW YORK BRANCH—111 BROADWAY

Trade Mark Reg. U.S. Pat. Off.

Advertisements.—When writing Advertisers please mention Architecture and Building.

Special Facilities:—

Altars, Statues, Stations of the Cross, Sanctuary Railings, etc. Executed in Marble, Scagliola and Rigalico Composition.

Over fifty years' experience in the development of the best in ecclesiastical art.



Designed by D. A. Bohlen & Son, Architects
Marble Altars at St. Mary's, Ind., executed in their
entirety by Daprato Statuary Company

Those with whom quality is an important object will find our service unequaled. Our foreign studios are located right in the heart of the Carrara Marble district and all work is personally supervised by Prof. Bianchi of the Royal Academy, at Massa, Italy.

We are in position to undertake any work and guarantee finest execution.

Daprato Statuary Company

"Pontifical Institute of Christian Art"

**766-770 W. Adams St. 31 Barclay St.
Chicago New York**

Stained Glass Windows

By the Royal Bavarian Art Institute

Prof. F. X. Zettler, Munich

May be seen in some of the greatest church edifices of this country. We list them as far as space permits:

Denver Cathedral

Belleville Cathedral	Salt Lake City Cathedral
Fort Wayne Cathedral	San Antonio Cathedral
Lincoln Cathedral	Vancouver, B. C., Cathedral
Cardinal Gibbons Jubilee Memorial Chapel	
Franciscan Monastery, Washington, D. C., etc., etc.	

Send for complete list of churches endorsing these windows. Our Window Catalogue is the most complete publication of its kind in print. Send for it.

Royal Bavarian Art Institute

F. X. Zettler, Munich

DAPRATO STATUARY COMPANY, Sole Agents United States and Canada
766-768-770 W. Adams St., Chicago 31 Barclay Street, New York

Advertisements.—When writing Advertisers, please mention Architecture and Building.



*Bronze
Entrance
Doors*

*Wilson
Building
New
York*

*Rouse &
Goldstone
Architects*

Made by

Penn Brass and Bronze Works, Inc.

*Architectural Bronze Work, Brass and Bronze Railings
Grilles, Mausoleum Supplies, Bank Fixtures, etc.*

*Brass, Bronze, Copper and Alumi-
num Castings of Every Description*

36 to 40 Penn Street, Brooklyn, N. Y.



*Sketch of the fire place de-
signed and erected by us in
the Studio of J. C. Leyen-
decker, Esq., New York.*

WE have a splendid collection of Fireplaces modeled in Pompeian Stone. Original designs promptly and carefully followed.

Our large illustrated Catalogue D, full of home and garden ornament suggestions, sent free.

THE ERKINS STUDIOS

The Largest Manufacturers of Ornamental Stone
231 Lexington Avenue, New York **Factory: Astoria, L. I.**
New York Selling Agents, Ricciardi Florentine Terra Cotta



**Interior View of an English Living Room of the
Tudor Period
DECORATED BY W. P. NELSON COMPANY**

INTERIOR DECORATION

"Decorated by the Nelson Company"

is the distinguishing phase of exclusive in design, supreme excellence in workmanship, tastefulness in decorative art, and authoritative styles. Correspondence is invited, and suggestions, samples and estimates will be submitted without your incurring any obligation. We will send a representative anywhere when the nature of the work requires it.

Consistent with the highest class of decorative art, our prices are the lowest. Quality always commands price, but competent organization under the skilful direction of specialists ever tends to a reduction of cost as well as an enhancement of quality. Accordingly our customers receive the maximum of quality at the minimum of cost.

Many notable residences, theatres, churches and public buildings throughout the United States have been decorated by us.

**Decorations, Draperies, Wall Papers,
Carpets and Furniture**

W. P. NELSON COMPANY

N. J. NELSON, President

**614 S. Michigan Avenue
CHICAGO**

**812 Greenwich Street
NEW YORK**

Wilson's Venetian Blinds



The following hotels are equipped with Wilson's Venetian Blinds:

The
Emerson Hotel,
Baltimore, Md.

The
Taft Hotel,
New Haven, Conn.

The
Vanderbilt Hotel,
New York

The accompanying cut shows one of the windows in the new Vanderbilt Hotel, New York.

Models on view at salesroom

Jas. G. Wilson Mfg. Co.
3½ West 29th St., New York

Also manufacturers of Rolling Steel Shutters and Wood and Steel Rolling Doors and Partitions.



SEBCO EXPANSION BOLTS

Up-to-date mechanics, electricians, plumbers and carpenters know that they can always rely upon the SebcO Expansion Bolts as the safest method of fastening fences, fire escapes, balconies and fixtures of all kinds to walls and floors of stone, brick, concrete, etc.

SEND FOR FREE SAMPLES AND
OUR CATALOGUE NO. 41

STAR EXPANSION BOLT COMPANY

147-149 CEDAR STREET, NEW YORK

THE SNARE & TRIST CO.

General Contractors

FOR THE

POLO GROUNDS
BASEBALL GRAND STANDS
N. Y.

(Described in this issue)

MAIN OFFICE
New York: 143 Liberty Street

HAVANA OFFICE
Zulueta 36 D

BOMMER SPRING HINGES

ARE QUALITY GOODS

But cost no more than inferior kinds



DON'T ERR IN JUDGMENT when specifying spring hinges, which of all hardware perform the hardest work. Bommer Spring Hinges never fail to give satisfaction, and have withstood the test of time. The springs never go lame. "Practically Unbreakable," says the World's Fair Award, Chicago, 1893.

GOLD MEDALS: Paris, 1900; Buffalo, 1901; St. Louis, 1904.

**All Who Figure on Hardware
Contracts Can Supply Them**

BOMMER BROS., Mfrs., Brooklyn, N. Y.

Est. 1876

ARCHITECTURE AND BUILDING

A Magazine Devoted to Contemporary Architectural Construction

VOLUME XLIV.

NOVEMBER, 1912

NUMBER 11

JOHN WELLBORN ROOT

By THEODORE STARRETT

IN the recent discussion of the achievements of the late Daniel Hudson Burnham, it was inevitable that his deceased partner, John Wellborn Root, should be mentioned by all who really knew the philosophy of Burnham's career. When I wrote for ARCHITECTURE AND BUILDING the account of my recollection of Burnham and of the bust of Root which stood in his office overlooking him as he worked, I got to thinking about Root. It seemed to me almost a duty to say more about him, to raise a voice in these "practical" times in behalf of the memory of a man who did something that was bigger and more important than framing the U. S. Steel Corporation or leaving a fortune of a quarter of a billion of dollars.

John Root was a real architect, a draftsman and a designer. Not all architects are real architects in the sense here meant, for some of our "greatest" are merely job getters, interested in the game as a business, but hopelessly inefficient with respect to it as an art.

The thing that made Daniel Burnham great, if fate intends that he shall be immortal, was the World's Columbian Exposition, and if Burnham is to be immortal John Root should stand beside him—in a sense he should stand before him, because in the elements that made the Fair great, the architecture, as opposed to the construction, there is little doubt

that Root's was the originating or conceiving mind. Burnham's was the executant mind.

Born in Georgia in 1850, the son of a man of New England descent, John Wellborn Root passed his boyhood in the South. It appears that Root's father had been disappointed in his own youthful hopes of becoming an architect and had decided that his son should have the opportunities which he himself lacked. It was a case of "marking." From his infancy the boy showed wonderful talents in all directions; he learned to sing before he learned to talk; he had a toy violin when he was two years old; he started drawing as soon as he could take hold of a pencil, and at seven years of age we hear of his having his three-year-old sister pose while he sketched her portrait. A piano was purchased by the family when he was twelve years old, and "although the instrument was new to him, he sat down," so it is said, "and played several airs with apparently no effort."

His home was in Atlanta at the time of Sherman's march to the sea, and at fourteen years of age he witnessed the entrance into the city of "Old Tecumseh." After the war he lived in New York City, where he entered the New York University in 1866 in the sophomore class at sixteen years of age, and graduated in 1869. His father's failing fortunes made it necessary for him to go to work.

Work for Root began in the office of Mr. Renwick, the noted New York architect, where Root was a student for one year without salary. After the year with Mr. Renwick came the experience of "looking for a job," as his brother, Walter Root, said he expressed it, as a draftsman, which he finally found in Mr. Snooks' office.

In 1871 occurred the Chicago fire and thither he repaired to become foreman of the office of Messrs. Carter, Drake & Wight, architects. A few days after his entrance upon this engagement Root met Daniel Hudson Burnham, who then joined the force of draftsmen in the employ of the firm. The two young men, Root twenty-one and Burnham twenty-five, became fast friends and continued so until death parted them.

The World's Columbian Exposition at Chicago was a case of "the Wild and Woolly West" taking unto itself—absorbing, as it were—the elegance and culture of the most refined section of the East. Chicago had won the Fair which was to celebrate the 400th anniversary of Columbus's discovery of America. Chicago decided to build a Fair three times as big as the greatest fair that had been theretofore held.

Now, these Chicago business men who had won this prize, the honor of speaking for the United States, as it were, to the whole world, appointed John W. Root consulting architect. Afterwards, at Root's request, the appointment was amended to include Burnham, and it was these two men, Root and Burnham, who persuaded the Directors to employ Eastern architects for the greatest buildings of the Exposition. These Eastern men, in consultation with Root, fixed the style of the composition, and the Western architects who were later appointed for additional buildings vied with them, as far as it lay in their power, in keeping up with the procession.

Who that saw the World's Fair in Chicago can ever forget it? The combination of grey-white buildings, just enough green grass and trees, flanked by wide plazas and the inland waterways or lagoons spanned by low balustraded bridges, with the tideless lake just outside for background and foreground, gondolas and electric launches swiftly and noiselessly plying the waters, flags and streamers flying—Oh, such a lot of them—happy crowds chattering, foreigners dressed in strange costumes, some in outlandish bright colors—the whole makes a picture that has never been equalled. And the man who had taken the lead in designing it, who had drawn with his own hands the plan which was followed with only the slightest changes, who, himself an artist, had selected the artists to share—nay, to appropriate—the honors, died just as he had completed the organization of men who were to do it.

I remember the first time I ever laid eyes on Root, just as I remember the first sight of Burnham. Root was away when I went to work for the firm and it was not until I had been there for a week that I saw him one day pop into the drafting room and, stepping to the large detail table where a roll of manilla paper was hung, tear off a piece, probably a yard and a half long, then pop back without a word, without a look at anybody. A blonde-haired man of medium height, undeniably stout—he was a good liver. His hair was banged and fell in a short fringe around his handsome forehead; his face was florid. Afterwards I saw him. He was at the time thirty-five years old. Yes, he was stout. A splendid head, splendidly balanced; eyes large and blue and flashing. A small nose with quivering nostrils; a sparse, drooping mustache, matching his fine, thin hair; a proud erect carriage with very full chest. He would make the round of the drafting room every

morning, looking at each man's work. He paid no particular attention to me, or to anybody as far as I knew; he simply looked at the drawing, made a few suggestions, perhaps pushing you off your stool and sticking one leg over it. Any comment would be in the shape of a dry little exclamation, a half joke. Once I had drawn in the detail in the gable of a dormer window. He looked at it with a little smile, half amused, half ironical. "This was evidently taken from original sources,"—not another word. I wondered if he was going to rub it out for me. No; he let it go. Ah! John Root, I have come to know that you worked from original sources, too. Then he would pass on to the next man.


His facility with the pencil was remarkable. His hands were peculiar looking in that his nails were rudimentary and he held the short pencil so close to the lead that that he seemed to be drawing with the points of his fingers. He never used an instrument in any of his work of criticising, but would do it all free-hand. He had a habit, which I think was a fault that he would have grown out of if he had lived longer, of depending on his first inspiration—anything once drawn, that was the end of it; it would be detailed just as he drew it.

Stanford White said of a little band of artists who worked together in the East—himself, Charles F. McKim and Augustus St. Gaudens—that they were "red-heads." Burnham and Root were red-heads, for Root's hair was a reddish-blonde. Both blue-eyed, both auburn of complexion, they were a pair of supermen if ever there were such things. Burnham got the jobs, Root did them. The way they worked, one was as neces-

sary as the other. They were well mated. Root was a natural architect in the fullest sense of the word. He understood construction and took as much interest in designing a foundation as he did in designing any other part of a building. He understood amazingly the philosophy of construction; he had the constructive faculty. His face was turned to the truth; he had no truck with the fanciful decoration of the outside of a building to look like something that it is not. He was a utilitarian in the sense that he used the materials at hand—bricks and terra-cotta—and delighted to fashion his ideas with them. What his tendencies were are shown by the Monadnock Building and the Rand-McNally Building; one built of brown pressed brick from the sidewalk to the roof,—not a thing but brick as far as the mason work was concerned, excepting some granite trim to the entrances; the other built of brown terra-cotta from the sidewalk to the roof.

What Root would have done—what Burnham & Root would have done—if he had lived is perhaps an idle question. His tendencies were along the same lines as Louis Sullivan's. And Sullivan's work in its best tendency is the same as the German tendency of this day, a scientific tendency. And France, with her *Style Nouveau* is coming around to Sullivanism now. Imagine Root alive today in his ripe prime. Perhaps his ideas would be sweeping Eastward just as he encouraged Eastern ideas to sweep Westward in the World's Fair of 1893.

NOTE: In the story about D. H. Burnham I said, incorrectly, that he and Root came from W. L. B. Jenney's office. Burnham had worked for Mr. Jenney and had left his employ. Later he was employed by Carter, Drake & Wight, as here stated. I am indebted for these and other facts to a *Life of John Wellborn Root* by Miss Harriet Monroe.



THE MONROE BUILDING, CHICAGO, ILL.

Builder: Geo. A. Fuller Co.
 Painting: W. P. Nelson Company.
 Generators: Sprague Electric Works.
 Waterproofed with "Ceresit."

Holabird & Roche, Architects.



THE MONROE BUILDING. THE CORRIDOR COMPLETELY FINISHED IN TILING
AND FAIENCE FLOOR WALLS AND CEILING.
Tile and Faience; Wm. H. Jackson Company. Holabird & Roche, Architects.

BURNING A "FIREPROOF" BUILDING

THE opportunity to moralize is unprecedented, and yet, is it worth while? The reader is usually quite as well fitted constitutionally to moralize as the writer, and as a rule much prefers his own efforts in that direction.

On February 28, 1912, at Rockford, Ill., a fire occurred in the office building of the Emerson-Brantingham Company, which is an isolated building standing in a group of manufacturing buildings that comprise their works. The destruction wrought by this fire was of a most surprising nature, and the before-and-after pictures are as striking as some advertisements for a hair tonic. However, with due apologies to the manufacturers of hair invigorators the illustrations presented on the following pages are real pictures, and we are indebted to the Quarterly of the National Fire Protection Association for the use of their cuts and for the description of the building and the results of the fire.

The building is a detached three-story structure, 210 by 62 feet, with undivided floor areas. The construction is of reinforced concrete columns, beams and girders, with a tile and concrete floor system and roof. The floor surfaces are of cement and tile mosaic. The stairs are of iron and marble near the center of the building and not enclosed. The window frames, interior trim and office partitions, which, as shown by the illustrations, are about 8 feet high, were largely of oak. The relatively small amount of combustible material is clearly shown in the illustrations made previous to the fire.

To quote from the "Quarterly," the

building "had no internal protection, being dependent on the standard fire equipment of the works, consisting of hydrants fed by two 1,000-gallon Underwriter pumps and a large tank on 100-foot trestle." No mention is made of the presence or use of fire pails or chemical extinguishers or standpipes within the building, so it is assumed that the only means of fighting the fire was by lines of hose run in from the outside hydrant connections.

The first floor of the building was used as a show room for agricultural implements; the second for general offices; and the third as a dining-room and supply room.

The fire started about 10.30 P. M. in the east end of the second floor, being probably caused by the carelessness of some smoker among the office force who worked late. It was first discovered bursting from the windows in the east end and by the time the fire streams were applied, it extended over half the floor. A "hot air" explosion drove the fire-fighting force from the room and spread the fire through the entire floor, up the marble stairs to the third floor and through the windows at the east end of the third floor. The fire burned itself out from lack of more combustible material.

Practically everything on the second floor was destroyed, including many valuable office records. The first and third floors were seriously damaged by smoke and water. The effect on the structure of the building was to cause the spalling off of concrete from twelve columns, in several laying bare the rein-



EMERSON-BRANTINGHAM CO. BUILDING.

The second story hallway before and after the fire, showing how the burning of a minimum of wood in trim and furniture may wreck a structurally fireproofed building



EMERSON-BRANTINGHAM CO. BUILDING.

The East end of the second story before and after the fire. The fire started in center at the extreme end. The upper picture shows that the partitions were low and that there was a comparatively slight amount of wood in partitions and furniture, yet heat was developed sufficient to melt brass pneumatic tubes as shown by the lower picture.

BURNING A "FIREPROOF" BUILDING

forcement and also baring the reinforcement of three concrete ceiling girders. The lower webs of numbers of the terra-cotta tiles in the ceiling bays were also cracked out. The upper part of the east brick wall was also cracked, due to the expansion of the floor, and required rebuilding. The floors were also considerably cracked on the third floor east. The north and south walls were also pushed slightly out of line. The loss was figured at \$75,000.

We quote from the report in the Quarterly of the National Fire Prevention Association.

"It is somewhat surprising that the amount of heat developed by the burning of the office furniture, papers, etc., should have caused such excessive havoc with the material used in the construction of the building."

However, loading tests made after the fire indicate that the strength of the building was not seriously impaired,

and that its structural shell could be stored and the interior refinished.

This fire is the strongest conceivable argument for the use of non-combustible window frames and sash and interior trim. We may go even further and use of metal furniture and interior partitions. The "hot-air" explosion in an insulating spread the fire over double the area. This building was built with a central hallway and was practically divided into two wings by low partitions. If it had been separated into two rooms by solid walls at either side of this central hallway, the fire would undoubtedly have been confined to one end where it originated, and the damage materially lessened.

What occurred in this building, which was undoubtedly considered by the owners and we think would have been considered by most architects a well-protected structure, is just as apt to occur in a very large percentage of



EMERSON-BRANTINGHAM CO. BUILDING.

The northwest section of the second floor showing spalled concrete columns, baring reinforcement and webs of terra-cotta floor tile cracked off.

modern office buildings. There are many unprotected neighbors. The modern office building now erected which we believe impregnable to such danger, both because of their structural materials and their fire-preventive systems. But these stand out in the limelight among their many unprotected neighbors. The modern office building with wooden trim in the majority of our cities, is even more open to destruction by fire than the example here shown, and the greater the number of stories the greater the danger.



FIFTH AVENUE ENTRANCE TO STORE OF BLACK, STARR AND FROST.

Carrère & Hastings, Architects.



BUILDING AT N. E. CORNER OF FIFTH AVENUE AND 48TH STREET FOR
BLACK, STARR AND FROST.

Exterior Marble: South Dover Marble Co.
Star Expansion Bolts Used.
Metal Windows: S. H. Pomeroy Co., Inc.

Carrère & Hastings, Architects.



BANK VAULTS IN THE SECOND NATIONAL BANK, BOSTON, MASS.



The Vault Door Open.

THE design of a bank vault presents new and numerous problems to the engineer that are never realized by the public at large.

The construction must be such as to furnish protection against burglarious attack, including the use of the oxy-acetylene burner, an instrument now extensively in use throughout the world. Fireproof protection must be absolute, and in this connection the structure must be so strong as to withstand great shock from falling masses occasioned by a collapse of the building in which it is located. To provide such a structure to guard against these dangers, was the problem that confronted the vault engineer, Frederick S. Holmes, when called upon to design the vaults for the Second National Bank, Boston.

The security vault is placed at the rear of the main banking room and is 26 feet 8 inches long by 10 feet wide by 9 feet high, inside, and the walls, top and bottom, are approximately 21 inches thick. The inner portion of the walls consist

of a drill and shock proof steel lining outside of which is rock concrete embedding a steel rail grillage. The vault is divided into two compartments, with an entrance to each. Both entrances are protected by doors of composite construction, 2 feet thick; each weighs twenty tons. The construction of the door affords protection, not only against attack by drilling and explosives, but also against attack by the oxy-acetylene burner.

The locking mechanism of the door is arranged in a novel manner by placing the combination locks upon the jamb or door frames, and the time locks upon the doors proper; each individual must check the bolt-throwing mechanism and necessitating a hole through the door and another through the jamb before the locking mechanism can be tripped.

In addition to the security vault, there



The Vault Closed.

Bank Vault Engineer: Frederick S. Holmes



THE ENTRANCE WITH BRONZE DOORS.—THE SECOND NATIONAL BANK.
Bronze Doors: The Gorham Co.

is a fireproof vault in the basement for the storage of books and records, and a similar vault on the mezzanine floor, in which the active books and records of the institution are kept at night.

The vaults were built and installed by Remington & Sherman Company, under the supervision of the engineer.

The interior of this new banking room possesses the architectural interest of a good design. It occupies a portion of the Minot Building and the whole was

designed by Parker, Thomas and Rice. Thomas Bruce Boyd designed the interior equipment and furniture for the bank, and the Doten-Dunton Desk Co. supplied the larger part of the furniture, including the wooden fixtures in the cages. The bronze entrance doors and the interior bronze work is the production of The Gorham Co., who also designed the doors of the adjoining Minot Building of which Parker, Thomas and Rice were the architects.

SECOND NATIONAL BANK, BOSTON



Furniture: Doten-Dunton Desk Co.



THE SECOND NATIONAL BANK. PRESIDENT'S OFFICE AND BOARD ROOM
Parker, Thomas and Rice, Architects
Interior Equipment and Furniture designed by Thomas Bruce Boyd.



THE SECOND NATIONAL BANK, BOSTON, MASS.

Bronze: The Gorham Co.

Parker, Thomas and Rice, Architects.

Furniture: Doten-Dunton Desk Co.

Interior Equipment and Furniture designed by Thomas Bruce Boyd.

A. B. See Electric Elevators.

Metal Windows: S. P. Pomeroy Co., Inc.

BUILDING FOR M. KNOEDLER & CO., NEW YORK



BUILDING AT 556 FIFTH AVENUE FOR M. KNOEDLER & CO.
Cut Stone Contractors: B. A. & G. M. Williams. Carrère & Hastings, Architects.
Otis Elevators.
Steel Shutters: Jas. G. Wilson Mfg. Co.



DETAIL OF BUILDING FOR M. KNOEDLER & CO.

Cut Stone Contractors: B. A. & G. M. Williams.

Carrère & Hastings, Architects.



INTERIOR OF BANKING ROOM FOR S. JARMULOWSKY.

Interior Contractors: Bankers Building Bureau.

Rouse & Goldstone, Architects.

Interior Marble: Voska, Foelsch & Sidlo, Inc.

Bronze Work: Penn Brass & Bronze Works.

Interior Woodwork: Kertscher & Co.



S. JARMULOWSKY'S BANK BUILDING, 54 CANAL STREET, NEW YORK.

Interior Contractors: Bankers Building Bureau. Rouse & Goldstone, Architects.
Painting and Decorating: Robert Arnstein.
"Star" Bull Bearing Door Hangers.
Ornamental Iron: A. Perlman Iron Works, Inc.

THE QUEENS PLAZA COURT BUILDING

THOMPSON & FROHLING, Architects

THE growth of Long Island City consequent to the connection with Manhattan by means of the Queensboro Bridge has been largely to date a development of factories and residence sites. The population has now increased to such an extent that a large business building is warranted, and the Queens Plaza Court has been erected to meet this demand. It is situated at the north side of the bridge plaza, where transit facilities are of the best, and it occupies a full block front.

The building is of the usual steel frame construction, now erected to a height of four stories, with the prospect of adding eight more at a future time.

The finish of its hallways and interiors places it among the best class of office buildings, which would be suitable to many Manhattan locations.

The Tubes Realty and Terminal Company were the builders. The exterior is largely of terra-cotta supplied by the New York Architectural Terra Cotta Company. The lower stories are of limestone. The ornamental ironwork was done by A. Perlman Iron Works, Inc.; the plastering by Joseph Kneer; the painting by Peter McKay, Inc.; and the electric wiring by the Boyd Equipment Company. The elevator equipment will eventually consist of three cars, but at present one only is installed, an A. B.




THE LONG ISLAND CITY SAVINGS BANK IN QUEENS PLAZA COURT BUILDING.
Bronze Screens: John Polachek Bronze & Iron Co.

See machine. "Star" ball bearing door hangers are used.

The Long Island City Savings Bank occupies one corner of the building, and

has a plain but well appointed banking room. The bronze screen for this room was supplied by John Polachek Bronze and Iron Company.



QUEENS PLAZA COURT, LONG ISLAND CITY, BORO. OF QUEENS, NEW YORK CITY.

Builders: Tubes Realty & Terminal Co. Thompson & Frohling, Architects.
 Architectural Terra-Cotta: New York Architectural Terra Cotta Co.
 Ornamental Iron: A. Perlman Iron Works Inc.
 Metropolitan Detachable Mechanism Flush Switches.
 Evans' "Crescent" Expansion Bolts Used.
 Bronze Letters: Penn Brass and Bronze Works.



QUEENS PLAZA COURT, HALLWAY DETAILS.

Builders: Tubes Realty & Terminal Co. Thompson & Frohling, Architects.
 A. B. See Electric Elevators. Electric Wiring: Boyd Equipment Co.
 "Star" Ball Bearing Door Hangers. Painting and Decorating: Peter McKay, Inc.
 Ornamental Iron Gates: A. Perlman Iron Works, Inc.
 Ornamental and Plain Plastering: Joseph Kneer.

CENTRAL COMMERCIAL AND MANUAL TRAINING HIGH SCHOOL, NEWARK, N. J.

ERNEST F. GUILBERT, Architect





THE site of this school building is on a lot sloping from High Street to Summit Street in Newark, N. J. The architectural design is English Gothic expressed in brick and terra-cotta. A terrace precedes the main façade on High Street, being approached by flights of steps from the sidewalk level, with a court before.

The plans are well developed and exceedingly interesting. Consideration of the basement plan shows that the area below the terrace is fully utilized. The entrance at the court level leads to two elevator shafts in which at some future time cars may be installed to give direct communication with the top floor of the building, which it is anticipated may be ultimately used to accommodate the Board of Education. The gymnasium and power plant occupy the area below the terrace.

From the first story, the element scheme of the plan is at once evident. It consists roughly of a hollow square with corner towers, in each of which is located a stair well: two corridors running the full length of the building parallel to the terrace, and two cross-connecting corridors surround the central portion occupied in the first and second stories by the assembly room, and above by the light court. The long corridors connect the stair wells. There is complete circulation about the entire floor, class rooms, laboratories and other rooms all facing outwardly and each having one opening directly onto the corridor. The stairs are of iron with stone treads and the flights are entirely enclosed. Two stairways in the north side of the building are inter-crossing, twin flights with separate entrances. All stairways are separated from the corridors by



THE EAST ELEVATION OF THE SCHOOL.



PLANS OF THE CENTRAL COMMERCIAL HIGH SCHOOL.

Otis Elevators.
Dumbwaiters: The Storm Mfg. Co.

Ernest F. Gullbert, Architect.



THE AUDITORIUM.

Evans' "Crescent" Expansion Bolts Used.
Stanley's Ball Bearing Hinges.

and wire glass partitions, with kalameined doors. For convenience in the school, certain of the stairs are used only for going up and others for coming down, thus dividing the traffic. The location of the toilet rooms and the general features of the plan can be readily observed.



An Enclosed Stair.

The school has accommodation for 1,200 pupils and the auditorium a seating capacity for 1,000.

There is at the present time one Otis elevator for service of the school, this being used for both passengers and freight.

In construction the school is built upon rock and is of steel frame, fireproofed with terra-cotta and concrete. The floor system between the bays is constructed on the two-way, corr-tile method. The bays are of large extent, and the steel supporting members consist of deep I-beams which are fireproofed with concrete. To give a detailed idea, we will describe a typical bay with dimensions of 30x33 feet between column centers. This is supported on the wall end by an 18-inch, 48½-pound Bethlehem I-beam, and by 24-inch, 120-pound beams on the two long sides and a 24-inch 73-pound beam at the inner side. The tiles which were placed upon false work for construction,

consist of flanged blocks spaced both ways 15 inches on centers. The blocks are of 12x12 inch top dimensions and 7 inches in height. To close the open end of the block, channel sections were used, giving equal spacing to that provided by the flanges on the closed sides of the blocks. Small square tiles were used to close the openings at the corners. When the blocks were spaced, two way channels were produced, having a uniform width of 3 inches between the sides of the channels. The reinforcement used was one $\frac{7}{8}$ -inch deformed bar in each rib. This construction gives an entire tile ceiling for the panel. The concrete is poured into an entire tile form, and is surrounded by tile at all points below. It is filled in to a height of 3 inches above the top of the tile, making a complete floor slab 10 inches in thickness. This floor slab was figured to have a dead load of 85 pounds per square foot and to carry a live load of 75 pounds per square foot. The appearance of the upper side of the floor while being laid, and the under side at completion, may be seen by the photographs, while the drawing presented on page 455 gives a clear idea of the system.

An interesting test was made of this floor panel, which is shown by a photograph at the time of the test and by the plan and section. The panel was loaded with brick piled so as to avoid arching action, to a total weight of 150,050 pounds, which figured to 152 pounds to the square foot. Deflection readings were taken under loads of 50, 100 and 150 pounds. The net deflection at the centre of the panel was $\frac{7}{32}$ inch under the heaviest load. No permanent settling could be detected upon removal of the load. This tile-concrete floor system is known as the "Corr-Tile" or Burchartz system.


The structural partitions in the school are of terra-cotta. The interior trim



THE ENGINE ROOM.
Ample spaced machinery, with an adjoining demonstration room.



THE MACHINE SHOP INSTRUCTION ROOM.
Dumbwatters: The Storm Mfg. Co.
(Chicago Spring Rulta '8ed).




THE METHOD OF CORR-TILE CONSTRUCTION.

and doors of all class rooms are of wood and glass. The fire preventive system consists of four stand-pipes in the corridors near the stair wells which are supplied directly from the city pressure. For the fire alarm system there are two push buttons on each floor with electric bells distributed throughout the building. The signals may be operated from the push buttons or from the Principal's office. Outside alarm is given from the Principal's office.

The ventilating system for the school

is arranged in four vertical stacks coming up approximately at the intersections of the corridors. These stacks contain both exhaust and supply pipes. The distribution of air to and from all classrooms is provided for by a chamber above the corridors, the chamber being divided into two levels, the lower one for supply and the upper one for exhaust. The supply enters the top of the room and the exhaust is drawn from the bottom. This arrangement provides for the ventilating flues without wasting



CORR-TILE FLOOR BLOCKS AND REINFORCING BARS READY FOR CONCRETING.




A Load Test on One of the High School Floors.

valuable space, as the diminution of head room in the corridors is unobjectionable and the most direct access to the class rooms is provided. The two supply fans

are of 12-foot diameter, with 5-foot faces. There are four exhaust fans, one for each shaft.

There are four Babcock and Wilcox 150 H.P. boilers for heat and power. All power is generated by three 100 kilowatt direct connected, three wire generators. These furnish light and power for all machinery in the building, there being 34 electric motors in use for ventilating and power in the class rooms.

The Storm Mfg. Co. furnished the dumb-waiters and the elevator now installed is an Otis electric machine.



Plan and Section of the Tested Panel Showing Deflection Under Load.



GRAND STAND FOR THE POLO GROUNDS

HENRY B. HERTS. Architect


THE popularity of baseball in New York City, and, for that matter, throughout the country, is the occasion for this elaborate equipment to accommodate the tremendous crowds that come to the games during the season. With the burning of the old Polo Grounds grand stand last year, it became necessary to erect new stands for the accommodation of the baseball enthusiasts, and the structure we are now illustrating is a very good model of structural design, with adequate adornment for such a purpose.

The substructure consists of spread, reinforced concrete footings with reinforced concrete piers rising to the level of the first tier of seats. This tier is built of reinforced concrete in the form of a great slab supported by girders across the piers. The risers and treads, 9 inches in height and 30 inches in width, are also built up of reinforced concrete, and furnish the levels on which the seats are placed. Above the first tier the whole construction is open steel framing with the balcony and roof cantilevered out. The balcony treads and risers are also of reinforced concrete carried on steel beams. The run-

way in the rear of the seats and the approaching runways to the balcony are all cement floored. There is a composition roofing over the 1½-inch matched sheathing.

The ornamentation of this very utilitarian structure takes the form of two decorative courses, one at the balcony level and one at the roof level. The design at the balcony level is a repeated motif, while that at the roof level contains a series of eight shields repeated in successive panels. One end of the stand which is shown in the illustration is finished in decorative form, while the other is left incomplete, to be eventually continued further about the baseball diamond. The seating capacity of the new stand is about 27,000. There are thirty-five rows of seats in the first tier, including the boxes, and twenty in the balcony.


Mr. Henry B. Herts was the architectural designer, the Osborn Engineering Company were the designing and structural engineers, the Snare and Triest Company were the general contractors, and the cement for structural and ornamental work was supplied by the Pennsylvania Cement Company.



GRAND STAND AT NEW YORK POLO GROUNDS. CROSS-SECTION SHOWING CONSTRUCTION.
General Contractors: The Sharr & Trilost Co.



GRAND STAND AT NEW YORK POLO GROUNDS.
General Contractors: The Snare & Triest Co. Henry B. Herts, Architect.
Star Expansion Bolts Used.



RESIDENCE OF MR. JAMES D. POTTS, HIGHLAND AVENUE, GLEN RIDGE, N. J.
Edward V. Warren, Architect.

It is built of Natco tile with exterior finished with a stucco of Atlas Portland cement. The terrace is covered with red tile and the living porch is floored with oak. The interior trim is quartered oak and white wood. The cost was \$11,000.

THE RESIDENT VS. THE CORRESPONDENT ARCHITECT

By R. M. DUNBAR

IT is purely a money making system, this planning houses to be built for some one whom the architect knows not and on sites which he has never seen.

There are several firms, however, that offer in the columns of the current magazines, upon the receipt of fifty cents or one dollar, to send one a book in which are beautifully rendered cuts of houses which might be built, but all of which have a price above which the cost of their erection cannot possibly go.

The would-be house owner is expected, upon receipt of the book, to pick from the collection a picture somewhat resembling the house which he is in hope of building for, say, \$3,500.

He then carries the book around for three or four days getting the opinions of his friends, supposing, of course, that he has them. Finally, though, he gets out another kind of book, a check book, and sends the amount which is always to be found in big black type underneath each picture, and for which he is to get plans and specifications complete for house No. 284.

Well, we will suppose he receives the plans, etc., by return mail. He calls on his contractor friend, the same evening and after a glance at the plans and a few figures, this gentleman announces that the house could not possibly be built for less than \$4,500, more likely touching \$5,000.

Utterly disgusted with this man as a friend, our hero travels to another of his contractor friends. This man takes the plans to figure, as he tells Mr. Owner that thing might possibly be built for that figure.

Our friend walks home that night and by the time he reaches his door has just about come to the conclusion that leaded glass in the basement windows would look nice, especially in summer.

The next evening arrives and with it comes contractor No. 2. "I've figured pretty close, Mr. Owner, and I guess by using No. 2 hemlock for Norway pine for the rough lumber we can make it for \$3,500."

They go inside and from behind nice black cigars they make several changes in the specifications.

First they change the front stairs from oak to Southern pine; also, wherever stone is mentioned, the contractor confidently explains that concrete should have been specified. Out goes the stone. Cement wainscoting in the bathroom is changed to wooden and 4-inch siding gives place to 5-inch, and then they come to the plumbing.

Lead pipe was a nuisance, the owner was informed, because it would sag with age; so iron pipe goes in, and then, too, there was absolutely no use of wiping the joints. "No?" All right. The pencil puts that away.

When all these and some other minor changes had been taken care of, and after assuring our friend that he probably could keep inside of \$3,500, the thrifty contractor left with the specifications, however, safe in his pocket.

The owner got his house, which though only four years old, is steadily falling apart; doors refuse to stay shut, and all through he sees the result of letting the specifications remain in the contractor's pocket. Besides the contract

price, the contractor found it necessary to add some extras which amounted to about \$200.

Another friend, not quite so certain as to the kind of a house that he preferred, went to a resident architect, and after a talk, received some sketches which with a few changes became blue prints.

He also received, as did our other friend, a set of plans and specifications, but he kept them, bothered not a bit about the contractors, and once or twice

during the construction went out and looked it over. In the end, although it cost him a trifle more for the architect's fee, on the other hand he has a home of which he may well be proud and certain is he that the first hard wind will not blow it to pieces.

There were two other men who builded their homes, many years ago, one on the sand and the other on the rocks. The water came and washed the sand away, but the rocks held firm.



NORTH SIDE BOARD OF TRADE, THIRD AVENUE ENTRANCE.

Builders: American Real Estate Company.
Plumbing, Heating and Ventilating: George P. Morell.
Interior Marble: Ceramic Marble Works.
Painting and Decorating: Joseph Hilbring.

Albert E. Davis, Architect.

BUILDING FOR THE NORTH SIDE BOARD OF TRADE

ALBERT E. DAVIS, Architect

THE North Side Board of Trade Building is located at the junction of Third and Lincoln avenues and 137th street in the Borough of the Bronx. Its excellent site was well taken advantage of by the architect in his original designs, and the finished building, though differing in minor details, is a very creditable piece of work. Mr. Albert E. Davis, the architect, was a founder of the North Side Board of Trade, and it is very largely due to his personal efforts that the building was constructed.

The illustration of the entrance shown is that facing Third avenue. This same treatment is repeated for the entrance on Lincoln avenue, and a variation of

the treatment is presented in the central entrance to the store which faces upon the Plaza. The two side entrances lead through marble vestibules to a twin stairway which leads up through the central rear portion of the building to the Board of Trade Room on the third or top floor. At this level a lobby surmounted by a dome containing a skylight, precedes the entrance to the Board Room itself.

The American Real Estate Company built the building; George P. Morell did the plumbing and installed the heating and ventilating system; Joseph Hilbring did the decorating, and the interior marblework was done by the Cerussi Marble Works.



NORTH SIDE BOARD OF TRADE.

Builders: American Real Estate Company.
Evans' "Crescent" Expansion Bolts Used.

THE THIRD AVENUE FACADE.


Albert E. Davis, Architect.



HOTEL ROGERS, LEBANON, N. H. SUITABLE INTERIORS FOR A HOTEL IN A SMALL TOWN.
 Floors: The Marbleoid Company.
 Lockwood Mfg. Co. and Hardware Agency Co.
 Fox & Bixby, Architects.



HOTEL ROGERS, LEBANON, N. H.
Builder: W. Shelton Swallow Co. Fox & Bixby, Architects.
Star Expansion Bolts Used.



CHURCH OF THE SACRED HEART, 169TH STREET AND SHAKESPEARE AVENUE,
NEW YORK.

Altars, Statues and Stations: Daprato Statuary Company.

Elliott Lynch, Architect.

Plumbing: William J. Flynn.

Switchboards: Metropolitan Electric Mfg. Co.

Stained Glass Windows: F. X. Zettler.

CHURCH OF THE SACRED HEART

ELLIOTT LYNCH, Architect

THE church of the Sacred Heart, with its adjoining rectory, is a good example of what may be developed in church planning upon a city lot. The church proper is at a level, a story above the street, and approached by a wide flight of steps with a double entrance way. A vestibule with baptistry to one side and stairs to the choir loft to the other precedes the nave. The aisles are reduced to narrow passageways, merely furnishing access to the seats. As the sanctuary is approached, the church increases in width, forming shallow transepts. To either side behind the side altars, are sacristies.


The parish house adjoins the church with a connecting passage through the

baptistry; its plan is clearly shown in the exterior the same building is used, a white marble such as that in the New York Public Library.

The builder of this church was the Cross Bros. Company. The L. Statuary Company made the altars, which are richly carved, the marble railing which extends across the church. They also constructed the statues and the Stations of the Cross which are in full relief.

The stained glass windows were made by F. X. Zettler of the Royal Bavarian Art Institute of Munich.

The plumber was William J. and the Metropolitan Electric Manufacturing Co. supplied the switchboard.



CHURCH OF THE SACRED HEART.
FIRST STORY PLAN.

Elliott Lynch, Architect



CHURCH OF THE SACRED HEART. CENTRAL AND SIDE ALTAR.

Elliott Lynch, Architect.

Marble Altars, Railing, Statues and Stations: Daprato Statuary Co.

Stained Glass Windows: F. X. Zettler, Munich.

Otis Elevators

The achievement of this Company in perfecting the highest type of elevators has gained for our product recognition as the standard of excellence throughout the civilized world, and it is but fitting tribute to their superior quality that Otis Elevators have been chosen for many of the palatial, world-renowned Hotels and Apartment Houses of this country and abroad; in which are included

Hotel Sherman, Chicago
Hotel Astor, New York
Belmont Hotel, New York
Hotel Taft, New Haven, Conn.

Hotel Ritz-Carlton, New York
The Martinique Hotel, New York
The Emerson Hotel, Baltimore
Hotel Schenley, Pittsburgh, Pa.

Rector's Hotel, New York
Hotel Richmond, Richmond, Va.
Hotel Bossert, Brooklyn, N. Y.
Georgian Terrace Hotel, Atlanta

and hundreds of others equally well known.

Back of our product is over fifty-five years' experience and success in solving all kinds of elevator problems. We build all kinds of passenger and freight elevators for every purpose—for every kind of power. Otis Elevators have demonstrated they are—

**Unequaled for
Quality, Safety
Efficiency,
Economy, and
Durability**

Otis Elevators should be used for modernizing old buildings and for insuring the greatest convenience, safety, economy and satisfaction in the new.

Without obligation our Engineering Department will supply full information, show the best way to meet specific requirements, and submit estimate of installation cost.

Correspondence invited.

**Otis Elevator
Company**

**Eleventh Ave. and
Twenty-sixth Street
New York**

**Offices in all Principal Cities
of the World**



Hotel Sherman, Chicago. Holabird & Roche, Architects, Chicago.
Equipped with Otis Elevators.

BOOK REVIEWS

MODERN PRACTICAL DESIGN by G. Wooliscroft Rhead. Cloth, Illustrated. London: B. T. Batsford. New York: Chas. Scribners Sons. Price, \$3 net.

This is a beautifully and profusely illustrated volume which seems to have been written as a sort of elaborate text book. In the author's preface he points out the distinction that is commonly made between the pictorial or so-called "fine arts" and the applied arts. It is the latter division which forms the theme of this book. Chapters are given which treat of almost every variety of applied ornament. The first chapter of the book, which the author calls "plant form as the basis of ornament," is a kind of treatise in elementary botany, which is a subject somewhat neglected by artists and decorators as a general rule. This chapter, however, is too condensed to give much knowledge of botany, and treats more particularly of the application of plant forms to design. There is a chapter on wall papers and fabrics; one on book decoration, and it may be mentioned that the book itself is a beautiful example of this branch of decoration. Besides the illustrations of the text, there is a cleverly designed title page, and two chapters, one of which is under discussion, are headed with an appropriate ornamental initial. This chapter deals briefly, among other things, of the subjects of bookplates, illustration of books and the methods of obtaining it, and a very brief description of the process of half-tone engravings is given. There are chapters on stained glass, pottery, metal work and jewelry, woodwork and carving, embroidery, etc., fans and lace and posters.

FIRE PREVENTION AND FIRE PROTECTION. By Jos. Kendall Freitag. B. S. C. E. John Wiley & Sons, New York. Pocket-book size, 4x7 inches; semi-flexible leather; 1,038 pages. Price, \$4.00 net.

This book presents to the architect a technical book on elemental and secondary fireproofing for buildings. The author presents the subject in six parts.

The first part deals with fire prevention and fire protection, treating of fire losses and to a considerable extent with the insurance problems involved. It also treats in a final chapter of mill construction.

The second part treats of fire tests and materials, telling of various testing stations and fire-resisting buildings which have furnished instructive information. A further chapter deals with materials of fire-resisting construction.

The third part refers to fire-resisting design and lays emphasis upon the value of correct general design and good planning as a very essential feature in resisting fire. This portion of the work is descriptive and well illustrated by many of the appliances which are in common use in our fireproof buildings.

The fourth part of the book refers to fire-resisting construction and takes up terra-cotta floors, girder protection, concrete floors and reinforced concrete and combination terra-cotta and concrete floors. It also refers to wall construction, roofs, suspended ceilings and furring.

The fifth part deals with special structures and features. There is an application of fireproof construction in theatres, schools, residences, factories, garages, safes, vaults and special hazards.

The last part of the book deals with auxiliary equipment and safeguards. There is a short review of the fire-fighting devices which may be installed in any building, automatic sprinkler systems, standpipe and hose; the necessity of private fire departments, fire drills for employees and the inspection and maintenance of fire protective devices.

Briefly the book presents a very interesting and instructive review of the present standing of fireproof construction and fire protective methods. It will be of undoubted value to the architect and is a book that should find a place in every architect's library.

HENDRICKS' COMMERCIAL REGISTER OF THE UNITED STATES FOR BUYERS AND SELLERS. S. E. Hendricks Company, New York. Cloth, 8x10, 1,900 pages. Price, \$10.00, postage prepaid.

The continuous growth of the Commercial Register is evidenced in the present volume. If we refer to the previous issues, we will find a doubling of the number of classifications in a period of seven years. The present edition contains over 50,000 classifications, requiring an index of 122 pages. The fifteenth annual edition required an index of 62 pages, having a little more than half the number of classifications. The scope of the work has greatly increased. In fact, it has grown with the industries which it classifies. As they have increased in magnitude and developed new products, so has the Register increased. Practically every machine, tool, specialty or material is listed. For building and construction there is a heading for every material, specialty, apparatus, machine or tool required, with the names of the firms who supply them under the headings. For the drafting room, for the architect and engineer, for contractors, and for the electrical trade, heating and ventilating, plumbing work, concrete work, and for

(Continued on page 40.)

Advertisements.—When writing Advertisers, please mention Architecture and Building.

Barrett Specification Roofs

Shove Mills, Fall River,
Mass. Roofed along
the lines of the Barrett
Specification in
1876



Low Cost—Long Service

METAL roofs require painting every few years; most ready roofings require coating regularly, but with Barrett Specification Roofs *there is no maintenance expense.*

Barrett Specification Roofs are roofs of coal tar pitch and tarred felt, with a top surface of slag, gravel or tile, *laid according to the Barrett Specification.*

This specification is simply the standard formula for building a first-class roof of this character.

It is possible, of course, to make an inferior roof of these materials either by poor workmanship or by using insufficient and poor goods. But if the Barrett Specification *is followed absolutely and the materials called for are used,* you are certain of getting the best value in roof coverings.

Such roofs usually last twenty years and over without leaks or repairs.

Barrett Specification Roofs are almost universally used on factories and buildings of large roof areas and where costs are carefully figured. They are equally good for city dwellings, warehouses, railroad buildings, etc.

Copy of the Barrett Specification, with diagrams, mailed free on request to nearest office.

BARRETT MANUFACTURING CO.

New York Chicago Philadelphia Boston St. Louis Kansas City Cleveland
Cincinnati Minneapolis Pittsburgh Seattle Corey, Ala.
The Paterson Mfg. Co., Ltd. Montreal Toronto Winnipeg Vancouver St. John, N. B. Halifax, N. S.

Special Note

We advise incorporating in plans the wording of The Barrett Specification, in order to avoid any misunderstanding.

If any abbreviated form is desired, however, the following is suggested:

ROOFING—Shall be a Barrett Specification Roof laid as directed in printed Specification, revised August 15, 1911, using the materials specified and subject to the inspection requirements.



Advertisements.—When writing Advertisers, please mention Architecture and Building.

Art and Architecture

Editorial from "Republic," St. Louis, October 8, 1912.

For the first time in the history of American Architecture a State Capitol design has been selected in conformity with the rules of the American Institute of Architects. Never was there a competition more impartial. The preliminary competition brought forth sketches of sixty-nine different buildings. From among these ten were selected by a jury of experts. An examination was made into the professional and business standing of the ten firms so honored and an honorarium paid to cover the cost of production of complete designs.

The three architectural experts elected from the Institute and the four Capitol Commissioners were a unit in the choice of the successful design. No one of the Commissioners knew when the final choice was made whose design they were approving.

In this important matter, of deep interest to every citizen of the State, Missouri has set an example to the country. It is under such conditions that great buildings are produced and truly monumental architecture made possible. In view of the history of the selection of designs for the Statehouses of certain western Commonwealths, the action of the State Capitol Commission appears the most admirable.—*St. Louis Republic*.

The Journal of the American Institute of Architects is about to appear as a monthly publication, and its field is to be broadened. The editorship is to be in the hands of D. Knickerbacker Boyd, and it is the purpose of the Institute to publish a dignified and serious technical journal supported by contributed articles, both short and continued, on technical subjects and matters of professional interest. It will continue its present position as the official organ of the Institute and will serve as a medium for the interchange of thoughts, as well as the interesting opinions between the various members.

In a recent editorial in the New York Times, attention was called to the building of the new Imperial Capital of India at Delhi. What architectural style will be adopted is difficult to prophesy. There is a cry of "Indian architecture for India," but shall this be Moslem, Hindu, or another from the gamut of styles for which there is precedent in the Indian Empire. Mr. Albert Baker suggests the grafting on of the nobler features of Indian architecture to the classic styles of Inigo Jones and Sir Christopher Wren. "To the artist's creative power must be added sanity

of judgment," he further insists. If this last result is really obtained we may look for something really worth while, but a heterogeneous jumble of elephants and many-armed Sivas with Corinthian columns and egg-and-dart mouldings might produce a really astounding effect.

The New York Water Color Club is now holding its twenty-third annual exhibition at the Fine Arts Building in 57th street.

The south and middle galleries are well filled and the general impression a pleasing one.

The adaptability of water color as a medium in rendering architectural subjects is brought out in a number of pictures which can be counted among the best in the exhibition. Among them are Birge Harrison's "Twenty-third St. Morning," and "Twilight in Madison Sq.," Edmund Garrett's "The Old Homestead," Lesley Jackson's "A Colonial Doorway," Paul Shurtleff's "Pont Neuf," and Paula Himmelsbach's little sketch of a church in Athens. There are portraits and impersonal figure studies of good form and much interest, many landscapes of Nature's many moods, and picturesque renderings of fanciful subjects, exploiting some whim of the artistic mind, which give variety and attractiveness to the exhibition as a whole.

A specially appointed committee of the National Conference on City Planning is to conduct this year a study in city planning, taking an area of the outskirts of a growing city of about 200,000 or 300,000 population. The description of the area and the details of the study may be had on application to the secretary of the conference, Flavel Shurtleff, 19 Congress Street, Boston.

Avery Architectural Library.

The new Avery Library building at Columbia University has been formally occupied and opened. It is the gift of Samuel Putnam Avery, Jr., and is occupied by the Avery Architectural Library and by the School of Architecture.

The first and mezzanine floors are devoted to the library and reading room, which, with stacks in the basement, will make provision for 60,000 volumes.

The upper floors at present provide lecture and drafting rooms and offices for the School of Architecture.

The jury appointed by the Court House Board to select designs submitted in the first stage of the competition for the new Court House in New York has chosen ten successful competitors, who are as follows: Howells & Stokes, Maynicke & Franke, Chas. C. Haight, A. M. Githens, Aymar Embury, Gri-

ENGINEERS' DIRECTORY

FRANCIS W. COLLINS

Assoc. Mem. A. S. C. E.
Mem. A. I. M. E.

CONSULTING ENGINEER

50 CHURCH ST., HUDSON TERMINAL
NEW YORK CITY

Investigations, Valuations,
Scientific Organization and Management

HOWARD M. INGHAM

MEM. AM. SOC. M. E.

Industrial Engineer

SPECIALIST IN THE
INSTALLATION OF

*Simple, Direct, Effective Methods
of
Office Management*

160 FIFTH AVE., NEW YORK

Thomas Bruce Boyd

Bank Equipment Specialist

286 Fifth Avenue
New York

Telephone Madison Square 6681

FREDERICK S. HOLMES

Bank Vault Engineer

2 Rector Street, New York

fin & Wynkoop, K. M. Murchison, Howard Greenley, Wilder & White, Shire & Kaufman, Walker & Gillette, Geo. & Edward Blum, Guy Lowell.

These ten men were selected from among forty-seven architects who competed. The jury consisted of Robert S. Peabody, Frank Miles Day and John Lawrence Mauran. These architects now have the privilege of competing with the architects who were originally invited to submit plans without competition. These were: McKim, Mead & White; Carrère & Hastings; LaFarge & Morris; Tracy, Swartwout & Litchfield; James Riely Gordon; H. V. Magonigle; York & Sawyer; Charles Butler & Charles Morris, Associated; Trowbridge & Livingston; A. W. Brunner; Cass Gilbert, and George B. Post & Sons.

THE ELECTRICAL EXHIBITION AND AUTOMOBILE SHOW OF 1912.

To observe the progress of electrical invention even over the period of a year, is worth while, and those who visited the Electrical Show undoubtedly accomplished what they sought. Electricity as it is applied in the household and for commercial uses was well exemplified. The exhibits of the New York Edison Company were largely educational and the comparisons of the advancement that has been made in the electrical equipment of power houses was illustrated by several very instructive models. The display of electrical

appliances for the household—cooking utensils, toilet articles, vacuum cleaners, massage vibrators and other appliances—attracted large crowds. There were two exhibits of household refrigerating machines which while very suitable for a large house or a small hotel, have not as yet reached a standard of perfection suitable for a modest suburban cottage. The exhibits of storage batteries, automobiles and electrical vehicles formed another department that attracted the eye of the manufacturer, as did also the many mechanical devices. The United States Naval Corps had a large and showy exhibit.

The Otis Elevator Company, occupying a space opposite the entrance, had installed one of their inclined elevators, and had it in operation. Other interesting devices were to be seen in the exhibit of the Nelson Valve Company, which displayed some large mechanically operated valves. From the standpoint of electric lighting there were many exhibits, of which the tungsten and tantalum lights furnished a brilliant display. A new carbon filament tube lamp was exhibited—the Rayline lamp—which is of very considerable merit and will undoubtedly come into extended use. There was also an exhibit by the Lighting Studios Company of various patterns of their shades made of Doric ware. This glass gives very great efficiency and perfect diffusion. The beauty of its effects, both plain and in alabaster finish, is such that it has been adopted in many important buildings.

Fireproofing and Fire-Protection

MR. G. H. STEWART

MR. BOONE ON AUTOMATIC SPRINKLERS.

An interesting talk on Automatic Sprinkler Equipments was given by Mr. E. P. Boone, Superintendent of the Automatic Sprinkler Department of the New York Fire Insurance Exchange, on Wednesday, November 6, 1912, at the Insurance Society Library, under the auspices of the Barebones Alumni Association of New York University. Mr. Boone supplemented his remarks with practical stereopticon views which helped those present to a very clear understanding of the subject.

There were about one hundred men present, representing, for the most part, the insurance fraternity and men of letters interested in this topic.

The speaker handled his subject in a non-technical manner and presented a chronological history of the sprinkler as well as the present day practice.

His review of the evolution of the sprinkler head was of great interest, as it showed a wonderful progress in this essential feature, from the Parmelee head in 1878 to the various models of 1912.

From the sprinkler head, Mr. Boone passed in succession to the nozzle discharge from various heads, dry valves and their operation, check alarms, pump supplies (steam and electric), tank supplies, pipe sizes and pipe arrangements for car barns, for storage plants and manufacturing establishments, exposure hazards, open sprinklers and sprinkler failures.

The work that Mr. Boone is engaged in, that of supervising the sprinkler installations throughout New York and Brooklyn, makes him particularly fitted to tell the story.

THE FIRE SHOW.

The date of the Fire Show has been now definitely set as the 21st to the 28th of December, 1912, in Madison Square Garden, New York. A large number of exhibits have been assured and the display of fire-fighting apparatus in actual operation with life saving and safety devices will assure popularity and a large attendance. We have announced in previous issues some of the exhibitors and the nature of their exhibits. We are assured these will be in full and successful operation.

PROPOSED FACTORY BILLS.

The New York State Factory Investigating Commission has prepared tentative drafts of a number of bills which deal with the subject of fire prevention and fire escapes in factories. "Greater New York," the journal of the Merchants' Association, gives the following opinion:

"The bills proposed are drastic in their requirements and are of the utmost importance to the factory interests, inasmuch as they will require extensive and, in some cases, radical reconstruction of existing buildings. They restrict the number of operatives that may be employed on any floor in a factory building, regulate the placing of machinery, the arrangement and width of aisles, the size and position of doors, and width of hallways and stairways, and require all stairways to be protected by fireproof partitions extending from the basement to the roof. Minute provision is made as to the capacity and structural character of fire escapes, the number and arrangement of exits, and the safety and adequacy of approaches to and exits from the foot of fire escapes leading to interior spaces."

(Continued on page 26.)



FIRE PROTECTION

Send for Catalogue and Prices on
FIRE APPLIANCES

BUILDINGS RECENTLY EQUIPPED:

Bankers Trust Building
Madison Square Building
Germania Life Insurance Building
Bonwit Teller Building
Schweiner Press Building
Butterick Publishing Co. Building
Hotel Plaza
B. Altman & Company

THE SAFETY FIRE EXTINGUISHER CO.

291-293 Seventh Avenue, New York

Telephone Madison Square 3356-3357



Advertisements.—When writing Advertisers, please mention Architecture and Building



THE COPLEY-PLAZA, BOSTON—NEW ENGLAND'S FINEST HOTEL

Protected from Fire by



The basement, store rooms, kitchens and other vulnerable spots in this magnificent structure have been equipped with GRINNELLS, thus making a serious fire virtually impossible.

These sprinklers pour their water on the heart of an incipient fire, and drown it before it can become a big fire. They are automatic—they both *discover* the fire, and put it out.

Send for little book, AUTOMATIC FIRE PROTECTION

General Fire Extinguisher Co.

EXECUTIVE OFFICES: PROVIDENCE, R. I.

Plants, Warehouses and Offices in Principal Cities of United States and Canada

We also install Steam and Hot Water Heating and Power Piping Systems.

40-105



SHOWING SPRINKLER WITH THE TWO HALVES OF THE STRUT SOLDERED TOGETHER.

ROCKWOOD SAFETY LOOP SPRINKLER



SHOWING HOW THE TWO PARTS OF THE SOLDERED STRUT SPRING APART ONLY AFTER THE LUMP OF SOLDER IS MELTED AWAY FROM THE LOOP.

THE ROCKWOOD SPRINKLER IS UNIQUE IN THAT THE TWO PARTS OF THE SOLDERED LINK ARE HELD TOGETHER, NOT MERELY BY A SWEATED SOLDERED JOINT, BUT BY COVERING THE END OF THE LEVER WITH A SMALL PIECE OF SOLDER WHICH IS MECHANICALLY BOUND TO THE STRUT BY A LOOP OF WIRE RIVETED THROUGH ONE PART OF THE LINK.

THE ROCKWOOD SPRINKLER IS THE ONLY APPROVED HEAD THAT IS INCAPABLE OF OPENING ITSELF BY THE BREAKING OF THE SOLDERED JOINT, WHICH MUST ABSOLUTELY MELT TO OPEN. IT IS THUS IN A CLASS BY ITSELF, SUPERIOR TO ALL OTHERS.

ROCKWOOD SPRINKLER CO. OF MASSACHUSETTS

MANUFACTURERS, ENGINEERS AND CONTRACTORS FOR COMPLETE SPRINKLER EQUIPMENTS USING WET OR DRY SYSTEMS.

38 HARLOW STREET

WORCESTER, MASS.

**NEW YORK - - 123 WILLIAM STREET
BOSTON - - 141 MILK STREET
BUFFALO - - 300 PRUDENTIAL BUILDING**

**CHICAGO - - 3604 SOUTH MORGAN STREET
SEATTLE - - 208 COLUMBIA STREET
MONTREAL - - 141 ST. MAURICE STREET**

Advertisements.—When writing Advertisers, please mention Architecture and Building.

Cheapness often determines the Architect's or Owner's decision in selecting building materials, but there are three factors which are of infinitely greater importance, to be considered:

**Durability
Strength
and
Attractiveness**



KOCH OFFICE BUILDING, WARREN, OHIO

Write for new edition catalogue and miniature samples of our Enameled Brick in standard colors.

American Enameled Brick & Tile Co. HEAD OFFICE 1182 Broadway, N. Y. C.

American Real Estate Company

The original and oldest real estate corporation in New York. Founded 1881 with capital of \$100,000; present assets (January 1st, 1912) \$24,134,240.39.

Owners of high grade business and apartment buildings in Manhattan and The Bronx.

Developers of the extensive Areco district and the new Watson Areco district in The Bronx.

Developers of the exclusive residential suburb, Park-Hill-on-the-Hudson, Yonkers.

In the continuance of its business along the successful lines of the last twenty-five years, the Company offers to investors its 6% Gold Bonds, issued in these two forms:

6% Coupon Bonds

For those who wish to invest \$100, \$500, \$1000, etc. Interest payable semi-annually by coupons.

6% Accumulative Bonds

For those who wish to save \$25 or more a year and accumulate \$1000 and upward. Interest compounded at 6% annually.

Complete information regarding real estate, rentals and Bond investments will be furnished on inquiry.

American Real Estate Company

527 FIFTH AVENUE

NEW YORK



SHOWING SPRINKLER WITH THE TWO HALVES OF THE STRUT SOLDERED TOGETHER.

ROCKWOOD SAFETY LOOP SPRINKLER



SHOWING HOW THE TWO PARTS OF THE SOLDERED STRUT SPRING APART ONLY AFTER THE LUMP OF SOLDER IS MELTED AWAY FROM THE LOOP.

THE ROCKWOOD SPRINKLER IS UNIQUE IN THAT THE TWO PARTS OF THE SOLDERED LINK ARE HELD TOGETHER, NOT MERELY BY A SWEATED SOLDERED JOINT, BUT BY COVERING THE END OF THE LEVER WITH A SMALL PIECE OF SOLDER WHICH IS MECHANICALLY BOUND TO THE STRUT BY A LOOP OF WIRE RIVETED THROUGH ONE PART OF THE LINK.

THE ROCKWOOD SPRINKLER IS THE ONLY APPROVED HEAD THAT IS INCAPABLE OF OPENING ITSELF BY THE BREAKING OF THE SOLDERED JOINT, WHICH MUST ABSOLUTELY MELT TO OPEN. IT IS THUS IN A CLASS BY ITSELF, SUPERIOR TO ALL OTHERS.

ROCKWOOD SPRINKLER CO. OF MASSACHUSETTS

MANUFACTURERS, ENGINEERS AND CONTRACTORS FOR COMPLETE SPRINKLER EQUIPMENTS USING WET OR DRY SYSTEMS.

38 HARLOW STREET

WORCESTER, MASS.

NEW YORK - - - 123 WILLIAM STREET
BOSTON - - - 141 MILK STREET
BUFFALO - - - 300 PRUDENTIAL BUILDING

CHICAGO - - - 3684 SOUTH MORGAN STREET
SEATTLE - - - 288 COLUMBIA STREET
MONTREAL - - - 141 ST. MAURICE STREET

Advertisements.—When writing Advertisers, please mention Architecture and Building.

Fire Protection

Siamese

For Automatic Approved Sprinkler Systems



The SIMMONS LINE of Fire Equipment Specialties embraces everything designed for the protection of life and property.


"Simmons" Siamese Connections

Made in Brass or Iron in accordance with Insurance, Underwriters and Fire Department specifications. Highly efficient and guaranteed.

By installing dependable specialties are herein shown offer your client protection against losses by certain decrease cost of insurance.

"Simmons" Switches

Improved iron, brass or electric to handle furnishing in a



Fully 75% of daily chronicles are due to a building being the "SIMMONS" sands of dollars be saved.

As



This is safety and little at Eliminate special that high etc

Catalogues, cuts and on a

John S.
102-110 Centre

Advertisement

The Annual Fire Waste in the U. S. exceeds \$230,000,000. It is estimated that 75% of this loss is preventable and can be saved by the use of

AUTOMATIC SPRINKLER PROTECTION

Our business is the installation of Automatic Sprinkler protection; a complete fire fighting apparatus, operating automatically and only where the fire is located.

"AUTOMATIC" SPRINKLER CO. OF AMERICA

Executive Offices

123 WILLIAM STREET (Underwriter Bldg.), NEW YORK CITY

Department Offices, in Large Cities

MINERAL WOOL FIRE SOUND VERMIN PROOF



CHEAP AND
EASILY APPLIED

United States Mineral Wool Co.

140 CEDAR STREET, NEW YORK

SAMPLES FREE



S. H. POMEROY CO., Inc.

Successor to Voigtmann & Co., of New York

Manufacturers of Fire Windows

427 West 13th Street, New York

Practical demonstration at Washington Square Fire March 25th, showing the integrity against fire and how utilized by Fire Dept. in fighting fires across alleys.

By virtue of closing automatically the protection constant and not subject to neglect as is common with Fire Shutters.

KALAMEIN

WORK IN

COPPER

BRONZE

AND IRON

**Knoburn
Company**

**KALAMEIN
DOORS**

FIRE
UNDERWRITER
WORK
A SPECIALTY

Office and Factory

365 14th St.

HOBOKEN, N. J.

Advertisements.—When writing Advertisers, please mention Architecture and Building.




LIFE INSURANCE CO. OF VIRGINIA
Clinton & Russell, Architects

THE METAL COVERED WINDOWS AND
DOORS FOR THIS BUILDING WERE
FURNISHED AND INSTALLED BY

THE KALAMEIN COMPANY

Office and Factory
10th STREET, NEAR VERNON AVENUE
LONG ISLAND CITY, N. Y.



LEIMAN BROS. BLOWERS AND VACUUM PUMPS

1 oz. to 10 lbs. pressure; 1 to 20 inches vacuum;
capacities 2 to 338 cubic feet per minute
Used with Oil and Gas Appliances, Agitating
VACUUM CLEANING, ETC.

Catalog No. 59—Blowers Catalog No. 60—Vacuum
LEIMAN BROS., 62 H JOHN STREET NEW YORK

STATEMENT OF THE OWNERSHIP, MANAGEMENT, CIRCULATION, ETC., OF ARCHITECTURE AND BUILDING,

published monthly, at New York, N. Y., required by the Act of August 24th, 1912:

Editor, William P. Comstock,

23 Warren St., N. Y.
Managing Editor, William P. Comstock.

23 Warren St., N. Y.
Business Manager, F. C. Krumm,

23 Warren St., N. Y.
Publisher, The William T. Comstock Co.,
23 Warren St., N. Y.

Owners:

William P. Comstock, 77 Broad St., Newark, N. J.; F. C. Krumm, 47 Ocean View Ave., Woodhaven, N. Y.; E. L. Comstock, 479 Prospect Pl., Brooklyn, N. Y.; E. A. Comstock, 479 Prospect Pl., Brooklyn, N. Y.; C. M. Comstock, 479 Prospect Pl., Brooklyn, N. Y.; Ida P. Comstock, 20 Park St., Nashua, N. H.; Ida C. Comstock, 30 St. Nicholas Pl., New York City; Elizabeth T. Comstock, 30 St. Nicholas Pl., New York City.

Known bondholders, mortgagees, and other security holders, holding 1 per cent. or more of total amount of bonds, mortgages, or other securities: None.

F. C. KRUMM,

Business Manager.

Sworn to and subscribed before me this 30th day of Sept., 1912.

J. G. BOSWORTH,

N. P.

(My commission expires Mar., 1913.)

TO A THOUGHTFUL READER.

You have just perused, or at least, we hope you have or you are going to, the pages which comprise the central portion of this magazine. There are illustrated buildings of several classes which represent a very considerable outlay of capital for their construction. They are all of them designed to accommodate large numbers of people at one time and they are supposedly of fire-resistant construction, safeguarded in every way to prevent panic or loss of life among the occupants. A great hotel, for instance, that accommodates hundreds and perhaps thousands of guests, a church suited for a great and crowded congregation; how well are these buildings provided for in case of fire? And how much better might they have been protected?

The fireproof shell if filled with wooden trim and combustible material, is just an oven to consume the contents, provided a fire gets sufficient headway. One source of danger can easily be remedied and for this purpose Dahlstrom hollow metal doors were invented, developed and placed on the market. Long use has provided their success and for the protection of contents as well as the occupants.

(Continued on page 30.)

Advertisements.—When writing Advertisers, please mention Architecture and Building.



Phone, Melrose 5184

Star Fire Proof Door and Sash Co.

INCORPORATED

MANUFACTURERS OF

Bronze, Copper and Iron Kalamein Work
Copper and Bronze Store Fronts a Specialty
Approved Underwriter Doors

OFFICE AND FACTORY

2650-52 PARK AVENUE NEW YORK CITY

Copper Store Front erected in L. M. BLUMSTEIN Building



COPPER CABLE CHAIN

Thomas Morton,

169 Elm Street,

New York.

Copper Cable
Steel " "
Champion Metal
Steel Champion



SASH CHAINS.



CHAMPION METAL CHAIN

CHAINS For Suspending Heavy Doors, Gates, etc.
ALL of SUPERIOR QUALITY.

Trimmed With LOCKWOOD HARDWARE

Manufactured by Lockwood Mfg. Co., So. Norwalk, Conn.

HARDWARE AGENCY CO.

New England Agents.

224 Franklin Street, Boston, Mass.

Hardware for this building furnished through C. M. Hildreth & Son, Lebanon, N. H.





**Build
with
Berger's
*Metal Lumber***

It replaces wood stick for stick in the superstructures of residences and medium-sized buildings—is used successfully in conjunction with structural steel in larger buildings.

Metal Joists can be used with any exterior wall construction and provide a shock-proof and non-combustible superstructure that is practically indestructible.

Write for "METAL LUMBER."
It gives details. Free on request.

New York
Boston
Philadelphia

THE
Berger Mfg. Co.
CANTON, OHIO

St. Louis
Minneapolis
San Francisco

We also manufacture Metal Ceilings, Sidewalk Forms, Sidewalk Lights, Multiple, Rib-Truss and Ferro-Lithic Plates, Metal Lath, etc.




a complete equipment of Dahlstrom hollow metal doors, windows and trim is a very wise and good investment. In finish, no objection can be raised to the hollow metal door, for so cleverly is its baked-on enamel grained that the finest wood door is imitated so well as to deceive the eye of an expert.

For the protection of contents we may be accused of being radical, but we do not believe that the automatic sprinkler is such an offensive thing, and in time, we believe that aesthetic prejudices will be overcome and the sprinkler head will take its place among ceiling decorations in our most elaborate buildings.

The H. W. Johns-Manville Company have opened a new water-proofing department under the management of Mr. W. H. Lawrence. This department is to devote its energies specially to the water-proofing necessary in building construction, and we have no doubt that it will be efficiently and advantageously operated.

WOMAN TO FIGURE IN FIRE SHOW.

The importance of women as a factor in fire prevention will be an important phase in the organization work of the Fire Show, which, Dec. 21 to 28, inclusive, will occupy Madison Square Garden. Domestic fire prevention is rapidly being reduced to a science by expert specialists, and through women's influence with women, children and servants disseminated at the Fire Show, thousands will be educated and endowed with the proverbial ounce of fire prevention. Good housekeeping with its inclusive of neatness and cleanliness means the absence of inflammable rubbish in corners, closets, and out of the way rooms, which so greatly increases the fire hazard. Superheated attics have caused many fires. Ordinary matches will ignite at 110 degrees Fahrenheit. Fireproof installation of stoves means care, more than cost. The fire peril is just as great in many metropolitan residences as in frame suburban and rural homes, because of conditions that intelligence and care would obviate.



Memphi
**FRESCO
PAINT**

USED THROUGHOUT
U. S. RUBBER
BUILDING
NEW YORK
ALSO ON OVER
\$200,000,000.00
WORTH OF OTHER
PUBLIC BUILDINGS.


Write for Architect's Portfolio

"THE MOST BEAUTIFUL FLAT FINISH MANUFACTURED."

THE VELVETY TONES OF WATER COLORS
WITH DURABILITY OF OIL PAINTS

De Soto Paint Mfg. Co.
Memphis

NEVEN SPARKS LAMB
Eastern Distributor
140-151 Church Street New York
LARGE STOCK ALWAYS ON HAND



YOU should see and know contents of pages 6, 7 and 8 of our New Catalogue of Gorton Side Feed Boilers.

We would feel under obligations if you will send for it at once—to-day.

GORTON & LIDGERWOOD CO.
96 Liberty St., NEW YORK
Boston, 182 High St. Chicago, Fisher Bldg.

Advertisements.—When writing Advertisers, please mention Architecture and Building.



Lane's Trolley No. 100

LANE'S TROLLEY

Parlor Door Hangers and Track


Ball Bearings machined from solid steel and properly hardened—the finest bearing obtainable.

The only Trolley Track adjustable sidewise (patented) after equipment is installed, thereby relieving any side binding. Send for catalog telling more about this excellent hanger for modern building.

LANE BROTHERS COMPANY
Railroad Avenue, **POUGHKEEPSIE, N. Y.**

THE NEW

"McCabe No. 5" Hanger



For Elevator and Parlor Doors

Easiest Running
Largest Ball-Bearing
Quietest & Most Efficient

Send for Price and Particulars to

McCabe Hanger Mfg. Co.

532 West 22d Street, New York City

Stanley's

Ball Bearing

BUTTS

INSURE
PERFECTLY HUNG DOORS

Friction is eliminated by the steel bearings, and the door swings smoothly and softly without creaking or binding. These butts have

NON-RISING PINS

which will not work out of the joint.
Write for artistic and instructive booklet "Properly Hung Doors."

"DEPARTMENT B"
THE STANLEY WORKS
NEW BRITAIN, CONN.

Dixon's Silica-Graphite Paint

Protects the structural steel work contained in such important buildings in New York City as the McAdoo Terminal Buildings; American Woolen Company's Building; Gimbel Department Store; Savannah Bank & Trust Company's Building, Savannah, Ga.; the Royal Insurance Company's Building, San Francisco, Cal., and numerous other structures.

Write us for "Notable Building List," and other paint literature

Joseph Dixon Crucible Co., Jersey City, N. J.

SKYLIGHTS

Without packing or filling substance—Of GLASS and METAL ONLY—ABSOLUTELY and PERMANENTLY PROOF AGAINST LEAKAGE.

—Characteristic of all our Installations—

National Ventilating Co.

Phone: 1422 Mad. Sq.

339 E. 26th St., N. Y. City

Industrial Progress

HOTEL FLOORINGS.

Cleanliness in a hotel is a desirable feature and, quite interestingly, a modern one. It apparently never occurred to our ancestors that sanitation in the restaurant and the living room was quite an attractive feature and one that would make an appeal to the passing guest. However, cleanliness is now getting popular and we find it exemplified in many ways. Sanitary floors—for the floors collect the greatest amount of dirt—are a prime necessity, and floors that have no cracks, are waterproofed and are most readily cleansed are of the greatest value. As an example, a small hotel, the Hotel Rogers, at Lebanon, N. H., is floored through its major portions with marbleloid flooring, a durable sanitary floor that is soft under foot. Unlike a concrete floor, it does not dust, and when laid with sanitary curved bases it is the most desirable floor conceivable for all public rooms. It is produced by the Marbleloid Company, 47 W. 34th St., N. Y. City.

The Star Expansion Bolt Co., of 147-49 Cedar Street, New York, has just issued a pocket size booklet containing illustrations, descriptions and list prices of the various toggles on the market. A copy of this booklet will be sent upon request.

S. JARMULOWSKY'S BANK.

This building is located at 54 Canal Street, New York City; and as seen from the Williamsburgh Bridge in crossing, it stands up as the highest structure in the surrounding neighborhood. It is a twelve-story structure, and occupies the acute angle between the streets. The architects, Rouse and Goldstone, have designed a rather striking structure for the location.

The Bankers' Building Bureau were the contractors for the interior. Voska, Foelsch

and Sidlo, Inc., did the interior marble work, and the Penn Brass and Bronze Works constructed the bronze banking screen. Kertscher & Co. did the interior woodwork, and Robert Arnstein did the painting and decorating. The ornamental iron work was done by A. Perlman Iron Works, Inc., and "Star" ball bearing door hangers were used.

FLAT FINISH WALL PAINTS.

It is generally conceded that, while some wall papers are extremely attractive, and tapestries have a charm all their own, the most artistic finish for a wall, that which gives the best background for pictures and the best setting for furniture and rugs, is a plain, tinted, flat-finished wall. There are unfigured papers—cartridge papers—but the very best results are obtained by means of paint. It is possible to obtain an oil paint which dries absolutely flat, that can be washed if necessary without in the least injuring the most delicate shade of it, which doesn't fade, and which can be applied in a limitless variety of shades and tones. If a large, plain wall surface seems a bit monotonous, a stencil pattern used with judgment gives all the variation needed. For a private house this decorative aspect is the one that receives most consideration, but for hospitals, hotels or other buildings this consideration is supplemented by others. A wall so finished is absolutely clean and can be kept so. It is sanitary. It can be fumigated without injury to the paint. It can be cleansed by washing with soap and water, in a very short time, and with little expense.

"Memphi Fresco Paint," which is manufactured by the De Soto Paint Manufacturing Company of Memphis, Tenn., is a very high grade fresco paint. It is an oil paint which, however, dries absolutely flat, soft and velvety. This result is obtained by means of a special process of treating the linseed oil so that it dries without gloss. Full particulars can be obtained upon application to the De Soto Paint Manufacturing Company at the address given above.

(Continued on page 34.)

INTERIOR MARBLE

Material and work the standard for 14 years. Our reputation the best positive evidence as to our superiority.

CORK & ZICHA MARBLE CO., - - 325-327 East 94th St., NEW YORK

Advertisements.—When writing Advertisers, please mention Architecture and Building.

JUST PUBLISHED
BOOKS ON
The MANUAL ARTS
A DESCRIPTIVE CATALOG

A VALUABLE reference book. Lists and describes 260 of the best books on the manual arts; includes all the standard and the best of the recent books.

MAILED FREE ON REQUEST—NO COST TO YOU AND NO OBLIGATION

Check the subjects you are interested in, fill in the blanks, clip and mail, and a copy will be sent to your address.

.....

- | | |
|-----------------------|--------------------------|
| ..Agriculture | ..Manual Training |
| ..Building Arts | ..Printing Arts |
| ..Drawing, Mechanical | ..Wood and Trees |
| ..Household Arts | ..Periodicals |
| ..Pattern Making | ..Art and Design |
| ..Vocational Training | ..Drawing, Architectural |
| ..Art Crafts | ..Elementary Handwork |
| ..Decorative Arts | ..Metal & Metalworking |
| ..Drawing, Machine | ..Plastic Arts |
| | ..Woodworking |

Name

Position

Street

City

State

THE MANUAL ARTS PRESS
PUBLISHERS AND DEALERS IN BOOKS ON
THE MANUAL ARTS AND KINDRED SUBJECTS
PEORIA ILLINOIS

Badger Quality



Copper Hot Water
BOILERS

are all that can be desired in a Range Boiler.

LONG LIFE
CLEAN WATER
Beautiful Appearance

Every boiler is tinned on the inside and guaranteed against leakage or collapse.

Write for Catalog

E. B. Badger & Sons Co.
BOSTON, U. S. A.

Star Safety Water Tube Boilers

For STEAM HEATING, HOT WATER HEATING and POWER PLANTS

HARRISBURG STAR BOILER CO., 1 Madison Ave., New York

WHY YOU SHOULD INSTALL THE STAR WATER TUBE BOILERS

- | | |
|---|--|
| 1 They occupy the smallest space | 8 They are absolutely safe. |
| 2 The small over-all height permits installation where headroom is limited. | 9 No brick setting required. |
| 3 The water line is extremely low. | 10 They are easily and quickly installed. |
| 4 When forced they will exceed their capacity 25 to 50 per cent. | 11 Steel construction is used throughout. |
| 5 For quick steaming they are unequalled. | 12 Repairs can be made by any boilermaker. |
| 6 They are easily cleaned. | 13 They make absolutely dry steam. |
| 7 When cleaned they are clean. | 14 The water level does not fluctuate. |
| | 15 The highest possible economy is obtained. |

THE MARBLELOID COMPANY

Used-in-Hotel-Rogers


Broadway and 34th St., New York City
Manufacture and Install

MARBLELOID-SANTAS
FIREPROOF FLOORING

An Ideal Flooring for
Modern Fireproof Construction
Artistic, Absolutely Sanitary, Elastic, Noiseless,
Fireproof and Waterproof

Approved by the New York City Building Department as Fireproof Material
Applied directly to wood or concrete
Write for full information, references, etc.





FOLSOM'S
MODEL 1910.

THE SNOW GUARD ALLOWING
NO STRAIN ON THE SLATE
WHY NOT SEE IT?

A postal card will bring sample

Folsom Snow Guard Co. No. 4 Post Office Square
Boston, Mass.

Weather Vanes


Lightning Rods

Church Crosses

Flag Poles

and
Fittings

Etc.



Send for Catalogue

THOS. W. JONES

153 Maiden Lane
New York

Telephone Connection

ARTHUR GREENFIELD, Incorporated

REINFORCED CONCRETE FLOORS
IRON FURRING and METAL LATHING

Telephone Connection

204 EAST 26th ST. NEW YORK

LOCKWOOD and ALMQUIST

Time Service Engineers

Automatic Elevator Dispatcher
Clock Systems, Special Timing Devices

Send for Cat. No. 22 1 Madison Ave., N. Y. City

AUTOMATIC DUMBWAITERS.

The modern dumbwaiter, an electrical driven device with motor connected by worm gear to a winding drum and controlled by switches, which are push button operated, is rapidly taking the place of the old-fashioned dumbwaiter with all its inconveniences. The simplicity of an electric operated dumbwaiter with its push button control is patent. Beside the doorway in the basement of an apartment house for instance, there is a bank of buttons, marked Up, Down and Stop, and a dial indicator telling the floor to which the car has risen. The Up button sets the waiter in motion, the pointer indicates the floor and upon pressing the Stop button, the car is brought to a standstill. A reverse operation with the Down button lowers the car. Other styles have electric illuminated glass discs which trace the travel of the car to the person operating it in the basement.

Similar devices with larger cars are manufactured for invalid lifts, and these are suitable for carrying three or four persons. They are extremely serviceable in residences, private hospitals and other buildings in which a small elevator is required.

The Jas. H. Roberts Elevator Company, established in 1872, are manufacturers of dumbwaiters, invalid lifts and elevators of larger capacity, electrically driven and operated. Their address is 430 West Broadway, and they will be pleased to give estimates.

Lockwood and Almquist, time service engineers, 1 Madison Avenue, New York City, have recently purchased the entire assets of The Prentiss Clock Improvement Company.


This firm is now manufacturing master and secondary clock systems, program clocks, 60-day calendar clocks, and special timing devices of all descriptions.

They have recently perfected a machine known as the Automatic Elevator Dispatcher. The purpose of this mechanism is to increase the efficiency of elevator operation in large buildings by means of automatically ringing signals in the various elevators, both at the bottom and top floors, thereby keeping the cars scattered uniformly through the building.

(Continued on page 39.)



Architects and Builders should investigate **EVANS "CRESCENT" EXPANSION**
WITH DOUBLE END GRIP EXPANSION
 Constructed on NEW lines. Grip at BOTH ENDS, on sides. Cannot work loose.
 Send for Catalogue and samples screwed into blocks of wood or
 Agencies in all **F. H. EVANS** (Patentee and Sole Manufacturer) 31-33-35 Hewes St., Brook
 large cities

No. 1. Steel Joist Hanger for Wood Header

Van Dorn's Steel Joist Hanger
IS THE BEST OBTAINABLE
 Send for Catalogue and refer to this Magazine
THE VAN DORN IRON WORKS CO.
 CLEVELAND, OHIO
 Steel Buildings, Wrought Iron Fencing, Iron Bridges, Jail and Prison Work, Metallic Office Furniture, etc.

Established 1872 **James H. Roberts Elevator Co.** Telephone:
Manufacturer of ELEVATORS and DUMBWAITERS
 Hand and Electric Elevators, Dumbwaiters, Sidewalk Hoists
 Invalid Lifts, Carriage and Automobile Elevators
SPEED REDUCING MACHINERY and ELECTRIC CONTRACTING
 Office: 430 West Broadway NI

Building Construction and Superintendence
 Part II. Carpenters' Work | Part III. Trussed Roofs
 Four Dollars a Volume | Three Dollars a Volume
 By F. E. KIDDER, C. E., Ph.D., Architect
THE WM. T. COMSTOCK CO., Publisher, 23 WARREN STREET, NEW YORK

ELECTRIC ELEVATORS
 with machines having Ball Thrust Bearings that reduce friction and increase power, and made strong as is my specialty. They have filled the bill for many years and will solve the vertical transportation problem
DUMBWAITERS **CELLAR HOISTS**
 Write for Catalog and Prices **J. G. SPEIDEL, Reading**



"COUNTRY AND SUBURBAN HOMES"
 A Book Designed to Solve Your Building Proposition. 1912 Edition 9 x 12 inches, 150 pages.
 Colonial, Artistic, Stucco, Half Timber, Bungalow, Mission and other styles of
 General specifications, interior suggestions and practical information for
 builder. Estimates of cost. Exterior and interior views, first and second floor
 all dimensions. Books are handsomely printed with half-tone illustrations
 designs carefully selected.
 Designs costing \$3,500 to \$30,000. Price \$2.00 prepaid
 Detailed plans prepared for new work or for remodeling old buildings
W. DEWSNAP, Architect 150 Nassau St., N.Y.



← **The "Golden Gem" Adding Machine** For Your General Office or Personal Desk Use
 We have been making adding machines for ten years—and have sold over 30,000. PROOF on request. During the past few years we have expended thousands of dollars in tools and machinery to produce a machine that would be within the reach of all.
We Have Succeeded—The "Golden Gem" Is The Result
 You can keep it right on your desk or take it with you on the road. It saves brain mistakes—it suits the average man's needs as well as high priced machines. It is pebbled morocco leather case for only \$10.
SEND YOUR REMITTANCE TODAY—YOUR MONEY BACK within ten days—if machine does not satisfy you.
 Sales Agents: The "Golden Gem" Sells Itself. Address: **A. B. GANCHER, 319 Broadway, N.Y.**

Advertisements.—When writing Advertisers, please mention Architecture and Building.


ELEVATOR SHAFT CONSTRUCTION

By **H. ROBERT CULLMER**

Assisted by **ALBERT BAUER**

Practical Suggestions for the Installation of Elevators in Buildings

A treatise for the architect and builder covering the surveying and preparing of detail drawings for elevator shafts; machine rooms; elevator bulkheads; tables and formulae for calculating the size and capacity of elevators; freight elevators; sidewalk elevators; dumb-waiters; specification writing for elevator installation; elevator shaft doors and appliances; building regulations covering elevator installation.



Cross Section of Elevator Shaft and Bulkhead.

Elevator shaft construction in buildings has never before been technically treated. This book supplies the demand for information on this subject, and it has been the effort of the author to supply the necessary data for the use of the architect in placing an elevator equipment in any building. New York practice is followed, and the Building Department laws and regulations of New York are made the standard. The author has also made a careful study of the regulations in use elsewhere, giving the deviations from New York requirements. Specification writing for elevator equipment has been covered by two forms; one a simple specification for a single elevator, the other a more elaborate equipment embracing several styles of cars suitable for an office building.

The book contains most practical information and it is the hope of the author that he has omitted no important point. Every phase of the shaft problem in building construction has been covered, and the method of presentation is such that ready reference is possible to any detail of the subject.

The book is in companion size with the **Building Construction and Superintendence Series**, by Mr. F. E. Kidder.

Cloth bound, 170 pages, Frontispiece, 47 diagrammatic plates, 13 illustrative plates


Price **\$3.00**

Publishers

The Wm. T. Comstock Co.

23 Warren Street,

NEW YORK



Plan of a Machine Room.

Advertisements.—When writing Advertisers, please mention *Architecture and Building*.

CORR-TILE FLOORS



Central Commercial and Manual Training High School, Newark, N. J.
E. F. Guilbert, Architect

For Safety and Fire Protection *Have No Equal*

CORR-TILE FLOORS give double the fire protection of any other system. This quality, together with their exceptional sound-proofness and their adaptability to long spans without loss of rigidity, makes them the ideal type of floor construction for **Buildings for People**, such as **Schools, Apartment Houses, Hotels, Hospitals, Office Buildings**, etc.

Send for catalogue giving complete information on **CORR-TILE FLOORS**

Exclusive Licensee for United States (Except New York District)

CORRUGATED BAR COMPANY

412 MUTUAL LIFE BUILDING

BUFFALO, N. Y.

Exclusive Licensee New York District (all territory within 25 miles New York City Hall)

BUILDING IMPROVEMENT COMPANY

Whitehall Building

New York, N. Y.

The SWISS CHALET BOOK



THIS new book by Mr. William S. B. Dana tells the story of the chalet in Switzerland, its history, evolution and construction. The book is replete with illustrations and numerous diagrams, sections and plans. It is picturesque as well as instructive. Mr. Dana has not neglected the Swiss chalet in America and tells the reader something of the use that has been made of chalet forms in California, accompanying his text with most attractive pictures.

Table of Contents

Introduction.	Chapter V. The chalet facade; window disposition; plans and elevations.
Chapter I. Switzerland visited; Swiss architects and builders.	Chapter VI. The chalet facade; system of ornamentation.
Chapter II. Construction details; granary construction; examples of modern and older chalets.	Chapter VII. The chalet interior; planning, plans and elevations.
Chapter III. The chalet skeleton; basis of ornament; small chalets.	Chapter VIII. The chalet interior; interior decoration; furniture.
Chapter IV. Balcony and gable construction; doors, windows; some classic and modern chalets.	Chapter IX. Adaptation of the Swiss chalet in other countries; American adaptations.
	Bibliography.

150 pages; 250 illustrations and figures

Clotb, 7½ x 10. Price, \$2.50

The Wm. T. Comstock Co., 23 Warren St., New York

Advertisements.—When writing Advertisers, please mention Architecture and Building.

CHANGES IN THE OFFICERS AND BOARD OF DIRECTORS OF THE JOSEPH DIXON CRUCIBLE CO.

At the regular monthly meeting of the Board of Directors of the Joseph Dixon Crucible Co., held Monday, October 21st, the following changes in the officers and Board of Directors were made on account of the death of Vice-President, William H. Corbin:

Mr. George E. Long, former treasurer, was elected vice-president, to succeed Mr. Corbin; Mr. J. H. Schermerhorn, former assistant secretary and assistant treasurer, was elected to membership in the Board of Directors and treasurer of the company. Mr. Albert Norris was elected to the office of assistant secretary and assistant treasurer.

WATERPROOFING.

The Monroe Building, which is illustrated in this issue, was waterproofed with Ceresit. What is Ceresit? A knowledge of Ceresit would be to your advantage and we will tell you a little about it. It will effectively do the work of waterproofing with less labor, expense and economy of time than anything else, and it further gives the assurance that the waterproofing is done permanently. It has never failed to do its work, because it is an integral part of the construction, being incorporated in the concrete mass, giving the concrete a greater density. Ceresit is a cream white paste which is added to the water used in mixing concrete, giving it uniform distribution throughout the mixture. No matter how thick the wall, Ceresit is through and through it, but the water is stopped at the surface of Ceresit proofed concrete. It keeps the water out of the Monroe Building and it has kept the water out of many other basements, including the Harper Memorial Library Building, which will be illustrated in our next issue. It is a most satisfactory waterproofing material for foundations, tunnels, aqueducts, walls, cellars, swimming pools, tanks, and in fact every form of construction that is to be resistive to water.

The Ceresit Waterproofing Company, of 80 West Adams street, Chicago, will tell you more about Ceresit in an interesting and instructive manner.

AN INTERESTING STRUCTURE.

The Monroe Building, Chicago, which is illustrated in our inside pages, is on the exterior a very attractive building. Its hallway gives a forecast of an attractive interior, and when we approach the upper corridors and individual offices we realize the architects have been unrestricted by the owners in producing a building which will meet the demands of those who wish the most attractive offices. Aside from the planning and lighting, the most important feature in the appearance is the decoration and tinting, and this subject has been left in the able hands of W. P. Nelson Company, Chicago.

Peter McKay, Inc.

Painting and Decorating Hardwood Finishing

167 East 60th Street :: NEW YORK
East of Lexington Avenue

Telephone 3110 Plaza

WILLIAM J. FLYNN

Plumbing Contractor

11 East 167th Street

Telephone 515 Metroc Bronx, N. Y. City

PLUMBING CONTRACTOR FOR
THE CHURCH OF THE SACRED HEART

Telephone 7478
Audubon

Established
1892

ROBERT ARNSTEIN Painter and Decorator

3883 Broadway

Estimates Furnished

New York

TELEPHONE 317 ASTORIA

JOSEPH KNEER Ornamental and Plain Plastering STUCCO WORK

388-392 Broadway

Near Third Ave. Long Island City, N. Y.

HIGGINS'

**DRAWING INKS
ETERNAL WRITING INK
ENGROSSING INK
FAURINE MUCILAGE
PHOTO MOUNTING PASTE
DRAWING BOARD PASTE
LIQUID PASTE
OFFICE PASTE
VEGETABLE GLUE, Etc.**



Are the Finest and Best Inks and Adhesives
Emancipate yourself from the use of corrosive and ill-smelling inks and adhesives and adopt the Higgins' Inks and Adhesives. They will be a revelation to you, they are so sweet, clean and well put up.

At Dealers Generally

CHAS. M. HIGGINS & CO., Mfrs.

Branches: Chicago, London
271 Ninth Street Brooklyn, N. Y.



SELF-LUBRICATING Rotary Screw VENTILATORS

Which Produce a
VACUUM BY ROTATION

The only positive cure for Smoky Chimneys, Poor Draught and Ventilation. Adopted and used successfully on Private Residences, Greenhouses, Hotels, Breweries, Public Buildings, etc., etc.

E. G. WASHBURN & CO.
MANUFACTURERS

209 FULTON ST., NEW YORK
Telephone, 3125 Cortland
Send for Illustrated Circular

Work Shops



Of wood and metal workers, without steam power, equipped with

BARNES' FOOT POWER MACHINERY

allow lower bids on jobs and give greater profit on the work. Machines sent on trial if desired.

Catalogue free

W. F. & John Barnes Co.
566 Ruby Street, Rockford, Ill.

MICHAEL CERUSSI, Prop.

Cerussi Marble Works

**ALL KINDS OF
Interior Marble**

271-279 East 135th St., New York

Between Lincoln and Alexander Avenues

BRONX BOROUGH

Phone Melrose 4869

Book Reviews

(Continued from page 18.)

hardware and other supplies, there is a complete list of every conceivable material that is required by these industries. Even the quarry is covered and every conceivable class of machinery.

There are over 385,000 names and addresses and, making due allowance for the magnitude of the work, there is a remarkable degree of exactness. To the manufacturer the book is invaluable; to every one in the building trade it is a necessity, for it gives the names of the material and supply men in every part of the country, being of great assistance in their specification work. Its price would be paid for on one small job out of town, where it was necessary to get outside figures.

THE CATHEDRALS OF ENGLAND AND WALES, by Francis Bond. Fourth edition. Cloth. 494 pages, 5x8 inches. 200 photographic reproductions and numerous plans. London: B. T. Batsford. New York: Charles Scribner's Sons. Price, \$3 net.

This book is really traveling under a disguise when it appears as a fourth edition, for those who are familiar with the three previous editions will find such a change in this that it really seems like a new book. Needless to say, this change is for the better, a vast improvement in fact. The photographs are largely new, and the reproductions, though small in scale, are excellent in the extreme, being fine screen half-tones reproduced on a dull-surfaced paper, giving soft effects which are extremely clean and clear in their detail.

Beside the photographs, for the student of cathedral architecture there is the pleasing addition of the plans which are all drawn to uniform scale, 100 feet to the inch. Further, the author has so completely revised his ideas and enlarged his horizon in the dozen years since the first edition appeared, that the text of the book is also almost completely rewritten and the scheme changed. Whereas formerly the history of every cathedral was thrust into Mr. Rickman's four categories, the author feels that this is now untenable, and he has treated the architectural history of each cathedral more or less as an entity.

PROBLEMS IN FURNITURE MAKING, by Fred. D. Crawshaw. Fourth edition, revised. 6x9 inches, cloth binder. The Manual Arts Press, Peoria, Ill. Price, \$1 net.

This book, which is essentially a collection of working drawings of furniture, shows designs adapted for construction in high school manual training classes. The book will also appeal to the home craftsman, and it is an extremely practical book, as the furniture shown is suitable for use in any home.

The text which was useful in former editions has been rewritten and elaborated, and

(Continued on page 42.)

Advertisements.—When writing advertisers, please mention Architecture and Building.



Carter, Black & Ayers

FRONT ENAMELED BRICK HARVARD VELOUR

HOLLOW TILE

For Stucco and Brick Veneer Houses

VITRIFIED AND HARD BURNED BLOCKS

Phones { 7613 } Madison Sq.
 { 7614 }

1182 Broadway, New York

68 Ritz-Carlton Hotel, N. Y.

All front brick furnished by us.



Residence W. C. Sanderson, South Orange, N. J.

Monument Plaster Co.

Manufacturers of

WALL PLASTER and ORIENTAL STUCCO

Brick Mortars and any Color Sand Finish for
Interior Work

WRITE FOR BOOKLET

Office and Factory, HARRISON, N. J.

The Literature of Structures

Theory of Structures

By C. M. Spofford. Aug., 1911. 432 pp., \$4.00 (17s). Covers fundamental principles in a thorough, logical manner. Has valuable data and tables.

Framed Structures and Girders

By Edgar Marburg. Vol. I.—Stresses.—Part I., Oct., 1911. 540 pp., \$4.00 (17s). Distinctive for its interpretation and application, in full detail, of the theory of stresses for practical purposes.

Kinetic Theory of Engineering Structures

By David A. Molitor. 366 pp., \$5.00 (21s). A complete analysis of "higher structures."

Walls, Bins and Grain Elevators

By Milo S. Ketchum. II ed., Nov., 1911. 556 pp., \$4.00 (17s). A new book. It is again the standard work on design and construction.

Steel Mill Buildings

By the Same Author. 464 pp., \$4.00 (17s). Covers methods, materials and calculations of stresses.

Highway Bridges

By the Same Author. 550 pp., \$4.00 (17s). Covers stresses in steel and wooden bridges.

Simple Steel Structures

By C. T. Morris. II ed., 201 pp., \$2.25 (9/6). It teaches the art of producing "details which are in accord with the stresses they have to transmit."

Bridge and Structural Design

By W. Chase Thomson. II ed., 192 pp., \$2.00 (8/6). A simple, practical treatise on the elements of bridge and structural design.

Steel Railway Bridges

By W. Chase Thomson. 178 pp., \$2.00 (8/6). Covers the fundamentals of design, using typical structures for illustration.

FOR SALE BY

THE WILLIAM T. COMSTOCK CO., 23 Warren St., New York

Bankers Building Bureau

BUREAU OF FACTORIES

VEIT MANUFACTURING CO.
Grand Rapids, Mich.

METAL
FURNITURE

Bank Building Construction

MANUFACTURERS AND BUILDERS OF COMPLETE
BANK INTERIORS

No. 106 East 19th St., New York City

MAGAZINE READERS

Our 1912-13 Subscription Catalog is the most complete magazine catalog ever offered to the magazine buying public. It contains thousands of special offers that will save you money.

Cosmopolitan	-	-	\$1.50	} All for	\$3.45
Good Housekeeping	-	-	1.50		
Hearst's Magazine	-	-	1.50		
					\$4.50

The Concrete Age	-	-	\$1.00	} All for	\$3.65
Sunset Magazine	-	-	1.50		
Review of Reviews	-	-	3.00		
					\$5.50

World's Work	-	-	\$3.00	} All for	\$4.75
Cosmopolitan	-	-	1.50		
Lippincott's	-	-	3.00		
					\$7.50

You could not give a more appropriate Christmas Gift than a good magazine. Send for a copy of this catalog before you place your order.

Agents wanted everywhere

BEVIL SUBSCRIPTION AGENCY

Agents for Publications the World Over
ATLANTA GEORGIA

JOSEPH HILBRING

Interior Decorator

and

Painting Contractor

581 UNION AVE., NEW YORK
Telephone, 1793 Melrose

the author's selection of projects, designs and notes is of the best. The plates consist of a series of dimensional drawings, giving an exact lay-out of work for all of the pieces of furniture presented.

REINFORCED CONCRETE CONSTRUCTION. Vol. I. Fundamental Principles, by George A. Hool, S. B. Cloth. 254 pages. 6x9 inches. Illustrated. The McGraw-Hill Book Co., Publishers. Price, \$2.50 net.

This volume forms one of a series of three volumes which deal with reinforced concrete construction. As indicated in the title, the first deals with the fundamental principles, and it is the primary purpose of the series to have the books used for extension teaching or correspondence teaching, although the books are suited to other uses as well. The book includes numerous tables and diagrams to facilitate the calculation and design of reinforced concrete structures. The information from which the book has been compiled has been gathered from standard sources. It contains in the first part, under the head of "properties of the material," chapters on concrete; steel; concrete and steel in construction. The second part covers the theory and design of slabs, beams and columns; rectangular beams; slabs, cross beams and girders; columns; slab, beam and column tables and diagrams; bending and direct stresses.

In general, the book follows the usual methods of concrete construction, and its teachings have some of the deficiencies which are to be found in all text books, but as a short course in construction the work seems to fulfill its purpose.

THE DESIGN OF STEEL MILL BUILDINGS and the Calculation of Stresses in Frame Structures, by Milo S. Ketchum, C. E. Third edition, enlarged. Cloth, 6x9 inches, 562 pages, 270 illustrations and 66 tables. The McGraw-Hill Book Company, Publishers. Price, \$4 net.

The architectural and engineering professions are already quite familiar with Mr. Ketchum's work on steel mill buildings. However, this third edition is brought up to date, and there are important additions which greatly increase its value. Three chapters—stresses in frame structures, stresses in bridge trusses, and specifications for steel frame buildings—have been revised, rewritten and enlarged, and many illustrations of the book have been redrawn in addition to the general revision and additions to the whole text. The Appendix III., containing 78 pages, 30 tables and 24 cuts, covers structural drawings, estimates and designs. It is divided into five chapters and is really a small additional book bound into the volume with the main text.

It is a very valuable compendium. To those not generally familiar with the work, it may be said that this book provides a short course in the calculation of stresses in frame structures and gives a brief discussion of mill building construction. It supplements the elementary text books and forms an introduction to the elaborate engineering treatises on bridge design.

Latest Books

MODERN HOSPITALS.

A series of authoritative articles on planning, details and equipment as exemplified by the best practice in this country and Europe; to which are added more than 125 full page and text illustrations of recently constructed hospitals, their architectural and technical equipment. 84 full page plates, 87 pages. Cloth, net.....\$5.00

THEORY OF STRUCTURES.

By Arthur Morley, M. Sc. The object of this book is to set forth the theory of the simpler structures as far as it relates to strength, stiffness and stability, the subject being largely based upon statics and the elastic properties of material. 574 pages, 319 figures, 6 tables. Cloth, net..\$2.50

ARTISTIC BRIDGE DESIGN.

By Henry Gratton Tyrrell, C. E. A systematic treatise on the artistic design of modern bridges, according to aesthetic principles. The book explains art standards for bridges with principles of design as applied to various types. 225 pages, 150 illustrations including half tones. Net..\$3.00

MODERN PRACTICAL DESIGN.

By G. Wolliscroft Rhead. The work deals with technique, tools and craftsmanship; the illustrations of the latter are with one or two exceptions representative examples of the work of the modern craftsman. Illustrated by many full page plates. 347 pages. Cloth, net.....\$3.00

STEAM AND HOT WATER HEATING.

By H. C. Lincoln. A practical work on the principles of steam and hot water heating, together with their application to the design of complete systems. Definite rules are given applicable to certain conditions most commonly met with in practice. Revised edition, 160 pages. Illustrated. Cloth.....\$1.00

REPAIR KINKS FOR PLUMBERS.

By Martin L. Kaiser. A handbook of information on the construction and repair of appliances for domestic water supply and waste disposals. Second edition, revised and enlarged. Cloth..\$0.50

PRACTICAL STEAM AND HOT WATER HEATING AND VENTILATION.

By Alfred G. King. Author of "Steam and Hot Water Heating Charts." The most elaborate and complete work that has ever been published for the use of architects, builders, heating contractors, etc. Second edition, revised; 367 pages, 300 illustrations. Cloth.....\$3.00

THE PRINCIPLES OF PARALLEL PROJECTING-LINE DRAWING.

By Alphonse A. Adler, B.S., M.E. Part I, The Theory of Engineering Drawing. The author has felt that this first section might be suitable for draftsmen who wish to become familiar with the rapid methods of drawing; and for the general reader who desires to acquaint himself with the useful subject of drawing. 66 pages, many diagrams in text. Cloth, net.....\$1.00

THE DESIGN OF STEEL MILL BUILDINGS and the Calculation of Stresses in Framed Structures.

By Milo S. Ketchum, C.E. Third edition; 562 pages; 66 tables; 270 illustrations in the text. Cloth, net.....\$4.00

KNOTS, SPLICES AND ROPE WORK

By A. Hyatt Verrell. A practical book complete and simple directions for making most useful and ornamental knots in cord. 150 original engravings, 128 pages.....

HOUSE WIRING.

By Thomas W. Poppe, E. E. A treatise on to-date methods of installing electric light. It contains just the information needed for successful wiring of a building. Illustrated per.....

BRAZING AND SOLDERING.

By James F. Hobart. The book shows how to handle any job of brazing or soldering what mixtures to use etc. Fourth ed. P.....

THE CATHEDRALS OF ENGLAND AND WALES.

By Francis Bond, M.A., A.R.I.B.A. Fourth edition of English Cathedrals Illustrated. Over 200 reproductions from photographic series of ground plans to a uniform scale. Pages. Cloth, net.....

REINFORCED CONCRETE CONSTRUCTION.

Vol. I. Fundamental Principles. By G. Hool, S.B. Including numerous tables and diagrams to facilitate the calculation and design of reinforced concrete structures. 254 pages. net.....

FRESH AIR AND HOW TO USE IT.

By Thomas Spees Carrington, M. D. A practical work for everybody, giving practical information on open-air sleeping and the latest methods of obtaining pure air in the home. For sleeping porches, bungalows, etc., and for ships. 250 pages; 150 illustrations. Cloth.....

THE FIRST AND CHIEF GROUNDS OF ARCHITECTURE.

By John Shute, Painter and Architect. Printed in 1563. A facsimile of the first edition with an introduction by Lawrence Weaver, Hon., A.R.I.B.A. Illustrated by the F. H. of Architecture. Boards, net.....

LIGHT, PHOTOMETRY AND ILLUMINATION.

By William Edward Barrows, Jr., B.S.E.E. This book is the aim of the author to assemble ideas and thoughts available on the subject of artificial illumination, and a valuable work for the architect and practicing engineer. 395 pages; 196 illustrations; 6 tables. net.....

THE ARCHITECT'S COMPLETE RECORD BOOK.

By George F. Sansbury, architect. A economical, practical record of details and every building operation. A form that enables the architect instantly just how each operation stands and the cost of each part of building; keeps notes and memoranda all up to date. Loose leaf binder, leather bound corners. Cloth, leather tabbed index A to Z. 100 record sheets, net.....
Transfer, binder, full canvas, linen tabbed index, net.....
Extra sheets, per hundred, net.....

The Wm. T. Comstock Co., 23 Warren Street, N. Y.

Building Construction and Superintendence

Part II. Carpenters' Work

Four Dollars a Volume

Part III. Trussed Roofs

Three Dollars a Volume


By F. E. KIDDER, C. E., Ph.D., Architect

THE WM. T. COMSTOCK CO., Publisher, 23 WARREN STREET, NEW YORK

Advertisements.—When writing Advertisers, please mention Architecture and Building.

"FLEXIFOLD"

ROLLING PARTITIONS



For
Churches
Schools
Parish Houses
Lodge Buildings

Grant Pulley and Hardware Co.

3 West 29th St., New York City

Descriptive Circular and Estimates Upon Application

THE NORTHWESTERN TERRA-COTTA COMPANY

M A N U F A C T U R E R S O F
**ARCHITECTURAL
TERRA-COTTA**

**GLAZED AND ENAMELED
WORK IN ALL VARIETIES**

ESTIMATES GIVEN ON APPLICATION

**MAIN OFFICE AND WORKS: 1000 CLYBOURN AVENUE
BRANCH OFFICE: 1415 RAILWAY EXCHANGE**

**CHICAGO
ILLINOIS**

Advertisements.—When writing Advertisers, please mention Architecture and Building.

GEORGE P. MORELL

PLUMBING

Steam and Hot Water Heating

No. 116 West 164th Street

Bronx, New York

Contractor for Plumbing, Heating and Ventilating for the North Side Board of Trade, illustrated in this issue.

A Reliable Waterproofing For Cement and Concrete

Harper Memorial Library,
- Chicago University



UNLIKE ALL OTHERS FOR FOUNDATIONS, CELLARS, CELLAR FLOORS, TUNNELS, DAMS, RESER-
VOIRS, SWIMMING POOLS, BUILDING WALLS, BRIDGES, ETC.

What is Ceresit? Ceresit is the name of a dependable waterproofing. Ceresit is a cream white paste which is added to, and is readily dissolved in the water used in mixing cement mortar and concrete.

By mixing in the water, the Ceresit permeates the entire mass uniformly. This is impossible with powdered waterproofing.

Ceresit for Concrete. Ceresit is incorporated in the concrete mass and thus becomes a part of it, permanently rendering the mass proof against the penetration of water even under great water pressure, besides protecting it from frost.

Ceresit for Cement Mortar. Ceresit can be mixed with the water used in cement mortar coating to waterproof or dampproof structures built of any material such as brick, stone, concrete, stucco, plaster and tile.

Ceresit is guaranteed to be an unfailing, permanent waterproofing when the work is done under our direction.

PLEASE WRITE FOR OUR BOOK "Y" ON "WATERPROOFING" FOR CEMENT AND CONCRETE.
CERESIT IS CATALOGUED ON PAGES 46 AND 47 OF SWEET'S INDEX

CERESIT WATERPROOFING COMPANY, CHICAGO

General Offices 80 West Adams St.

Branches { 1133*Broadway, New York
1218 Chestnut St., Philadelphia



Two Family and Twin Houses

The planning of this class of dwellings has been given special attention; also their heating, lighting and sanitation. The sixty plates show a large variety of designs, and two detailed specifications are given.

Illustrated, boards. Price, \$2.00

THE WM. T. COMSTOCK CO., Publishers
23 Warren Street, New York

A. B. See Electric Elevator — Black, Starr & Frost

Black, Starr & Frost Building
S. W. Corner 48th St. and Fifth Ave.

EQUIPPED WITH TWO PASSENGER AND
ONE FREIGHT ELEVATOR, THREE DUMB-
WAITERS AND ONE SIDEWALK LIFT.

Manufactured and Installed by

**The A. B. See
Electric Elevator Co.**

Main Office:
220 Broadway New York



PHILADELPHIA
Land Title Building
Broad and Chestnut Sts.

BOSTON
Minot Building
111 Devonshire St.

BALTIMORE
Stock Exchange Building
210 East German St.

WASHINGTON
Barrister Building
635 F St., N. W.

HARTFORD
Connecticut Mutual Life Building
36 Pearl St.



Detail of Carved Marble, Black, Starr & Frost Building, 48th Street and Fifth Avenue, New York
Cut Stone Contractors, B. A. & G. N. Williams, Inc. Architects, Carrere & Hastings

South Dover Marble Company

133d STREET AND WALNUT AVENUE

— NEW YORK CITY —

Mills: WINGDALE, N. Y.


Quarries: SOUTH DOVER, N. Y.

Advertisements.—When writing Advertisers, please mention Architecture and Building.

Inevitably!!

Waterman's Ideal Fountain Pen

*Sold
Everywhere*



Is the Choice of
People of Taste,
Culture *and*
Experience..

*A Suggestion for
Christmas Gifts*

L. E. Waterman & Co.
173 BROADWAY, N.Y.
BOSTON - CHICAGO - SAN FRANCISCO
MONTREAL - LONDON - PARIS



THE BAMBERGER STORE

Newark, N. J.

Jarvis Hunt, Architect Geo. A. Fuller Co., Contractor

Three Fronts in Cream Colored,
Vitreous

Architectural Terra Cotta WITH WEATHERED SURFACE

OTHER REPRESENTATIVE CONTRACTS

Biltmore Hotel, Grand Central Terminal, Warren & Wetmore
Northwestern Mutual Life, Milwaukee, Wis., Marshall & Fox
World's Tower, West 40th St., New York, Buchman & Fox
Union Station, Detroit, Mich., Warren & Wetmore

Federal Terra Cotta Co.

111 Broadway

New York City

CRAFTSMAN FIRE-PLACE

Burns Wood, Coal or
Coke



A Complete Heating and Ventilating System

IF you are intending to build a new home or remodel an old one, and would be interested in HEATING THE ENTIRE HOUSE WITH WARM AIR, OR HOT WATER, FROM AN OPEN FIRE-PLACE, write to me for full information. It is guaranteed.

GUSTAV STICKLEY

Inventor and Manufacturer

41 West 34th St., N. Y. City



December, 1912, Architecture and Building

THE ARCHITECTURE of LOUIS H. SULLIVAN

We have heard so much about Sullivan and Sullivanesque Architecture that it would seem almost time to draw breath and hunt for a new star.

Yet Sullivan in the eyes of Theodore Starrett is a never failing source of interest. Mr. Starrett never wrote about him before and you may have great expectations. Be sure to procure a December issue of Architecture and Building and give yourself an intellectual treat. Mr. Starrett's words vibrate with human interest and the knowledge of personal acquaintance, and he has illustrated the article himself.

Our December Issue but anticipates our announcement for the new year of 1913.
We can only hint at the good things to come:—

A whole series of Poster Covers by J. L.
with occasional articles from his pen. (Every cover is worth framing.)

Articles by authorities
on Fire-Proofing and Fire-Prevention
and other technical subjects of architectural interest.

Illustrations of the latest and most noteworthy American buildings and their plans: plans and construction details are to be more than ever a feature. Don't forget to look for our New Year announcement. It will also be in our December issue and it will be worth while looking for.

THE WILLIAM T. COMSTOCK CO., Publishers

SWITCHBOARDS *and* PANELS

Marked "Metropolitan"

Are the Best that Can be Produced

Architects, Engineers and Owners specify Metropolitan Detachable Mechanism Flush Switches and Receptacles for their high class buildings. The most up to date appliances.

METROPOLITAN
ELECTRIC MFG CO.

14th Street and East Avenue, L. I. City

BUILDING CONSTRUCTION,
MANUFACTURING SITES,
FACTORY BUILDINGS,
WAREHOUSES

J. A. WIGMORE, Pres.
J. HOWARD RUST, Secy.-Treas.
HENRY W. ROSE
Building Construction

Tubes Realty & Terminal Company

516 Fifth Avenue, New York

DIRECTORS

M. J. DEGNON
E. MORA DAVISON
H. V. R. KENNEDY
MYRON T. HERRICK

J. G. SCHMIDLAPP
JAMES PARMELEE
CLAYTON S. GOSS
WILLIAM S. HAWK
SIR WILLIAM VAN HORNE

MORGAN J. O'BRIEN
PARMELEY W. HERRICK
FRANCIS F. PRENTISS
J. A. WIGMORE

ELKS

SOUVENIR NUMBER

New York Lodge No. 1

Send twenty cents for a copy NOW

ARCHITECTURE AND BUILDING
23 Warren Street, New York

LOOMIS FILTERS

ESTABLISHED 1899

Improved System

Simple and Effective

LOOMIS-MANNING FILTER DISTRIBUTING CO.

Main Office: 828 Land Title Building, PHILADELPHIA
Boston New York Baltimore Washington

Complete Architectural Catalogue

Sent on request

THE WILLIAM T. COMSTOCK CO.

Publishers

23 Warren Street

New York

Architecture

NA

1

A68

v. 44

no. 12

cop 2



Vol. 44

NOV 16 1967 SHORTAGE

ARCHITECTURE AND BUILD

20c. a Copy

December, 1912

\$2.00

Published by THE WILLIAM T. COMSTOCK COMPANY, 1
THE UNIVERSITY OF MICHIGAN LIBRARIES

**"Globe" Ventilator and
"Globe Ventilating Ridging"**



The "Globe" is built on
honor and sold on merit

In Copper or Galvanized Iron

Simple
Stormproof
Symmetrical
Satisfactory

Send for
Brown Print
Catalogue or Model

MANUFACTURED BY

Globe Ventilator Company
TROY, N. Y.

**Geo. A. Fuller
Company**

**Fireproof Building
Construction**

OFFICES:

New York	Atlanta
Boston	Washington
Philadelphia	Chicago
Chattanooga	Detroit
Kansas City	Milwaukee

CANADA

Winnipeg	Toronto
	Montreal



**"F-S" Products are like Aladdin's Lamp—they
mean a better business and bigger profits.**

For interior decoration, bath tubs, furniture, etc., nothing
can quite equal our splendid Paradox Enamel Colors—they
come in eight beautiful tints. It will pay you to try them.

FELTON, SIBLEY & CO., Inc.

Mfrs. of Colors, Paints, Varnishes

136-140 N. 4th St.

Philadelphia



MADE TO ORDER.

Designs that give individuality created by artists in metal, for particular people with ideas. These are a very few out of a large assortment, and others are constantly being added. We cater to "finicky" folks who want something different.

P. & F. CORBIN

Division

The American Hardware Corporation

NEW BRITAIN, CONNECTICUT

P. & F. Corbin of Chicago

P. & F. Corbin of New York

P. & F. Corbin Division, Philadelphia

Advertisements.—When writing Advertisers, please mention Architecture and Building.



STATLER HOTEL, CLEVELAND, OHIO
 GEO. B. POST & SONS Architects
 Tile Work executed by
 WM. H. JACKSON CO., New York

Tiles furnished by American Encaustic Tiling Company

LIMITED

Zanesville, Ohio

16 E. 40th Street, New York, N. Y.

*Floor & Wall Tiles
 of Every Description*

ARTHUR BROUNET

Mural Decorations, General Interiors

Color Schemes Submitted for High Class Theatres and Buildings

We will appreciate an opportunity to refer you to very prominent and artistic work executed by us

Phone 252 Madison Square

1133 Broadway, New York

Executed all Mural Painting and Decorations for the Eltinge Theatre, New York (Thomas W. Lamb, Architect), illustrated in this issue.

PARIS
 ROME



NEW YORK
 705
 Fifth Avenue

Advertisements—When writing Advertisers, please mention Architecture and Building.

Architecture and Building

Established 1882

*A continuation of the
Architect's and Builder's Magazine, 1899-1911*

Continued 1911

PUBLISHED MONTHLY BY

THE WILLIAM T. COMSTOCK COMPANY

23 Warren Street, New York

WM. PHILLIPS COMSTOCK, President

CONTENTS FOR DECEMBER

The Transportation Building, Chicago, 1893	Cover
By J. L.	
The Architecture of Louis H. Sullivan	469
Written and Illustrated by Theodore Starrett	
Harper Memorial Library, Chicago, Ill.	476
Shepley, Rutan & Coolidge, Architects	
Three Residences at East Orange, N. J.	479
Edward V. Warren, Architect	
Apartment Houses in New York City	482
Designed by Gaetan Ajello, Architect	
The Peter Minuet	
The Hamilton	
The Luxor	
Eton and Rugby Halls	
The Lucania	
The Regnor	
The Rexor	
The Mira Mar	
Apartment House, 86th Street and West End Avenue	491
Muliken & Moeller, Architects	
Apartment House at 118 East 54th Street	493
Cross & Cross, Architects	
Eltinge Theatre	494
Thomas W. Lamb, Architect	
The Hotel Statler, Cleveland, Ohio	497
George B. Post & Sons, Architects	
Store for L. Bamberger & Co., Newark, N. J.	503
Jarvis Hunt, Architect	
The Escalator	509
By S. P. Ring	
Index to Volume XLIV	515

ADVERTISING REPRESENTATIVES

D. R. Gimbel
Geo. H. Stewart (Dept. of Fireproofing and Fire Protection)

EDITORIAL DEPARTMENT

Wm. P. Comstock, Managing Editor
Charles Warren Hastings, Assistant Editor

Subscription Terms \$2.00 a year in advance for United States and Possessions, Mexico and Cuba, Canada, \$2.50, and other countries, \$3.00. Postage prepaid.
Subscribers when changing their address must state both old and new address.

Remitting Money All remittance of money should be in the form of U. S. Postal Money Orders (payable to THE WM. T. COMSTOCK CO., at New York Office). When these are not available, send money by registered letter, or send drafts on New York banks, made payable to order of THE WM. T. COMSTOCK CO. Personal checks on local banks cannot be received in payment.

TRADE SUPPLIED BY THE AMERICAN NEWS COMPANY AND ITS BRANCHES

LONDON AGENTS—Wm. Dawson & Sons (Ltd.), Cannon House, Bream's Buildings, London, England.

Copyright, 1912, by The Wm. T. Comstock Co.

Entered as second-class matter, April 4, 1911, at the Post Office at New York, N. Y.,
under the Act of March 3, 1879.



APARTMENT HOUSE, 118 EAST 54th STREET, NEW YORK
Theodore Starrett Company, Builders *Cross & Cross, Architects*

THEODORE STARRETT COMPANY
BUILDERS
103 Park Avenue **NEW YORK**



James McCreery & Co.

34th Street

23rd Street

Interior Furnishings and Furniture

Unusual facilities for executing orders for single rooms, suites or entire houses from original designs, or to conform to any particular requirement.

Complete stock of Upholstery Fabrics, Fine Wall Hangings and Curtains.

Sketches, estimates and samples submitted.

Unusually attractive and interesting collection of Bedroom, Dining Room, Living Room, Drawing Room and Library Suites and separate pieces.

34th Street

NEW YORK

23rd Street

Advertisements.—When writing Advertisers, please mention Architecture and Building.



FIXTURES FOR FIVE FLOORS
OF THE
L. BAMBERGER COMPANY'S NEW STORE
NEWARK, NEW JERSEY

Manufactured and Erected by

The Robert Mitchell Furniture Co.

CINCINNATI, OHIO

Manufacturers of Interior Woodwork for Residences
Bank, Store, Office Fixtures and Furniture

Advertisements -When writing Advertisers, please mention Architecture and Building.

Alphabetical List of Advertisers

Page	Page	Page
American Enameled Brick & Tile Co., The..... 25	Greenfield, Inc., Arthur..... 34	New York Architectural Cotta Co. 1
American Encaustic Tiling Co.. 2	Grimmer & Son, Charles.... 9	Northwestern Terra-Cotta Co. 1
American Hardware Corporation, The 1	Harbison - Walker Refractories Co. 1	Ognibene, Andrea 1
Atchison Revolving Door Co., The —	Harrisburg Star Boiler Co.... 33	Otis Elevator Company 1
Automatic Sprinkler Co. of America. 27	Haussling Soda Apparatus Mfg. Co. 38	Peelle Co., The..... 1
Badger & Sons Co., E. B..... 33	Henderson Bros. 9	Penn Brass & Bronze Works 1
Bagues Freres Co..... 2	Higgins & Co., Chas. M..... 40	Polachek Bronze & Iron Works 1
Barker Painting Co., The..... 13	Hoegger, J. A..... 29	John 1
Barnes Co., W. F. & John.... 40	Hoffmann & Billings Mfg. Co.. 44	Pomeroy Co., Inc., S. 1
Barrett Mfg. Co., The..... 19	Holmes, Frederick S..... 21	
Bayley & Sons 13	Ingalls Stone Co..... 45	
Berger Mfg. Co., The..... 30	Ingham, Howard M..... 21	Remington Typewriter Co. 1
Bevil Subscription Agency..... 26	Interior Metal Mfg. Co..... 29	Roberts Elevator Co., Inc. 1
Bollentin & Thompson..... 14		Rockwood Sprinkler Co. 1
Bommer Bros. 16	Jackson Co., William H..... 11	Safety Fire Extinguisher Co. 1
Boyd, Thomas Bruce..... 21	Jamestown Mantel Co.....II Cover	The 1
Brounet, Arthur 2	Jones, Thomas W..... 34	See Electric Elevator Co. 1
Browe Co., The..... 13		A. B..... 1
Buccini, Alberto 40	Kalamain Co., The..... 28	Simmons Co., John.... 1
Carter, Black & Ayers..... 41	Kertscher & Co.....IV Cover	Skannel, E. 1
Cathcart & Kissell 16	Knoburn Co., The..... 27	Spencer Turbine Cleaners 1
Ceresit Waterproof Co..... 44	Kohn, Jacob & Josef..... 41	The 1
Chicago Spring Butt Co..... 2		Spiers-Lederle Glass Co. 1
Cohn, Isaac 40	Lamb, Neven Sparks..... 30	Sprague Electric Works 1
Collins, Francis W..... 21	Lane Bros. Co..... 31	Stanley Works, The... 1
Concrete Age, The..... 42	Leiman Bros. 28	Star Ball Bearing Door Co. 1
Consolidated Chandelier Co.... 40	Lockwood & Almquist..... 34	Star Expansion Bolt Co. 1
Corbin, P. & F..... 1	Loomis Manning Filter Distributing Co.IV Cover	Star Fireproof Door Co., Inc..... 1
Cork & Zicha Marble Co..... 32		Starrett Co., Theodore. 1
Corrugated Bar Company..... 37	Maher Co., The William G.... 35	Stickley, Gustav 1
	Manual Arts Press, The..... 33	Storm Manufacturing Co. 1
Dahlstrom Metallic Door Co.... 36	Marblehead Co., The..... 33	
Daprato Statuary Company..... 14	McCabe Hanger Mfg. Co.... 31	Tettenborn Refrigerator Co. 1
De Soto Paint Mfg. Company. 30	McCreery & Co., James 5	
Dewsnap, William D..... 35	Metropolitan Electric Mfg. Co.IV Cover	United Electric Co., The 1
Dixon Crucible Co., Jos..... 31	Miller, H. W..... 9	U. S. Changeable Sign Company 1
Erkins Studio, The 15	Mitchell Furniture Co., The Robert 6	United States Mineral Water Co. 1
Evans, F. H..... 35	Monument Plaster Co..... 41	
Federal Terra Cotta Co..... 46	Morton, Thomas 29	Van Dorn Iron Works Co. 1
Felton, Sibley & Co.....II Cover	Mueller Mosaic Co..... 45	Victor Sash Chain Co. 1
Folsom Snow Guard Co..... 34		Voigtmann & Co..... 1
Fuller Co., George A.....II Cover	National Ventilating Co..... 32	Voska, Foelsch & Siddle 1
General Fire Extinguisher Co. 23	Newman Clock Co. 25	
Globe Ventilator Co.....II Cover	N. J. Car Spring & Rubber Co.. 32	Washburne & Co., E. 1
Gorton & Lidgerwood Co..... 30	New Jersey Terra Cotta Co., The 38	Wegman, John 1
Grant Pulley & Hardware Co.. 42		Wells Architectural Iron Works 1
		Wilson Mfg. Co., James 1
		Winslow Bros. Co., The 1

KEYSTONE
KEYSTONE

Classified Advertisements

NOTE.—Every classified advertiser is entitled to insertion under one heading. Under extra headings, \$5.00 a year each

ALTARS, STATUARY, ETC.

Daprato Statuary Company...Chicago-New York

ARCHITECTURAL BRONZE.

Bagues Freres Co....705 Fifth Ave., New York
Penn Brass & Bronze Works, 40 Penn St.,
Brooklyn, N. Y.
Polachek Bronze & Iron Co., John,
480-494 Hancock St. and 577-591 Boulevard,
Long Island City.

AWNINGS, BLINDS, ETC.

Wilson Mfg. Co., Jas. G.,
5 W. 29th St., New York City

BOILERS.

Badger & Sons Co., E. B.....Boston, Mass.
Gorton & Lidgerwood Co.,
96 Liberty St., New York
Harrisburg Star Boiler Co., 1 Madison Ave.,
New York

BOLTS—Expansion, Machine Expansion, Mooring, Twins, Toggle.

Evans, F. H...31-35 Hewes St., Brooklyn, N. Y.
Star Expansion Bolt Co., 147-149 Cedar St., N. Y.

BRICK—Enameled Front. Hollow.

American Enamel Brick & Tile Co.,
1182 Broadway, N. Y.
Carter, Black & Ayers....1182 Broadway, N. Y.
Flske & Co., Inc.....40 W. 32d St., New York
Harblson-Walker Refractories Company,
1135 Broadway, New York

BRIDGES.

Van Dorn Iron Works Co.....Cleveland, O.

BRONZE.

Bagues, Freres Co....705 Fifth Ave., New York
Gorham Company, The, Providence & New York.
Jackson Co., William H.,
2 W. 47th St., New York
Penn Brass and Bronze Works, Inc.,
36 to 40 Penn St., Brooklyn, N. Y.
Polachek Bronze and Iron Co., John,
480-494 Hancock St. and 577-591 Boulevard,
Long Island City.
Winslow Bros. Co., The, New York and Chicago.

BUILDING CONTRACTORS.

Fuller Co., Geo. A.,
Chicago, New York, Boston, Washington
Starrett Company, Theodore, 103 Park Ave., N. Y.

BUILDING DIRECTORY.

U. S. Changeable Sign Co..3-7 W. 29th St., N. Y.

BUTTS, BALL-REARING.

Stanley Works, The.....New Britain, Conn.

CARPENTERING CONTRACTORS.

Maier Co., The William G., 1133 Broadway,
New York City.

CHAIRS.

Kohn, Jacob & Josef, 110 West 27th St.,
New York City.

CLOCKS—Synchronized, Watchman's.

Lockwood & Almquist, 1 Madison Ave., N. Y.
Newman Clock Co., The...178 Fulton St., N. Y.

CONCRETE SIDEWALK FORMS.

Berger Mfg. Co., The.....Canton, O.

CUT STONE CONTRACTORS.

Ingalls Stone Co., Bedford, Ind.

DECORATORS, INTERIOR.

Brounet, Arthur, 1133 Broadway....New York.
Buccini, Alberto, 347 Fifth Ave.....New York
McCreery & Co., James.....New York

DESIGN BOOKS.

Dewsnap, William D.....150 Nassau St., N. Y.

DOOR HANGERS.

McCabe Hanger Mfg. Co, 532 West 22d St.,
New York City.
Lane Bros. Co.....Poughkeepsie, N. Y.
Star Ball Bearing Door Hanger Co.,
1735 West Farms Road, Bronx, N. Y.

DRAWER SLIDE.

Grant Pulley & Hardware Co.,
35 Warren St., N. Y.

DRAWING INKS—(Higgins).

Higgins & Co., Chas. M.,
217 9th St., Brooklyn, N. Y.

DUMB WAITERS.

Otis Elevator Co.....17 Battery Place, N. Y.
Storm Manufacturing Co., The....Newark, N. J.

ELEVATORS.

A. B. See Electric Elevator Co., The,
220 Broadway, New York
Otis Elevator Co., 11th Ave. & 28th St., N. Y.
Roberts Elevator Co., James H.,
430 West Broadway, New York

ENGINEERS, ELECTRICAL, CONSULTING, BANK VAULT, ETC.

Boyd, Thomas Bruce, 286 Fifth Ave., New York
Collins, Francis W...50 Church St., New York
Holmes, Frederick S., 2 Rector St., New York
Ingham, Howard M.....160 5th Ave., New York

EXPANSION BOLTS.

Evans, F. H...31-35 Hewes St., Brooklyn, N. Y.
Star Expansion Bolt Co....147 Cedar St., N. Y.

EXTERIOR PLASTER.

Monumental Plaster Company....Harrison, N. J.

FENCING AND RAILINGS.

Van Dorn Iron Works Co.....Cleveland, O.

FILTERS.

Loomis-Manning Filter Distributing Co.,
828 Land Title Bldg., Philadelphia, Pa.

FIRE BUCKET TANKS.

Safety Fire Extinguisher Co., The,
291-293 Seventh Ave., New York

FIRE DOOR EQUIPMENT.

Lane Bros. Co.....Poughkeepsie, N. Y.

FIRE EQUIPMENT, GENERAL.

Simmons Co., John.....102-110 Centre St., N. Y.

FIRE EXTINGUISHING APPARATUS.

General Fire Extinguisher Co., Providence, R. I.

FIRE PLACES, CRAFTSMAN, ETC.

Stickley, Gustav.....41 W. 34th St., New York

FIREPROOF DOORS AND SHUTTERS.

Grant Pulley & Hardware Co.,
3 West 29th St., New York
Interior Metal Mfg. Co.....Jamestown, N. Y.
Kalamein Co., The, Long Island City, N. Y.
Knoburn Company, 365 14th St., Hoboken, N. J.
Pomeroy Co., Inc., S. H.,
427 W. 13th St., New York City
Star Fireproof Door and Sash Co.,
2650-52 Park Ave., New York

FIREPROOF WINDOWS.

Kalamein Company, The, Long Island City, N. Y.
Knoburn Company,
359-363 14th St., Hoboken, N. J.

Pomeroy Co. (Inc.), S. H.,
427 W. 13th St., N. Y.
Voigtman & Co., 427 W. 13th St., New York

KEYSTONE
FLAT FINISH
KEYSTONE

Some contracts are handed to us on a Silver Salver, a few come to us through the recommendation of friends—but 99% of our business is secured because our unequalled facilities permit our giving you "Class A" service in CABINET WOODWORK, and UPHOLSTERY in the same satisfactory manner that we have done Painting for the past 30 years.

Our new factories and showrooms occupy three entire buildings. A representative will call upon request, and you are invited to call and inspect the following stocks on exhibit, which are the largest and most select to be found in New York: Wall Papers, Mantels, Andirons, Lighting Fixtures, Fabrics, Furniture, Mirrors, Antiques, Clocks, Candlesticks, Lamps, Pillows, etc.

Charles Grimmer & Son

Telephones, 7557—7558 Madison Square.

230-234 East 37th Street, NEW YORK

VOSKA FOELSCH & SIDLO, INC.

MARBLE WORK
of EVERY DESCRIPTION

BRANCH
KANSAS CITY, MO.

ASTORIA, NEW YORK, N. Y.

HENDERSON ANTIQUE LEADING



ONE HALF INCH ANTIQUE LEADING
Henderson's Patent, Henderson Bros., 707 First Ave.,
New York. Craftsmen in Leaded and Stained Glass in
Antique and Modern Styles. Estimates Furnished.



Copyright 1911 by F. W. Woolworth
WOOLWORTH BUILDING, NEW YORK
55 Stories high

All Ornamental and Plain Plastering by

H. W. MILLER, Inc.

501 East 22d Street, New York City

Plain and Decorative Plastering.
Artificial Caen Stone, Cement
Stucco, Concrete Stone

Classified Advertisements—Continued

FLOORS.

Corrugated Bar Co. Buffalo, N. Y.
Marbleoid Co., The, 34th St. & Broadway, N. Y.

FLOOR AND WOODWORK POLISH.

Felton, Sibley & Co. 136 N. 4th St., Phila., Pa.

FURNITURE.

Mitchell Furniture Co., The Robert,
Cincinnati, Ohio.

GARDEN FURNITURE, CEMENT.

Erkins Studios, The, 231 Lexington Ave., N. Y.

GLASS, ORNAMENTAL.

Henderson Bros. 701 First Ave., N. Y.

GRAPHITE PAINT.

Dixon Crucible Co., Jos. Jersey City, N. J.

HANGERS—House, Barn Door.

Lane Bros. Co. Poughkeepsie, N. Y.
McCabe Hanger Mfg. Co. 532 W. 22d St., N. Y.

HARDWARE.

American Hardware Corporation, The,
New Britain, Conn.
Chicago Spring Butt Co. Chicago, Ill.; New York
Corbin, P. & F. New Britain, Conn.
Hoegger, J. A. 41 Hutton St., Jersey City, N. J.
Stanley Works, The, Dept. B.
New Britain, Conn., and 79 Chambers St., N. Y.

HEATING APPLIANCES. (Also see Boilers.)

Gorton & Lidgerwood Co. 96 Liberty St., N. Y.

HINGES—Spring, Ballbearing, Etc.

Bommer Bros. 257 Classon Av., Brooklyn, N. Y.
Chicago Spring Butt Co.,
Chicago, Ill.; New York
Stanley Works, The. New Britain, Conn.

HOLLOW TILE.

Carter, Black & Ayers. 1182 Broadway, N. Y.

HOT-WATER BOILERS—Copper.

Badger & Sons Co., E. B.,
63-75 Pitt St., Boston, Mass.

IRON WORK—Ornamental and Structural.

Bagues Freres Co. 705 Fifth Ave., New York
Polachek Bronze and Iron Co., John,
480-494 Hancock St. and 577-591 Boulevard,
Long Island City.
Winslow Bros. Company, The,
New York-Chicago

JAIL AND PRISON WORK.

Van Dorn Iron Works Co. Cleveland, O.

JOIST HANGERS—(Steel).

Lane Bros. Co. Poughkeepsie, N. Y.
Van Dorn Iron Works Co. Cleveland, O.

LIGHTING FIXTURES—Gas and Electric.

Bagues Freres Co. 705 Fifth Ave., New York
Bayley & Sons. 36 West 28th St., New York
Browe Co., The, 9-11 Franklin St., Newark, N. J.
Consolidated Chandeller Co., 132 West 14th St.,
New York City.

LIGHTNING RODS.

Jones, T. W. 22 Burling Slip, N. Y.
Washburne & Co., E. G. 209 Fulton St., N. Y.

LOCKS, ETC.

American Hardware Corporation,
New Britain, Conn.
Corbin, P. & F. New Britain, Conn.

MANTELS, FIREPLACES, ETC.

Erkins Studios, The, 231 Lexington Ave., N. Y.
Jackson Co., Wm. H. 2 W. 47th St., N. Y.
Jamestown Mantel Company, 271 West 125th St.,
New York City.

MARBLE WORKERS.

Batterson & Elsele, Times Building, New York
Cork & Zicha Marble Co.,
325-327 E. 94th St., New York
McLaury Marble Co. 103 Park Ave., N. Y.
Voska-Foelsch & Sldio, Astoria, New York, N. Y.

METAL CEILINGS.

Berger Mfg. Co., The. Canton, O.

METAL DOORS AND TRIM.

Dahlstrom Metallic Door Co. Jamestown, N. Y.
Knoburn Company,
359-363 14th St., Hoboken, N. J.
Star Fire Proof Door and Sash Co., Inc.,
2650 Park Ave., New York City

METAL LATHING.

Greenfield, Inc., Arthur. 204 E. 26th St., N. Y.

METAL LUMBER.

Berger Mfg. Co., The. Canton, O.

METALLIC OFFICE FURNITURE.

Berger Mfg. Co., The. Canton, O.
Van Dorn Iron Works Co. Cleveland, O.

METAL SASH AND FRAMES.

Dahlstrom Metallic Door Co. Jamestown, N. Y.
Kalamein Company, The, Long Island City, N. Y.
Knoburn Company, 363 14th St., Hoboken, N. J.
Pomeroy Co. (Inc.), S. H.,
427 W. 13th St., N. Y.
Star Fireproof Door and Sash Co.,
2650 Park Ave., New York

METAL WINDOWS.

Pomeroy Co. (Inc.), S. H.,
427 W. 13th St., New York
Voigtmann & Co., 427 W. 13th St., New York

MINERAL WOOL.

U. S. Mineral Wool Co. 140 Cedar St., N. Y.

MOTORS, ELECTRIC, ETC.

Sprague Electric Works, 527-531 West 34th St.,
New York City.

PAINTING CONTRACTORS.

Barker Painting Co., The, 355 West 26th St.,
New York City.
Buccini, Alberto. 347 5th Ave., New York
Cohn, Isaac. 892 Broad St., Newark, N. J.
Grimmer & Son, Charles, 230 E. 37th St., N. Y.
McKay, Inc., Peter, 167 E. 60th St., New York
Ognibene, Andrea, 174 West 109th St., New York
Wegmann, John, 2291-2293 Broadway, N. Y.

PAINTS FOR COATING AND PRESERVING IRON AND STEEL.

Dixon Crucible Co., Jos. Jersey City, N. J.

PAINTS, OILS, VARNISHES, WOOD FILLING, etc.

De Soto Paint Mfg. Co., Memphis, Tenn., & N. Y.
Dixon Crucible Co., Jos. Jersey City, N. J.
Felton, Sibley & Co.,
136 N. 4th St., Philadelphia, Pa.

PLASTER WORK—Plain, Ornamental Models.

Cathcart & Kissell, 45 West 34th St., New York
Miller, H. W. 22d St. and Ave. A, New York
Monument Plaster Co. Harrison, N. J.

PLUMBERS.

Cornell Company, W. G. Everett Bldg., N. Y.

KEYSTONE
FLAT FINISH
KEYSTONE



HOTEL STATLER, CLEVELAND, OHIO
G. B. POST & SONS, Architects

TILE WORK BY

Wm. H. Jackson Company

2-4-6 WEST 47th STREET
NEW YORK CITY

With 700 bath and shower rooms, tile walls and floors. All service portions treated similarly.

PRONG LOCK, STUDS AND FURRING.

Berger Mfg. Co., The.....Canton, O.

PUBLISHERS.

Comstock Co., The W. T...23 Warren St., N. Y.
Concrete Age, The.....Atlanta, Georgia
Manual Arts Press, The
800 German Fire Insur. Bldg., Peoria, Ill.

PULLEYS.

Grant Pulley & Hardware Co.,
3 W. 29th St., N. Y.

REFRIGERATORS, PORCELAIN, ETC.

Tettenborn Refrigerator Co.....Cincinnati, O.

RINGS(Bridle, Corner Brace, Bridle), Sebco Aerial
Star Expansion Bolt Co..147-149 Cedar St., N. Y.

ROLLING DOORS AND SHUTTERS—Steel.

Grant Pulley and Hardware Co.,
3 W. 29th St., New York City
Wilson Mfg. Co., James G.,
3 W. 29th St., New York

ROOFING AND ROOFING MATERIALS.

Barrett Mfg. Co.....New York, N. Y.

RUGS.

Bollentin & Thompson, 34 Union Sq., New York.

SASH CHAINS.

Morton, Thomas169 Elm St., N. Y.
Victor Sash Chain Co.

SASH PULLEYS—Iron, Brass, Bronze.

Grant Pulley & Hardware Co.,
3 W. 29th St., N. Y.

SHOWER BATHS.

Hoffmann & Billings Mfg. Co., Milwaukee, Wis.

SIDEWALK LIFTS.

Spedel, J. G.....Reading, Pa.

SIDEWALK LIGHTS.

The Berger Mfg. Co.....Canton, O.

SIGNS, CHANGEABLE, ETC.

Kinney Co., C. M...3 W. 29th St., New York
U. S. Changeable Sign Co.,
3 W. 29th St., New York

SKYLIGHTS.

National Ventilating Co..339 E. 26th St., N. Y.

SNOW GUARD.

Folsom Snow Guard Co.,
Roslindale (Boston), Mass.

SODA FOUNTAINS.

Haussling Soda Apparatus Mfg. Co.,
24 Arlington St., Newark, N. J.

SPRING HINGES.

Bommer Bros....237 Classon Ave., Bklyn, N. Y.
Chicago Spring Butt Co.,
Chicago, Ill.; New York

SPRINKLER SYSTEMS.

Automatic Sprinkler Co. of America
123 William St., New York City
General Fire Extinguisher Co.,
Providence, R. I.
Rockwood Sprinkler Co...123 William St., N. Y.

STEEL BUILDINGS.

Van Dorn Iron Works Co.....Cleveland, O.

STEEL JOIST HANGERS.

Lane Bros. Co.....Poughkeepsie, N. Y.
Van Dorn Iron Works Co.....Cleveland, O.

STEEL SHUTTERS, ROLLING, ETC.

Wilson Mfg. Co., James G.,
5 W. 29th St., New York

STUCCO.

Monument Plaster Co.....Harrison, N. J.

SUBSCRIPTION AGENCIES.

Bevil Subscription Agency.....Atlanta, Ga.

SWITCHBOARDS, PANELS, ETC.

Metropolitan Electric Mfg. Co.,
14th St. & East Ave., Long Island City

TACKLE BLOCKS (Automatic).

Lane Bros. Co.....Poughkeepsie, N. Y.

TERRA COTTA.

Federal Terra Cotta Co., 111 Broadway, N. Y.
New Jersey Terra Cotta Co., The,
Singer Building, New York.
New York Architectural Terra Cotta Co.,
225 Fifth Ave., New York
Northwestern Terra Cotta Co.,
1000 Clybourn Ave., Chicago

TILE.

American Encaustic Tiling Co., Zanesville, Ohio.
16 East 40th St., New York.
Jackson Co., Wm. H., 2 West 47th St., N. Y.
Mueller Mosaic Co.....Trenton, N. J.

TILE FLOORS.

Corrugated Bar Co.....Buffalo, N. Y.

TYPEWRITERS.

Remington Typewriter Company.....New York

UPHOLSTERY.

Grimmer & Son, Charles,
230-234 E. 37th St., New York

VACUUM CLEANERS.

United Electric Co., The, 34 Hurford St.,
Canton, Ohio.
Spencer Turbine Cleaner Co., The,
620 Capitol Ave., Hartford, Conn.

VACUUM PUMPS.

Lelman Bros., F. G.....62 John St., N. Y.

VAULT LIGHTS.

Berger Mfg. Co.....Canton, O.

VENETIAN BLINDS.

Wilson Mfg. Co., Jas. G.,
3½ W. 29th St., New York

VENTILATING RIDGING.

Globe Ventilator Co.....Troy, N. Y.

VENTILATORS.

Globe Ventilator Co.....Troy, N. Y.
Washburne & Co., E. G..209 Fulton St., N. Y.

WALL FINISHES—FLAT, ETC.

Keystone Varnish Co.,
71 Otsego St., Brooklyn, N. Y.

WALL PLASTER.

Monument Plaster Co.....Harrison, N. J.

WATER FILTERS.

Loomis-Manning Filter Co.,
828 Land Title Bldg., Philadelphia, Pa.

WATERPROOFING.

Cresit Waterproofing Co.,
Commercial National Bank Building,
Chicago, Ill.

WEATHER VANES.

Jones, Thos. W.....153 Malden Lane, N. Y.
Washburne & Co., E. G.,
209 Fulton St., N. Y.

WOODWORK, ARCHITECTURAL, ETC.

Grimmer & Son, Charles,
230-234 E. 37th St., N. Y.
Kertscher & Co.....13 Lawrence St., New York

WOOD-WORKING MACHINERY.

Barnes Co., W. F. & John,
506 Ruby St., Rockford, Ill.

KEYSTONE
FLAT FINISH
KEYSTONE

The Barker Painting Co.

355 West 26th St.

NEW YORK

Decorating - Painting - Wood Finishing

Some work we are now doing:

Ritz-Carlton Hotel	-	Montrea
Eagle Building	-	New York
Grand Central Station	-	New York
Canadian Pacific Building	-	Toronto
Fort Garry Hotel	-	Winnipeg
Emmet Building	-	New York
Passavant Building	-	New York
Apartment House, 405 Park Ave.	-	New York
Apartment House, 118 East 54th St.	-	New York
Berkeley Hotel	-	New York
Apartment House, 515 Park Ave.	-	New York
Royster Building	-	Norfolk, Va.
Boston City Hall	-	Boston
Peter Bent Brigham Hospital	-	Boston
Pilene Department Store	-	Boston
D. H. Burnham, Architect	-	



THE BROWE COMPANY

9-11 Franklin St., Newark, N. J.

MANUFACTURERS OF

Gas and Electric Fixtures



"EQUALITE" - SEMI-INDIRECT

Fixture No. 4351.

36 long x 17 in. dia.

"EQUALITE"

PATENTED TRADE MARK

BAYLEY & SONS

Makers of Fine Equalite

Semi-Indirect Fixtures

THEY EQUALIZE THE DIRECT AND THE INDIRECT REFLECTION, THEREBY GIVING THE GOOD RESULTS OF BOTH.

FOR LIGHTING EFFICIENCY, BEAUTY OF DESIGN AND EYE COMFORT THEY ARE UNEQUALED. CALL AND SEE THEM.

36 West 28th St., New York City

Special Facilities:—

Altars, Statues, Stations of the Cross, Sanctuary Railings, etc. Executed in Marble, Scagliola and Rigalico Composition.

Over fifty years' experience in the development of the best in ecclesiastical art.



Designed by D. A. Bohlen & Son, Architects
Marble Altars at St. Mary's, Ind., executed in their
entirety by Daprato Statuary Company

Those with whom quality is an important object will find our service unequalled. Our foreign studios are located right in the heart of the Carrara Marble district and all work is personally supervised by Prof. Bianchi of the Royal Academy, at Massa, Italy.

We are in position to undertake any work and guarantee finest execution.


Daprato Statuary Company

"Pontifical Institute of Christian Art"

766-770 W. Adams St. 31 Barclay St.
Chicago New York

The Rugs
for the
Hotel Statler
Cleveland, Ohio

Which is illustrated in
this issue, were
furnished by



A Rug Pattern selected from the Statler, Cleveland

Bollentin & Thompson

Largest Mills in the World for
Specially Hand Woven Rugs

34 Union Square East, New York

Advertisements—When writing Advertisers, please mention Architecture and Building.



*Bronze
Entrance
Doors*

*Wilson
Building
New
York*

*Rouse &
Goldstone
Architects*

Made by

Penn Brass and Bronze Works, Inc.

*Architectural Bronze Work, Brass and Bronze Railings,
Grilles, Mausoleum Supplies, Bank Fixtures, etc.*

*Brass, Bronze, Copper and Alumi-
num Castings of Every Description*

36 to 40 Penn Street, Brooklyn, N. Y.



*Sketch of the fireplace de-
signed and erected by us in
the Studio of J. C. Leyen-
decker, Esq., New York.*

WE have a splendid collection of Fireplaces modeled in
Pompeian Stone. Original designs promptly and
carefully followed.

Our large illustrated Catalogue D. full of home and
garden ornament suggestions, sent free.

THE ERKINS STUDIOS

The Largest Manufacturers of Ornamental Stone

231 Lexington Avenue, New York Factory: Astoria, L. I.
New York Selling Agents, Ricceri Florentine Terra Cotta

A Matter of Location

You will find it interesting to run
through the pages of this issue, and
see the number of ornate apartment
buildings in which New York Archi-
tectural Terra-Cotta has been used.

For such preference of this Com-
pany many reasons exist. A recently
enhanced reason is our location.

The red car marked "Long Island
City via Queensboro Bridge" which
crosses 42nd Street, thence up 3rd
Avenue to 59th, stops at the Vernon
Avenue Tower. A passenger elevator
runs in the tower, which is across the
street from our Main Office and Works.

Naturally, Architects with compli-
cated propositions in Terra-Cotta
appreciate the opportunity for person-
al inspection of the work in progress.

New York Architectural Terra-Cotta Co.

**401 Vernon Avenue
Borough of Queens New York City**



*Detail Store Front
Bamberger Store, Newark, N. J.
Jarvis Hunt, Architect*

The WINSLOW BROS. COMPANY

Ornamental Iron and Bronze

New York Chicago Los Angeles

Agencies in all principal cities of United States

Wilson's Venetian Blinds



The following hotels are equipped with Wilson's Venetian Blinds:

The
Emerson Hotel,
Baltimore, Md.

The
Taft Hotel,
New Haven, Conn.

The
Vanderbilt Hotel,
New York

The accompanying cut shows one of the windows in the new Vanderbilt Hotel, New York.

Models on view at salesroom

Jas. G. Wilson Mfg. Co.

3½ West 29th St., New York

Also manufacturers of Rolling Steel Shutters and Wood and Steel Rolling Doors and Partitions.

SEBCO EXPANSION BOLTS

Those who know always demand Sebco Expansion Bolts—they are simple, flexible, strong, rigid and absolutely the only safe and economical method of fastening fixtures to Walls, Floors and Ceilings of concrete, stone, brick, etc.



Have you received your free sample—also our 70 page catalog No. 41 showing up-to-date methods of fastening all kinds of fixtures?

STAR EXPANSION BOLT COMPANY

147-149 CEDAR ST., NEW YORK



Bamberger Department Store, Newark, N. J.

CATHCART AND KISSELL

Plain and Decorative Plastering

45 West 34th Street
New York

BOMMER SPRING HINGES

ARE QUALITY GOODS

But cost no more than inferior kinds



DON'T ERR IN JUDGMENT when specifying spring hinges, which of all hardware perform the hardest work. Bommer Spring Hinges never fail to give satisfaction, and have withstood the test of time. The springs never go lame. "Practically Unbreakable," says the World's Fair Award, Chicago, 1893.

GOLD MEDALS: Paris, 1900; Buffalo, 1901; St. Louis, 1904.

All Who Figure on Hardware Contracts Can Supply Them

BOMMER BROS., Mfrs., Brooklyn, N. Y.

Est. 1876

Advertisements.—When writing Advertisers, please mention Architecture and Building.

ARCHITECTURE AND BUILDING

A Magazine Devoted to Contemporary Architectural Construction

VOLUME XLIV.

DECEMBER, 1912

NUMBER

THE ARCHITECTURE OF LOUIS H. SULLIVAN

By THEODORE STARRETT

WHEN Mr. Andrew Carnegie recently stirred up the discussion of the subject of the world's twenty greatest men, a writer in "The Builder" published in London, has this to say:

"Mr. Carnegie's list of twenty is challenged. It gives us hope when it is suggested that sculpture, painting and music should be represented. Some of the other contributors who include Leonardo da Vinci and Michelangelo, do not say in what capacity they are named, though we are inclined to say that their work as architects was not considered; for in the epitome of votes, Michelangelo, half-way down, is described as 'painter and sculptor.' Is this more evidence of the general unconcern

about architecture, or cannot an architect be found to rank with engineers, inventors, soldiers, statesmen, authors, and others who have caught the public eye?"

The thought is an interesting one. Is there indeed no architect in all history, who, as an architect, is entitled to rank

with the supremely great? Is there living or dead, an architect whose memory will not pass almost as quickly as any body turns to dust? Not even the answers.

Architecture is a much misunderstood thing. The title of architect seems

to carry with it a large amount of respect. The profession is most honorable. Not so intimate as commonplace as the profession of law, or medicine—less hemian if you please—than that of painter or the sculptor. There is no bread and butter attached to it as the sister arts. For all that it is mystery and mystery is not liked in our days. We have arrived at the age



THE GOLDEN DOORWAY, TRANSPORTATION BUILDING, WORLD'S FAIR, 1893.

advertising, the age of iconoclasm. Newspapers and magazines tell us nothing. There's no more privacy or secrecy. The architect has to deal with the general public more and more. How much longer will he find praise from his fellow architects of any use to

Membership in this or that mutual admiration society will not gain him commissions. He must turn about face and try to please the public.

Maybe this won't be such a terrible thing either. The public is learning and learning fast. Cultured men and women who are not architects are beginning to talk to the public about architecture. Their position is unbiased and their advice is taken on its merits. Here is what Mr. Guglielmo Ferrero, the great Italian commentator, has to say about the subject in an essay published within the last four or five months:

"Man is not yet satisfied. He finds pretexts and motives innumerable for complaint. Among them, the one oftenest repeated, is that the world is growing ugly. If in our cities there stands yet some beautiful quarter, it is almost always old. In historical cities the new parts are shocking. And cities quite new, especially those coming up during the last century in America, appear to

an artist's eye oftenest like an ante-chamber of the Inferno.

"Architecture is become the mother of monstrosities. Sculpture and painting are reduced to the condition of wandering orphans that hard times have driven from their former home.

"They know not where to go! Once they were the two supreme among the decorative arts. In days when the multitude willed to have cities and monuments adorned, they had a definite purpose to fulfill; they knew where to place

their works. To-day, with a thousand artifices they must wring orders out of the neglectful ill-will of an epoch whose monuments and decorations seem rather a superfluous load than a beautification.

"The artistic mediocrity of our time is surpassed only by the superficiality and confusion of our tastes. What seems supremely elegant and handsome one year is despised, neglected, forgotten, the next. All the styles of the past and the present gyrate before us like the scenes in a cinematograph moved by changeable fashion. Every scene is

admired for a moment, then forgotten by the restless fickleness that is hunting everywhere for the beautiful, nowhere to be found."

I have no patience with those who have found fault with American architecture, because I have noticed that generally the fault-finders were architects themselves, and oftentimes those who were loudest in abuse before they had had an opportunity to design and to build.

having once secured a commission, would build more "monstrous" buildings than those which they criticized. It has seemed to me that the faults of our architecture were the faults of our day, of our race, of ourselves, and as well might one seek perfection in human nature itself as to that function of humanity—man's architecture. Viewed thus, if man is fallen, so is architecture. Why be harsh, or unkind, or critical with our architecture any more than with each other?



THE AUDITORIUM, CHICAGO.



THE CONDUCT BUILDING, BLEECKER STREET,
NEW YORK.

But Mr. Ferrero's words apply to European as well as American architecture, even though he may mean them specially for us. It is true that monstrosities are perpetrated in the great European cities in spite of the fact that they do not have to deal with the skyscraper, as we do here in America.

The skyscraper has been called the Chicago building and I think rightly so. Chicago started the skyscrapers. At the time of the World's Columbian Exposition in 1893, they were not to be seen anywhere in America except there, and the distinguished visitors to that great show had the chance to see them in all their glory, for the Masonic Temple, as tall and as big as any since, the Auditorium with its tower sixteen stories high, the Monadnock Building and many others not so high, but still real scrapers, were on exhibition outside the grounds.


Two of the young architects in Chicago in those days were John Root, who died just as he finished the planning of the World's Fair, and Louis Sullivan, six years his junior. Sullivan had been a student at the Ecole des Beaux Arts and he brought to his work a knowledge of the French architecture, which he used just as an educated man nowadays uses Latin. But he did not try to talk Latin to the Americans. He talked American and maybe he will some day be recognized—in fact I think he is beginning to be recognized—as an architect whose name would be put in the list of twenty, by a public that has been going to school for the last few years.

We find Louis H. Sullivan in partnership with Dankmar Adler, who was the Burnham of his firm, designing and building in 1889, at 33 years of age, the Auditorium, a building which even at this day is one of the most remarkable structures in the world. A combined theatre, hotel, office building and tower,

whose size alone must have made it a "record holder" for many a day, and whose fame doubtless might have been kept more before the public had not the press agent been busy with other things.

Now, it may be noted that there are other people than the critics who are finding fault with American architecture. I refer to the authorities. The first time I noticed the interference by the authorities with architectural frenzy was in Boston, staid, common-sense old Boston. You know, they have only one skyscraper there, the Ames Building, designed by H. H. Richardson. This building is 14 stories high, as I recollect, and has a cornice which projects about six feet beyond the building line. Mr. Richardson wanted to make a bigger cornice but his builder, Mr. Norcross, protested, so the six feet, or whatever it is, was a compromise. When the city fathers saw this building finished and walked underneath that frowning construction they decided that they would have no more of them, and they passed laws in restraint of their height. They also forbade wide projecting cornices, and as a result Boston is a town whose buildings look like a man with a too narrow brimmed derby hat on. Then they drew the line on projections that obstruct the sidewalk. This was at least ten years ago. Owners of buildings in New York are just now paying to the tune of a good many hundreds of thousands of dollars for the removal of porticoes, stoops and other excrescences on the fronts of buildings along Broadway alone with no loss to Art, that I can discover.

The Auditorium, built almost twenty-five years ago, was so truthfully constructed that no part of it would conflict with the present ordinances of the City of New York with respect either to sidewalk obstructions or projecting cornices, for its architect then, even as



THE PRUDENTIAL BUILDING, BUFFALO, NEW YORK.

now, preached and practiced the doctrine of utility and truth. The Auditorium building may be said to be twenty-five years ahead of its time, and yet it is a thoroughly conventional building in all its general details. There is nothing strange or startling about it, and particularly is it notable for the almost complete absence of ornamentation. Utility is there in every line of it; even the

balcony over the entrance on Michigan Boulevard has its purpose. Only recently have the people of America seen in the newspapers pictures of the Prudential candidates addressing the crowd from this very balcony.

The Auditorium was finished in 1893, in the Transportation Building at the World's Fair, Sullivan again made a demonstration. In this building

signed on strictly utilitarian lines, he had no more of conventionality than would have been used in a peasant's hut: the walls were flat; the wide overhanging eaves served their purpose of protecting them. The sensation about this building was color, bright and gaudy, helped by a profusion of low relief ornament.

The Chicago World's Fair marked two things for America—one, the revival of Graeco-Roman-Italian architecture, the other, the sprouting of the seeds of an American architecture, namely, the architecture of Louis H. Sullivan. From that one Transportation Building and the work of that one man, thirty-seven years old at the time of the opening of the Fair, has sprung an architectural style which will some day overthrow the conventional and artificial style in which the French-trained American architects are so fond of working. When that day comes perhaps the lay critics, the Ferreros of the future, may find something to praise in our buildings and in our architecture.

What absurdities in construction modern architects have to answer for, to be sure! In order to use the classical components the ground stories are made too dark, and very often the story heights are disarranged. Windows are made too narrow and too low, to make room for the architecture, I suppose; then at the top are constructed vast overhanging members to preserve some memory of the ancient architectural order. The whole outside of the building is deformed to fit the preordained rules of architectural composition. Or perhaps the building is designed with more common sense, the windows are made large enough, and the ground story piers are made small to let in the light where it is needed, but over the whole structure are dabbed and fritted archi-

tectural features of some style or other Sullivan has been imitated by all sorts of men. In residential work, which he says he is not interested in—and who can blame him?—he has been copied by thousands, and the copies may be said to be as good as the original. In skyscrapers he has been copied by hundreds, and some of the concoctions are terrible to say the least. Sullivan himself has been prone to the use of too much ornament, but in his own works the underlying idea is ever present. His imitators, however, almost invariably mistake the shadow for the substance and spoil their work by their poor guessing. The Prudential Building in Buffalo has been copied in that same town, in a structure that is enough to make the angels weep, and if Mr. Ferrero saw it he would say that Sullivanism was the worst of all. In Buffalo too, out near the N. Y. Central tracks, is a soap factory—but why mention names, or hint of unpleasant things?

New York City has one of Sullivan's greatest designs, the Condict Building on Bleecker Street, a building which, however, shows some of the exuberance of Sullivan's youthful ideas; it has too much ornament, but viewed from a distance, the ornament fused and softened, and in spite of it the plastic beauty of a truthful structure is there for every man to see.

There are several buildings in New York of recent design that seem to show the influence of this Condict Building; for instance, the West Street Building, which is spoilt by the conventional notion that the façade must have a large proportion of its top part made up into a "different administration," so to speak. The Woolworth Building is, as I understand, an outgrowth from the West Street Building, Mr. Woolworth having admired the Gothic style of that structure. What divinity it was that induced

the architect of the Woolworth Building to make "one administration" of it from the bottom to the top should be most devoutly thanked. The thing that makes the Woolworth Building great is the bold truthful leaping of the lines of the piers from the bottom to the top. If the balconies which serve for a cornice for this structure, up at the roof instead of a quarter of the way down, as in the West Street Building, had only been omitted the building would be better still. Those projecting balconies do not belong. Fifty years hence the authorities will probably order them to be removed as a menace to the passers-by in the streets.

This is the age of advertising, advertising is simply another name for enlightenment. It is the herald of democracy and in the last analysis the means of sifting the true from the false, the genuine from the spurious. Genuine Sullivan buildings are beginning to be differentiated from the spurious ones and Sullivan's fame is mounting on. Some of the great advertisers should practice what they preach. They should refuse substitutes. The question is, what great genius for publicity do they now have Sullivan build him a building. What great advertiser will become the proud possessor of a genuine American skyscraper?



IN THE ADAM STYLE.
Warren & Wetmore, Architects.

HARPER MEMORIAL LIBRARY

UNIVERSITY OF CHICAGO

SHEPLEY, RUTAN & COOLIDGE, Architects

THIS commemorative building has been erected and named in honor of William Rainey Harper, the first president of the University of Chicago, and it forms the central building of that group of structures which faces on the Midway Plaisance. It was started in the beginning of the year 1910 and finished in June of this year, being erected at a cost of about \$800,000, including the furnishings. The building, designed by Shepley, Rutan and Coolidge, is styled as English Gothic, inspired by examples in Cambridge and Oxford. The building is of three stories with six stories in the two towers which are 135 feet in height. The first floor is occupied by class rooms and executive offices; the second by administrative offices and working rooms of the library; the third by the main reading room with the catalogue room

and delivery room in the west tower. The east tower contains the stack which is built upon its own foundations, separate from the building. The basement used for storage is carefully waterproofed and dampproofed with "Ceresit" to protect its valuable contents. Bridges at the level of the reading room floor connect the library building with the law building and the Haskell Oriental Museum building, giving access to their libraries. In each tower there is a passenger elevator and two stairways.

The architectural detail of the building is worked out with great care. Finished in stone within and without, there are numerous carvings of significant meaning—the marks of the early printers, coats of arms of universities, inscriptions, and symbolic and ornamental designs inherent to the Gothic style.






SCREEN AT EAST END OF READING ROOM. THIRD FLOOR



HARPER MEMORIAL LIBRARY, VIEWS FROM THE NORTH AND FROM THE
SOUTHWEST.

Waterproofed with "Ceresit."
Evans' "Crescent" Expansion Bolts Used

Shepley, Rutan & Coolidge, Architects.



RESIDENCE OF MR. CLINTON McCORD.
 UEC Stationary Vacuum Cleaning System. Edward V. Warren, Architect.



RESIDENCE OF MR. CLINTON McCORD.

Edward V. Warren, A

THREE RESIDENCES AT EAST ORANGE,


AT East Orange, N. J., are to be found three houses all designed by Edward V. Warren, and built by Dr. S. L. Good. The first house is finished in stucco on galvanized wire lath, supported by the usual wooden framing. The stucco is made of white river sand and white cement and forms a clean contrast to the green Spanish tile roof. The living room is finished in Circassian walnut and the hallway of Colonial treatment in mahogany and white. The house is steam heated, has both gas and electric light, and has a vacuum cleaner system piped in; the "TUEC" stationary vacuum cleaning system being installed in this and the two other houses.

Dr. Good's house is frame, with wide


clap-boards, and is of New Colonial type. Its square plan is economical and commodious. It is located on North Grove street and is Mr. McCord's residence.

The residence for Mr. William Hart Hess is on Vernon place and is finished in 10-inch wide clapboards painted white with a green tile roof.

Adjoining the living room is an enclosed porch, suitable to be used in winter for a sun parlor. The house is finished in white mahogany with oak trim, with quartered oak trim throughout and tile bathroom. It has seven rooms and a bath, and cost about \$7,000 to build.



EDWARD V. WARREN
ARCHITECT
111 CLINTON ST. NEWARK, N.J.
FIRST FLOOR PLAN




SECOND FLOOR PLAN


RESIDENCE OF DR. S. L. GOOD.

TUEC Stationary Vacuum Cleaning System.

Edward V. Warren, Architect.



RESIDENCE OF MR. WILLIAM S. HESS.
TUEC Stationary Vacuum Cleaning System. Edward V. Warren, Architect.




G. Ajello, Architect.



THE PETER MINUET, 25 CLAREMONT AVE., NEW YORK.

Builders: H. Crystal & Son.




THE PETER MINUET,
G. Ajello architect.



THE HAMILTON.

Spencer Turbine Vacuum Cleaning System.
Otis Elevators.
Architectural Terra-Cotta: New York Architectural Terra-Cotta Co



THE HAMILTON, RIVERSIDE DRIVE AND 114TH STREET.

Builders: A. C. and H. M. Hall Realty Co.
 Interior Marble: Voska, Foelsch & Sidlo, Inc.
 Interior Woodwork: Jamestown Mantel Co.
 Lighting Fixtures: Consolidated Chandelier Co.
 Stained Glass: Spiers-Lederle Glass Co.

G. Ajello, Architect.



MARQUEE OF THE LUXOR.

Architectural Terra-Cotta: N. Y. Architectural Terra-Cotta Co.
Heating and Ventilating: E. Skannel.
Interior Marble: Voska, Foelsch & Sidlo, Inc.
Bathroom Accessories and Hoegger "Surelocks": J. A. Hoegger.
Decorations: Alberto Buccini.



ENTRANCE OF THE HAMILTON.

Corbin Hardware.


G. Ajello, Architect.



Builders: Paterno Bros., Inc.
Interior Woodwork: Kertchner & Co.
Painting: Andrew Oxenbanc

THE LUXOR, 600 WEST 115TH STREET, NEW YORK.


Plans: James McCreery & Co.
Lighting Fixtures: Consolidated Chandelier Co.




G. Ajello, Architect.



Builders: B. Crystal & Son.
Terra-Cotta: N. Y. Architectural Terra-Cotta Co.





THE REGNOR, 601 WEST 115TH STREET, NEW YORK.

Builders: Paterno Bros., Inc.
 Rugs: James McCreery & Co.
 Interior Marble: Voska, Foelsch & Sldio, Inc.
 Lighting Fixtures: Consolidated Chandelier Co.
 Decorations: Alberto Buccini.
 Painting: Andrea Ognibene.



THE REXOR, 600 WEST 116TH STREET, NEW YORK.

G. Ajello, Architect.
 Terra Cotta: New Jersey Terra Cotta Co.
 Interior Woodwork: Kertscher & Co.
 Enameled Brick: American Enamel Brick and Tile Co.
 Heating and Ventilating: E. Skannel.
 Bathroom Accessories and Hoegger "Surelocks": J. A. Hoegger.



THE REGNOR HALLWAY.


Rugs: James McCreery & Co.

Interior Marble: Voska, Foelsch & Sidlo, Inc.
Lighting Fixtures: Consolidated Chandelier Co.



THE MIRA MAR HALLWAY.


G. Ajello, Architect.



THE MIRA MAR, 118TH STREET AND RIVERSIDE DRIVE,
NEW YORK.
Builders: B. Crystal & Son. G. Ajello, Architect.
Terra Cotta: New Jersey Terra Cotta Co.
Otis Elevators.
Evans "Crescent" Expansion Bolts Used.



APARTMENT HOUSE, 86TH STREET AND WEST END AVE.
Front Brick: Harbison-Walker Refractories Co.
Terra Cotta: N. Y. Architectural Terra Cotta Co.
Painting: John Wegmann.



APARTMENT HOUSE, 86TH STREET AND WEST END AVENUE, NEW YORK.
 Decorations and Hangings: John H. Hutaff. Mulliken & Moeller, Architects.



APARTMENT HOUSE AT 118 EAST 54TH STREET, NEW YORK.

Builders: Theodore Starrett Co.
 Painting and Decorating: The Barker Painting Co.
 Otis Elevators.

Cross and Cross, Architects.





**"EQUALITE" GLASS SEMI-INDIRECT CEILING LIGHT, 72 INCHES IN DIAMETER.
Made By Bayley & Sons.**



ELTINGE THEATRE.

**Mural Painting and Decorations: Arthur Brounet.
Star Expansion Bolts Used.
Keystona Flat Finish Used.**


Thomas W. Lamb, Architect.




THE ELTINGE, 42D STREET THEATRE.

Rockwood Automatic Sprinkler Equipment.
Evans' "Crescent" Expansion Bolts Used.
Otis Elevators.

Thomas W. Lamb, Arch



TYPICAL FLOOR PLAN



THE HOTEL STATLER, CLEVELAND, OHIO.
 Corbin Hardware, George B. Post & Sons, Architects.
 Limestone, Ingalls Stone Co.
 Ornamental Iron: Winslow Company.
 Rugs: Bollenhall & Thompson.
 Star: Expansion Metal Mfg. Co.
 Otis Elevators.

THE HOTEL STATLER, CLEVELAND, OHIO

GEORGE B. POST & SONS, Architects.

CLEVELAND now has its new Hotel Statler, designed in the Adam style by George B. Post and Sons. It is built of red, wire-cut brick, with lower stories and top of limestone and terra-cotta. It is characteristically a hotel design, and displays the influence of our present day architectural habits.

The main lobby is entered from Euclid Avenue and runs half the depth of the building, with another entrance at its far end on East Twelfth Street, opposite the elevators. It is the main thoroughfare of the hotel as well as the lobby and waiting room, its alcoves furnishing space for waiting guests and visitors and its central passageway giving access to the desk, elevators, telephones and various stalls. Opening off of it are all the main rooms of the hotel, and overlooking it is a mezzanine, off of which are to be found the public rooms set apart distinctly for the use of guests and secluded from the transient visitor. The lobby is in Botticino marble with a color scheme of blue, old ivory and gold, the shallow vaulted ceiling being in low plaster relief. The furnishings consist of rugs of Chinese pattern, with furniture in Italian walnut, the chairs and lounges being luxuriously upholstered.

Of interest in the planning is the location of the grill, club lounge and billiard room at one end of the first floor. These rooms open directly from the lobby and are a distinct portion of the building set aside for men's use. They are luxuriously furnished and equipped. Another interesting point is the location of the kitchen on the first floor level, connecting with the dining rooms and grill through direct service halls, thus eliminating the necessity of

stairways. Above the kitchen on the mezzanine level is a large service room from which service to the banquet and private dining rooms is most convenient.

Yet we must not lead the reader to suppose that the efforts of the architects were confined solely to the dining rooms, for a visit to the guest rooms shows that almost equal attention was bestowed upon the detailing of the chambers and parlors. Herein lies one of the pleasures of the designer in building in Adam style. He has unlimited possibilities in his building; all rooms are open to him. The parlors, a suite or the great ball room are susceptible to a harmonious sympathetic treatment; in the ball room a wealth of ornament, in the smaller and more intimate chambers plain treatment, yet with the two together in architectural spirit, finding its place in the great composition that makes the whole. To successfully style such a structure is a considerable feat, and the present rendition may be judged from the accompanying illustrations.

The site occupied by the building is 104 by 379 feet. The building contains seven hundred guest rooms and an equal number of baths, one for each room. The structure is of steel, fireproof with concrete and hollow tile. The woodwork throughout is of mahogany and the doors and trim, mouldings and furniture are all designed with an abundance of hollows and recesses which tends towards cleanliness, making possible the lodgment of dust in crevices.

Throughout the service portion of the building the trim and doors are all hollow



THE HOTEL STATLER, CLEVELAND. THE POMPEIAN ROOM.
 THE HOTEL STATLER, CLEVELAND. THE POMPEIAN ROOM.

George B. Post & Sons, Architects.



shower or bath. All the bathroom fixtures back on vent shafts, the plan being so arranged that the vent shafts run between two bathrooms. These vent shafts contain all the piping and the shortest connection from the fixtures is provided to the vertical plumbing lines. Valves to the fixtures are located in the shafts. The bathroom equipment throughout is standardized, being reduced



Floor Tile: Mueller Mosaic Co.

There are some innovations in equipment. The telephone boxes are set flush with the walls; transom lifts are of the concealed type; there is running ice water in every room, and the temperature regulation in each guest room may be individually controlled. Each bath is supplied with a shower provided with an automatic mixer which regulates the temperature of the water to suit for either



Tiling: Wm. H. Jackson Co.
Tiles Furnished by American Encaustic Tiling Co., Ltd.



A TYPICAL SHOWER BATH.

Equipment: Hoffmann and Billings Mfg. Co.
Tiling: Wm. H. Jackson Co.
Tiles Furnished by American Encaustic Tiling Co., Ltd.

to a few standard arrangements. Access to the shafts is obtained in each bathroom through an opening behind the medicine closets, which have no outer doors and are recessed into the wall.

The elevators are grouped in one battery, there being four passenger cars backed by three service cars. The passenger cars open into a public corridor and the service cars into a service hall on each floor. In this way the two systems are separated and the large size of the service hall provides ample room for baggage without cluttering up the public passageways.

The builder of the Hotel Statler was J. L. Stuart. The exterior limestone was supplied

by the Ingalls Stone Company, and the ornamental iron work was done by Winslow Bros. Company. The Interior Metal Manufacturing Company supplied the fireproof steel doors, bronze doors and metal trim throughout. The non-bearing partitions are of gypsum blocks.

The William H. Jackson Company put in the tiling in the 700 bathrooms and the barber shop, making a clean and sanitary wall finish. The tiles were furnished by the American Encaustic Tiling Company, Ltd. The equipment of the shower baths with the regulating devices was installed by Hoffmann and Billings Manufacturing Company.

Floor tiles in the dining rooms of the main floor were supplied by the Mueller Mosaic Company. In the Pompeian room a special tiling was used as a wainscot about the columns. The rugs throughout the lobby were furnished by Bollentin and Thompson. The mechanical equipment of the building is motor driven and there are 40 Sprague electric motors in use which were made by the Sprague Electric Works. The hardware throughout, which is of special design, was made by P. and F. Corbin.



MOTOR DRIVEN PUMP.

Electric Motors: Sprague Electric Works.

STORE FOR L. BAMBERGER & CO., NEWARK

JARVIS HUNT, Architect.

DEMOLITION of the old buildings on the site of the new Bamberger store began in February, 1911. Its progress early in 1912 is shown by an illustration, and the finished building was opened October 16th. The building is of L-shaped plan, with a frontage of 144 feet on Market Street, 235 feet on Halsey Street, and 117 feet on Washington Street. It is eight stories high with basement and sub-basement. The ceiling height of the main floor is 18 feet, and the basement and other stories are of good height, aiding the natural lighting and ventilation. There are six entrances to the store, five for the public and one for employees. There is an Otis elevator equipment of ten public passenger cars divided into two batteries of five each, one car for employees, and five for freight. The public passenger cars are 5½ feet deep and 8½ feet wide. The doors open the entire front. In addition to the elevator equipment there is an escalator equipment from the first to the sixth floor, capable of carrying

4,000 persons an hour. The estimated capacity of this traffic equipment is 200,000 persons a day. The combined ventilating and heating system with air washer capable of air supply of 225,000 cubic feet per minute.

The store is most efficiently planned and laid out as to its sales department there being wide aisles between counters, and there has been provision for the convenience and comfort of the store patrons. The structures throughout are of mahogany and there is a profusion of chairs of many types for the convenience of patrons in the various departments. There are 6,626 feet of wall cases, 3,233 show cases, 2,073 feet of counters, 745 tables of different sizes. The floor space is over 500,000 square feet.


The entire building is equipped with automatic sprinklers, installed by the General Fire Extinguisher Company. There are 6,100 Grinnell heads in the system, divided into five sections, each section having a 6-inch independent



MARKET STREET STORE FRONT.

Ornamental Iron Windows: The Winslow Bros. Co.
Architectural Terra-Cotta: Federal Terra-Cotta Co.

THE BAMBERGER STORE





THE BAMBERGER STORE. A MAIN FLOOR COUNTER AND THE RESTAURANT
ON THE FIFTH FLOOR.

Bent Wood Chairs: Jacob & Josef Kohn. Jarvis Hunt, Architect.
Fixtures Made and Erected by The Robert Mitchell Furniture Co.
Grinnell Automatic Sprinkler Equipment.
Tiles Furnished by American Encaustic Tiling Co., Ltd.
Lighting Fixtures: The Browne Co. Keystone Flat Finish Used.
Spencer Turbine Vacuum Cleaning System.
Kitchen Equipment: Bramhall, Deane Co.

THE BAMBERGER STORE



WALL PAPER DEPARTMENT.



WAITING ROOM.



The water supply comes from one 8-in. and one 6-in. connection to city high pressure, feeding the sprinklers at a pressure of 140 lbs. per sq. in. at the base of the risers. There are also two 6-in. connections to city low pressure water supply, which is about 35 lbs. per sq. in. A second source of supply is from a thousand-gallon per minute steam underwriters' fire pump taking suction from a suction tank in the sub-basement, which is fed automatically from the city mains. In addition the sprinkler system can be fed by the city fire department through a series of outside Siamese fire department connections so arranged that the entire system may be fed from any one of the connections.

There is a supervisory system connected with the sprinkler system, each valve having an alarm device so that if it is tampered with or disturbed, an alarm is immediately communicated to the engine room on the premises, and at the same time to the headquarters of the American District Telegraph and Messenger Company in Newark. In this way the entire sprinkler system is under supervision day and night.

The George A. Fuller Company built the Bamberger store. The architectural terra-cotta, which is largely the exterior material, was made by the Federal Terra-Cotta Company. The ornamental iron windows and interior work were done by the Winslow Bros. Company. The William G. Maher Company were the carpenter contractors. Cathcart and Kissell did the plastering, and Arthur



THE BAMBERGER SODA FOUNTAIN...
Haussling Soda Apparatus Mfg. Co.
Bent Wood Stools: Jacob & Josef Kohn.

Greenfield, Inc., supplied the metal lath. Isaac Cohn did the painting and decorating, and tiles for flooring were supplied by the American Encaustic Tiling Company, Ltd.

The store fixtures were manufactured and erected by the Robert Mitchell Furniture Company, and bent wood chairs and store furniture used by the customers throughout the store were made by Jacob and Josef Kohn. Rubber mattings and perforated mats were supplied by the New Jersey Car Spring and Rubber Company. The soda water fountain was installed by the Haussling Soda Apparatus Manufacturing Company, and is chilled by brine pipes from the central refrigerating system of the store. The lighting fixtures were put in by the Browe Company. Metropolitan detachable mechanical flush switches were used throughout. The vacuum cleaning system is a 25 horse-power ten sweeper equipment installed by the Spencer Turbine Cleaner Company. Newman watchman's clocks are used by the watchmen in the building. "Peelle" counterbalanced fire doors were used at all freight elevator openings.

THE ESCALATOR FOR DEPARTMENT STORES

By S. P. RING

THE standard height of modern tall buildings in New York City may be considered at present to be thirty stories. Towers like those of the Metropolitan, Woolworth and Singer buildings rise to a still higher level. There were two problems which had to be solved before such a standard became possible. One of these problems has to do with carrying foundation construction to bed-rock or at least to hardpan. Engineers and contractors concerned especially with foundation work have solved this problem splendidly. The other problem awaiting solution was that of making each one of the thirty stories almost as accessible as the one on the level of the street. The modern elevator is the magnificent solution. With a full equipment of "express" and "local" elevators, a modern tall structure may have thirty stories, the rental value per square foot of area being approximately the same in all. A very considerable number of people visit such a building daily, but the number is not enormous. The problem is to handle a moderate stream of people with swiftness and certainty. This the elevator does.

With the great department store, however, the problem is quite different. At certain hours of the day the number of visitors, in comparison with the floor area, may become very large. The elevators move swiftly enough, it may be, but they do not have sufficient capacity. People have to wait, or are driven to the stairways, or conclude they will not visit the upper floors at all. Then, again, those who enter a department store pay little attention to the location of the "main" entrances. They enter where

most convenient. There is a notable illustration of this fact at Macy's, the large New York department store. The main entrance on Broadway, about midway along the front block, is very moderately patronized. In considerable numbers come in the corner, south of this entrance. The congestion of the crowds frequently causes a delay in the entrance. To state the matter broadly, an equalization of the distribution of customers over the entire area of a floor; in addition, an equalization of the accessibility of the various floors. As a solution of this problem, the elevator has been found wanting. Thus, in the case of local congestions on the ground floor it is only very moderately successful because the capacity of elevators to dispose of large numbers of people is not great. An elevator will carry a small number of people with some swiftness; but the total number of trips per hour is limited, and, consequently, the aggregate volume of passenger traffic handled is only moderate. In other words, the number of people moving per hour from a congested location per square foot of floor space occupied by the elevator, is insufficient to cover department store requirements. Since the elevator seems incapable of transporting sufficiently large numbers of people from story to story to reach them all, when due regard is given to the economy of space occupied by the elevator equipment. No doubt enough elevators could be installed to handle the crowds and thus equalize the store thoroughly as is the case with the building. But the sacrifice of floor

makes this impracticable. Another solution must be found, and we may revert to the stairway. It is probably necessary to furnish buildings with stairways, irrespective of the presence of other and mechanical methods, because of the necessity of providing exits for fires and other emergencies. But the use of a stairway, aside from other considerations, is distasteful to the customer. It represents hard work. We turn, then, from elevator and stairway as only partial solutions. The escalator, it is thought by many, may solve the problem. Here we have a device which never stops its motion. Its speed is always the same. It is not particularly rapid, and it is not advisable that it should be, under present conditions. It is less than the speed of the elevator when the latter is fairly under way, there being no stops, however, and no slow-downs. Because of the *continuity* of its operation, it really has a good average speed, and is thus able to handle a great number of people. An escalator is really a moving platform, terraced in the region of ascent, and moving at the rate of about 100 feet per minute. As the sections are each 18 inches wide, this means that sixty-seven of them are delivered each minute. Now, if the platform be 4 feet wide, each section may be estimated as having room for three persons; so that there is an escalator capacity of two hundred persons per minute, or twelve thousand per hour. This is certainly "handling people," and by a device, too, which occupies but little, if any, more room than that occupied by a stairway. An escalator placed, then, at a congested point in a department store, may be expected to draw off people in a wonderful way and deliver them to one of the upper stories. Furthermore, by connecting all the floors with ascending and descending escala-

tors a very great deal is done towards equalizing the accessibility of the different stories. When we have made possible the circulation of a stream of people at the rate of twelve thousand per hour, we have done much. If the conditions of the store have been sufficiently studied by the architect and others, it should be possible to place escalators so that there will be no congestion centers, and the upper stories will be approximately as accessible as the first. It is held by many that this would work out a wonderful revolution in department stores in the direction of economical management. As the case stands to-day, the upper stories have a much lower value per square foot than, say, the ground floor and the one just above it. Some of these stories are visited daily by comparatively few people. A great deal of space is given up to relatively unproductive departments, largely because a better disposition cannot well be made. If the fifth story were *obviously* easy to reach, it could be given over to departments earning a much larger profit per square foot of floor space than that resulting from the present occupants. It is now difficult to get people to such stories unless they are spurred on by some necessity or contemplate a considerable purchase. But with the introduction of some method, conspicuously easy, or reaching any story whatever—some contrivance adequately handling a large number of people—the store could allot floor space to its various departments somewhat in accordance with their money-making power. The problem of equalizing this earning capacity of the different stories of the department store has not been sufficiently studied; but while, generally speaking, the architect has not yet given it sufficient study, its importance is unquestioned. If the upper three stories can be made as acces-

sible as the lower three are at present, fifty per cent., perhaps, can be added to the value of a six-story building. It is precisely a similar question to that concerning the relation between land values and railways. Without adequate transportation facilities, the best land has an insignificant value, while with them the value goes up enormously. This is well understood and very thoroughly appreciated. The same conditions exist in a department store. If the fifth story is difficult of access for large numbers of people, its value per square foot is low; if *evidently* easy of access, the value goes up.

There are however, situations in which the escalator is not advisable. If the number of people to be moved is inconsiderable it should not, ordinarily, be installed. It is in point of *capacity* that this apparatus is of pre-eminent value. If a department store has no considerable number of customers through its entrances daily, it is not needed. The elevator solves whatever problem there is, and at less expense. But do not let us make a mistake here. The number of visitors to the upper stories may be



THE ESCALATOR IN USE. AN ADJOINING STAIRWAY DOES NOT MEET WITH POPULAR FAVOR.

to-day inconsiderable, and the escalator still profitable. It all turns, largely, on the number who enter the store from the street. The fact that only a comparatively small number find their way to the upper stories may be precisely because of the difficulty of getting there. It is no answer to say that these upper stories are devoted to furniture and the like, and that, therefore, only a few people are expected. With the escalator, large numbers can reach these stories; and this permits of rearrangement of space throughout the various departments in accordance with their income-producing value. If a sufficient number of people enter the store, the escalator enables the owner to plan the interior arrangement of his departments relatively to their value to him. This is most important.

A consideration of the advantageous circulation of visitors to a department store affects not only the proper distribution and allotment of space, but also the design of the building itself. Thus the architect who wishes to construct a building for his client, and to arrange it



ESCALATOR LEADING TO 34TH STREET FROM THE PENNSYLVANIA STATION, NEW YORK.

most advantageously, will have to consider the probable circulation when aided by escalators. This consideration may very well affect the size and distribution of street entrances. If a building is already completed, the architect may not be able to arrange the installation of escalators to the greatest possible advantage; but their installation even then will ordinarily greatly improve the handling of large masses of people. If, however, at the time the plans are drawn, the architect takes into consideration the effect of escalators in facilitating circulation, he will be able to obtain very much better results. This statement is based on the assumption that the architect is thoroughly familiar with the possibilities involved in their use. Those architects who may be called upon to design great stores should look upon this subject as one calling for serious study.

The comparative merits of stairway elevator and escalator may be tested by studying their use in a very large building, such, for example, as Macy's department store, in New York. This store is provided with suitable stairways, an equipment of fourteen elevators and a series of escalators. During one afternoon in December, 1906, three days before Christmas, and at a time when there were a large number of people in the store, a count was made of the number of those arriving by the three methods at the second, third, fourth and fifth stories. Of the total number of those arriving, thirteen per cent. came by the stairways, thirty per cent. by the elevators and the remaining fifty-seven per cent. by the escalator. That is to say, the single escalator service was doing nearly double the business done by the fourteen elevators. This is a significant fact. Considering the totals for the four upper stories, the stairways were nowhere. And yet, if we consider the

second story alone, the stairway shows up very well. The percentages here, disregarding all the stories above, were, respectively, thirty-four, sixteen and fifty. Those who went to the three upper stories by the stairways were very few in number, almost a negligible quantity. All this shows that people who wanted to go to the second story were quite ready to use the stairways.

As far as any extended use is concerned, the stairway is, of course, obsolete. But if a building has but a single story above the ground level, it would not be unreasonable to use stairways alone. There would be little or no use of installing elevators, as the sixteen per cent. shows. Two-story department stores, however, are themselves pretty nearly, if not quite, obsolete. The question, then, that we have to consider is with reference to the comparative merits of the elevator and the escalator. In the third story the deliveries from the elevators were less than half what they were from the escalator. In the fourth story the ratio was ten to nine in favor of the escalator. The result in this story was perhaps not quite fair to the elevators, as the attractions there were not such as to draw many people. The escalator itself, however, was put to little use. In the fifth story the ratio turned in favor of the elevators, and was about three to two. We learn, then, that if a passenger wanted to go to the fifth story he would be more likely to take the elevator. In regard to the other stories, as between elevator and escalator, he would take the latter, the ratios in the various stories in its favor being, beginning with the second story, three to one, two to one, and ten to one. The first group of percentages showed that for all stories above the street level, considered together, the ratio in favor of the escalator was nineteen to ten.

The foregoing considerations are per-

THE ESCALATOR



EACH STEP IS REALLY A CAR TRAVELING ON FOUR WHEELS, EACH OF WHICH TRAVELS ON ITS OWN RAIL.



haps insufficient to warrant the entire elimination of the elevator. But possibly they are quite sufficient to impel one to give serious consideration to the question as to whether it would not be better to reduce the elevator equipment usually installed in the modern department store and to increase the number of escalators. A passenger who proposes to go as high as the fifth story will perhaps prefer the elevator. For the other stories, he chooses rather to go by the escalator. If this statement of the case is correct, then the rule appears to be: use a few elevators for the upper stories and escalators for the others.

In the Pennsylvania station on Seventh Avenue, New York, the trains enter by tunnels, and discharge their passengers far below the street level. Under such conditions, it will be seen at once, that the problem is one of transportation to the street. It is too much to ask the passenger to go up by the stairway, if he does not care to do so. If a railroad company fails to provide some positive mechanical appliance for taking people up to the street from the lower levels, it fails in the matter of completing the transportation of its passengers. Surely no one wants to be set down by a railroad company at the bottom of a hole in the ground. While elevators have been tried in such situations, it has been found that any reasonable

equipment of them is totally inadequate for carrying off a crowd of people with proper dispatch; and it is just here that the escalator is indicated as the solution of the problem. A moderate-sized escalator is able to take care of a great number of people very expeditiously. This is because it never stops, and does not, as a whole, have to return to the point of starting, as does an elevator which serves the sub-surface platform of a railway. On the Thirty-fourth Street side of its great station, the Pennsylvania Railroad Company has installed a fine escalator. A stairway is arranged at one side, so that the comparative popularity of the two may be readily noted. The escalator here is constructed all in one flight, as there is no reason for passengers getting on or off between the termini. The rise amounts to 35 feet, equivalent, say, to the elevation above the ground level, of the third story of a department store. In the comparison between the stairway and the escalator and in respect to the number of passengers discharged in the third story at Macy's, the ratio in favor of the escalator was fifteen to one on that afternoon of the Christmas shopping period. The comparative popularity of the two at the Pennsylvania Railroad Station would appear to be in accord with this, the ratio being perhaps still more largely in favor of the escalator.

ARCHITECTURE AND BUILD

A Magazine

Devoted to Contemporary Architectural Construction

ESTABLISHED 1882

VOL. XLIV

JANUARY, 1912 — DECEMBER, 1912

NEW YORK

THE WILLIAM T. COMSTOCK COMPANY

23 WARREN STREET

Copyright, 1912, by The William T. Comstock Company.

ARCHITECTURE AND BUILDING

VOL. XLIV

January, 1912 — December, 1912

INDEX

ARTICLES.	Page		Page
Architectural Design, Harvard University.	201	Allendale, The	72
Architectural Resemblances.....	349	Rouse and Goldstone, Architects.	
By "J. L."		Borchardt, The	81
Architecture of Louis H. Sullivan, The..	469	Rouse and Goldstone, Architects.	
By Theodore Starrett.		Casino Apartments	70
Automatic Sprinkler Equipment of Loft		William A. Borling, Architect.	
Buildings, I, II.....	127, 195	Dorset, The	85
By E. P. Boone.		Schwartz and Gross, Architects.	
Bank Vaults in the Second National Bank		Elm Street Apartments, Chicago, Ill....	338
of Boston, Mass.....	441	Howard Van Doren Shaw, Architect.	
Burning a "Fireproof" Building.....	434	Evanston, The	79
City Hall Park.....	269	Geo. and Edw. Blum, Architects.	
By "J. L."		Eton Hall	487
Civic Group of Educational Buildings...	1	G. Ajello, Architect.	
Charles P. Huntington, Architect.		Glen Cairn, The	84
Daniel Hudson Burnham.....	281	Rouse and Goldstone, Architects.	
By Theodore Starrett.		Grinnell, The	86
Escalator, The	509	Schwartz and Gross, Architects.	
By S. P. Ring.		Hamilton Apartments	483
Failures in Building Construction and		G. Ajello, Architect.	
Their Lessons, I, II, III.....	271, 317, 362	Luxor, The	434
By Edward Godfrey.		G. Ajello, Architect.	
Fireproof Hotel, The.....	183	Lucania, The	488
By Edwin O. Torbohm.		G. Ajello, Architect.	
Fire Protection of the Dwelling House..	63	Mira Mar Apartments.....	490
Fire Protection and the Architect: The		G. Ajello, Architect.	
Architect's Opportunity	33	Open Stair Tenements.....	45
By Edwin O. Torbohm.		Henry Atterbury Smith, Architect.	
High Building that is Beautiful, A.....	139	William P. Miller, Associate.	
By "J. L."		Peter Minuët Apartments.....	492
Hollow-Tile Fireproof House, The, IV,		G. Ajello, Architect.	
V, VI, VII, VIII, IX, X,		Regnor, The	499
17, 52, 109, 189, 249, 309,	353	G. Ajello, Architect.	
Interesting Chimney Problem.....	345	Rexor, The	429
John Wellborn Root.....	429	G. Ajello, Architect.	
By Theodore Starrett.		Riviera, The	83
Lofty Automatic Sprinkler Equipment of		Rouse and Goldstone, Architects.	
the Bankers' Trust Company, The...	343	Rugby Hall	487
Multiple Residence, The; An Essay with		G. Ajello, Architect.	
a Description of No. 998 Fifth Ave..	91	Runoia, The	67
Our Fair Architecture.....	229	Mulliken and Moeller, Architects.	
By "J. L."		Schermerhorn, The	86
Passing of the Interior Tenement Stair.	45	Schwartz and Gross, Architects.	
By Charles Warren Hastings.		Strand View, The.....	87
Profits of an Architect, The.....	224	Schwartz and Gross, Architects.	
By Howard M. Ingham, Ph.B.		Stratford, The	88
Resident Versus the Correspondent Archi-		Schwartz and Gross, Architects.	
tect, The	461	Vanderbilt Tenements	45
By R. M. Dunbar.		Henry Atterbury Smith, Architect.	
Sheds over Sidewalk during Construction		William P. Miller, Associate.	
Work	89	Wendolyn, The	80
Standpipe and Hose Systems in Buildings.		Rouse and Goldstone, Architects.	
The; Being portions of the Report		Apartment House at	
of the Committee on Standards of the		521-523 West 112th Street.....	65
National Fire Protection Association,		Lawlor and Haase, Architects.	
Mr. W. C. Robinson, Chairman, I, II,		823-829 Park Avenue.....	68
III.	300, 327, 413	Pickering and Walker, Architects.	
Students' Details of Construction.115, 225,	323	600 West End Avenue.....	73
University of Pennsylvania.		Schwartz and Gross, Architects.	
Students' Working Drawings.....	276, 415	830 Park Avenue	74
Cornell University.		Geo. and Edw. Blum, Architects.	
Swiss Chalet Design, III, IV, V, VI.		12 East 87th Street.....	75
11, 57, 119.	205	Geo. and Edw. Blum, Architects.	
By William S. B. Dana, B.S.		166 West 72d Street.....	77
		Geo. and Edw. Blum, Architects.	
		998 Fifth Avenue	91
		McKim, Mead and White, Architects.	
		49 Cedar Street, Chicago, Ill.	137
		Marshall and Fox, Architects.	
APARTMENT HOUSES.			
Admaston, The	78		
Geo. and Edw. Blum, Architects.			

	Page
Apartment House at 36 Central Park South.....	337
C. W. Buckham, Architect.	
23 Lake Shore Drive, Chicago, Ill.....	339
Marshall and Fox, Architects.	
118 East 54th Street	493
Cross and Cross, Architects.	
86th Street and West End Avenue....	491
Mulliken & Moeller, Architects.	
BANKS.	
Bankers' Trust Co. Building, New York City.....	232
Trowbridge and Livingston, Architects.	
Commonwealth Trust Co. Building, Bos- ton, Mass.	28
Peabody and Stearns, Architects.	
Essex County National Bank, Newark, N. J.	295
Clinton and Russell, Architects.	
Jarmulowsky Bank Building, New York City.....	447
Rouse and Goldstone, Architects.	
Markle Trust Company Building, Hazel- ton, Pa.	218
John Irwin Bright, Architect.	
Marshall National Bank, Marshall, Tex..	321
Theodore C. Visscher, Architect.	
Mechanics' Bank, New Haven, Conn.....	212
Leoni W. Robinson, Architect.	
Merchants' National Bank, New Haven, Conn.	30
Dennison and Hiron, Architects.	
National Savings Bank, New Haven, Conn.	31
Brown and Von Beren, Architects.	
National State Bank, Newark, N. J.	378
Cass Gilbert, Architect.	
Paterson Savings Institution, Paterson, N. J.	216
Bankers' Building Bureau, Designers.	
Second National Bank, Boston, Mass.....	441
Parker, Thomas and Rice, Architects.	
CHURCHES.	
Bethlehem Chapel, Cathedral Church of St. Peter and St. Paul, Washington, D. C.	407
Henry Vaughan, Architect.	
Church of the Sacred Heart, New York City.....	467
Elliott Lynch, Architect.	
Church for Spanish Catholics, New York City.....	8
Charles P. Huntington, Architect.	
Linden Baptist Church, Camden, N. J.	103
Arthur Truscott, Arnold W. Moses, Assoc. Architects.	
St. Anthony's Church, Van Nest, New York City	340
N. Serracino, Architect.	
St. Barnabas Church, New York City....	427
N. Serracino, Architect.	
DWELLINGS.	
A California Dwelling.....	342
C. W. McCall, Architect.	
Pyne House, New York City.....	52
McKim, Mead and White, Architects.	
Residence at Ravenswood Manor, Chi- cago, Ill.	44
Charles P. Rawson, Architect.	
Residence of Good, Dr. S. L., East Orange, N. J.	480
Edward V. Warren, Architect.	
Hess, William S., East Orange, N. J.	481
Edward V. Warren, Architect.	
Lyon, Horace, Englewood, N. J.	52, 111
Frederick Squires, Architect.	
McCord, Clinton	479
Edward V. Warren, Architect.	
Potts, James D., Glen Ridge, N. J.	460
Edward V. Warren, Architect.	
Sparkman, J. M., Seattle, Wash.	259
Wilson and Loveless, Architects.	
Wilson, Clayton D., West Seattle, Wash.	260
Wilson and Loveless, Architects.	
Swiss Chalets.....13, 15, 59, 61, 123, 124, 205, 206, 208, 209	
HOTELS AND RESTAURANTS.	
Adolphus Hotel, Dallas, Texas.....	173
Barnett, Haynes and Barnett, Architects.	
Automat Restaurant, New York City....	347
Stuckert and Sloan, Architects.	
Chateau Laurier, Ottawa, Can.	161
Ross and McFarlane, Architects.	
Cawthon Hotel, Mobile, Ala.	162
Hutchisson and Denham, Architects.	

Copley-Plaza, Boston, Mass	
Henry J. Hardenbergh, Architect.	
Emerson Hotel, Baltimore, Md.	
J. Evans Sperry, Architect.	
Georgian Terrace Hotel, Atlanta, Ga.	
W. L. Stoddart, Architect.	
Jefferson Hotel, St. Louis, Mo.	
Barnett, Haynes and Barnett, Archi	
Leamington Hotel, Minneapolis, Minn.	
Rogers Hotel, Lebanon, N. H.	
Fox and Bixby, Architects.	
Samuels Hotel, Jamestown, N. Y.	
Esenwein and Johnson, Architects	
Statler Hotel, Cleveland, Ohio.	
George B. Post and Sons, Architect	
Taft Hotel, New Haven, Conn.	
F. M. Andrews and Co., Architects.	
Vanderbilt Hotel, New York City....	
Warren and Wetmore, Architects.	

LIBRARY BUILDINGS.

City Library Building, Springfield, Ma	
Edward L. Tilton, Architect.	
Free Public Library, New Haven, Con	
Cass Gilbert, Architect.	
Harper Memorial Library, University	
Chicago.	
Shepley, Rutan and Coolidge, Archi	
Public Library, St. Louis, Mo.	
Cass Gilbert, Architect.	

LOFT, OFFICE, FACTORY AND MERCANTILE BUILDINGS.

Adams Express Co. Building, New Yo City.....	
Warren and Wetmore,	
Reed and Stem, Associated Architec	
Architects' Building, New York Ci	
Perspective	
Ewing and Chappell,	
La Farge and Morris, Associated Arch	
Bankers' Trust Co. Building.....	
Trowbridge and Livingston, Architect	
Black, Starr and Frost Building.....	
Carrere and Hastings, Architects.	
Chicago Telephone Building, Perspecti	
Holabird and Roche, Architects.	
Consolidated Gas. Co. Building, New Yo City.....	
H. J. Hardenbergh, Architect.	
Croisic Building, New York City.....	
Frederick C. Browne, Architect.	
Randolph H. Almirotty, Assoc.	
Fire Companies' Building, 80 Maid Lane, New York City.....	
D. H. Burnham and Co., Architects.	
Francis Building, New York City.....	
C. P. H. Gilbert, Architect.	
Johns-Manville Company Building, Ne York City.	
Augustus N. Allen, Architect.	
Knoedler and Co. Building, M. New Yo City.....	
Carrere and Hastings, Architects.	
Manice Building, New York City.....	
Wallace and Goodwillie, Architects.	
Maryland Casualty Co., New Building fo Baltimore, Md.	
Otto G. Simonson, Architect.	
Masonic Hall Building, New York City	
H. P. Knowles, Architect.	
Monroe Building, Chicago, Ill.	
Holabird and Roche, Architects.	
Munsey Building, Baltimore, Md.	
McKim, Mead and White, Architects	
Newark Fire Insurance Co. Buildin Newark, N. J.	
Ely, J. H. & W. C., Architects.	
Otis Elevator Building.....	
Clinton and Russell, Architects.	
Queens Plaza Court Building, Long Isla City, N. Y.	
Thompson and Frohling, Architects.	
Schneider-Anderson Building, New Yo City, Perspective	
Hazzard, Erskine and Blagden, Archi	
Seneca Building, Buffalo, N. Y., P erspective.	
McKenzie, Voorhees and Gmelin, Arch	
Sloan Building, W. and J., New Yo City.....	
John B. Snook & Sons, Architects.	
Smith Building, L. C., Seattle, Wa	
Perspective	
Gagglin and Gagglin, Architects.	

	Page
U. S. Rubber Building, New York City..	367
Carrere and Hastings, Architects.	
Whitall-Tatum Factory, Keyport, N. J. 189,	249
Frederick Squires, Architect.	
White House, The, New York City.....	36
Henry B. Herts, Architect.	
Wilson Building, New York City.....	376
Rouse and Goldstone, Architects.	
Building at	
20th Street and Fourth Avenue, New	
York City.....	35
Rouse and Goldstone, Architects.	
135-145 West 29th Street, New York	
City.....	37
F. C. Zobel, Architect.	
N. E. Corner 24th Street and Seventh	
Avenue, New York City.....	222
Frederick Squires, Architect.	
114-116 East 16th Street, New York	
City.....	305
Squires and Wynkoop, Architects.	
Fifth Avenue and 12th Street, New	
York City.....	306
Maynicke and Franke, Architects.	
MISCELLANEOUS.	
American Geographical Society.....	1
Charles P. Huntington, Architect.	
Bamberger Store, The, Newark, N. J.....	503
Jarvis Hunt, Architect.	
Boston Stock Exchange and Common-	
wealth Trust Co.....	25
Peabody and Stearns, Architects.	
Central Commercial and Manual Training	
High School, Newark, N. J.....	451
Ernest F. Guilbert, Architect.	
Chicago, Burlington and Quincy Railroad	
Company Building, Perspective.....	268
Marshall and Fox, Architects.	
Chicago City Hall.....	23
Holabird and Roche, Architects.	
Engineering Hall, Carnegie Institute of	
Technology, Pittsburgh, Pa.....	345
Henry F. Hornbostle, Architect.	
Grand Stand for the New York Polo	
Grounds, New York City.....	457
Henry B. Herts, Architect.	
Higbee Company Department Store,	
Cleveland, O.....	137
Abram Garfield, Architect.	
Hispanic Society of America Building...	1
Charles P. Huntington, Architect.	
Lawyers' Club, New York City.....	418
Francis H. Kimball, Architect.	
Masonic Hall Building, New York City..	337
H. P. Knowles, Architect.	
Michigan Central Railroad Station, De-	
troit, Mich., Perspective.....	304
Warren and Wetmore, Reed and Stem,	
Assoc. Architects.	
North Side Board of Trade Building, New	
York City.....	463
Albert E. Davis, Architect.	
Numismatic Society Building.....	1
Charles P. Huntington, Architect.	
Packard Commercial School.....	131
H. F. Ballantyne, Architect.	
Palais Royal Department Store, Wash-	
ington, D. C.....	258
G. P. Hales, Architect.	
THEATRES.	
DeKalb Theatre, Brooklyn, N. Y.....	41
Harde and Short, Architects.	
Eltinge Theatre, New York City.....	494
Thomas W. Lamb, Architect.	
36th Street Theatre, near Third Avenue,	
New York City.....	322
Thomas W. Lamb, Architect.	
Loew's Greeley Square Theatre, New	
York City.....	134
S. S. Sugar, Architect.	
Miner's Empire Theatre, Newark, N. J..	43
McMurray and Pullis, Architects.	
Riverside Theatre, New York City.....	40
Thomas W. Lamb, Architect.	
AUTHORS.	
Boone, E. P.....	127, 195
Dana, William S. B., B.S.....	11, 57, 119, 205
Dunbar, R. M.....	461
Godfrey, Edward.....	271, 317, 362
Hastings, Charles Warren.....	45
Ingham, Howard M., Ph.D.....	244
"J. L.".....	139, 229, 269, 349

	Page
Ring, S. P.....	509
Robinson, W. C.....	300, 327, 413
Squires, Frederick, Architect.....	17, 52, 109,
	189, 249, 309, 353
Starrett, Theodore.....	281, 429, 469
Torbohm, Edwin O.....	33, 183
ARCHITECTS.	
Ajello, Gaetan.....	482
Allen Augustus N.....	262
Almirotty, Randolph H.....	423
Andrews, F. M. and Co.....	153
Ballantyne, H. F.....	131
Barnett, Haynes and Barnett.....	165, 178
Blum, George and Edward.....	65
Boring, William A.....	65
Bright, John Irwin.....	218
Brown and Von Beren.....	31
Browne, Frederick C.....	423
Buckham, C. W.....	337
Burnham, D. H. and Co.....	225
Carrere and Hastings.....	367, 439, 445
Clinton and Russell.....	295, 381
Cross and Cross.....	493
Davis, Albert E.....	463
Dennison and Hiron.....	30
Ely, J. H. and W. C.....	220
Eisenwein and Johnson.....	425
Ewing and Chappell.....	375
Fox and Bixby.....	464
Gaggin and Gaggin.....	261
Garfield, Abram.....	137
Gilbert, Cass.....	284, 378
Gilbert, C. P. H.....	266
Guilbert, Ernest F.....	451
Hales, G. P.....	258
Harde and Short.....	41
Hardenburgh, H. J.....	38, 389
Hazzard, Erskine and Blagden.....	326
Herts, Henry B.....	36, 457
Holabird and Roche.....	23, 254, 432
Hornbostle, Henry F.....	345
Hunt, Jarvis.....	503
Huntington, Charles P.....	1
Hutchisson and Denham.....	162
Kimball, Francis H.....	418
Knowles, H. P.....	331
LaFarge and Morris.....	375
Lamb, Thomas W.....	40, 322, 494
Lawlor and Haase.....	65
Lynch, Elliot.....	467
Marshall and Fox.....	137, 268, 328
Maynicke and Franke.....	306
McCall, C. M.....	342
McKenzie, Voorhees and Gmelin.....	316
McKim, Mead and White.....	91, 339
McMurray and Pullis.....	42
Miller, William P.....	45
Mulliken and Moeller.....	65, 491
Parker, Thomas and Rice.....	441
Peabody and Stearns.....	28
Pickering and Walker.....	65
Post, George B. and Sons.....	497
Rawson, Charles P.....	44
Reid and Stem.....	304, 330
Robinson, Leonl W.....	212
Ross and McFarlane.....	164
Rouse and Goldstone.....	35, 65, 376, 447
Smith, Henry Atterbury.....	45
Schwartz and Gross.....	65
Serracino, N.....	340, 427
Shaw, Howard Van Doren.....	338
Shepley, Rutan and Coolidge.....	476
Simonson, Otto G.....	200
Smith, Henry Atterbury.....	45
Snook, John B. and Sons.....	219
Sperry, J. Evans.....	173
Squires, Frederick.....	222
Squires and Wynkoop.....	305
Stoddart, W. L.....	164
Stuckert and Sloan.....	347
Sullivan, Louis H.....	469
Sugar, S. S.....	134
Thompson and Frohling.....	448
Tilton, Edward L.....	284
Trowbridge and Livingston.....	232
Truscott, Arthur and Moses, Arnold W.....	103
Vaughan, Henry.....	407
Visscher, Theodore.....	321
Wallace and Goodwillie.....	264
Warren, Edward V.....	460, 475
Warren and Wetmore.....	150, 304, 330
Wilson and Lovelless.....	259
Zobel, F. C.....	37



Otis Elevators

The Elevators of Unlimited Capabilities

Otis Elevators have been chosen for most of the world renowned buildings, of every kind, in this country and abroad. Otis Elevators have demonstrated they are unapproached in

Quality, Safety, Efficiency, Economy, and Durability

The buildings shown here are Cook County Court House, Chicago; Woodmen of the World Building, Omaha; McCormick Building, Chicago; Hotel Sherman, Chicago; University Club, Chicago; Mandel Building, Chicago; North American Building, Chicago; Rothschild Building, Chicago,—all of which were designed by Holabird & Roche, Architects, Chicago, Ill.

Back of our product is fifty-five years' experience and success in solving all kinds of elevator problems. We build all types of passenger and freight elevators for every purpose—for every kind of power. Otis Elevators should be used for modernizing old buildings and for insuring the greatest convenience, economy and satisfaction in the new.

Otis Elevator Company

Eleventh Ave. and Twenty-sixth St., New York
Offices in all Principal Cities of the World

Advertisements.—When writing Advertisers, please mention *Architecture and Building*.

BOOK REVIEWS

PRACTICAL STEAM AND HOT WATER HEATING AND VENTILATION, by Alfred G. King. 367 pages, 300 illustrations. Cloth. New York: The Norman W. Henley Publishing Co. Price, \$3.

This latest book on the subject of steam and hot water heating is intended for the use and education of all who are engaged in the business, particularly the steam fitter, and is an original and exhaustive work. As much of the matter ordinarily included in books of this character and in the articles on the subject published in the trade magazines, is too technical to be readily understood by the man who has most need of it—the steam fitter—Mr. King has eliminated all technicalities and reduced the subject to terms easily understood by the man of average education.

All of the principal systems of steam, hot water and vacuum heating, together with the up-to-date methods of ventilation and the fan or blower system of heating and ventilation, are simply and clearly described. The author has rather commented on than criticised the various systems in use at the present time, and aims to instruct the steam fitter in a practical way regarding their application and installation. Together with the foregoing, the many tables, rules, etc., given at the end of the volume, should make this a very valuable and instructive reference book for the contracting steam fitter.

ENGLISH AND WELSH CATHEDRALS.

By Thomas Dinham Atkinson. Illustrated by Walter Dexter, R. B. A. XXXV + 370 pages. Cloth. Little, Brown & Company, Boston, Publishers. Price, \$3.50 net.

In this very beautiful book the author has sketched the histories of the Cathedral Churches of England and Wales in their broader aspects, connecting each as far as is possible with the main stream of architectural history. The result is a volume of highly interesting information presented in a most readable manner. In order to carry out his scheme of arrangement, Mr. Atkinson has treated the Cathedrals in groups: First the Canons' Churches, of which St. Paul's, Winchester, Salisbury and Exeter are notable examples; then the Monks' Churches, the Foundations of Henry VIII, and the New Sees. Although the form of the book is that of a history, the author has approached the subject from his own point of view, which is that of an architect and constructor.

The book is beautifully illustrated with 20 color plates, 20 plates in monotone, and 48 plans. It will be of great interest to those

travelers who have visited the old Cathedrals and are thus familiar with them; and for those who are unfamiliar with the Churches the book gives in its text and illustrations much very valuable and interesting information. The arrangement will be found very satisfactory and convenient for the general reader as well as the student.

ANALYSIS OF PAINT AND VARNISH PRODUCTS. By Clifford Syer Holley. Small 8vo; VIII + 292 pages, illustrated. Cloth. New York: John Wiley & Sons. Price \$2.50 net.

As in the case of many other prepared or ready-mixed products, large quantities of paint are sold to-day more on the strength of the vigorous advertising by the manufacturers than on the merits of the article itself, and the many instances of detected fraud have resulted in numerous state laws requiring that the composition of each paint product be printed on the label. These laws and the discussions resulting therefrom have done much to stimulate the chemical analysis and research work with the various paint products. Many new combinations are being placed on the market, and in spite of the labels, the consumer must rely on the chemist for his knowledge of their value and suitability for use. The paint chemist of to-day must therefore be not only accurate, but capable of securing results with the greatest possible rapidity.

In this volume the author has presented methods which he has found to be accurate and at the same time rapid and convenient. Many new methods are introduced with many new paint products whose properties are discussed, and a large amount of data relative to the composition of the various paint specialties to be found on the market has been included.

MECHANICAL EQUIPMENT OF FEDERAL BUILDINGS UNDER THE CONTROL OF THE TREASURY DEPARTMENT. By Nelson S. Thomas. Cloth. 6 by 9 inches. 278 pages and diagrams. Baltimore: Williams and Wilkins Company. Price, \$2 net.

This book contains a mass of technical information which is collected under several chapter heads and carefully referred to by an index in the back of the volume. The index is sub-headed, with references to the various portions of the book. The subjects included are heating and ventilation; plumbing, drainage and water supply; gas piping; conduit and wiring systems; lighting; elevators; small power plants; motors and controlling apparatus; vacuum cleaning systems, and operating data. In an appendix under the head of

(Continued on page 21.)

Advertisements.—When writing Advertisers, please mention *Architecture and Building*.

Barrett Specification Roofs

A Mile of Barrett Specification Roofs

The wonderful Bush Terminal in Brooklyn, illustrated below, includes 181 buildings, comprising tremendous warehouses, enormous pier sheds for docking ocean steamers, huge factory buildings, a large modern power house and an enormous freight structure.

These buildings stretch for a mile along New York harbor. Their total roof area is 3,100,000 square feet—more than seventy acres.

This entire area was covered with Barrett Specification type of roofs for the following reasons:

1. Low first cost.
2. No maintenance expense such as painting, etc.
3. They are not injured by steam, gases and acid fumes.
4. They are fire retardant and take the base rate of insurance.
5. The net unit cost, that is, the cost per foot per year of service, is lower than that of any other type.

Although some of the buildings are fifteen years old, the roofing contractor states that the expense for maintenance of this entire roof area has been less than \$10.00. He estimates that if metal or ready roofings had been used, it would have been impossible to keep the buildings free from leaks and that the painting bill alone up to date would probably have amounted to at least \$50,000.00.

We wrote to the Bush Terminal Company, asking what they thought about Barrett Specification Roofs. The Vice-President replied:

"We use this kind of roofing because our experience has shown it to be the best and cheapest. Our analysis of first cost of application and cost of maintenance entitles us to speak with some measure of authority."

We shall be pleased to mail architects, engineers or owners of buildings copy of the Barrett Specifications with diagrams from which blue prints can be made. Address nearest office.

BARRETT MANUFACTURING COMPANY

New York Chicago Philadelphia Boston St. Louis Cleveland Pittsburgh
Cincinnati Kansas City Minneapolis Seattle Corey, Ala.
The Paterson Mfg. Co., Ltd.—Montreal Toronto Winnipeg Vancouver St. John, N.B. Halifax, N.S.



Advertisements.—When writing Advertisers, please mention Architecture and Building.

Art and Architecture

ARCHITECTURAL LEAGUE 28TH ANNUAL EXHIBITION.

The exhibition will be held in the galleries of the American Fine Arts Society, 215 West 57th Street, beginning February 2d and ending February 22d.

The last day for the entry of slips is Monday, December 30, 1912. These slips may be obtained from the secretary, as well as a circular of information giving full particulars for exhibitors, and information concerning members of the jury of selection and the prizes to be awarded.

The annual dinner of the Architectural League will be held on Friday, January 31st, and the reception on February 1st from 3 to 6 P. M., the public exhibition opening the next day. The regular admission fee is 25 cents, while on Saturdays the exhibition is free to the public.

Mr. Frederick Crowninshield, who was formerly Director of the American Academy in Rome, gave a talk illustrated with lantern slides concerning Municipal Art in Italy, in the galleries of the National Arts Club, on December 11th. This address was held under the auspices of the Municipal Art Society, and was delivered before a large and interested audience.

The Municipality of Wilmington, Ohio, is in the market for plans and specifications for a memorial building. They would be pleased to hear from architects within the next thirty days. Information may be obtained from Mr. J. W. Lawhead, of Wilmington, Ohio.

The Winter Exhibition of the National Academy of Design, which opened in the galleries of the American Fine Arts Society on Saturday, December 14, will continue until Sunday, January 12, 1913.

At the annual meeting of the San Francisco Chapter A. I. A. held on October 17, 1912, Mr. George B. McDougall was elected president, Mr. Edgar A. Matthews, vice-president, and Mr. Silvain Schnaittacher, secretary and treasurer. Mr. William Mooser and Mr. W. B. Faville were elected trustees. Following the election of officers, there were appointed various committees for the conduct of the Society's activities during the coming year. The meeting was well attended, and besides the usual reports of officers, several matters of general interest were presented.

ADDRESS BY AUSTIN WILLARD LORD, NEW DIRECTOR OF THE SCHOOL OF ARCHITECTURE, COLUMBIA UNIVERSITY.

On the occasion of a social meeting of the alumni architects of Columbia University on October 22d, Director Lord gave an address which was in the nature of an inaugural. His remarks, which are too extensive to be published here in full, were very interesting, and his definition of an architect is a good one.

"A man to be an architect should have a trained sense of proportion which should enable him to combine beautifully materials to be used in construction."

Mr. Lord outlined the forces that work to produce architecture and discussed the method of architectural teaching, suggesting that to organize the profession there should be one central school of art in this country which would develop the student under the most favorable conditions. Going further, he outlined the methods which he personally was endeavoring to follow and defined his purposes very clearly.

A COMPETITION.

The Congress of Haiti has appropriated the sum of \$100,000 for the construction of a new palace at Port-au-Prince, and will award first, second and third prizes of \$500, \$250, and \$200 to Haitian and foreign architects and engineers. American architects who wish to compete are required to send their plans to the Department of Public Works, Port-au-Prince, Haiti, before February 4, 1913. Further particulars may be obtained by addressing Franklin Adams, Chief Clerk of the Pan-American Union, Washington, D. C.

THE ELTINGE THEATRE.

To suit the nature of the playhouse, the decorations in the Eltinge Theatre are of a novel and interesting character, and they are lavishly and artistically carried out. Arthur Brounet, of 1133 Broadway, New York, is the artist who brought to accomplishment the mural paintings and decorations which attract and hold the eye in this interesting playhouse.

Another interesting feature of the theatre is the semi-indirect lighting which is accomplished by "Equalite" glass shades and lighting fixtures. The great central light over the auditorium is an unusually large piece of glass, being 72 inches in diameter and handsomely decorated. It presents a beautiful appearance from the suffused light, and effects a splendid lighting of the interior, displaying the decorations and proscenium painting by Arthur Brounet to the best advantage. Bayley and Sons, of 36 West 28th street, manufacture this glass.

ENGINEERS' DIRECTORY

FRANCIS W. COLLINS

Assoc. Mem. A. S. C. E.
Mem. A. I. M. E.

CONSULTING ENGINEER

50 CHURCH ST., HUDSON TERMINAL
NEW YORK CITY

Investigations, Valuations,
Scientific Organization and Management

HOWARD M. INGHA

MEM. AM. SOC. M. E.

Industrial Engineer

SPECIALIST IN THE
INSTALLATION OF

Simple, Direct, Effective Methods
of
Office Management

160 FIFTH AVE., NEW YORK

Thomas Bruce Boyd

Bank Equipment Specialist

286 Fifth Avenue
New York

Telephone Madison Square 6681

FREDERICK S. HOLMES

Bank Vault Engineer

2 Rector Street, New York

(Book Reviews, continued from page 18.)

"commercial practice" is much information concerning factory heating and various heating appliances; a chapter on heating and forced circulation by hot water from a central station; one on general instructions issued to draftsmen by the chief mechanical and electrical engineer in the office of the Supervising Architect, and a chapter of suggestions to superintendents of construction.

The book is one that will prove of great value to the architect who supervises his own construction and other superintendents in charge of building mechanical equipments.

FRESH AIR AND HOW TO USE IT. By Thomas Spees Carrington, M.D. The National Association for the Study and Prevention of Tuberculosis, publishers. Cloth, 5½x8; 250 pages, 150 illustrations. Price, \$1.00.

This book enters into the architectural field, as it shows and describes every conceivable development of outdoor porch or sleeping room or device which has been devised for the fighting of tuberculosis. In text and by illustration all subjects are clearly presented. The chapters cover ventilation, describing methods of screening and utilizing the open window, window tents, which tell of every useful device,

roof bungalows, wall houses and frames for city use, temporary fresh air porches, permanent sleeping porches for the city. Further chapters deal with protecting screening porches, tent and tent houses, air bungalows and cottages. Further are suggestions for planning new houses, open air apartments and plans and illustrations of roof playgrounds for children, while part of the book is devoted to the subject of clothing, bedding and furniture.

Often the architect is called upon to open air quarters for the tubercular, and there is no doubt but that this book broadens his ideas and offer him suggestions to meet any condition.

REPAIR KINKS FOR PLUMBER Martin L. Kaiser. Cloth, 69 pages, illustrated. Second edition, revised and enlarged. New York: The David White Company. Price, 50 cents.

This is a handbook of information on construction and repairing of appliances, domestic water supply and waste disposal. It is a reprint from the Metal Worker, Iron and Steam Fitter. As the subject of plumbing work is much too large covered in any one book of practical nature, this little volume deals only with the subjects that have to be undertaken by the plumber and his workmen in their daily work.

Advertisements.—When writing Advertisers, please mention Architecture and Building.

Fireproofing and Fire-Protection

MR. G. H. STEWART

A FIRE WITH A LESSON.

The firm of Emerson-Brantingham Co., Rockford, Ill., have had a fire—not an unusual occurrence for plants of this magnitude, nor for any plant, but this fire has been considered peculiar because it happened in a fireproof (so-called) building.

The building was a three-story reinforced concrete structure with open stairway and interior trim and office furniture of wood, occupied as general office, show room, supply room and dining hall.

The details of the fire having been delineated in the report of the National Fire Protection Association, and commented upon in the November issue of this magazine, it will not be necessary to state them again. There was, however, a lesson taught by this fire which will have its effect upon the future equipment of buildings.

There was, to the casual observer, very little to burn in this building, but the burning of that little caused a big loss, and that is the peculiarity referred to, for in the eyes of most people the building was absolutely fireproof, and everything had been done in the way of making it safe.

It is gratifying to know that the experience of the loss had a proper effect upon the sufferers, and instead of merely replacing the burned or damaged property they went a step further and safeguarded against a future happening of like kind.

The following letter written by the superintendent of the above firm carries a message to every one which cannot be ignored if immunity from the ravages of fire is sought.

Rockford, Ill., November 19, 1912.

Architecture and Building.

New York, N. Y.

Gentlemen:

Replying to yours of the 4th, would advise that after our office fire in January, we equipped the building with Automatic Sprinklers. These sprinklers were installed by the Automatic Sprinkler Co. of America. Niagara heads were used, and they are hung pendent, which allowed the pipe to be placed close to the ceiling. The building in which this fire occurred was a reinforced concrete and brick structure. Therefore, there was nothing but the partition work and office furniture to burn. These partitions and furniture being made of veneered oak, caused a very hot fire. We really had no idea that it was possible for a fire to occur in this office building, and therefore was not equipped with fire pails and extinguishers, as we are in the factory buildings.

We have installed steel partition work and steel furniture throughout the building, therefore there is not much need of a Sprinkler Equipment.

Yours truly,

EMERSON-BRANTINGHAM CO.,

W. C. Squier, Supt.

The expressions in this letter regarding the possibility of fire in a structure of this type are not original with this firm; it is a prevailing opinion among builders and is steadfastly adhered to by many people who are intelligent enough to read, and who have access to the data that could prove differently, that the building is all that it is necessary to fireproof and the contents, being in the building, are all right. There can be no greater mistake than this, as this letter proves, for the acknowledgment of the necessity of replacing the wood furniture with metal is strongly evidenced by the fact that they have made this change. There are two truths concerning fires that must be borne in mind—all

(Continued on page 26.)



FIRE PROTECTION

Send for Catalogue and Prices on

FIRE APPLIANCES

BUILDINGS RECENTLY EQUIPPED:

Bankers Trust Building
Madison Square Building
Germania Life Insurance Building
Bonwit Teller Building

Schweiner Press Building
Butterick Publishing Co. Building
Hotel Plaza
B. Altman & Company

THE SAFETY FIRE EXTINGUISHER CO.

291-293 Seventh Avenue, New York

Telephone Madison Square 3356-3357



Advertisements.—When writing Advertisers, please mention Architecture and Building.

PROTECTED FROM FIRE BY



The valuable papers and records of the Bankers Trust Co. are stored in the pyramidal top of the new structure. Taking lesson from the Albany State Capitol fire of March, 1911, in which priceless documents were annihilated, and the Equitable fire of January, 1912, which tied up the entire financial district for a week, the record vaults in this building have been equipped with

GRINNELL Auto-

matic Sprinklers, supplied with water from three independent sources. In addition to this, the basements of the building are protected by the same means. Thus, the place where fire is most likely to start, and the place where a small fire would wreak the greatest destruction, have both been fitted with apparatus to discover and put out this fire before it can do serious damage.

Our little publication, **AUTOMATIC FIRE PROTECTION**, shows how the sprinkler system makes use of the heat of the incipient fire to Make the Fire Commit Suicide. It will take but a moment of your time to send for your copy—Do it today—before it slips your mind.

General Fire Extinguisher Company

Providence, R. I., and Principal Cities

Steam and Hot Water Heating and Power Piping Systems Laid Out and Installed

40-107



SHOWING SPRINKLER WITH THE TWO HALVES OF THE STRUT SOLDERED TOGETHER.

ROCKWOOD SAFETY LOOP SPRINKLER



SHOWING HOW THE TWO PARTS OF THE SOLDERED STRUT SPRING APART ONLY AFTER THE LUMP OF SOLDER IS MELTED AWAY FROM THE LOOP.

THE ROCKWOOD SPRINKLER IS UNIQUE IN THAT THE TWO PARTS OF THE SOLDERED LINK ARE HELD TOGETHER, NOT MERELY BY A SWEATED SOLDERED JOINT, BUT BY COVERING THE END OF THE LEVER WITH A SMALL PIECE OF SOLDER WHICH IS MECHANICALLY BOUND TO THE STRUT BY A LOOP OF WIRE RIVETED THROUGH ONE PART OF THE LINK.

THE ROCKWOOD SPRINKLER IS THE ONLY APPROVED HEAD THAT IS INCAPABLE OF OPENING ITSELF BY THE BREAKING OF THE SOLDERED JOINT, WHICH MUST ABSOLUTELY MELT TO OPEN. IT IS THUS IN A CLASS BY ITSELF, SUPERIOR TO ALL OTHERS.

ROCKWOOD SPRINKLER CO. OF MASSACHUSETTS

MANUFACTURERS, ENGINEERS AND CONTRACTORS FOR COMPLETE SPRINKLER EQUIPMENTS USING WET OR DRY SYSTEMS.

38 HARLOW STREET

WORCESTER, MASS.

NEW YORK - - 123 WILLIAM STREET
BOSTON - - 141 MILK STREET
BUFFALO - - 300 PRUDENTIAL BUILDING

CHICAGO - 3604 SOUTH MORGAN STREET
SEATTLE - - 208 COLUMBIA STREET
MONTREAL - - 141 ST. MAURICE STREET

Advertisements.—When writing Advertisers, please mention Architecture and Building.

Enameled Brick in Standard Colors and Sizes BRIGHT AND MATT FINISH

Permanent
Office
Buildings,
Apartments
and Stores,
etc., erected
for over fif-
teen years
stand up in
evidence of
the dur-
ability of



Store and Apartment Building, 12th St. and Lackawanna Ave., Chicago, Illinois

"AMERICAN" ENAMELED BRICK

FOR EXTERIOR AND INTERIOR USE

WRITE FOR SAMPLES AND LITERATURE

American Enameled Brick & Tile Co., ¹¹⁸² Broadway, New York



BAMBERGER STORE NEWARK, N. J.

Protected by the

NEWMAN WATCHCLOCK SYSTEM

Another Evidence of

Newman Clock Company

*Makers of Watchman's
for forty years*

New York Montreal London

Advertisements.—When writing Advertisers please mention Architecture and Building.

MAGAZINE READERS

Our 1912-13 Subscription Catalog is the most complete magazine catalog ever offered to the magazine buying public. It contains thousands of special offers that will save you money.

Cosmopolitan - - \$1.50 } All for
Good Housekeeping 1.50 } **\$3.45**
Hearst's Magazine - 1.50 }

\$4.50

The Concrete Age - \$1.00 } All for
Sunset Magazine - 1.50 } **\$3.65**
Review of Reviews 3.00 }

\$5.50

World's Work - - \$3.00 } All for
Cosmopolitan - - 1.50 } **\$4.75**
Lippincott's - - 3.00 }

\$7.50

You could not give a more appropriate Christmas Gift than a good magazine. Send for a copy of this catalog before you place your order.

Agents wanted everywhere

BEVIL SUBSCRIPTION AGENCY

Agents for Publications the World Over
ATLANTA **GEORGIA**

E. SKANNEL

Steam and Hot Water HEATING

3281 Broadway & 651 W. 131st St.

NEW YORK

*Contractors for Heating
and Ventilating
for following apartments
illustrated in
this issue*

(GAETAN AJELLO, Architect)

The Regnor, 601 West 115th Street
 The Luxor, 500 West 115th Street
 The Rexor, 600 West 116th Street

fires have small beginnings, and fire must have fuel in order to keep burning. The first truth is part of the Extinguishment Theory, which advocates the application of water at a fire's incipency and thus prevent, heavy loss, while the second is part of a Prevention Theory that states, "if fire has nothing to feed upon it will not continue to burn and no damage results," therefore the last should be first and the first last if the best results are to be obtained.

The installation of metal trim and furniture in this building shows a progressive spirit in this firm that is well worth copying by others, for although it required a fire to teach them a lesson, their act proves the theory that they entertained as to the cause of its spread and the resultant damage.

The sprinkler installation is but a natural consequence after a fire here, for the remainder of the plant was sprinkled and its extension to this building is a matter of small cost as compared to the whole. The sprinklers would now put out the fire, but the metal furniture and trim have also made the fire impossible.

The use of metal furniture is undoubtedly a most necessary movement in the prevention of fires and will gain in favor, if instances as stated above can be brought to the public notice and the lesson heeded by those who are re-equipping plants after modern methods. Metal trim is coming into its own as it rightfully should, and this is only one instance of the acknowledgment of its virtues.

The making of fireproof buildings should not stop with the floors and walls, but should include all trim, partitions and furniture, for a building is not immune from fire damage unless its contents are such that will not feed a flame and cause it to grow.

Where burnable stocks are kept the danger is increased, but in buildings that are used for purposes that do not include these stocks metal furniture and trim give a sure protection.

(Continued on page 30.)

DUMB WAITERS INVALID LIFTS

Hand Power Elevators

The best line for Apartment Houses,
Hotels, Residences and Institutions

Write for Catalogue

Storm Mfg. Co., Newark, N.J.

Advertisements.—When writing Advertisers, please mention Architecture and Building.

The Annual Fire Waste in the U. S. exceeds \$230,000,000. It is estimated 75% of this loss is preventable and can be saved by the use of

AUTOMATIC SPRINKLER PROTECTION

Our business is the installation of Automatic Sprinkler protection; a complete fire fighting apparatus, operating automatically and only where the fire is located


"AUTOMATIC" SPRINKLER CO. OF AMERICA

Executive Offices

123 WILLIAM STREET (Underwriter Bldg.), NEW YORK CITY

Department Offices, in Large Cities

MINERAL WOOL FIRE SOUND VERMIN PROOF



CHEAP AND
EASILY APPLIED

United States Mineral Wool Co.

140 CEDAR STREET, NEW YORK

SAMPLES FREE



S. H. POMEROY CO.,

Successor to Voigtmann & Co., of New York

Manufacturers of Fire Windows

427 West 13th Street, New York

Practical demonstration at Washington St. March 25th, showing the integrity against fire utilized by Fire Dept. in fighting fires across the street. By virtue of closing automatically the shutters are constant and not subject to neglect as is the case with Fire Shutters.

KALAMEIN

WORK IN

COPPER

BRONZE

AND IRON

Knoburn Company

KALAMEIN DOORS

FIRE
UNDERWR
WORK
A SPECIAL

Office and Factory

365 14th Street

HOBOKEN, N. J.

Advertisements.—When writing Advertisers, please mention Architecture and Building.



**LEIMAN BROS. BLOWERS
AND VACUUM PUMPS**

1 oz. to 10 lbs. pressure; 1 to 20 inches vacuum;
capacities 2 to 338 cubic feet per minute
Used with Oil and Gas Appliances, Agitating
VACUUM CLEANING, ETC.

Catalog No. 59—Blowers Catalog No. 60—Vacuum
**LEIMAN BROS., 62 H JOHN STREET
NEW YORK**



LIFE INSURANCE CO. OF VIRGINIA
Clinton & Russell, Architects

**THE METAL COVERED WINDOWS AND
DOORS FOR THIS BUILDING WERE
FURNISHED AND INSTALLED BY**

THE KALAMEIN COMPANY

Office and Factory
**10th STREET, NEAR VERNON AVENUE
LONG ISLAND CITY, N. Y.**



THE PEELLE

Underwriters
Conterbalanced

FIRE DOORS

Are Installed in Freight
Elevator Openings throughout

**BAMBERGER'S
DEPARTMENT STORE
NEWARK, N. J.**

WHY ?

They Save Space and are a
Sure Protection Against Fire
and Accident.

See pages 710-715 Sweet's Index

The PEELLE CO.

**123 LIBERTY STREET
NEW YORK CITY**

Advertisements.—When writing Advertisers, please mention Architecture and Building.



Phone, Melrose 5184

Star Fire Proof Door and Sash Co.

INCORPORATED

MANUFACTURERS OF

Bronze, Copper and Iron Kalamein Work
Copper and Bronze Store Fronts a Specialty
Approved Underwriter Doors

OFFICE AND FACTORY

2650-52 PARK AVENUE NEW YORK CITY

*Copper Store Front erected in L. M. BLUMSTEIN Building



COPPER CABLE CHAIN

Thomas Morton,
169 Elm Street, New York.

Copper Cable
Steel " "
Champion Metal
Steel Champion

} **SASH CHAINS.**



CHAMPION METAL CHAIN

CHAINS For Suspending Heavy Doors, Gates, etc.
ALL of SUPERIOR QUALITY.

IN THE NEW

Hotel Statler

Cleveland, Ohio

Steel Doors,
Bronze Doors
and Trim

were furnished by the

**Interior Metal Manufacturing
Company**

JAMESTOWN, N. Y.

Hoegger's SURELOCK Door Fasteners

PATENTED



Surelock Door Protector in place with door partly open



In use as a bolt or lock.

The Hoegger Surelock is being used extensively in apartment houses, private residences and hotels, instead of the old fashion chain and bolt.

Manufactured by J. A. HOEGGER
41 Hutton Street, Jersey City, N. J.

Also manufacturers of Bath Room Accessories, Nickel and White on Brass, Metal and Wood Medicine Cabinets. A specialty in installing the above on file, etc.
Send for prices and circulars of Surelock and Medicine Cabinets



Modern Building Methods

One of the most modern is illustrated above—a method which will admit of the erection of a fire-proof building with a speed which makes up the difference in cost over ordinary wood lumber.

Berger's Metal Lumber

replaces wood as a structural material, stick for stick. When measurements are furnished we cut the members the exact size at our factory, numbering each part and furnish working drawings to facilitate easy erection.

Write the nearest Berger Branch for our Metal Lumber Catalog

THE BERGER MFG. CO., Canton, Ohio
NEW YORK BOSTON MINNEAPOLIS
SAN FRANCISCO ST. LOUIS PHILADELPHIA

For the best service address nearest branch
Also manufacturers of Prong Lock Studs and Furring, Rib-Trus, Ferro-Lithic and Multiplex Reinforcing Plates, Expanded Metal Lath, Sidewalk Forms, Metal Cell'ngs, Raydiant Sidewalk Lights, etc.



Memphi FRESCO PAINT

USED THROUGHOUT
U. S. RUBBER
BUILDING
NEW YORK
ALSO ON OVER
\$200,000,000.00
WORTH OF OTHER
PUBLIC BUILDINGS.

Write for Architect's Portfolio

"THE MOST BEAUTIFUL FLAT FINISH MANUFACTURED."

THE VELVETY TONES OF WATER COLORS
WITH DURABILITY OF OIL PAINTS

De Soto Paint Mfg. Co.

Memphis

NEVEN SPARKS LAMB

Eastern Distributor

140-151 Church Street

New York

LARGE STOCK ALWAYS ON HAND

The lesson before us is too obvious to escape, and the future should show a marked improvement in the equipment of buildings due to this fact.

The Emerson-Brantingham Company acknowledge that wooden furniture and trim must be replaced by metal if immunity from fire damage is to be expected, and we venture to remark that this should be good enough proof for any one.

FOREST FIRES.

The U. S. Department of Agriculture, Forestry Service, Bulletin No. 117, relates to forest fires and causes, extent and effects, with a summary of recorded destruction and loss, by Frederick G. Plummer. Another pamphlet, Bulletin 113, deals with methods and apparatus for the prevention and control of forest fires as exemplified on the Arkansas National Forest, by Daniel W. Adams. These two papers are of great value to the lumber industries and should be procured by every one interested in that line.

FIRE LOSSES.

The carefully compiled records of the Journal of Commerce and Commercial Bulletin show a total fire loss for the month of November in the United States and Canada amounting to \$16,172,300. This loss is nearly two and one-half millions less than for the same month last year, and brings the total for the eleven months of 1912 up to \$207,353,900, a total which is more than four and five millions less respectively than in 1911 and 1910 for the same period.

Last month we commented on the English fire loss, and while our figures were correctly stated, our comparisons were somewhat at fault in the transcription of pounds into dollars. While the British fire loss for September is £300,700, the loss of the United States and Canada for the month amounted to \$13,779,300, a vast difference in totals.



YOU should see and know contents of pages 6, 7 and 8 of our New Catalogue of Gorton Side Feed Boilers.

We would feel under obligations if you will send for it at once—to-day.

GORTON & LIDGERWOOD CO.

96 Liberty St., NEW YORK

Boston, 182 High St.

Chicago, Fisher Bldg.



Two Family and Twin Houses

The planning of this class of dwellings has been given special attention; also their heating, lighting and sanitation. The sixty plates show a large variety of designs, and two detailed specifications are given.

Illustrated, boards. Price, \$2.00

THE WM. T. COMSTOCK CO., Publishers
23 Warren Street, New York

THE NEW "McCabe No. 5" Hanger



For Elevator and Parlor Doors

Easiest Running
Largest Ball-Bearing
Quietest & Most Efficient

Send for Price and Particulars to

McCabe Hanger Mfg. Co.
532 West 22d Street, New York City



INSURE PERFECTLY HUNG DOORS

Friction is eliminated by the steel bearings, and the door swings smoothly and softly without creaking or binding. These butts have

NON-RISE PINS

which will not work out of the joint.

Write for artistic and instructive booklet "Properly Hung Doors."

"DEPARTMENT B"
THE STANLEY WORKS
NEW BRITAIN, CONN.

Dixon's Silica-Graphite Paint

Protects the structural steel work contained in such important buildings in New York City as the McAdoo Terminal Buildings; American Woolen Company's Building; Gimbel Department Store; Savannah Bank & Trust Company's Building, Savannah, Ga.; the Royal Insurance Company's Building, San Francisco, Cal., and numerous other structures.

Write us for "Notable Building List," and other paint literature

Joseph Dixon Crucible Co., Jersey City, N. J.

SKYLIGHTS

Without packing or filling substance—Of GLASS and METAL ONLY—ABSOLUTELY and PERMANENTLY PROOF AGAINST LEAKAGE.

WE BUILD THEM RIGHT.

National Ventilating Co.

Phone: 1422 Mad. Sq.

339 E. 26th St., N. Y. City

Industrial Progress

A CATALOGUE OF SPRING HINGES.

The Chicago Spring Butt Company who have put their 30 years' experience as manufacturers of spring hinges to good advantage in the constant improvement of their various products, have issued a new catalogue, No. E29, which deals with the most complete line of spring hinges manufactured. Herein an architect or builder will be able to find hinges adapted to all the various requirements of a building, and in ordering have the assurance that he is getting materials of standard quality. The catalogue is well illustrated and contains tabulated information of the products with prices. Its central memoranda sheets are a very useful feature.

The catalogue gives valuable information in regard to specifying spring hinges, and the specification of lavatory hinges and fittings has been so simplified that the trade will have no difficulty in getting just what they require to meet the most varying conditions.

The Chicago trade mark is becoming well-known and it may be seen by those who are interested, on the hinges and trim of a very

large number of our modern buildings. A letter of inquiry to the Chicago Spring Butt Company, of 334-340 Union Park Court, Chicago, will bring one of these catalogues to you at once.

INCLINED ELEVATORS.

The Otis Elevator Company has just issued a very carefully prepared catalogue illustrative of their inclined elevators, loading machines of various types and various forms of carriers. The arrangement of the catalogue shows a photographic illustration of the type of carrier on the left-hand page and on the opposite side of the page a side elevation drawing which clearly explains the arrangement of the mechanism.

Another pamphlet issued by the Otis Company is entitled "Elevator Service" and suggests the means of proper elevator maintenance, inspection and use of lubricants. This is a very valuable pamphlet and one that should be in the hands of every building superintendent and elevator operator or engineer, as it suggests the proper lubricants for use in the various parts of an elevator machine. These books may be obtained by addressing the Otis Elevator Company, Eleventh avenue and 26th street, New York City.



Rubber Matting and Perforated Mats

The Most Sanitary and Durable Floor Covering for Public Buildings.

Furnished by

N. J. CAR SPRING & RUBBER CO.

Jersey City, N. J.

ALSO MANUFACTURERS OF

Hose for Fire Protection Purposes. General Mechanical Rubber Goods and Automobile Tires.

INTERIOR MARBLE

Material and work the standard for 14 years. Our reputation the best positive evidence as to our superiority.

CORK & ZICHA MARBLE CO., - - 325-327 East 94th St., NEW YORK

Advertisements.—When writing Advertisers, please mention Architecture and Building.

JUST PUBLISHED
BOOKS ON
The MANUAL ARTS
A DESCRIPTIVE CATALOG

A VALUABLE reference book. Lists and describes 260 of the best books on the manual arts; includes all the standard and the best of the recent books.

MAILED FREE ON REQUEST—NO COST TO YOU AND NO OBLIGATION

Check the subjects you are interested in, fill in the blanks, clip and mail, and a copy will be sent to your address.

.....
 ..Agriculture ..Manual Training
 ..Building Arts ..Printing Arts
 ..Drawing, Mechanical ..Wood and Trees
 ..Household Arts ..Periodicals
 ..Pattern Making ..Art and Design
 ..Vocational Training ..Drawing, Architectural
 ..Art Crafts ..Elementary Handwork
 ..Decorative Arts ..Metal & Metalworking
 ..Drawing, Machine ..Plastic Arts
 ..Woodworking

Name
 Position
 Street
 City
 State

THE MANUAL ARTS PRESS
 PUBLISHERS AND DEALERS IN BOOKS ON
 THE MANUAL ARTS AND KINDRED SUBJECTS
PEORIA ILLINOIS

Badger Quality



Copper Hot Water
BOILERS

are all that can be desired in a Range Boiler.

LONG LIFE
CLEAN WATER
Beautiful Appearance

Every boiler is tinned on the inside and guaranteed against leakage or collapse.

Write for Catalog

E. B. Badger & Sons Co.
BOSTON, U. S. A.

Star Safety Water Tube Boilers

For STEAM HEATING, HOT WATER HEATING and POWER PLANTS

HARRISBURG STAR BOILER CO., 1 Madison Ave., New York

WHY YOU SHOULD INSTALL THE STAR WATER TUBE BOILERS

- | | |
|--|---|
| <ol style="list-style-type: none"> 1 They occupy the smallest space 2 The small over-all height permits installation where headroom is limited. 3 The water line is extremely low. 4 When forced they will exceed their capacity 25 to 50 per cent. 5 For quick steaming they are unequalled. 6 They are easily cleaned. 7 When cleaned they are clean. | <ol style="list-style-type: none"> 8 They are absolutely safe. 9 No brick setting required. 10 They are easily and quickly installed. 11 Steel construction is used throughout. 12 Repairs can be made by any boilermaker. 13 They make absolutely dry steam. 14 The water level does not fluctuate. 15 The highest possible economy is obtained. |
|--|---|

THE MARBLELOID COMPANY


Broadway and 34th St., New York City
 Manufacture and Install

MARBLELOID-SANTAS
FIREPROOF FLOORING

An Ideal Flooring for
 Modern Fireproof Construction
 Artistic, Absolutely Sanitary, Elastic, Noiseless,
 Fireproof and Waterproof
 Approved by the New York City Building
 Department as Fireproof Material
 Applied directly to wood or concrete

Write for full information, references, etc.





FOLSOM'S
MODEL 1910.

THE SNOW GUARD ALLOWING
NO STRAIN ON THE SLATE

WHY NOT SEE IT?

A postal card will bring sample

Felsom Snow Guard Co. No. 4 Post Office Square
Boston, Mass.

Weather Vanes

Lightning Rods


Church Crosses

Flag Poles

and

Fittings

Etc.



Send for Catalogue

THOS. W. JONES

153 Maiden Lane
New York

Telephone Connection

ARTHUR GREENFIELD, Incorporated

REINFORCED CONCRETE FLOORS
IRON FURRING and METAL LATHING

Telephone Connection

204 EAST 26th ST. NEW YORK

LOCKWOOD and ALMQUIST

Time Service Engineers

'Automatic Elevator Dispatcher
Clock Systems, Special Timing Devices

Send for Cat. No. 22 1 Madison Ave., N. Y. C'ty

APARTMENT HOUSE AT 86TH STREET AND WEST END AVENUE.

A handsome feature of this well-planned apartment is the entrance hall which is treated in simple outline but is rich in decoration and coloring. The trim, door casings and wainscot are of marble, while the walls are hung in tapestry and the ceiling is a beamed effect ornamented in low relief. The decorations and hangings in this hallway and elsewhere in the house were carried out by John H. Hutaft, of 10 East 33d street, New York.

REFRIGERATORS.

Among the many fixtures which have been provided in the apartment building at 521 Park Avenue by Mr. William A. Boring, architect, none appeal more to the most discriminating than the refrigerators.

The smooth, solid oak cases without any paneling or mouldings are just right for the pantry or kitchen.




On opening the doors we find the food compartments just like a large china dish, snow white, with rounded edges and corners and without any joints or cracks. The sanitary permanence of these, which are each of one piece of solid porcelain ware, an inch or more thick and really unbreakable, is readily apparent; these having no joints or cracks or metal bands and screws or projection of any kind where dirt or moisture can lodge. They are just like and just as easy to wash as a china dish.

The five-inch thick walls strongly impress the economical operation of these refrigerators, which were made in Cincinnati by Tetttenborn & Co., whose New York office is at 1135 Broadway.



Advertisements.--When writing Advertisers please mention Architecture and Building.

Architects and Builders should investigate EVANS "CRESCENT" EXPANSION BO



WITH DOUBLE END GRIP EXPANSION
Constructed on NEW lines. Grip at BOTH ENDS, and on sides. Cannot work loose.

Send for Catalogue and samples screwed into blocks of wood or stone.

Agencies in all large cities **F. H. EVANS** (Patentee and Sole Manufacturer) 31-33-35 Hewes St., Brooklyn, N. Y.

No. 1, Steel Joist Hanger for Wood Header




Van Dorn's Steel Joist Hanger

IS THE BEST OBTAINABLE

Send for Catalogue and refer to this Magazine

THE VAN DORN IRON WORKS CO.
CLEVELAND, OHIO

Steel Buildings, Wrought Iron Fencing, Iron Bridges, Jail and Prison Work, Metallic Office Furniture, etc.



Established 1872

James H. Roberts Elevator Co. Telephone: 1705 E

Manufacturers of ELEVATORS and DUMBWAITE

Hand and Electric Elevators, Dumbwaiters, Sidewalk Hoists, Invalid Lifts, Carriage and Automobile Elevators

SPEED REDUCING MACHINERY and ELECTRIC CONTRACTING

Office: 430 West Broadway

NEW



THE WILLIAM G. MAHER CO

Carpenter Contractors

1133 BROADWAY

NEW YORK

BAMBERGER STORE, NEWARK, N. J., FOR WHICH WE WERE THE CARPENTER CONTRACTORS



"COUNTRY AND SUBURBAN HOUSES"

A Book Designed to Solve Your Building Proposition. 1912 Edition 9 x 12 inches, 150 Ill. Colonial, Artistic, Stucco, Half Timber, Bungalow, Mission and other styles of Architecture. General specifications, interior suggestions and practical information for the builder. Estimates of cost. Exterior and interior views, first and second floor all dimensions. Books are handsomely printed with half-tone illustration designs carefully selected.

Designs costing \$3,500 to \$30,000. Price \$2.00 prepaid.

Detailed plans prepared for new work or for remodeling old buildings

W. DEWSNAP, Architect

150 Nassau St., New York

The A. B. See Electric Elevator

Main Office: 220 Broadway, New York

PHILADELPHIA
Land Title Building
Broad and Chestnut Sts.

BOSTON
India Building
84 State St.

BALTIMORE
Stock Exchange Building
210 East German St.

WASHINGTON
Barrister Building
635 F St., N. W.

HARTFORD
Connecticut Mutual Building
36 Pearl St.

Advertisements—When writing Advertisers, please mention Architecture and Building

The United States Rubber Building Is As Artistic As It Is Fireproof



**U. S. RUBBER BUILDING
NEW YORK.**

*Carrere & Hastings Architects
Norcross Brothers Co., Gen. Contractors*

New York's highest uptown office building. Equipped throughout with the Dahlstrom Products. The floors above the thirteenth are inished in a true interpretation of African Mahogany. All other loors, excepting the first, finished n Mouse Gray. A perfect exemplification of the Dahlstrom service. Those interested will find his structure, as well as the hundreds of other Dahlstrom installations, worth studying.

THOSE engaged in the design and erection of buildings, however large or small the structures may be, are rapidly realizing that absolute fireproofing is an impossibility if they leave a perpetual invitation for an incipient fire to travel from its point of origin, from room to room, from floor to floor. This is by no means a technicality hard to express or understand. However great the precautions or expenditures, they are of but slight avail so long as it is possible for a fire to eat its way into other portions of a building.

The Dahlstrom Products in an otherwise fireproof structure simply mean the absolute elimination of all combustible interior trim. Fires may occur, but they starve themselves to death. This is inevitable. The Dahlstrom patented cold drawn hollow steel doors and trim are an impenetrable fire barrier.

While the quantity of evidence substantiating these statements that no building can be fireproof when equipped with inflammable trim is overwhelming, it is hard for some to stretch their imagination to the extent of believing that the installation of the Dahlstrom Products increases rather than diminishes the interior artistic possibilities. Even our interpretation and duplication of any known wood is more artistic than the wood itself. Aside from this, any conceivable color scheme or combination may be carried out, and on more permanent lines than is possible otherwise. It should be remembered, also, that a Dahlstrom finish is virtually a part of the metal itself. Each coat of paint is "baked on" in heated ovens. The finish is as permanent as it is artistic. No "word picture" is capable of conveying a true idea of a Dahlstrom finish. You must see an installation or samples which we shall be glad to furnish.

All in all, there are many important reasons why you should specify the Dahlstrom Products. It will cost you nothing to learn them.

Dahlstrom Metallic Door Company

Executive Offices and Factories

68 Blackstone Avenue Jamestown, New York

Branch Offices in All Principal Cities



Advertisements— When writing Advertisers, please mention Architecture and Building.

CORR-CONSTRUCTION

Dependable——Economical——Firepro

Materials and Methods for every
class of Reinforced Concrete Structure.

We Are Specialists in Reinforced Concrete Constructi

with a record of 21 years without a failure. One of the several types of Corr-Construc
which we have perfected is the Flat Slab

CORR-PLATE FLOOR



Dodge Brothers Warehouse, Detroit, Mich.
Smith, Hinchman & Grylls, Architects

A floor of maximum strength for a given quantity of material, and of uniform strength
points. Its great strength is due to the proper arrangement of a type of reinforcement t
recognized as standard the world over—our **Corrugated Bars**.

CORR-PLATE FLOORS

find their special field of application in **buildings for goods**, such as **WAREHOUSES** an
dustrial Buildings. Send for our **CORR-PLATE BULLETIN**.



CORRUGATED BAR COMPANY

412 Mutual Life Building

Buffalo, N. Y.

New York Chicago St. Louis

CORR-PL
CORR-BAR
CORR-LINE
CORR-PLATE
CORR-TILE
CORR-BAR
CORR-ME



SODA FOUNTAIN, BAMBERGER STORE, NEWARK, N. J.

Manufactured by

Haussling Soda Apparatus Manufacturing Co.

Soda Water Apparatus - Carbonators - Soda Fountain Sundries

Also a large line of rebuilt fountains always on hand. Write for prices and terms.

24-26 ARLINGTON STREET - NEWARK, N. J.

The New Jersey Terra Cotta Co.



Apartments, N. W. Cor. 115th Street and Broadway
Mr. Gaetan Ajello, Architect

MANUFACTURERS OF

ARCHITECTURAL TERRA COTTA

Singer Building, New York

**Furnished Terra Cotta for the following
Paterno Apartments:**

- 1 12 Story Apartment
Northeast Corner 116th Street and Riverside Drive.
- 1 12 Story Apartment
Southeast Corner 116th Street and Riverside Drive.
- 1 12 Story Apartment
Southwest Corner 116th Street and Broadway.
- 1 12 Story Apartment
Northwest Corner 115th Street and Broadway.
- 1 12 Story Apartment
South Side of 116th Street, 175 ft. West of Broadway.
- 1 12 Story Apartment
South Side of 116th Street, 100 ft. West of Broadway.
- 2 12 Story Apartments
East Side of Riverside Drive, 187 ft. North of 116th St.
- 1 12 Story Apartment,
West Side of Claremont Ave., 225 ft. North of 116th St.

Works: Perth Amboy, N. J.



Mansfield, Ohio, residence of
Mr. Fred T. Bristol

Leading Architects Specify

some system of vacuum cleaning for all better class buildings, private as well as public. It is significant that during the past year

TUEC Stationary Vacuum Cleaner

has been specified and installed more frequently than all other stationary vacuum cleaning systems together. Its large peripheral fan directly connected to motor, its simplicity of design, its staunchness of construction, its extraordinary record for efficiency, its no less remarkable record for economy of power and up-keep combine to make the TUEC attractive alike to architects and owners.

For architects and engineers we have prepared an authentic reference book, "Vacuum Cleaning, Volume 2," for use in calculating Velocity, Vacuum Losses and other necessary in drawing the specifications for vacuum cleaning installation.

WRITE FOR YOUR COPY TO-DAY

The United Electric Company

34 HURFORD STREET,

CANTON, MASS.

It *Begins* and it *Finishes* your work

This is exactly what is done by the

Remington

Adding and Subtracting Typewriter (Wahl Adding Mechanism)

The machine which writes but doesn't add, stops half way.
The machine which adds but doesn't write, stops half way.
But the *Remington-Wahl* machine doesn't stop half way. It is

the One Machine Which Does it All.

Visible Writing

Visible Adding

Remington Typewriter Company

(Incorporated)

New York and Everywhere



Advertisements.—When writing Advertisers, please mention Architecture and Building.

HIGGINS'

**DRAWING INKS
ETERNAL WRITING INK
ENGROSSING INK
TAURINE MUCILAGE
PHOTO MOUNT PASTE
DRAWING BOARD PASTE
LIQUID PASTE
OFFICE PASTE
VEGETABLE GLUE, Etc.**


Are the Finest and Best Inks and Adhesives
Emancipate yourself from the use of corrosive
and ill-smelling inks and adhesives and adopt
the **Higgins' Inks and Adhesives**. They
will be a revelation to you, they are so sweet,
clean and well put up.

At Dealers Generally

CHAS. M. HIGGINS & CO., Mfrs.
Branches: Chicago, London
271 Ninth Street Brooklyn, N. Y.




WEATHER VANES




Send for
Catalogue

E. G. Washburne & Co.
209 FULTON STREET, NEW YORK



Work Shops



Of wood and metal workers,
without steam power, equipped
with

**BARNES' FOOT POWER
MACHINERY**

allow lower bids on jobs and
give greater profit on the work.
Machines sent on trial if desired.

Catalogue free

W. F. & John Barnes Co.
566 Ruby Street, Rockford, Ill.

Andrea Gnibene

PAINTER-DECORATOR

Office
174 W. 109th Street NEW YORK CITY

Telephone Schuyler 3840

John Wegmann

Painter and Decorator

2291-2293 BROADWAY
NEW YORK

ALBERTO BUCCINI

COLORIST

Art Interior Decorations

347 FIFTH AVE., NEW YORK

HANGINGS, MURAL PAINTING, ART
DRAPING AND GENERAL ASSEM-
BLING OF ANY STYLE AND PERIOD

Original Designs and Estimates on Request


ISAAC COHN

Decorator and Painter

EXCLUSIVE LINE OF

IMPORTED AND DOMESTIC
PAPERS

892 Broad Street, Newark, N. J.



Consolidated Chandelier Co.
132-136 West 14th St.
New York City

Manufacturers and
Designers of
Lighting Fixtures

Send for list of high class apart-
ment houses and public build-
ings which we have equipped.

Telephone 1900 Chelsea



Carter, Black & Aye

FRONT ENAMELED BRICK HARVARD VELOUR

HOLLOW TILE

For Stucco and Brick Veneer Houses

VITRIFIED AND HARD BURNED BLOCKS

Phones { 7613 } Madison Sq.
 { 7614 }

1182 Broadway, New

60 Ritz-Carlton Hotel, N. Y.

All front brick furnished by us.



Residence W. C. Sanderson, South Orange, N. J.

Monument Plaster

Manufacturers of

WALL PLASTER and
ORIENTAL STUCCO

Brick Mortars and any Color Sand Fin
Interior Work

WRITE FOR BOOKLET

Office and Factory, HARRISON,



LUXURIOUSLY SIMPLE

SIMPLY LUXURIOUS

ONE OF THE MANY CHAIRS IN L. BAMBERGER'S
SUPPLIED BY

JACOB AND JOSEF KOHN

OF VIENNA

NEW YORK, 110-112 W. 27th ST.

CHICAGO, 1414-18 WABA

Advertisements—When writing Advertisers, please mention Architecture and Building

"FLEXIFOLD"

ROLLING PARTITIONS



For
Churches
Schools
Parish Houses
Lodge Buildings

Grant Pulley and Hardware Co.

3 West 29th St., New York City

Descriptive Circular and Estimates Upon Application

THE NORTHWESTERN TERRA-COTTA COMPANY

M A N U F A C T U R E R S O F

ARCHITECTURAL TERRA-COTTA

**GLAZED AND ENAMELED
WORK IN ALL VARIETIES**

ESTIMATES GIVEN ON APPLICATION

**MAIN OFFICE AND WORKS: 1000 CLYBOURN AVENUE
BRANCH OFFICE: 1415 RAILWAY EXCHANGE**

**CHICAGO
ILLINOIS**

Advertisements.—When writing Advertisers, please mention Architecture and Building.

Spencer Turbine Vacuum Cleaner



Bamberger Store, Newark, N. J.

are vitally important in the modern department Store's equipment. They in the preservation of valuable stocks from dirt and germs—a real economy that should not be overlooked.

Spencer Cleaning Plants are being installed in most of the large new Department Stores, among which are

Bamberger & Co., Newark, N. J.
25 H. P. 10—sweeper

W. & J. Sloane, New York City
25 H. P. 10—sweeper

Stern Bros., New York City
50 H. P. 20—sweeper

On request a Free Catalog and List of more than a thousand installations can be furnished as references.

The Spencer Turbine Cleaner Co

620 Capitol Avenue, Hartford, Conn.

Branch Offices or Selling Agencies in all the Principal Cities



HOTEL STATLER EQUIPMENT

A STRIKING ILLUSTRATION OF THE

ADAPTABILITY

OF

SPRAGUE ELECTRIC MOTORS

OVER 50 MOTORS

ARE USED IN THE OPERATION OF

SUPPLY AND EXHAUST FANS

AIR WASHERS

VACUUM CLEANERS

HOUSE PUMPS

REFRIGERATING MACHINES

BELL RINGING MOTOR GENERATOR SETS

Electrical Equipment for Hotels and other Buildings a Specialty

SPRAGUE ELECTRIC WORKS

or General Electric Company

Main Offices: 527-531 West 34th Street, New York, N. Y.

Branch Offices in Principal Cities



Advertisements.—When writing Advertisers, please mention Architecture and Building



HARPER MEMORIAL LIBRARY, CHICAGO UNIVERSITY

Waterproofed with Ceresit

About 30,000 pounds of **Ceresit** were used to waterproof the basements of this building.

Please write for our book "Y" on "Waterproofing" for cement and concrete.

Ceresit Waterproofing Company, Chicago

General Offices, 80 West Adams St.

Branches | 1133 Broadway, New York
| 1218 Chestnut St., Philadelphia



700 Showers

WITH

NIEDECKEN MIXER

INSTALLED IN NEW

HOTEL STATLER

CLEVELAND, OHIO

*The Largest Shower Installation
in the World*

Pronounced by experts the only
Perfect Anti-Scalding Valve

HOFFMANN & BILLINGS

MFG. CO.

Milwaukee, Wis.

WRITE FOR BULLETIN NO. B-5

The Victor Sash Chain

A Chain for Heavy Doors and Metal Windows

Will be furnished in **any length** desired with end attachments **complete** when so specified, without any additional charge.

Will not kink. Runs smoothly and noiselessly. Has a tensile strength of 895 pounds.

Sold at all Leading Hardware Stores.

MANUFACTURED BY

Victor Sash Chain Co.

15 Ward St. Newark, N. J.

Advertisements—When writing Advertisers, please mention Architecture and Building.



The Main Dining Room, Statler Hotel, Cleveland

Tile for Floor
Tile for Columns
for this room
also for the
Formal Dining Room and ()
Room were
Manufactured by the

Mueller Mosaic Company

Makers of Artistic Tile

Trenton, New Jersey

INGALLS STONE COMPANY



Cut Stone Contractor
For Buff and Blue
Indiana Limestone

BEDFORD, IND.

The accompanying cut is the Hotel Statler, Cleveland, Ohio, for which we furnished the CUT STONE



TH

Jarvis H

Th

A'

B
N
V
I

Federal T

111 Broadway

CRAFTSM



A Complete Heating a

Advertisements.—

READER'S ANNOUNCEMENT

January, 1913, Architecture and Building

EFFICIENT BUILDING SUPERINTENDENCE BY ROGER COX

To read this article is to start the New Year right. The author has made some splendid suggestions, and his report scheme, which is illustrated, will meet with approval and save many dollars to architects who adopt it during 1913.

Lettering and the Architect is the beginning of a series of articles which will run all through 1913, written by Mr. Wm. Heyny, author of "Modern Lettering, Artistic and Practical." Mr. Heyny has studied the subject of architectural lettering, and his first article will point out some glaring faults. Mr. Heyny's whole theme might be summed up in—"Why should not the architect set an example for good lettering?"

A Summary of the Valuable Subjects for 1913 includes more articles on "AUTOMATIC SPRINKLER EQUIPMENT OF LOFT BUILDINGS," BY MR. E. P. BOONE; several more entertaining articles by MR. FREDERICK SQUIRES on recently completed "TEXTURE TILE" FIREPROOF HOMES; the completion of MR. EDWARD GODFREY'S "FAILURES IN BUILDING CONSTRUCTION AND THEIR LESSONS," and a splendid NEW SERIES OF ARTICLES on

"The Fireproofing of Vertical and Horizontal Openings in Buildings" which we will use as the subject of a more extended announcement.

And Don't Forget, A Whole Series of Poster Covers by J. L. which will include a series of characteristic views in our principal American Cities. (Every cover is worth framing.)

THE WILLIAM T. COMSTOCK CO., Publishers

SWITCHBOARDS *and* PANELS

Marked "Metropolitan"

Are the Best that Can be Produced

Architects, Engineers and Owners specify Metropolitan Detachable Mechanism Flush Switches and Receptacles for their high class buildings. The most up to date appliances.

METROPOLITAN
ELECTRIC MFG CO.

14th Street and East Avenue, L. I. City

TELEPHONE 2854 MORNINGSIDES

FACTORY, FALCONER, N. Y.

JAMESTOWN MANTEL COMPANY

MANUFACTURERS OF

ARCHITECTURAL WOOD WORK

ALL KINDS OF INTERIOR WOOD WORK
AND VENEERED DOORS A SPECIALTY

271 West 125th Street, Corner Eighth Avenue

M. RAYMOND
Manager New York Office

NEW YORK

High Class Interior Architectural Woodwork

KERTSCHER & CO.

13 LAWRENCE STREET, NEW YORK CITY

DESIGNS AND ESTIMATES FURNISHED

Spiers-Lederle Glass Co.

STAINED AND LEADED GLASS

HIGH CLASS MEMORIAL
WINDOWS A SPECIALTY

900 Sixth Ave.

New York

LOOMIS FILTERS

ESTABLISHED 1880

Improved System

Simple and Effective

LOOMIS-MANNING FILTER DISTRIBUTING CO.

Main Office: 828 Land Title Building, PHILADELPHIA
Boston New York Baltimore Washington

Complete Architectural Catalogue

Sent on request

THE WILLIAM T. COMSTOCK CO.

Publishers

23 Warren Street

New York



8

